

Prices valid from : September 12th 2008


Fujitsu Siemens Computers

Sep' 08 UK Price List RRP



We make sure

FUJITSU COMPUTERS
SIEMENS



Content

Windows Vista Capable	3	CELSIUS Positioning	62	PRIMERGY BX630 S2	244	PRIMEQUEST Services	377
News and Highlights	4	CELSIUS H250	63	PRIMERGY BX620 S4	245	PRIMEQUEST Options	379
Positioning	6	CELSIUS W360	64	Blade Servers Accessories	246		
Positioning Tablet PC	8	CELSIUS M460	65	Blade Servers Services	277	Positioning Storage Disk Sys.	381
		CELSIUS R550	66			FibreCAT NX40 S4	382
		CELSIUS Accessories	67	Positioning PRIMERGY Storage	280	FibreCAT SX40	383
STYLISTIC ST5112	9	CELSIUS Services	78	PRIMERGY SX10	281	FibreCAT CX3	384
TABLET PC Accessories	10			PRIMERGY SX30	282	FibreCAT SX60	388
TABLET PC Services	14	Positioning Displays	79	PRIMERGY SX650	283	FibreCAT SX80	389
		Displays	80	PRIMERGY Storage Accessories	284	FibreCAT SX80 iSCSI	391
				PRIMERGY Storage Services	311	FibreCAT SX88	392
Positioning Prof Notebook	15	Positioning Keyboard & Security	82			FibreCAT Disk Frames	393
ESPRIMO Mobile 5535	17	Keyboards	83	Positioning SPARC Enterprise	312	Accessories Storage Disk Sys.	394
ESPRIMO Mobile U9200	18			SES T5120	313	Options Storage Disk Sys.	440
ESPRIMO Mobile M9410	19	Positioning PRIMERGY Economy	84	SES T5140	314		
ESPRIMO Mobile D9500	20	PRIMERGY Econel 100 S2	85	SES T5220	315	Positioning Storage Tape Sys.	447
ESPRIMO Mobile Accessories	21	PRIMERGY Econel 230R S1	86	SES T5240	316	CentricStor	448
ESPRIMO Mobile Services	29	Economy Servers Accessories	87	SES T1000	317	LTO Desktop	452
LIFEBOOK S7210	30	Economy Servers Services	130	SES T2000	318	FibreCAT TX08	455
LIFEBOOK S6420	31			SES M4000	319	FibreCAT TX24	459
LIFEBOOK E8310_E8410	32	Positioning PRIMERGY Tower	133	SES M5000	321	FibreCAT TX24 S2	460
LIFEBOOK P8010	33	PRIMERGY TX120	134	SES M8000	323	FibreCAT TX48	462
LIFEBOOK P7230	34	PRIMERGY TX150 S6	135	SES M9000	324	FibreCAT TX48 S2	464
LIFEBOOK P1620	35	PRIMERGY TX200 S4	137	SES Accessories	326	SL500	467
LIFEBOOK T4220	36	PRIMERGY TX300 S4	138	SES Options	328	SCALAR i500	468
LIFEBOOK T5010	37	Tower Servers Accessories	139			Accessories Storage Tape Sys.	469
LIFEBOOK T1010	38	Tower Servers Services	185	Positioning PRIMEPOWER Servers	330	Options Storage Tape Sys.	510
LIFEBOOK Accessories	39			PRIMEPOWER 250	332		
LIFEBOOK Services	45	Positioning PRIMERGY Rack	189	PRIMEPOWER 650 8U	334	Positioning SAN Components	514
		PRIMERGY RX100 S5	190	PRIMEPOWER 850 16U	336	Storage SAN Components	515
Positioning FUTRO	46	PRIMERGY RX200 S4	191	PRIMEPOWER 900	338	Accessories SAN Components	519
FUTRO A	47	PRIMERGY RX300 S4	192	PRIMEPOWER 1500	339	Options SAN Components	520
FUTRO S	48	PRIMERGY RX330S1	193	PRIMEPOWER 2500	344		
FUTRO Accessories	49	PRIMERGY RX600 S3	194	PRIMECENTER	345	Positioning Unint. Power Supply	525
FUTRO Services	50	PRIMERGY RX600 S4	195	Console systems	349	Uninterruptible Power Supply	526
		PRIMECENTER	196	PRIMEPOWER Accessories	350	Accessories Unint. Power Supply	528
Positioning ESPRIMO	51	Rack Servers Accessories	199	PRIMEPOWER Services	351	Options Unint. Power Supply	530
ESPRIMO C	52	Rack Servers Services	237	PRIMEPOWER Options	352		
ESPRIMO E	53			Positioning PRIMEQUEST	374		
ESPRIMO P	54	Positioning PRIMERGY Blade	241	PRIMEQUEST 580A	375		
ESPRIMO Q	55	PRIMERGY BX600 S3	242	PRIMEQUEST Accessories	376		
ESPRIMO Accessories	56						
ESPRIMO Services	61						



Windows Vista Capable

<http://www.fujitsu-siemens.com/vista>

Not all Windows Vista™ features are available for use on all Windows Vista Capable PCs. All Windows Vista Capable PCs will run the core experiences of Windows Vista, such as innovations in organizing and finding information, security, and reliability. Some features available in premium editions of Windows Vista - like the new Windows® Aero™ user interface -- require advanced or additional hardware. Check www.windowsvista.com/getready for details.



**Fujitsu Siemens Computers recommends
Windows Vista® Business.**

News and Highlights



**FibreCAT SX80
iSCSI**

The FibreCAT SX80 iSCSI is the new iSCSI model of the FibreCAT SX family and a complete new model to the range.



LIFEBOOK T5010

The LIFEBOOK T5010 is a slim lightweight convertible notebook with an exceptional display. You can enjoy all the advantages of pen-based computing in both notebook and tablet mode. This ultimate meeting tool is powered by Intel® Centrino® 2 processor with vPro™ technology, Intel® Turbo Memory and optional integrated 3G/UMTS so that you can always access your data wherever you are. A modular bay and a long battery life means that you do not have to be tied to the office for the entire business day.



LIFEBOOK T1010

The LIFEBOOK T1010 combines style and functionality at an attractive price. The brilliant 13.3-inch TFT display with passive digitizer guarantees comfortable working whatever the application. Enjoy the advantages of flexible pen-based entries, such as automatic handwriting recognition and many other special features that only a convertible notebook can offer. Special covers ensure that not only your presentations look unique but also your LIFEBOOK T1010. Integrated WLAN and Bluetooth give you the freedom you need for effective and efficient working.



LIFEBOOK P8010

The new exclusive light bamboo designed notebook at 1.2 kg lets you work all day long, with just one battery!

The LIFEBOOK P8010 is just impressive. At only 1.3 kg including Hard Disk Drive and an optional Optical Disk Drive, it provides all standard interfaces including embedded UMTS/HSDPA and integrated ConfCamera. This 12.1-inch screen beauty lets your dreams come true. The integrated 4 application buttons guarantee fast and uncomplicated access to your personal applications. Be sure to take center stage due to its small and stylish form factor. In short, emotional appeal aligned with pure functionality.



LIFEBOOK P1620

The LIFEBOOK P1620 makes you more productive in mobile situations and defines a new way of mobile working: The successor of LIFEBOOK P1610 comes with a new CPU, new display and UMTS module and gives you ultimate freedom of choice: handwriting or keyboard. Additionally, the integrated fingerprint sensor and TPM Module provides highest security for your data.



**ESPRIMO Mobile,
LIFEBOOK**

The new ESPRIMO Mobile professional notebooks are a logical complement to our mobile portfolio. Due to their outstanding functionality and attractive pricing they are particularly well suited to the European market and they complement our LIFEBOOK perfectly to create a comprehensive range of professional notebooks

Your best friend as a frequent traveller. The LIFEBOOK S Series is the perfect balance of high performance and best mobility.

The new FUTRO S500 is ideally suited for Windows Terminal Server computing. The server executes the applications, the



FUTRO

The new FUTRO S500 is ideally suited for Windows Terminal Server computing. The server executes the applications, the screen is displayed on the client. Your data is saved secure on the server and is therefore protected against loss. Also the operating system is stored secure on a flash memory and safe from unauthorized changes due to a write protected file system. Selectively, an optional SmartCard reader is integrated as another security implement. Smart administration tools help to update the client easily.



ESPRIMO

The new ESPRIMO Q5030 - a real eye-catcher on your desk. This fully equipped next generation PC has a volume of just 1.4 liters. State-of-the-art Intel® Centrino Mobile technology meets all the requirements placed on a professional desktop computer - with minimal energy consumption and minimal noise.



CELSIUS

The new high-end workstations CELSIUS R650 and CELSIUS R550 feature the latest Dual Core Intel® Xeon® and Quad Core Intel® Xeon® processors and the most powerful professional OpenGL graphics NVIDIA Quadro FX 5600.

If you need more power and more expandability than a standard PC can offer, choose the high-end PC / entry-level workstation CELSIUS W360. This "Green" system features the latest Intel® Core™ 2 Quad processor. If you need more power and more expandability than an entry-level workstation can offer, opt for the mid-range workstation CELSIUS M460.



Displays & Accessories

The new Premium Line ECO displays provide all the proven features a Premium Line can offer and additional unique energy saving solutions like 0-watt power save mode and automatic brightness control. The front frame fits to the new design language of professional PC.

Always something new in the Peripherals Portfolio: e.g. keyboards and wireless sets in glossy piano black design fitting perfectly to the new lifestyle displays. Accessories and Security Devices according to latest technologies meet the latest market needs.



LTO-4SAS

LTO-4 HH Desktop Tape Drive with SAS interface - the ideal entry in the Tape backup



CentricStor FS

CentricStor FS is an innovative scale out storage system that delivers file services at unprecedented speed with high reliability levels.



Web Configurator

Web Configurator enables partners to configure and order on line PRIMERGY value4you servers in an easy way; no technical knowledge is required and only valid solutions can be created. During configuration, daily updated product availability from distributors and Net Reseller Buying Prices are shown. You will find it on our country-specific CPP/Extranet.



Fujitsu Siemens Computers recommends Windows Vista® Business.

Professional Products Positioning



STYLISTIC

The STYLISTIC ST Series is just 2.1 cm thin, approximately A4 in size, only 1.6 kg and replaces your need for paper and clipboard. Boasting a robust, high-tech design, it offers a of transmissive 12.1-inch AnyLight display (indoor/outdoor-prepared, wide viewing angle) making it ideal for working while standing or walking, indoors or outside. The Intel® Centrino Duo processor technology means you can work for up to 10 hours. And outstanding connectivity with modem, WLAN, IrDA and Bluetooth means you can get in a full day of work without having to return to the office.



ESPRIMO Mobile & LIFEBOOK

Our professional notebooks make you feel good, and not just when you are travelling. Genuine mobility, high performance, top quality, reliability and a stylish design make our complete ESPRIMO Mobile and LIFEBOOK Series unique. They also demonstrate that state-of-the-art technology can also be a visual pleasure. These high performance, convenient professional notebooks can easily be adapted to your specified requirements and are the perfect replacement for a desktop.



FUTRO

The FUTRO product line of smart, expandable thin clients is the ideal solution for server-based networks, particularly in terms of availability and data security. The user can neither access the operating system nor store data on the smart terminal.



ESPRIMO

Our professional PCs provide pure performance while balancing economic and environmental considerations. ESPRIMO professional PCs feature state-of-the-art technology from AMD and Intel® and are the perfect basis for productive working environments. They are quiet and cool with intelligent ergonomic designs, perfect manageability and security features. To make them as environmentally aware as possible, they are built with especially selected materials to minimize the impact on the environment.



CELSIUS

Computing power, memory space, graphics systems, expansion possibilities – even the most powerful of standard PCs are quick to reach their limits outside classic office and communication applications. Application fields such as simulation, animation, construction, and digital content creation require systems that offer maximum performance on all levels: CELSIUS workstations.



Displays & Peripherals

Positioned in three lines SCENICVIEW displays offer the right model for every desire - affordable Value Line, comfortable Business Line and Premium Line for highest demands.

The SCALEOVIEW H Line is a multifunctional display with connectivity for home and office use. The D Line stands for lifestyle pleasure and the Q Line for luxury combined with multifunctionality. Input Devices and Accessories reach from entry to advanced and premium level - and on top lifestyle products.



PRIMERGY

PRIMERGY is based on the standard architecture for good reason. Due to their high level of standardization, x86/EM64T and Dual-Core / Quad-Core servers deliver the best price/performance ratio. The Fujitsu Siemens Computers extensive product range, coupled with more than 20 years of experience in the IT market, means that we can build reliable and flexible IT infrastructures for our customers. PRIMERGY servers are the ideal choice for ensuring greater competitiveness and success in modern e-business environments.

The new Fujitsu Siemens Computers SPARC® Enterprise servers T5140 and T5240 – the first servers using the new UltraSPARC



**SPARC
Enterprise**

The new Fujitsu Siemens Computers SPARC Enterprise servers T5140 and T5240 – the first servers using the new UltraSPARC T2 Plus chip-multithreading (CMT) processor - are setting new standards in the market for network centric computing, energy efficiency and compute density, providing the ideal platform particularly for larger web and application tier services and for online transaction processing and technical workloads. This new models extend the existing CMT platform to 2-socket multiprocessor systems. Built-in, no-cost virtualization capabilities in the servers also enable customers to easily maximize system utilization, helping to lower the cost of delivering new IT services.



PRIMEQUEST

PRIMEQUEST servers are mission critical IA servers which enable customers to realize the economic benefits and flexibility of Linux and Windows industry standards while preserving all the attributes for mission critical datacenter services.



Storage

As part of its "Dynamic IT for storage" concept, Fujitsu Siemens Computers offers complete storage solutions consisting of the best components available from a single source. Close partnerships and collaboration with leading manufacturers of storage products means that the world's leading technology is available for every segment of the storage market. And if the market does not have any appropriate solutions, Fujitsu Siemens Computers will invest in developing its own specific storage systems.



Fujitsu Siemens Computers recommends Windows Vista® Business.

Positioning Tablet PC



**STYLISTIC
ST511x**

The STYLISTIC ST511x Series will make you more productive in a variety of mobile situations, whether you're on your way to an appointment, giving a presentation or taking notes with "electronic ink" during a meeting.

The new chipset and the advantages its Display make it the ultimate working tool for every purpose.

It's light, thin and robust and enables a convenient working on every location - indoor and outdoor



**LIFEBOOK
T4220**

The LIFEBOOK T series are slim lightweight convertibles including a modular bay. The 12.1 inch brilliant active-digitizer TFT screen comes with an AnyLight display and anti-reflective coating to ensure exceptional image quality. Enjoy pen-based computing wireless with embedded mobile broadband access and the freedom to work all day long independent of any power supply.



**STYLISTIC
Accessories**

Extend your STYLISTIC tablet PC to your needs. More convenience for your business trips and more functionality enabling easy working.

Fujitsu Siemens Computers offers a vast range of accessories for your STYLISTIC ST Series:

docking unit, power supply devices, different storage media and special cases that provide maximum protection while transportation.



Fujitsu Siemens Computers recommends Windows Vista™ Business.

STYLISTIC ST5112 Series

Data Sheets: <http://www.fujitsu-siemens.com/stylistic>

The STYLISTIC ST5112 Series will make you more productive in a variety of mobile situations, whether you're on your way to an appointment, giving a presentation or taking notes with "electronic ink" during a meeting. It's specially designed for working while standing or walking.

It's light, thin and robust. Its brilliant display enables a convenient working on every location - indoor and outdoor.

Customers all over the world like sales professionals, service technicians, surveyors, inspectors or doctors are persuaded of the natural pen interface.

The smart worker will enjoy the outstanding connectivity of the ultimate tablet PC - WLAN, IrDA, Bluetooth. Courtesy of Intel® Centrino™ Duo processor technology the STYLISTIC ST5112 Series facilitates nonstop working for up to 10 hours.

Model	Processor	Operating Systems	Memory	Hard Disk Drives	Other Drives	Battery	Modem	LAN	WLAN	Bluetooth	Screen	Graphics	Audio	Code	End User Price (€)	Comments
STYLISTIC ST5112																
Standard products																
Intel® Core™2 Duo U7700	1.3 GHz 533 MHz 2 MB	Genuine Windows VISTA® Business 32 bit MxLI A	1 GB DDR2	80 GB SATA 5400	SD/MS Cardreader	Modem V92	x	x	x	12.1" XGA	Intel® Graphics Media Accelerator 950	onboard	PDP:GBR-222600-001		1592	
Intel® Core™2 Duo U7700	1.3 GHz 533 MHz 2 MB	Genuine Windows VISTA® Business 32 bit MxLI A	1 GB DDR2	120 GB SATA 5400	SD/MS Cardreader	Modem V92	x	x	x	12.1" XGA	Intel® Graphics Media Accelerator 950	onboard	PDP:GBR-222600-002		1622	
Intel® Core™2 Duo U7700	1.3 GHz 533 MHz 2 MB	Genuine Windows VISTA® Business 32 bit MxLI A	512 MB DDR2	80 GB SATA 5400	SD/MS Cardreader	Modem V92	x	x	x	12.1" XGA	Intel® Graphics Media Accelerator 950	onboard	PDP:GBR-222600-003		1528	



Fujitsu Siemens Computers recommends Windows Vista™ Business.

Tablet PC Accessories

Data Sheets: <http://www.fujitsu-siemens.com/stylistic>

Category	Description	Details																											
Memory	1GB DDR2-667 2GB DDR2-667 1GB DDR2-667	1 module, PC2-5300 ub, dual channel performance with two identical modules only	314110 Active Eng.,_XPTFC/UK																										
			314110 Active Eng.,_XPTFC/UK																										
			314110 Active Ger.,_XPTFC/UK																										
	2GB DDR2-667	1 module, PC2-5300 ub, dual channel performance with two identical modules only	314110 Passive French Wok2/UK																										
			314110 Passive French Wok2/UK																										
			314110 Passive French Wok2/UK																										
	2GB DDR2-667	1 module, PC2-5300 ub, dual channel performance with two identical modules only	314110 Passive Ger.,_XPTFC/UK																										
			314110 Passive Ger.,_XPTFC/UK																										
			314110 Passive Ger.,_XPTFC/UK																										
	Removable Media Drives	Micro SD Card 2GB	Micro SD Card 2GB, SDCI/AGB-2ADP, MHL and normal SD-Adapter included																										
		Micro SD Card 4GB	Micro SD Card 4GB, SDCI/AGB-2ADP, MHL and normal SD-Adapter included																										
		FDD USB (external)	external USB FDD, USB cable included																										
		MEMORYBIRD P 2GB	High Speed USB flash stick, Drives use for Microsoft Windows operating systems, Plug and play, Suitable for LIFEBOOK Series and ESPRIMO PC, AMILO Pro, ESPRIMO Mobile, CELSIUS Mobile and PRIMO/RG1. Availability of various capacities for storage of miscellaneous data, up to 28 Mbit/s read-speed, write-speed up to 17 Mbit/s																										
		MEMORYBIRD L 2GB S26391-F6048-L102	For storage of miscellaneous data, Perfect for storage and transportation of data files, Ease of use - driveless for Microsoft Windows XP and Microsoft Windows Vista™, Plug & Play, Very convenient due to compactness, Fits in any pocket, Designed for both notebook and desktop users, USB 2.0 downwards compatible																										
		MEMORYBIRD L 4GB	For storage of miscellaneous data, Perfect for storage and transportation of data files, Ease of use - driveless for Microsoft Windows XP and Microsoft Windows Vista™, Plug & Play, Very convenient due to compactness, Fits in any pocket, Designed for both notebook and desktop users, USB 2.0 downwards compatible																										
		MEMORYBIRD L 8 GB	For storage of miscellaneous data, Perfect for storage and transportation of data files, Ease of use - driveless for Microsoft Windows XP and Microsoft Windows Vista™, Plug & Play, Very convenient due to compactness, Fits in any pocket, Designed for both notebook and desktop users, USB 2.0 downwards compatible																										
		MEMORYBIRD L 16 GB	For storage of miscellaneous data, Perfect for storage and transportation of data files, Ease of use - driveless for Microsoft Windows XP and Microsoft Windows Vista™, Plug & Play, Very convenient due to compactness, Fits in any pocket, Designed for both notebook and desktop users, USB 2.0 downwards compatible																										
		External DVD Dual Slim Slot-In Drive	Easy connection via USB 2.0, Included AC-adapter provides power support, Connection and disconnection without restarting, Slot-loading drive, Ultra slim design with the low weight of only 365 g, Read Speed: 8x DVD-R, 6x DVD-R DL, Write Speed: 8x DVD+RW, 8x DVD-RW, NERO Essentials Software, High quality and stability, Reliability of delivery, Low noise, Accessories for highly differentiated demands, Meets highest demands in terms of ergonomics and usability																										
		Communication/Network	Modemstecker kit, for all EU countries	Modemstecker kit, for all EU countries D, UK, S, N, SF, DK, A, CH, F, I, E, B, NL, P																									
			Cardreader All-in-1 USB 2.0	High quality and stability, Compact and stylish design, USB 2.0, and USB 1.1 compatible, Transfer rate up to 480 Mbit, USB Bus powered, All essential industry standards have been taken into account, Plug and play, Drives use for Microsoft Windows XP, Easy to use, Versatile reader for flash media, Providing maximal portability, No additional adapter needed, Enhance your system connectivity, use different card formats via one device																									
	PowerLAN iH200		Our PowerLAN adapter is Homeplug conform, which is a technology to transmit data over power lines, Radio-wave reflection, interference, and obstruction can result in "dead spots" where users cannot connect wirelessly, Home Plug technology provides LAN and Internet access through the wire that brings power to every part of a building, Coverage is complete, dead spots are no longer a problem, PowerLAN adapter iH200 provides up to 200 Mbit/s performance, 128-bit AES link Encryption with key management to secure powerline communications, Integrated Quality of Service (QoS) features support Triple play, Plug and Play without any configuration modification before using this adapter																										
	PowerLAN iH200 c		Our PowerLAN adapter is Homeplug conform, which is a technology to transmit data over power lines, Radio-wave reflection, interference, and obstruction can result in "dead spots" where users cannot connect wirelessly, Home Plug technology provides LAN and Internet access through the wire that brings power to every part of a building, Coverage is complete, dead spots are no longer a problem, PowerLAN adapter iH200 provides up to 200 Mbit/s performance, 128-bit AES link Encryption with key management to secure powerline communications, Integrated Quality of Service (QoS) features support Triple play, Plug and Play without any configuration modification before using this adapter																										
	USB Adapter PS/2		2x PS/2 connection for printers only																										
	USB Centronics printer cable		Ultra-fast wireless data transfer at up to 300 Mbps, For internet access in combination with a wireless router or access point, Enables wireless IP-TV/HD video streaming, Higher data throughput, better coverage within the home or office, Advanced security with WPA/WPA2 for a safer network, User-friendly installation and configuration																										
	USB-WLAN 11n		Ultra-fast wireless data transfer at up to 300 Mbps, For internet access in combination with a wireless router or access point, Enables wireless IP-TV/HD video streaming, Higher data throughput, better coverage within the home or office, Advanced security with WPA/WPA2 for a safer network, User-friendly installation and configuration																										



**Fujitsu Siemens Computers recommends
Windows Vista® Business.**

Positioning Professional Notebooks



**ESPRIMO
Mobile D Series**

The ESPRIMO Mobile D9500 is the right choice when you can't accept compromises. With latest Intel Centrino Duo processor technology it delivers reliable performance to knowledge workers and day-extenders. In addition it offers ubiquitous connectivity with embedded UMTS/HSUPA. It features a superb 15.4-inch WXGA or WXGA+ display at a weight of only 2.5 kg.



**ESPRIMO
Mobile M Series**

The ESPRIMO M9400 is the lightweight mainstream notebook for business people frequently on the move. With latest Intel® Centrino® processor technology it meets the growing needs of anytime, anywhere connectivity. With a 14.1-inch WXGA display, a weight of just 2.1 kg and embedded UMTS/HSUPA connectivity, productivity is ensured wherever you decide to work.



**ESPRIMO
Mobile U Series**

The ESPRIMO Mobile U9200 is the ultimate companion for those who are always on the move. An ultra portable notebook with the perfect combination of low weight, long battery life and unlimited connectivity. The latest Intel Centrino Duo processor technology, a 12.1-inch WXGA display, integrated ConfCamera and embedded UMTS/HSUPA ensure constant access to data.



**LIFEBOOK E
Series**

The LIFEBOOK E Series always follows a simple philosophy: only the best will do. Top notch performance with only 2.3 kg makes this notebook as one of the lightest in its class. The comprehensive security features, separate SmartCard reader, TPM1 and Fingerprint1 modules make your sensible data safe and secure – anytime, anywhere.

Take advantage of the growing network of wireless working and catch up emails where ever you are via optional embedded UMTS.



**LIFEBOOK S
Series**

The LIFEBOOK S Series gives professional users the optimum combination of performance, modularity and flexibility: the functionality and ease of use of a desktop in a slimline, lightweight package. The integrated modem, network adapter, optional Bluetooth and wireless LAN are complemented by a multifunctional bay. The latest Intel Centrino mobile technology or an AMD Turion 64 MT provide you long battery life away from the power socket.



**LIFEBOOK P
Series**

The LIFEBOOK P Series fits in any bag - meeting the most demanding airport restrictions. At only 1.2 kg this lightweight combines superior style with exceptional performance and state-of-the-art connectivity, including embedded mobile broadband access and excellent communications ability. Thanks to video conferencing support with the integrated ConfCamera, this 12.1-inch screen beauty is truly a maximum. It provides all standard interfaces, and tops it off with a exceptional long battery run time. The integrated EcoButton extends the battery life even further. In short, true mobility becomes reality



**LIFEBOOK T
Series**

You are looking for an ultra-portable notebook with the latest technology but also want to profit from the pen functionality of a Tablet PC. Have a look on the LIFEBOOK T Series and you will be fascinated.

The LIFEBOOK T Series is a convertible notebook which offers you pen enabled design in all modes. And just flip over the screen and it converts into a Tablet PC.



**LIFEBOOK P
Series**

Getting bigger, staying small - the LIFEBOOK P Series features powerful notebooks and ultra light convertible Tablet PCs in one unit. Rotate the brilliant 8.9 inch display 360° to share your ideas or flip it over to convert your notebook into a slate Tablet PC.

High performance and long battery life is not a conflict. The LIFEBOOK P Series is your perfect companion whether you are driving by car, train or airplane.

Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Mobile 5535

Data Sheets: http://www.fujitsu-siemens.com/amilo_pro

The ESPRIMO Mobile V5535 is your gateway to professional mobile working. It is the professional companion for the price-conscious, casual user. This notebook is the ultimate balance of valuable performance and best-in-class mobility at very attractive prices.

You have the brilliant large 15.4-inch widescreen display for a maximum viewing comfort and an ergonomic full-size keyboard. Ideal for users working both on the road and in the office, it features a built-in super multi DVD writer and LAN. The Wireless LAN module offers unlimited freedom of connectivity wherever you are.

Standard products

Model	Processor	Operating Systems	Memory	Hard Disk Drives	DVD_ROM	CD_RW_DVD	DVD_RW_DUAL_DL	Other_Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front_USB	Rear_Panel	Security_Hardware	Code	End User Price (£)	Comments
ESPRIMO Mobile V5535																						
Intel Celeron 550 2.00 1M 533		Genuine Windows VISTA® Business 32 bit MuLi A	1GB	120GB				No	x	x	on board	on board			United Kingdom, Ireland (English)				VFY-V5535MPBC1GB		318	
Intel Celeron 550 2.00 1M 533		Genuine Windows VISTA® Home Basic 32 bit MuLi A	1GB	120GB				No	x	x	on board	on board			United Kingdom, Ireland (English)				VFY-V5535MPBC2GB		282	
Pentium dual-core T2370 1.73 1M 800		Genuine Windows VISTA® Business 32 bit MuLi A	2x1GB	120GB				No	x	x	on board	on board			United Kingdom, Ireland (English)				VFY-V5535MPBG1GB		411	
Pentium Core2 duo T5550 1.83 1.66M 667		Genuine Windows VISTA® Business 32 bit MuLi A	2x1GB	120GB				No	x	x	on board	on board			United Kingdom, Ireland (English)				VFY-V5535MPBM1GB		446	
Intel Core2 Duo T5750 2.00 2M 667		Genuine Windows VISTA® Business 32 bit MuLi A	2GB	250GB				No	x	x	on board	on board			United Kingdom, Ireland (English)				VFY-V5535MPEC1GB		432	
Intel® Core Solo T2390 1.86 GHz 667 MHz 2 MB		Genuine Windows VISTA® Business 32 bit MuLi A	2x1GB	120GB				No	x	x	on board	on board			United Kingdom, Ireland (English)				VFY-V5535MPFL1GB		365	



Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Mobile U9200

Data Sheets: http://www.fujitsu-siemens.com/amilo_pro

Being frequently on the road? Moving from location to location? Sometimes being stuck between meetings?

Business people like you need the perfect companion on the move!

The ESPRIMO Mobile U9200 – an ultra portable notebook – with latest Intel® Centrino® processor technology keeps you working productive, wherever you decide to work. It is the perfect combination of low weight, long independency from power socket and unlimited connectivity.

This professional notebook features a superb 12.1-inch WXGA display, with integrated ConiCamera. In combination with embedded UMTS/HSDPA you stay in touch with your colleagues, partners and customer – whenever and wherever you are. And once back at the office, the port replicator instantly transforms your ESPRIMO Mobile in a fully-fledged PC.

Model	Processor	Operating System	Memory	Hard Disk Drives	DVD_ROM	CD_RW_DVD	DVD_RW_DUAL_DL	Other_Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front_USB	Rear_Port	Security_Hardware	Color	End User Price (€)	Comments
Standard products																						
ESPRIMO Mobile U9200																						
Intel® Core™2 Duo T8100 2.1 GHz 800 MHz 3 MB	Genuine Windows VISTA® Business 32 bit Multi A	2x1 DDR2	80 GB SATA 5400	No	No	x	x		x	x		Intel® X3100 integr. graphics	onboard		United Kingdom, Ireland (English)			LKN:GBR-230100-024		1211		
Intel® Core™2 Duo T8100 2.1 GHz 800 MHz 3 MB	Genuine Windows VISTA® Business 32 bit Multi A	2x1 DDR2	80 GB SATA 5400	No	No	x	x		x	x		Intel® X3100 integr. graphics	onboard		United Kingdom, Ireland (English)			LKN:GBR-230100-025		1075		
Intel® Core™2 Duo T7500 2.0 GHz 800 MHz 2 MB	Genuine Windows VISTA® Business 32 bit Multi A	2x512 DDR2	80 GB SATA 5400	No	Modem V92	x	x					Intel® X3100 integr. graphics	onboard		Germany, Austria (German)			LKN:INT-230100-001		1070	Phased out	
Intel® Core™2 Duo T8300 2.4 GHz 800 MHz 3 MB	Genuine Windows VISTA® Business 32 bit Multi A	2x512 DDR2	80 GB SATA 5400	No	Modem V92	x	x					Intel® X3100 integr. graphics	onboard		Germany, Austria (German)			LKN:INT-230100-002		1070		
Intel® Core™2 Duo T7500 2.2 GHz 800 MHz 2 MB	Genuine Windows VISTA® Business 32 bit Multi A	2x1 DDR2	120 GB SATA 5400	No	Modem V92	x	x					Intel® X3100 integr. graphics	onboard		United Kingdom, Ireland (English)			PDP:GBR-230100-004		1183	Phased out	



Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Mobile M9410

Data Sheets: http://www.fujitsu-siemens.com/esprimo_mobile

You are frequently on the road? You don't like compromises? Business people like yourself know that the use of mobile hardware is an important work prerequisite. The solid 14.1-inch mainstream notebook ESPRIMO Mobile M9410 with its state-of-the-art Intel® Centrino® 2 processor technology meets the increasing requirements for unlimited connectivity. It helps you to be productive at work, wherever you may be. With its new clear-line design the ESPRIMO Mobile M fits perfectly into your office environment.

Model	Description	Details	Code	Partner Price (£)	Trade Guide Price (£)	End User Price (£)	Comments
ESPRIMO Mobile M9410							
Standard products							
	EM M9410 /14.1" WXGA/C2 P8400/2GB/DVD/	EM M9410 /14.1" WXGA/C2 P8400/2GB/DVD/120GB/WLAN ATH. B/G/UMTS GTM 382/MODEM/ MODEMKIT/CK EU/KB US W/O TS B/V BUS32/ PORTREP/OPT MOUSE/.	LKN:INT-261100-001	963	1014	1107	New product,Orderable from: 16/09/2008
	EM M9410 /14.1" WXGA/C2 P8600/2GB/	EM M9410 /14.1" WXGA/C2 P8600/2GB/ 2ND BATT/DVD/160GB/WIFI 5300/ UMTS GTM 382/BT/NO MODEM/CK GB/ KB GB W/ TS B/V BUS32/NERO/.	PDP:GBR-261100-001	1061	1117	1220	New product,Orderable from: 19/09/2008



Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Mobile D9500

Data Sheets: http://www.fujitsu-siemens.com/esprimo_mobile

Need constant access to your data? Accepting no compromises? Understood that mobility is reality?

From roving engineers to knowledge workers constant data access is a must!

The ESPRIMO Mobile D9500 is ready to take the challenge- Its latest Intel® Centrino® processor technology fits the need of reliable performance. In addition it gives you the freedom to work wherever you like. Ubiquitous connectivity is ensured with embedded UMS/HSDPA. This professional notebook features a superb 15.4-inch WXGA or WXGA+ display and long independence from any power source. And once back at the office, the port replicator instantly transforms your ESPRIMO Mobile in a fully-fledged PC.

Model	Processor	Operating System	Memory	Hard Disk Drives	DVD ROM	CD RW DVD	DVD RW DUAL DL	Other Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front USB	Rear Panel	Security Hardware	Code	End User Price (€)	Comments
ESPRIMO Mobile D9500	Intel® Celeron® 540 1.86 GHz 533 MHz 1 MB	Genuine Windows VISTA® Business 32 bit Multi A	1 DDR2	80 GB SATA 5400		No	Modem V92	x	x	Intel® X3100 integr. graphics	onboard		United Kingdom, Ireland (English)						PDP-GBR-232100-001	710		



Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Mobile Accessories

Data Sheets: http://www.fujitsu-siemens.com/amilo_pro

Category	Description	Details	ESPRIMO Mobile D9600	ESPRIMO Mobile D9610	ESPRIMO Mobile M9400	ESPRIMO Mobile M9410	ESPRIMO Mobile U9200	ESPRIMO Mobile U9210	ESPRIMO Mobile V5905	ESPRIMO Mobile V5515	ESPRIMO Mobile V5525	ESPRIMO Mobile V5535	ESPRIMO Mobile V5545	ESPRIMO Mobile V5555	ESPRIMO Mobile V6505	ESPRIMO Mobile V6545	ESPRIMO Mobile X9510	ESPRIMO Mobile X9525	Code	End User Price (€)	Comments
Accessories & services matrix																					
Memory																					
	1GB DDR2-667		x	x	x	x	x	x	x	x	x	x	x						S26391-F6120-L481	54	
	2GB DDR-667 (1x 2GB)	1 module PC 667 (PC2-5300)	x		x	x	x	x			x	x	x						S26391-F6120-L482	93	
	1GB DDR2-800																		S26391-F6120-L483	51	
	2GB DDR2-800														x		x		S26391-F6120-L484	120	
	2GB DDR3-1066			x	x		x										x	x	S26391-F736-L200	145	Orderable from: 08/09/2008
Removable Media Drives																					
	Micro SD Card 2GB	Micro SD Card 2GB, SDC/2GB-2ADP , Mini and normal SD-Adapter included	x	x	x	x	x	x	x	x	x	x	x					x	S26391-F2486-L822	20	
	Micro SD Card 4GB	Micro SD Card 4GB, SDC/4GB-2ADP , Mini and normal SD-Adapter included	x	x	x	x	x	x	x	x	x	x	x					x	S26391-F2486-L842	34	
	FDD USB (external)	external USB FDD, USB cable included	x	x	x	x	x	x	x	x	x	x	x					x	S26391-F264-L226	26	
	MEMORYBIRD P 2GB	High Speed USB flash stick, Driverless use for Microsoft Windows operating systems, Plug and play, Bootable for LIFEBOOK Series and ESPRIMO PC, AMILO Pro, ESPRIMO Mobile, CELSIUS Mobile and PRIMERGY, Availability of various capacities for storage of miscellaneous data, up to 28 Mbit/s read-speed, write-speed up to 17 Mbit/s	x	x	x	x	x	x	x	x	x	x	x					x	S26391-F6047-L102	40	
	MEMORYBIRD L 2GB /S26391-F6048-L102		x	x	x	x	x	x	x	x	x	x						x	S26391-F6048-L102	19	Phased out
	MEMORYBIRD L 4GB		x	x	x	x	x	x	x	x	x	x						x	S26391-F6048-L104	18	Phased out
	MEMORYBIRD L 8 GB	For storage of miscellaneous data, Perfect for storage and transportation of data files, Ease of use – driverless for Microsoft Windows XP and Microsoft Windows Vista™, Plug & Play, Very convenient due to compactness, Fits in any pocket, Designed for both notebook and desktop users, USB 2.0 downwards compatible	x	x	x	x	x	x	x	x	x	x	x					x	S26391-F6048-L108	28	
	MEMORYBIRD L 16 GB	For storage of miscellaneous data, Perfect for storage and transportation of data files, Ease of use – driverless for Microsoft Windows XP and Microsoft Windows Vista™, Plug & Play, Very convenient due to compactness, Fits in any pocket, Designed for both notebook and desktop users, USB 2.0 downwards compatible	x	x	x	x	x	x	x	x	x	x	x					x	S26391-F6048-L116	42	
	External DVD Dual Slim Slot-In Drive	Easy connection via USB 2.0, Included AC-adapter provides power support, Connection and disconnection without restarting, Slot-loading drive, Ultra slim design with the low weight of only 365 g, Read Speed: 8x DVD±R, 6x DVD±R DL, Write Speed: 8x DVD±RW, 8x DVD-RW, NERO Essentials Software, High quality and stability, Reliability of delivery, Low noise, Accessories for highly differentiated demands, Meets highest demands in terms of ergonomics and usability	x	x	x	x	x	x	x	x	x	x	x						S26391-F7119-L100	85	
	DVD Super multi (reader/writer)				x	x												x	S26391-F725-L200	109	Orderable from: 08/09/2008
	ExpressCard bay						x												S26391-F725-L400	23	Orderable from: 19/09/2008
Hard Disk Drives																					
	2nd HDD SATA 320GB 5.4k			x	x		x											x	S26391-F727-L300	216	Orderable from: 15/09/2008
Communication/Network																					
	Modemstecker kit, for all EU countries	Modemstecker kit, for all EU countries D, UK, S, N, SF, DK, A, CH, F, I, E, B, NL, P	x	x	x	x	x	x	x	x	x	x	x					x	S26361-F3145-L50	13	
	Cardreader All-in-1 USB 2.0	High quality and stability, Compact and stylish design, USB 2.0, and USB 1.1 compatible, Transfer rate up to 480 Mbit, USB Bus powered, All essential industry standards have been taken into account, Plug and play, Driverless use for Microsoft Windows XP, Easy to-use, Versatile reader for flash media, Providing maximal portability, No additional adapter needed, Enhance your system connectivity: use different card formats via one device	x	x	x	x	x	x	x	x	x	x	x					x	S26361-F3172-L1	12	



Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Mobile Accessories

Data Sheets: http://www.fujitsu-siemens.com/amilo_pro

Category	Description	Details	ESPRIMO Mobile D9500	ESPRIMO Mobile D9510	ESPRIMO Mobile M9400	ESPRIMO Mobile M9410	ESPRIMO Mobile U9200	ESPRIMO Mobile U9210	ESPRIMO Mobile V5505	ESPRIMO Mobile V5515	ESPRIMO Mobile V5525	ESPRIMO Mobile V5535	ESPRIMO Mobile V5545	ESPRIMO Mobile V5555	ESPRIMO Mobile V6305	ESPRIMO Mobile V6335	ESPRIMO Mobile V6545	ESPRIMO Mobile X9510	ESPRIMO Mobile X9525	Code	End User Price (€)	Comments
Communication/Network (Continued)																						
	PowerLAN IH200	Our PowerLAN adapter is Homeplug conform, which is a technology to transmit data over power line, Radio-wave reflection, interference, and obstruction can result in "dead spots" where users cannot connect wirelessly. Home Plug technology provides LAN and Internet access through the wire that brings power to every part of a building. Coverage is complete; dead spots are no longer a problem. PowerLAN adapter IH200 provides up to 200 MBit/s performance, 128-bits AES link Encryption with key management to secure powerline communications. Integrated Quality of Service (QoS) features support Triple play, Plug and Play without any configuration modification before using this adapter	x	x	x	x	x	x	x	x	x	x	x							S26361-F3485-L1	48	
	PowerLAN IH200 c	Our PowerLAN adapter is Homeplug conform, which is a technology to transmit data over power line, Radio-wave reflection, interference, and obstruction can result in "dead spots" where users cannot connect wirelessly. Home Plug technology provides LAN and Internet access through the wire that brings power to every part of a building. Coverage is complete; dead spots are no longer a problem. PowerLAN adapter IH200 provides up to 200 MBit/s performance, 128-bits AES link Encryption with key management to secure powerline communications. Integrated Quality of Service (QoS) features support Triple play, Plug and Play without any configuration modification before using this adapter	x	x	x	x	x	x	x	x	x	x	x							S26361-F3485-L2	88	
	USB Adapter PS/2	2x PS/2 connection	x	x	x	x	x	x	x	x	x	x	x							S26391-F5100-L100	12	
	USB Centronics printer cable	for printers only	x	x	x	x	x	x	x	x	x	x	x							S26391-F6055-L100	16	
	USB-WLAN 11n	Ultra-fast wireless data transfer at up to 300 Mbps, For internet access in combination with a wireless router or access point, Enables wireless IP-TV/HD video streaming, Higher data throughput, better coverage within the home or office, Advanced security with WPA/WPA2 for a safer network, User-friendly installation and configuration	x	x	x	x	x	x	x	x	x	x	x							S26391-F7132-L100	20	
	USB-BT Stick V2.1	Extended inquiry response, Sniff subrating, Encryption Pause Resume, Secure Simple Pairing, Near Field Communication, Highest quality and stability, Compact and stylish design, Simply slot in your USB enabled device and start using Bluetooth® wireless technology, USB 2.0 and USB 1.1 compatible, USB bus powered, Easily connect to other devices with Bluetooth® technology, Access to latest data anytime and anywhere, Versatile stick for Bluetooth® interconnections, EDR (Enhanced Data Rate) enables transfer rates up to 3 Mbit, Software on CD, Providing maximal portability, Enhance your system connectivity, Bluetooth Core Specification Version 2.1 is fully backward-compatible with 2.0/1.2	x	x	x	x	x	x	x	x	x	x	x							S26391-F7137-L1	12	
OS/Application-SW																						
	Drivers & utilities DVD ESPRIMO Mobiles		x	x	x	x	x													S26361-F2007-L908	17	
	Media Less Key Office 07 Basic (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x														S26361-F2727-L556	102	
	Media Less Key Office 07 SBE (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x														S26361-F2727-L557	135	
	Media Less Key Office 07 PRO (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x														S26361-F2727-L558	171	
	Downgrade Pack XP Prof 32bit MuLi A	(D, DK, E, F, FIN, GB, I, N, NL, S), for downgrading Vista Business to XP Prof, CDs only, no license	x	x	x	x														S26361-F2007-L815	13	
	Downgrade Pack XP Prof 32bit MuLi B	(CZ, E, F, GB, GR, P, PL, TR), for downgrading Vista Business to XP Prof, CDs only, no license	x	x	x	x														S26361-F2007-L816	13	
	Downgrade Pack XP Prof 32bit MuLi C	(CZ, GB, H, MUJ), for downgrading Vista Business to XP Prof, CDs only, no license	x	x	x	x														S26361-F2007-L817	13	
	Downgrade Pack XP Prof 32bit RUS	(RUS), for downgrading Vista Business to XP Prof, CD only, no license	x	x	x	x														S26361-F2007-L818	7	
UPS/Power supply																						
	AC/Car adapter	Multiple power adapter, 110-220V / 12V/24V input, output 5V/16V/20V, 90Watt	x	x	x	x	x	x	x	x	x	x	x							S26391-F2613-L310	76	



Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Mobile Accessories

Data Sheets: http://www.fujitsu-siemens.com/amilo_pro

Category	Description	Details	ESPRIMO Mobile D9500	ESPRIMO Mobile D9510	ESPRIMO Mobile M9400	ESPRIMO Mobile M9410	ESPRIMO Mobile U9200	ESPRIMO Mobile U9210	ESPRIMO Mobile V5505	ESPRIMO Mobile V5515	ESPRIMO Mobile V5525	ESPRIMO Mobile V5535	ESPRIMO Mobile V5545	ESPRIMO Mobile V5555	ESPRIMO Mobile V6005	ESPRIMO Mobile V6335	ESPRIMO Mobile V6545	ESPRIMO Mobile X9510	ESPRIMO Mobile X9525	Code	End User Price (€)	Comments	
Accessories & services matrix																							
UPS/Power supply (Continued)																							
	AC adapter 20V(90W)								x	x	x	x	x							S26391-F321-L400	38		
	1st battery 6cells																			S26391-F400-L400	81		
	1st Battery ESPRIMO Mobile 6-cell 56Wh		x	x	x															S26391-F405-L840	90		
	2nd Battery ESPRIMO Mobile 6-cell 41Wh		x	x	x															S26391-F405-L841	90	Phased out	
	6 cell battery 5200mAh																			S26391-F6120-L470	54		
	AC Adapter 20V/4.5A (90W) ESPRIMO Mobile		x	x	x															S26391-F696-L200	44		
	AC Adapter 20V (90W)			x	x															S26391-F740-L100	44	Orderable from: 08/09/2008	
	2ND BATTERY			x	x															S26391-F746-L100	90	Orderable from: 19/09/2008	
	1st Battery EM U+M 6-cell				x	x														S26391-F746-L500	90	Orderable from: 11/09/2008	
	1st Battery EM D+X 8-cell			x																S26391-F746-L600	90	Orderable from: 08/09/2008	
	power cable EU	black, 2-pole, 1.8 m	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	T26139-Y2540-V113	6		
	power cable UK	black, 2-pole, 1.8 m	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	T26139-Y2540-V213	6		
	power cable US	black, 2-pole, 1.8 m	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	T26139-Y2540-V313	6		
Security																							
	Smart Security API 4.1	Contents: 1 CD (includes 1 licence), PKCS 11, CSP, PKI Environment and Driver for SC Token USB	x	x	x	x	x	x												S26361-F1571-L310	7		
	MicroSaver	anti-theft cable with lock	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L200	38		
	MicroSaver, Shared Access	lead time 16 Weeks; Minimum order 50 units, higher Quantities needs to divide by 50, complete order as a one shoot deal	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L220	49		
	MicroSaver, Master Access	(only for projects, special release; lead time 8 weeks), Minimum order quantity: 50 pieces, For higher quantities: 25 pieces per package	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L400	53		
	MicroSaver Combination	anti-theft cable with combination lock	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L500	25		
	MicroSaver Twin	2 locks on steel cable, e. g. for display and notebook	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L600	60		
	MicroSaver DS	Specialkey and steelcable	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L700	51		
	SmartCase SCR (Express Card)	SmartCard Reader for Express Card Slot,SCM Express Card54 - SCR3340	x	x	x	x														S26361-F2432-L710	45		
	SmartCase SCR (USB)	PC/SC and Win 98/Me/2000/XP compatible, USB interface	x	x	x	x	x	x	x											S26361-F2542-L220	27		
	SmartCard Token USB		x	x	x	x	x													S26361-F2542-L300	23		
	SmartCase Logon+ CD 1 license	Authentication, Passwordgmt., SSO, Secure Drive, supports Smartcard / Fingerprint for Win 2000/XP/Vista	x	x	x	x	x													S26361-F2727-L730	25		
	MicroSaver Portable	rollable steel cable with lock	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F6045-L100	34		
Mouse																							
	Logitech Bluetooth Mouse	Logitech Bluetooth Mouse, manual, leathercase, 2AA batteries, packed in white box	x	x	x	x	x	x	x											LTC-M-RBB93	34	Phased out	
Miscellaneous																							
	Webcam 130 portable	Ultra-slim and portable design, Ease of use: easy to install and configure, High quality video sensor, Max. 30 frames per second. Easy to use with the clip to attach the camera to any notebook, Plug & Play, CD with Webcam software included	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3871-L11	16		
	Mobile school room	usable for 25 notebooks, only supported with EU cables, not for ESPRIMO Mobile D9500 with second battery	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F2000-L100	3795		
	Keyboard protector 14"	5 pieces			x	x	x	x												S26391-F4000-L100	13		
	MOBILE STARTER KIT 14	Contains: S26391-F6048-L102 MEMORYBIRD L, S26391-K452-L100 MINI MOUSE USB, S26391-F119-L120 VALUE CASE A17, For Notebooks up to 17"	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F6036-L541	28		
	Mobile Starter Kit Backpack 3	S26381-K452-L100 Mini Mouse USB, S26391-F6048-L102 Memorybird L, S26391-F119-L121 Value Backpack A17	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F6036-L552	28	Phased out	
	MOBILE STARTERKIT 11	Contains: 1x Mouse USB MC100, 1x Prestige Case 5-in-1	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F6036-L600	21		
	MOBILE STARTERKIT 18	Contains: S26391-F119-L107 Value entry case, S26381-K410-L100 Mouse USB MC100	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F6036-L610	11		
	Mobile Starter Kit Safe 1	FSP-805N00020 Amilo NB Case III, S26361-F1650-L500 Combo Saver, S26381-K410-L100 Mouse USB OP MC100	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F6036-L612	44		
	Notebook Stand	adapter include mounting kit for PortRep for S71xx/72xx, E81xx/82xx/E83xx/E84xx/Celsius C240/250 and C1410. . . Other Notebooks can be fixed with industry velcro (not included)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F6047-L11	84		
	3M Privacy filter 14W				x	x														S26391-F6097-L114	54		
	3M Privacy filter 12.1"				x	x														S26391-F6097-L121	48		
	3M Privacy filter 15.4"				x	x														S26391-F6097-L316	58		
	Microfiber Rag		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F6105-L5	6		
	Soundssystem DS2000U	Ultra-slim and portable design, Awesome 2.0 channel stereo sound, Convenient USB powered, Simple Plug & Play	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F7127-L100	12	



Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Mobile Accessories

Data Sheets: http://www.fujitsu-siemens.com/amilo_pro

Category	Description	Details	ESPRIMO Mobile D9500	ESPRIMO Mobile D9510	ESPRIMO Mobile M9400	ESPRIMO Mobile M9410	ESPRIMO Mobile U9200	ESPRIMO Mobile U9210	ESPRIMO Mobile V5505	ESPRIMO Mobile V5515	ESPRIMO Mobile V5525	ESPRIMO Mobile V5535	ESPRIMO Mobile V5545	ESPRIMO Mobile V5555	ESPRIMO Mobile V6505	ESPRIMO Mobile V6335	ESPRIMO Mobile V6545	ESPRIMO Mobile X9510	ESPRIMO Mobile X9525	Code	End User Price (€)	Comments
Miscellaneous (Continued)																						
Accessories & services matrix	Soundsystem DS2000V	Easy 3.5 mm audio jack: Delivers a nice users' experience with a simple 3.5mm audio jack to connect with PC, NB and MP3 players, Color-coded audio cable: Makes the audio connection fast and easy, USB Plug&Play: Plug&Play design gets you the maximum simplicity of power from any desktop PC and NB, Portable USB-Powered, 3.5 mm Audio Jack, Stereo 2.0 Channel, Piano White Touch, Power LED Indicator, Compatible for PC, NB and MP3 Player	x	x	x	x	x	x	x	x	x	x	x	x						S26391-F7128-L200	9	
	Mobile Notetaker	New design of "Black-core & White Shell", Handwriting Capture from Any Surface, Store over 100 A4 Pages, No Special Notepad Needed, Using Standard Refill Pen Ink, Latest Ultra-sound & Infrared technology, Notes Export via JPEG, Off-line Note-Taking Support, Pen Mode & Mouse Mode Support, LCD Display for Status, Carry Bag Bundle	x	x	x	x	x	x				x	x	x	x	x	x	x	x	S26391-F7134-L1	47	
	Webcam 130 AF	Latest autofocus liquid lens - noiseless and power saving, Best video quality with 1.3-megapixel CMOS, Business Card Recognition (BCR) software for 9 languages (DE, ES, FR, EN, HU, IT, NL, PL & RU), Built-in microphone for excellent sound while chatting, Innovative LED lighting for notebook keyboard	x	x	x	x	x	x				x	x	x	x	x	x	x	x	S26391-F7136-L1	21	Orderable from: 12/09/2008
	WebCam V30S	Excellent 300K CMOS sensor with glass lens, High quality built-in USB microphone, Plug&Play UVC Type / No driver needed, Fit for Notebook & LCD Display,	x	x	x	x	x	x				x	x	x	x	x	x	x	x	S26391-F7136-L3	16	Orderable from: 12/09/2008
	HS7100U Dolby Headphone	Professional design of 53mm driver, powerful audio output / 500mW, max. power output / 2000mW, perfect isolation, audio monitoring for DJ and studio use, Dolby decoding technology, virtual 7.1 channel, diverse audio setting UI, De-noise & high-sensitivity microphone, Adjustable cushioned headband and lightweight design for maximum comfort, Circular design ensures superior isolation - perfect for loud environments, Rotating earpieces for easy one-ear monitoring, High quality PU sponge for best wearing comfort (ear-cup & head band), Convenient wired control, Digital audio / USB interface, Advanced software users' interface	x	x	x	x	x	x				x	x	x	x	x	x	x	x	S26391-F7139-L1	35	
	PC Headset		x	x	x	x	x	x				x	x	x	x	x	x	x	x	S26391-F7139-L200	15	Orderable from: 20/09/2008
Notebook Cases																						
	Pouch case	For AC adapter and power cable, , Material: black koskin, Exterior Dimensions: 250 x 70 x 70 mm, Weight: 120 g	x	x	x	x	x	x	x			x	x	x						S26391-F119-L105	13	
	Prestige Nightcase	Durable, water-repellent material; high-class manufacturing; smooth-running zipper; integrated notebook compartment; integrated pocket for power supply unit and cable; shirt compartment; workstation (cell phone, pens, CD-ROMs); exterior pocket for travel accessories; durable, dirt-resistant underbody; storage room for clothing (suits, shoes, etc.); especially smooth-running and quiet wheels; stable telescope handle made of high-class aluminium; carry handles on top and sides; handle shell on bottom. For Tablet PC and Notebooks up to 370 x 290 x 40 mm, Material: black/silver 1680D ballistic nylon, Exterior dimensions: 580 x 420 x 250 mm, Weight: 5.15 kg	x	x	x	x	x	x	x			x	x	x						S26391-F119-L106	84	
	Value Entry case	This carrying case protects the notebook with effective cushioning and the reinforced frame on all sides and so provides optimal safety. The especially soft handle of the Value Entry Case in combination with the shoulder strap offers a comfortable transport for notebooks from 14-inch up to 15.4-inch. For Notebooks up to 15.4" or 390 x 285 x 55 mm, Material: Polyester, Dimensions: 410 x 330 x 80 mm, Weight: 0.8 kg	x	x	x	x	x	x	x			x	x	x						S26391-F119-L107	11	



Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Mobile Accessories

Data Sheets: http://www.fujitsu-siemens.com/amilo_pro

Category	Description	Details	ESPRIMO Mobile D9500	ESPRIMO Mobile D9510	ESPRIMO Mobile M9400	ESPRIMO Mobile M9410	ESPRIMO Mobile U9200	ESPRIMO Mobile U9210	ESPRIMO Mobile V5505	ESPRIMO Mobile V5515	ESPRIMO Mobile V5525	ESPRIMO Mobile V5535	ESPRIMO Mobile V5545	ESPRIMO Mobile V5555	ESPRIMO Mobile V6335	ESPRIMO Mobile V6345	ESPRIMO Mobile X9510	ESPRIMO Mobile X9525	Code	End User Price (€)	Comments
Notebook Cases (Continued)																					
	Prestige Ladycase, br	Large cushioned notebook compartment and a cable pouch inside. Front and back panel with a slip pocket. For Tablet PC and Notebooks up to 14.1" or 330 x 260 x 40 mm, Material: brown nylon and leather, Exterior dimensions: 410 x 355 x 105 mm, Weight: 1.50 kg			x	x	x	x											S26391-F119-L108	27	
	Prestige case 5-in-1	The case is usable as a Notebook bag, cross body bag, lengthways with a strap attached, with the handle extended as a trolley, backpack. For Notebooks up to 370 x 280 x 50 mm, Material: Nylon/Polyester, Exterior Dimensions: 410 x 330 x 50-90 mm, Weight: 0.86 kg	x	x	x	x	x	x	x	x		x	x	x			x	x	S26391-F119-L110	16	
	Value Case A17	Stylish and lightweight Design with padded Notebook section. Adjustable and padded shoulder straps, compartment for MP3 or CD player with direct output for the headphone cable. Zipper pocket on the front with lots of accessory compartments inside. For Tablet PC and Notebooks up to 17 inch, Material: black/grey polyester, Exterior dimensions: 445 x 330 x 150 mm, Weight: 1.1 kg	x	x	x	x	x	x	x	x		x	x	x			x	x	S26391-F119-L120	16	
	Value Backpack A17	Stylish and lightweight design; padded notebook section; Highest Comfort with adjustable and padded shoulder straps, compartment for MP3 or CD Player with direct output for the headphone cable. Zipper pocket on the front with lots of accessory compartments inside. For Tablet PC and Notebooks up to 17-inch, Material: black/grey resistant polyester, Exterior dimensions: 445 x 350 x 150 mm, Weight: 1.10 kg	x	x	x	x	x	x	x	x		x	x	x			x	x	S26391-F119-L121	16	Phased out
	Case HD 25-1	2.5" HDD-Case "Anti Shock", Schwarz/Silber	x	x	x	x	x	x	x	x		x	x	x			x	x	S26391-F119-L122	11	
	Case HD 35-1	Universaltasche für externe 2.5"/3.5"-Festplatten, Schwarz/Silber	x	x	x	x	x	x	x	x		x	x	x			x	x	S26391-F119-L123	14	
	Prestige Case Trolley	Aluminium trolley handle with optimized wheels for smooth rolling, a separate front case for power supply and cables and a heightened compartment to accommodate e.g. clothes for an overnight stay. For Tablet PC and Notebooks up to 17", Material: 1680D polyester, Exterior dimensions: 480 x 400 x 260 mm, Weight: 3.7 kg	x	x	x	x	x	x	x	x		x	x	x			x	x	S26391-F119-L130	49	
	Prestige Geneva, Backpack, up to 15.4" LADY VOGUE	Fashion style Laptop sleeve, A5 front pocket section, storage for business cards, pens and mobiles, For Notebooks up to 14" widescreen size, Material: black nylon, Exterior dimensions: 370 x 290 x 90 mm, Weight: 0.28 kg	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	S26391-F119-L131 S26391-F119-L140	21 21	Orderable from: 15/09/2008
	SUPREME CASE COACH	The cushioned Notebook compartment protects your computer perfectly. You can easily stow your documents in the large inside compartment. Supreme case Coach has stretchable folds that adjust to the contents of the bag. The integrated workstation creates order for your mobile, pens, keys and more. Power supply units can be comfortably stored in the separate cable bag. In an additional zipper-locked compartment you can keep your make-up, mirror and other necessities. In the exterior compartment you can place even more documents. Carry your Supreme case Coach as you wish, long or short. The removable shoulder strap is adjustable for all options. Discreet optical details like the colorfully accentuated seams (bi-color optics), glossy black interior lining as well as high-quality silver-colored metal fittings turn this bag into a real eye-catcher! For Notebooks up to 14.1-inch or 350 x 290 x 55 mm, Material: black high-quality leather, Exterior dimensions: 375 x 315 x 135 mm, Weight: 1.3 kg			x	x	x	x											S26391-F119-L141	47	
	Value case	Resistant Notebook case with cushioning as well as rubber coating for soft placement of the case on the floor. Cushioned handle and shoulder strap. Including two-fold compartment for mobile accessories or documents. For Tablet PC and Notebooks up to 15.4" or 340 x 295 x 50 mm, Material: black polyester, Exterior dimensions: 360 x 320 x 140 mm, Weight: 0.8 kg	x	x	x	x	x	x	x		x	x	x				x	x	S26391-F119-L50	21	



Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Mobile Accessories

Data Sheets: http://www.fujitsu-siemens.com/amilo_pro

Category	Description	Details	ESPRIMO Mobile D9500	ESPRIMO Mobile D9510	ESPRIMO Mobile M9400	ESPRIMO Mobile M9410	ESPRIMO Mobile U9200	ESPRIMO Mobile U9210	ESPRIMO Mobile V5505	ESPRIMO Mobile V5515	ESPRIMO Mobile V5525	ESPRIMO Mobile V5535	ESPRIMO Mobile V5545	ESPRIMO Mobile V5555	ESPRIMO Mobile V6505	ESPRIMO Mobile V6535	ESPRIMO Mobile V6545	ESPRIMO Mobile X9510	ESPRIMO Mobile X9525	Code	End User Price (€)	Comments
Notebook Cases (Continued)																						
	Prestige case midi	Zip-down case with cushioned Notebook compartment; separate second compartment for mobile accessories and documents; exterior compartment with workstation for mobile accessories; cushioned shoulder strap; trolley fastening strap on the back side. For Tablet PC and Notebooks up to 15.4" or 360 x 295 x 50 mm. Material: black polyester. Exterior dimensions: 390 x 320 x 100 mm, Weight: 1.3 kg	x	x	x	x	x	x	x	x	x	x	x							S26391-F119-L60	29	
	Prestige case maxi	Zip-down case with a large cushioned two-fold Notebook compartment; separate, cushioned compartment for printer and mobile accessories; document compartment; exterior compartment with workstation for accessories; cushioned shoulder strap; trolley fastening strap on the back side. For Tablet PC and Notebooks up to 15.4" or 360 x 295 x 50 mm. For printer/projector up to 340 x 295 x 60 mm. Material: black polyester. Exterior dimensions: 390 x 320 x 200 mm, Weight: 1.9 kg	x	x	x	x	x	x	x	x	x	x	x							S26391-F119-L61	38	
	Prestige case Top S	Business nylon toploader in a modern look for Notebooks; separate, padded Notebook compartment (lockable); separate document compartment; integrated workstation for mobile equipment (pen holder, cell phone, business cards) in front compartment; retractable address tag; adjustable and padded shoulder strap; comfortable carry handle; trolley strap. For Tablet PC and Notebooks up to 14.1" or 340 x 255 x 40 mm. Material: black nylon. Exterior dimensions: 410 x 320 x 14 mm, Weight: 1.52 kg			x	x														S26391-F119-L63	19	Phased out
	Prestige case Top L	Material: Nylon	x	x	x	x	x	x	x	x	x	x	x							S26391-F119-L64	29	
	Prestige case S65	Elegant business Notebook case; separate, padded Notebook compartment; document compartment; integrated workstation for mobile equipment (PDA, cell phone, etc.) in front compartment; adjustable shoulder strap; comfortable carry handle; sturdy nylon material. For Tablet PC and Notebooks up to 14.1" or 340 x 255 x 40 mm. Material: black nylon. Exterior dimensions: 405 x 305 x 140 mm, Weight: 1.50 kg	x	x	x	x														S26391-F119-L65	21	Phased out
	Prestige Sportive	Sportive Notebook backpack; padded, integrated Notebook compartment; pockets on inside for documents and mobile equipment; mesh pockets on sides; padded Notebook compartment; front compartment for cell phone, pens, keys and additional accessories as well as separate storage space for power supply units; adjustable, padded shoulder straps; comfortable, breathable back padding; additionally expandable front pocket (for bicycle helmet, etc.). For Tablet PC and Notebooks up to: 370 x 290 x 40 mm. Material: black/silver/grey nylon. Exterior dimensions: 500 x 370 x 210 mm, Weight: 1.42 kg	x	x	x	x	x	x	x	x	x	x	x							S26391-F119-L67	42	
	Prestige Cover L	NB-folio / protective casing made of durable and water-repellent nylon; soft Nylflex material on the inside; holder for business cards and pens. For Tablet PC and Notebooks up to 15.4" or 370 x 290 x 40 mm. Material: black 1680D ballistic nylon. Exterior dimensions: 370 x 290 x 60 mm, Weight: 530 g	x	x	x	x	x	x	x	x	x	x	x							S26391-F119-L69	19	Phased out
	Supreme Case Midi	Slim business leather case with cushioned compartment for safe transport of the Notebook; classy design and high-quality locks; second compartment for mobile accessories and documents; separate cable bag included. For Tablet PC and Notebooks up to 14.1-inch or 330 x 260 x 40 mm. Material: black leather. Exterior dimensions: 360 x 300 x 100 mm, Weight: 1.2 kg			x	x	x	x												S26391-F119-L70	64	



Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Mobile Accessories

Data Sheets: http://www.fujitsu-siemens.com/amilo_pro

Category	Description	Details	ESPRIMO Mobile D9500	ESPRIMO Mobile D9510	ESPRIMO Mobile M9400	ESPRIMO Mobile M9410	ESPRIMO Mobile U9200	ESPRIMO Mobile U9210	ESPRIMO Mobile V5505	ESPRIMO Mobile V5515	ESPRIMO Mobile V5525	ESPRIMO Mobile V5535	ESPRIMO Mobile V5545	ESPRIMO Mobile V5555	ESPRIMO Mobile V6505	ESPRIMO Mobile V6535	ESPRIMO Mobile V6545	ESPRIMO Mobile X9510	ESPRIMO Mobile X9525	Code	End User Price (€)	Comments
Notebook Cases (Continued)																						
	Supreme case maxi	Stylish business case. High-quality leather; cushioned Notebook compartment; document compartment and another additional document compartment, high-quality locks. Front pocket with zipper and workstation; cushioned shoulder strap. For Tablet PC and Notebooks up to 15.4-inch or 370 x 290 x 40 mm. Material: black leather. Exterior dimensions: 420 x 340 x 210 mm, Weight: 2.5 kg	x	x	x	x	x	x	x	x	x	x	x						x	S26391-F119-L71	84	
	Supreme case midll	Stylish business case; high-quality leather; cushioned Notebook compartment; high-quality locks; fold-out front pocket with workstation for mobile accessories; cushioned shoulder strap; additional pocket with zipper and trolley fastening strap on the backside. For Tablet PC and Notebooks up to 15.4-inch or 380 x 295 x 40 mm. Material: brown leather. Exterior dimensions: 430 x 320 x 100 mm, Weight: 2.5 kg	x	x	x	x	x	x	x	x		x	x	x					x	S26391-F119-L73	64	
	Supreme Case Maxi II	Stylish business case; high-quality leather; cushioned Notebook compartment; document compartment; high-quality locks; fold-out front pocket with workstation for mobile accessories; cushioned shoulder strap; additional pocket with zipper and trolley fastening strap on the backside. For Tablet PC and Notebooks up to 15.4-inch or 380 x 285 x 40 mm. Material: brown leather. Exterior dimensions: 430 x 320 x 160 mm, Weight: 2.9 kg	x	x	x	x	x	x	x	x		x	x	x					x	S26391-F119-L74	73	
	Supreme Ladycase B	Elegant women's leather case; light lining on the inside (helps when looking for something); separate, padded notebook compartment; workstation for mobile equipment integrated into main compartment (slip pocket), document compartment. For Tablet PC and Notebooks up to 14.1-inch 370 x 290 x 40 mm. Material: black leather. Exterior dimensions: 420 x 330 x 110 mm, Weight: 1.50 kg			x	x	x	x												S26391-F119-L75	47	
	Supreme cover S	High-quality, zippered leather folio for Notebooks; in addition a pen holder and a compartment (slip pocket) for documents in the main compartment. For Tablet PC and Notebooks up to 14-inch widescreen. Material: black leather. Exterior dimensions: 360 x 280 x 60 mm, Weight: 620 g			x	x	x	x												S26391-F119-L77	27	
	Exclusive case S1	Special protection system combined with closed cell foam protection provides a very high level of protection for the notebook even when travelling; high quality leather, cotton and fittings; covered notebook and organization section, organization file, and removable accessories pouches provide the user with not only ample space for all of their important items. For Tablet PC and Notebooks up to 15-inch. Material: black leather. Exterior dimensions: 400 x 300 x 100 mm, Weight: 2.00 kg			x	x	x	x												S26391-F119-L83	54	
	Exclusive case S2	Special protection system combined with closed cell foam protection provides a very high level of protection for the notebook even when travelling; high quality leather, cotton and fittings; covered notebook and organisation section; organisation, file, and removable accessories pouches provide the user with not only ample space for all of their important items. For Tablet PC and Notebooks up to:15-inch. Material: brown leather. Exterior dimensions: 400 x 300 x 100 mm, Weight: 2.00 kg			x	x	x	x												S26391-F119-L87	54	
Input Devices																						
	Presenter III	remote control for powerpoint presentations	x	x	x	x	x	x	x	x	x	x	x						x	S26391-F7116-L100	28	
Docking																						



Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Mobile Accessories

Data Sheets: http://www.fujitsu-siemens.com/amilo_pro

Category	Description	Details	ESPRIMO Mobile D9500	ESPRIMO Mobile D9510	ESPRIMO Mobile M9400	ESPRIMO Mobile M9410	ESPRIMO Mobile U9200	ESPRIMO Mobile U9210	ESPRIMO Mobile V5505	ESPRIMO Mobile V5515	ESPRIMO Mobile V5525	ESPRIMO Mobile V5535	ESPRIMO Mobile V5545	ESPRIMO Mobile V5555	ESPRIMO Mobile V6505	ESPRIMO Mobile V6535	ESPRIMO Mobile V6545	ESPRIMO Mobile X9510	ESPRIMO Mobile X9525	Code	End User Price (£)	Comments				
Docking (Continued)																										
	Portreplicator USB/VGA	DualView lets you expand your work area across your notebook screen and an external monitor, DualView Switch and Smart Connect/Disconnect technology manages the dual display settings for you, Gain instant access to your keyboard, monitor, mouse and all peripherals with one USB plug. Stereo out & Microphone In port lets you connect 2.1 stereo speakers or Internet chat headsets, Mini tower design reduces desktop footprint, Plug-n-play and hot pluggable, so you can connect to the dock and swap devices without shutting down, Front USB port makes connections quick and easy, VGA monitor output: supports video resolutions up to 1440 x 900 at 60Hz, 1400 x 1050 at 60, 75, or 85Hz with superior quality. No additional cables are necessary, Works with any Windows XP and Vista notebook	x	x	x	x	x	x	x											x	x	S26391-F6007-L200	72			
	Port Rep/AC Adapter/EU-cable (Bundle)	contains: Family Port Replicator, AC Adapter 20V/4.5A (90W), EU cable	x		x		x															S26391-F696-L100	127			
	Port Rep/AC Adapter/GB-cable (Bundle)	contains: Family Port Replicator AC Adapter 20V/4.5A (90W) GB cable	x		x		x															S26391-F696-L110	92			
	Port Replicator for ESPRIMO Mobile U&M&D		x		x		x															S26391-F696-L300	90			
	Port Replicator/AC Adapter/Eu-Cable Kit			x		x		x														x	x	S26391-F740-L200	109	Orderable from: 16/09/2008
	Port Replicator/AC Adapter/Eu-Cable Kit			x		x		x														x	x	S26391-F740-L300	109	Orderable from: 16/09/2008
	Portreplicator			x		x		x														x	x	S26391-F740-L500	99	Orderable from: 16/09/2008



Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Mobile Services

Data Sheets: http://www.fujitsu-siemens.com/esprimo_mobile

Category	Description	ESPRIMO Mobile D9500	ESPRIMO Mobile M9400	ESPRIMO Mobile U9200	ESPRIMO Mobile V5505	ESPRIMO Mobile V5515	ESPRIMO Mobile V5525	ESPRIMO Mobile V5535	ESPRIMO Mobile V5545	ESPRIMO Mobile V5555	Code	End User Price (£)	Comments
Accessories & services matrix													
Product related services													
	SP 3y C&R Svc,5x9				x	x	x	x	x	x	FSP:GB3C00000GBCN3	71	
	SP 3y C&R Svc,5x9	x	x	x							FSP:GB3C00000GBNBL	165	
	SP 3y OS Svc,NBD Rt,5x9	x	x	x							FSP:GB3S20000GBNBL	207	
	SP 5y OS Svc,5x9	x	x	x							FSP:GB5S00000GBNBL	188	
	TP 3y OS Svc,NBD Rt,5x9	x	x	x							FSP:GN3S20000GBNBL	220	



Fujitsu Siemens Computers recommends Windows Vista® Business.

LIFEBOOK S7210

Data Sheets: <http://www.fujitsu-siemens.com/lifebook>

The LIFEBOOK S Series is the best friend of a frequent traveller, leaving no compromises: the sturdy notebook keeps the balance between low weight, high-end performance and modularity. It features a brilliant 14.1-inch display for any demand. This high-portable notebook with brand new technology offers maximum performance and extraordinary ergonomics, so the new LIFEBOOK S7210 continues to dominate this product segment. The combination of performance, modularity and flexibility gives you the functionality and ease of use of a full-sized PC. Intel® Centrino® Duo Mobile Technology delivers high performance and last a long time away from the power socket. In combination with embedded UMTS/HSPA and ConiCamera you stay in touch with your colleagues, partners and customer – whenever and wherever you are. This notebook is designed for highest quality with extensive testing and an extra-strong magnesium lid.

Model	Processor	Operating Systems	Memory	Hard Disk Drives	CD, RW, DVD	DVD, RW	DVD, RW, DUAL, DL	DVD, SUPERMULTI	Other Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	Screen	Graphics	Audio	Pin. Replicator Mouse	Keypoints	Code	End User Price (€)	Comments	
LIFEBOOK S7210																								
Standard products																								
Intel® Core™2 Duo T9100 2.1 GHz 800 MHz 3 MB	Genuine Windows VISTA® Business 32 bit Multi A		1 GB DDR2	80 GB SATA 5400		x	SDMS Cardreader		Modem V92	x	x	14.1" WXGA	Intel® X3100 integr.graphics	onboard		United Kingdom, Ireland (English)	POP.GBR.235100-002					1002	Phased out	
Intel® Core™2 Duo T9100 2.1 GHz 800 MHz 3 MB	Genuine Windows VISTA® Business 32 bit Multi A		2 GB DDR2	120 GB SATA 5400		x	SDMS Cardreader		Modem V92	x	x	14.1" WXGA	Intel® X3100 integr.graphics	onboard		United Kingdom, Ireland (English)	POP.GBR.235100-003					1054	Phased out	
Intel® Core™2 Duo T8300 2.4 GHz 800 MHz 3 MB	Genuine Windows VISTA® Business 32 bit Multi A		2 GB DDR2	160 GB SATA 5400		x	SDMS Cardreader		Modem V92	x	x	14.1" WXGA	Intel® X3100 integr.graphics	onboard		United Kingdom, Ireland (English)	POP.GBR.235100-004					1088	Phased out	
Intel® Core™2 Duo T9100 2.1 GHz 800 MHz 3 MB	Genuine Windows VISTA® Business 32 bit Multi A		1 GB DDR2	80 GB SATA 5400		x	SDMS Cardreader		Modem V92	x	x	14.1" WXGA	Intel® X3100 integr.graphics	onboard		United Kingdom, Ireland (English)	POP.GBR.235100-005					1002	Phased out	
Intel® Core™2 Duo T9100 2.1 GHz 800 MHz 3 MB	Genuine Windows VISTA® Business 32 bit Multi A		2 GB DDR2	120 GB SATA 5400		x	SDMS Cardreader		Modem V92	x	x	14.1" WXGA	Intel® X3100 integr.graphics	onboard		United Kingdom, Ireland (English)	POP.GBR.235100-006					1054	Phased out	
Intel® Core™2 Duo T8300 2.4 GHz 800 MHz 3 MB	Genuine Windows VISTA® Business 32 bit Multi A		2 GB DDR2	160 GB SATA 5400		x	SDMS Cardreader		Modem V92	x	x	14.1" WXGA	Intel® X3100 integr.graphics	onboard		United Kingdom, Ireland (English)	POP.GBR.235100-007					1088	Phased out	
LIFEBOOK S7220																								
LB S7220 14.1" FP /14.1" WXGA CAM C2 T9400/2GB/DVD/2HD BATT/160GB/ WFI 5300/UMTS MCR780BT/MODEM/TK/CK GBI KB WI TS GBV BUS330NERO/VISTA DUDVD/																								
																					POP.GBR.274200-001		1542	New product

Model	Processor	Operating Systems	Memory	Hard Disk Drives	CD, RW, DVD	DVD, RW	DVD, RW, DUAL, DL	DVD, SUPERMULTI	Other Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	Screen	Graphics	Audio	Pin. Replicator Mouse	Keypoints	Code	End User Price (€)	Comments	
LIFEBOOK S7210																								
Special products																								
Intel® Core™2 Duo T9500 2.6 GHz 800 MHz 6 MB	Genuine Windows VISTA® Business 32 bit Multi A & BlueSuite		2x1 GB DDR2	160 GB SATA 5400		x	SDMS Cardreader		Modem V92	x	x	x	14.1" WXGA	Intel® X3100 integr.graphics	onboard		United Kingdom, Ireland (English)	VFY.S7210MP011GB					1211	
Intel® Core™2 Duo T8300 2.4 GHz 800 MHz 3 MB	Genuine Windows VISTA® Business 32 bit Multi A & BlueSuite		1 GB DDR2	80 GB SATA 5400		x	SDMS Cardreader		Modem V92	x	x	x	14.1" WXGA	Intel® X3100 integr.graphics	onboard		United Kingdom, Ireland (English)	VFY.S7210MP021GB					940	
Intel® Core™2 Duo T8300 2.4 GHz 800 MHz 3 MB	Genuine Windows VISTA® Business 32 bit Multi A & BlueSuite		2x1 GB DDR2	160 GB SATA 5400		x	SDMS Cardreader		Modem V92	x	x	x	14.1" WXGA	Intel® X3100 integr.graphics	onboard		United Kingdom, Ireland (English)	VFY.S7210MP031GB					964	



**Fujitsu Siemens Computers recommends Windows Vista®
Business.**

LIFEBOOK S6420

Data Sheets: <http://www.fujitsu-siemens.com/lifebook>

Fujitsu Siemens Computers is the leading European IT manufacturer. With a strategic focus on innovative mobility and the dynamic data center, we offer a unique range of products and services from notebooks and desktops to servers and IT infrastructure solutions. Famous German engineering and exceptional in-house quality testing capabilities in our test centers ensure extraordinary product quality and reliability across all product lines.

LIFEBOOK S6420

The LIFEBOOK S6420 is ideal for all business trips with its fantastic performance and genuine mobility. Weighing only 1.6 kg and together with its 13.3-inch WXGA display and long battery life, it is easy to use all day long. The new integrated application buttons guarantee fast access to your personal applications. Integrated 3G/UMTS and a built-in ConfCamera ensure trouble-free wireless connectivity.

Model	Description	Details	Code	End User Price (£)	Comments
Standard products					
LIFEBOOK S6420					
	LB S6420 /C2 T9400/2GB/DVD/2ND BATT/	LB S6420 /C2 T9400/2GB/DVD/2ND BATT/ 160GB/WIFI 5300/UMTS MC8790/BT/MODEMKIT/ CK GB/KB W/O TS GB/V BUS32/VISTA DUDVD/ RECDVD V BUS32/TPM/,	PDP:GBR-273100-001	1793	New product
	LB S6420 /C2 T9400/1GB/2GB/DVD/2ND BATT/	LB S6420 /C2 T9400/1GB/2GB/DVD/2ND BATT/ 160GB 7.2K/WIFI 5300/UMTS MC8790/BT/ MODEMKIT/CK GB/KB W/O TS GB/V BUS32/ VISTA DUDVD/PR INCL.AC/,	PDP:GBR-273100-002	1918	New product



Fujitsu Siemens Computers recommends Windows Vista® Business.

LIFEBOOK E8310 / E8210

Data Sheets: <http://www.fujitsu-siemens.com/lifebook>

The LIFEBOOK E Series follows a simple philosophy: only the best will do. It is the perfect choice for the performance orientated office user; get latest technology to turn any work into a pleasant experience. The result is mobile performance powerful as desktops. Its flexible design allows configuring the system exactly the way you like it. Top performance with only 2.5kg makes it one of the lightest notebooks in its class. The comprehensive security features like separate SmartCard reader make your sensible data safe and secure. There's embedded UMTS/HSPA, WLAN and Bluetooth for perfect connectivity – anytime, anywhere!

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	DVD_ROM	CD_RW_DVD	DVD_RW_DUAL_DL	Other_Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front_USB	Rear_Panel	Security_Hardware	Code	End User Price (€)	Comments
LIFEBOOK E8310																						
Intel® Core™2 Duo T8100 2.1 GHz 800 MHz 3 MB	Genuine Windows VISTA® Business 32 bit MuLi A		2x512 MB DDR2	120 GB SATA 5400				SD/MS Cardreader	Modem V92	x	x	Intel® X3100 integr.graphics	onboard			United Kingdom, Ireland (English)			LKN:GBR-225100-013		788	
LIFEBOOK E8310																						
Intel® Core™2 Duo T9500 2.6 GHz 800 MHz 6 MB	Genuine Windows VISTA® Business 32 bit MuLi A & BusSuite		2x1 GB DDR2	120 GB SATA 5400				SD/MS Cardreader	Modem V92	x	x	Intel® X3100 integr.graphics	onboard			United Kingdom, Ireland (English)			VFY:E8310MF011GB		1211	
Intel® Core™2 Duo T8100 2.1 GHz 800 MHz 3 MB	Genuine Windows VISTA® Business 32 bit MuLi A & BusSuite		1 GB DDR2	80 GB SATA 5400				SD/MS Cardreader	Modem V92	x	x	Intel® X3100 integr.graphics	onboard			United Kingdom, Ireland (English)			VFY:E8310MF021GB		940	
Intel® Core™2 Duo T8100 2.1 GHz 800 MHz 3 MB	Genuine Windows VISTA® Business 32 bit MuLi A & BusSuite		2x1 GB DDR2	160 GB SATA 5400				SD/MS Cardreader	Modem V92	x	x	Intel® X3100 integr.graphics	onboard			United Kingdom, Ireland (English)			VFY:E8310MF031GB		999	



Fujitsu Siemens Computers recommends Windows Vista® Business.

LIFEBOOK P8010

Data Sheets: <http://www.fujitsu-siemens.com/lifebook>

The LIFEBOOK P8010 Series - impressive style for expressive people

Starting at 1.2 kg, this light notebook supports you with everything you need for professional business. It provides all standard interfaces including embedded UMTS/HSDPA/HSUPA and integrated ConCamera. This widescreen beauty is truly a tops. The integrated EcoButton extends battery run time even further. Be sure to take center stage due to its small and stylish form factor. Smart people on the move appreciate the style and dynamics of a truly different notebook, whether number crunching, word processing or watching a movie on an amazingly clear and sharp 12.1-inch wide format WXGA glare display . The new LIFEBOOK P 8010 not only small, it's secure too. Just swipe your finger to the integrated biometric fingerprint sensor or remember a single master password to keep all of your system log-ins and data protected.

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	DVD_ROM	CD_RW_DVD	DVD_RW_DUAL_DL	Other_Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front_USB	Rear_Panel	Security_Hardware	Cable	End User Price (€)	Comments	
Standard products																							
LIFEBOOK P8010																							
Intel® Core™2 Duo SL7100 1.2 GHz 800 MHz 4 MB	Genuine Windows VISTA® Business 32 bit MuLi A		1 GB DDR2	120 GB SATA 5400				SD/MS/XD Cardreader	No	x	x		Intel® GS965	onboard	United Kingdom, Ireland (English)					PDP:GBR-209100-001	1234		
Intel® Core™2 Duo SL7100 1.2 GHz 800 MHz 4 MB	Genuine Windows VISTA® Business 32 bit MuLi A		2 GB DDR2	160 GB SATA 5400				SD/MS/XD Cardreader	No	x	x		Intel® GS965	onboard	United Kingdom, Ireland (English)					PDP:GBR-209100-002	1411		



Fujitsu Siemens Computers recommends Windows Vista® Business.

LIFEBOOK P7230

Data Sheets: <http://www.fujitsu-siemens.com/lifebook>

The LIFEBOOK P Series from Fujitsu Siemens Computers opens a new chapter on connectivity and communication.

Powered by the latest Intel® Centrino® processor technology and featuring embedded UMTS/HSDPA/HSUPA, it ensures wireless connectivity anytime and anywhere – don't care about hotspots. With this notebook you are perfectly equipped wherever you are. Be ready for the next video conference with the integrated ConiCamera.

Smart people on the move appreciate the style and dynamics of a truly different notebook, whether number crunching, word processing or watching a DVD on an amazingly clear and sharp 10.6-inch wide format XGA Crystal View TFT-display.

The new LIFEBOOK P Series is not only small, it's secure too. Just swipe your finger to the integrated biometric fingerprint sensor or remember a single master password to keep all of your system log-ins and data protected.

Model	Processor	Operating Systems	Memory	Hard Disk Drives	CD / RW DVD	DVD / RW	DVD / RW / DUAL / DL	Other Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	Screen	Graphics	Audio	Port Replicator	Mouse	Keyboards	Color	End User Price (€)	Comments
LIFEBOOK P7230																							
Standard products																							
Intel® Core™2 Duo U2500 1.2 GHz 533 MHz 2 MB	Genuine Windows VISTA® Business 32 bit Multi A	1 GB DDR2	80 GB SATA 4200				SDMS/AD Cardreader	No	x	x	x	x	10.6" WXGA	Intel® 945 GMS	onboard				United Kingdom, Ireland (English)	LKN-GBR-208100-004		1281	Phased out
Intel® Core™2 Duo U2500 1.2 GHz 533 MHz 2 MB	Genuine Windows VISTA® Business 32 bit Multi A	1 GB DDR2	80 GB SATA 4200				SDMS/AD Cardreader	No	x	x	x	x	10.6" WXGA	Intel® 945 GMS	onboard				United Kingdom, Ireland (English)	LKN-GBR-208100-005		1411	Phased out
Intel® Core™2 Duo U2500 1.2 GHz 533 MHz 2 MB	Genuine Windows VISTA® Business 32 bit Multi A	2 GB DDR2	80 GB SATA 4200				SDMS/AD Cardreader	No	x	x	x	x	10.6" WXGA	Intel® 945 GMS	onboard				United Kingdom, Ireland (English)	PDP-GBR-208100-003		1255	Phased out
Intel® Core™2 Duo U2500 1.2 GHz 533 MHz 2 MB	Genuine Windows VISTA® Business 32 bit Multi A	2 GB DDR2	80 GB SATA 4200				SDMS/AD Cardreader	No	x	x	x	x	10.6" WXGA	Intel® 945 GMS	onboard				United Kingdom, Ireland (English)	PDP-GBR-208100-004		1136	Phased out

Fujitsu Siemens Computers recommends Windows Vista® Business.

LIFEBOOK P1620

Data Sheets: <http://www.fujitsu-siemens.com/lifebook>

The LIFEBOOK P Series turns from a powerful notebook into a stylish tablet PC by rotating the display 180° in either direction. Weighing less than 1 kg, this ultra-light design gives you the freedom to work wherever you like. With Wi-Fi certified WLAN, Bluetooth, modem and optional embedded UMTS (HSPA with P1620) you have outstanding connectivity. The latest Intel® Centrino® processor technology guarantees both high performance and a long battery life, while security features such as an integrated fingerprint sensor and TPM protect your data on the move.

Model	Processor	Operating Systems	Memory	Hard Disk Drives	CD, DVD, DVD	DVD-RW	DVD-RW, DUAL-L	DVD-SUPERMULTI	Other Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	Screen	Graphics	Audio	Port, Replicator	Mouse	Keyboards	Code	End User Price (€)	Comments
LIFEBOOK P1620																								
Standard products																								
Intel® Core™2 Duo U7600 1.2 GHz 533 MHz 2	Genuine Windows VISTA® Business 32 bit Multi A	512 MB DDR2	80 GB PATA 4200					SDMS Cardreader	Modem V92	x	x	x	8.9" WXGA	Intel® 945 GMS	onboard						United Kingdom, Ireland (English)	PDP:GBR-251100-001	1433	Phased out
Intel® Core™2 Duo U7600 1.2 GHz 533 MHz 2	Genuine Windows VISTA® Business 32 bit Multi A	1 GB DDR2	80 GB PATA 4200					SDMS Cardreader	Modem V92	x	x	x	8.9" WXGA	Intel® 945 GMS	onboard						United Kingdom, Ireland (English)	PDP:GBR-251200-001	1627	Phased out



Fujitsu Siemens Computers recommends Windows Vista® Business.

Data Sheets: <http://www.fujitsu-siemens.com/lifebook>

LIFEBOOK T4220

Start the new generation of ultra mobile notebooks, now!
 With the LIFEBOOK T4220 you can enjoy the whole functions of a fully featured powerful notebook and Tablet PC in one device. Share your ideas in the next meeting by rotating the display 180 degrees in both directions and add personal notes to your presentations thanks to the active digitizer.
 The new and powerful Intel® Centrino® Duo Mobile Technology with the latest Intel® 965GM chipset plus optional Intel® Turbo Memory gives you the freedom of a power socket for the business-day. Embedded UMTS, Bluetooth, IrDA and WLAN ensure wireless connectivity anytime and anywhere.
 The smart worker will enjoy the outstanding connectivity of the LIFEBOOK T Series – UMTS option, WLAN, IrDA, and Bluetooth.

Model	Processor	Operating Systems	Memory	Hard Disk Drives	CD, RW, DVD	DVD, RW	DVD, RW, DUAL, DL	DVD, RW, DUAL, DL	DVD, SUPERMULTI	Other Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	Screen	Graphics	Audio	Port, Replicator	Mouse	Keyboards	Code	End User Price (€)	Comments
-------	-----------	-------------------	--------	------------------	-------------	---------	-------------------	-------------------	-----------------	--------------	---------	-------	-----	------	-----------	------	--------	----------	-------	------------------	-------	-----------	------	--------------------	----------

Standard products

LIFEBOOK T4220

Intel® Core™2 Duo T8100 2.1 GHz 800 MHz 3 MB	Genuine Windows VISTA® Business 32 bit Multi A	1 GB DDR2	120 GB SATA 5400				x	SDMS Cardreader	No		x	x	x	12.1" XGA	Intel® 965GM	onboard	United Kingdom, Ireland (English)	LKN-GBR-250200-014						1146	Phased out
--	--	-----------	------------------	--	--	--	---	-----------------	----	--	---	---	---	-----------	--------------	---------	-----------------------------------	--------------------	--	--	--	--	--	------	------------

Model	Processor	Operating Systems	Memory	Hard Disk Drives	CD, RW, DVD	DVD, RW	DVD, RW, DUAL, DL	DVD, RW, DUAL, DL	DVD, SUPERMULTI	Other Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	Screen	Graphics	Audio	Port, Replicator	Mouse	Keyboards	Code	End User Price (€)	Comments
-------	-----------	-------------------	--------	------------------	-------------	---------	-------------------	-------------------	-----------------	--------------	---------	-------	-----	------	-----------	------	--------	----------	-------	------------------	-------	-----------	------	--------------------	----------

Special products

LIFEBOOK T4220

Intel® Core™2 Duo T8300 2.4 GHz 800 MHz 3 MB	Genuine Windows VISTA® Business 32 bit Multi A & BusSuite	1 GB DDR2	80 GB SATA 5400				x	SDMS Cardreader	Modem V92		x	x	x	12.1" XGA	Intel® 965GM	onboard	United Kingdom, Ireland (English)	VFY-T4220MF011GB						1058	
Intel® Core™2 Duo T9500 2.6 GHz 800 MHz 6 MB	Genuine Windows VISTA® Business 32 bit Multi A & BusSuite	2x1 GB DDR2	120 GB SATA 5400				x	SDMS Cardreader	No		x	x	x	12.1" XGA	Intel® 965GM	onboard	United Kingdom, Ireland (English)	VFY-T4220MF021GB						1375	
Intel® Core™2 Duo T8300 2.4 GHz 800 MHz 3 MB	Genuine Windows VISTA® Business 32 bit Multi A & BusSuite	2x1 GB DDR2	160 GB SATA 5400				x	SDMS Cardreader	Modem V92		x	x	x	12.1" XGA	Intel® 965GM	onboard	United Kingdom, Ireland (English)	VFY-T4220MF031GB						1105	



Fujitsu Siemens Computers recommends Windows Vista® Business.

LIFEBOOK T5010

Data Sheets: <http://www.fujitsu-siemens.com/lifebook>

The LIFEBOOK T5010 is a slim lightweight convertible notebook with a modular bay. The brilliant 13.3-inch TFT-display with active digitizer guarantees comfortable working whatever the application. Enjoy the advantages of flexible pen-based entries, such as automatic handwriting recognition and many other special features that only a convertible notebook can offer. The embedded 3G/UMTS gives you the freedom to work wherever you want.

The LIFEBOOK T5010 sets new standards when it comes to pen-based work without any restrictions, maximum connectivity, highest performance and highest security.

Model	Description	Details	Code			End User Price (€)	Comments
Standard products							
LIFEBOOK T5010							
	LB T5010 /CENTRINO 2 VPRO/13,3" WXGA AG/	LB T5010 /CENTRINO 2 VPRO/13,3" WXGA AG/ C2 T9400/2GB/DVD/2ND BATT/160GB/UMTS MC8790/BT/CK GB/KB GB/V BUS32/NERO/ VISTA DUDVD/RECDVD V BUS32/	PDP:GBR-276100-001			1800	New product, Orderable from: 15/09/2008



Fujitsu Siemens Computers recommends Windows Vista® Business.

LIFEBOOK T1010

Data Sheets: <http://www.fujitsu-siemens.com/lifebook>

The LIFEBOOK T1010 is a lean convertible notebook with a fantastic display. You can enjoy all the advantages of pen-based computing in notebook and in tablet mode. Intel® Centrino® 2 processor technology and effective software ensures that you look good with this stylish meeting tool wherever you are. Special covers ensure that not only your presentations look unique but also your LIFEBOOK T1010.

Model	Description	Details	Code	End User Price (£)	Comments
Standard products					
LIFEBOOK T1010					
LB T1010 /C2 P8400/2GB/160GB/WIFI 5300/	LB T1010 /C2 P8400/2GB/160GB/WIFI 5300/ BT/CK GB/KB GB/V BUS32/NERO/VISTA DUDVD/ RECDVD V BUS32/ ,	PDP:GBR-277200-001		1139	New product,Orderable from: 05/09/2008



Fujitsu Siemens Computers recommends Windows Vista® Business.

Professional Notebooks Accessories

Data Sheets: <http://www.fujitsu-siemens.com/lifebook>

Category	Description	Details	LIFEBOOK C1320	LIFEBOOK C1410	LIFEBOOK E800	LIFEBOOK E8000	LIFEBOOK E810	LIFEBOOK E8100	LIFEBOOK E8150	LIFEBOOK E840	LIFEBOOK E8400	LIFEBOOK F1600	LIFEBOOK F1620	LIFEBOOK F1720	LIFEBOOK F1730	LIFEBOOK F1900	LIFEBOOK Q2010 Executive	LIFEBOOK Q2010 Supreme	LIFEBOOK S1510 AMD	LIFEBOOK S1510 AMD Green	LIFEBOOK S1540	LIFEBOOK S15400	LIFEBOOK S1900	LIFEBOOK S1910 Supreme	LIFEBOOK S1910 Supreme Basic	LIFEBOOK S1920 Secure Edition	LIFEBOOK S1920 Supreme	LIFEBOOK S1930 Value	LIFEBOOK S1910 Supreme	LIFEBOOK S1910 Supreme	LIFEBOOK S1910 Value	LIFEBOOK S1910 Value FF	LIFEBOOK S1910	LIFEBOOK S1920	LIFEBOOK T210	LIFEBOOK T215	LIFEBOOK T230	LIFEBOOK T290	Code	End User Price (€)	Comments						
Accessories & services matrix																																															
Miscellaneous (Continued)																																															
	L18 Office Kit C_E_S	Contains: Port Replicator, AC adapter (100W), EU cable kit, Notebook stand	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F6036-L390	160	Phased out					
	MOBILE STARTER KIT 14	Contains: S26391-F6049-L102 MEMORY BIRD L, S26391-K462-L100 MINI MOUSE USB, S26391-F119-L120 VALUE CASE A17, For Notebooks up to 17"						x	x	x	x	x	x	x	x	x	x	x																							S26391-F6036-L541	28					
	Mobile Starter Kit Backpack 3	S26391-K462-L100 Mini Mouse USB, S26391-F6049-L102 MemoryBird L, S26391-F119-L121 Value Backpack A17						x	x	x	x	x	x	x	x	x	x	x																								S26391-F6036-L552	28	Phased out			
	MOBILE STARTERKIT 11	Contains: 1x Mouse USB MC100, 1x Prestige Case S191	x		x	x	x	x	x	x	x	x	x																													S26391-F6036-L600	21				
	Mobile Starter Kit Safe 1	FSP-B05N0020 Amilo NB Case III, S26361-F1650-L500 Combo Saver, S26381-K410-L100 Mouse USB GP-MC100					x	x	x	x	x	x	x	x	x	x	x																									S26391-F6036-L612	44				
	Notebook Stand	adapter include mounting kit for PortRep for S171x/172x, E81xx/E82xx/E83xx/E84xx/Cetus C240/250 amdC1410, ... Other Notebooks can be fixed with industry vetros (not included)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26391-F6047-L1	84				
	3M Privacy filter 14W																																										S26391-F6097-L114	54			
	3M Privacy filter 12.1																																									S26391-F6097-L121	45				
	3M Privacy filter 13.3" w																																									S26391-F6097-L133	53				
	3M Privacy filter 12W							x	x																																	S26391-F6097-L312	48				
	3M Privacy filter 14.1"																																									S26391-F6097-L314	49	Phased out			
	3M Privacy filter 15"																																										S26391-F6097-L315	51			
	3M Privacy filter 15.4"																																										S26391-F6097-L316	58			
	Microfiber Bag		x	x																																						S26391-F1105-L5	6				
	Soundsystem DS2000U	Ultra-slim and portable design, Awesome 2.0 channel stereo sound, Convenient USB powered, Simple Plug & Play					x	x	x	x	x	x	x	x	x	x	x																									S26391-F127-L100	12				
	Mobile Notetaker	New design of "Black-core & White Shell", Handwriting Capture from Any Surface, Store over 100 A4 Pages, No Special Noteepad Needed, Using Standard Refill Pen Ink, Latest Ultra-sound & Infrared technology, Notes Export via JPEG, On-line Note-Taking Support, Pen Mode & Mouse Mode Support, LCD Display for Status, Carry Bag Bundle																																									S26391-F7134-L1	47			
	Webcam 130 AF	Latest autofocus liquid lens - noiseless and power saving, Best video quality with 1.3-megapixel CMOS, Business Card Recognition (BCR) software for 8 languages (DE, ES, FR, EN, HI, IT, NL, PL & RU), Built-in microphone for excellent sound while chatting, Innovative LED lighting for notebook keyboard																																										S26391-F7136-L1	21	Orderable from: 12/09/2008	
	WebCam V30S	Excellent 30K CMOS sensor with glass lens, High quality built-in USB microphone, Plug&Play LVC Type / No driver needed, Fit for Notebook & LCD Display.																																										S26391-F7136-L3	16	Orderable from: 12/09/2008	
	PC Headset																																											S26391-F7139-L200	15	Orderable from: 20/09/2008	
	S-Video cable																																												S26391-F6071-L400	19	
Notebook Cases																																															
	Pouch case	For AC adapter and power cable, Material: black kevlar, Exterior Dimensions: 250 x 70 x 70 mm, Weight: 120 g	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26391-F119-L105	13			
	Prestige Nightcase	Durable, water-repellent material; high-class manufacturing; smooth-running zipper; integrated notebook compartment; integrated pocket for power supply unit and cables; shirt compartment; workstation (cell phone, pens, CD-ROMs); exterior pocket for travel accessories; durable, dirt-resistant underbody; storage room for clothing (socks, shoes, etc.); especially smooth-running and quiet wheels; stable telescope handle made of high-class aluminum; carry handles on top and sides; handle shell on bottom. For Tablet PC and Notebooks up to 370 x 250 x 40 mm, Material: black/silver 1680D ballistic nylon, Exterior dimensions: 580 x 420 x 250 mm, Weight: 5.15 kg	x	x																																								S26391-F119-L106	84		
	Value Entry case	This carrying case protects the notebook with effective cushioning and the reinforced frame on all sides and so provides optimal safety. The especially soft handle of the Value Entry Case in combination with the shoulder strap offers a comfortable transport for notebooks from 14-inch up to 15.4-inch. For Notebooks up to 15.4" or 390 x 285 x 55 mm, Material: Polyester, Dimensions: 410 x 330 x 60 mm, Weight: 0.8 kg	x	x																																								S26391-F119-L107	11		
	Prestige Ladycase, br	Large cushioned notebook compartment and a cable pouch inside. Front and back panel with a slip pocket. For Tablet PC and Notebooks up to 14.1" or 330 x 260 x 40 mm, Material: brown nylon and leather, Exterior dimensions: 410 x 355 x 105 mm, Weight: 1.50 kg																																										S26391-F119-L108	27		
	Prestige case 5-in-1	The case is usable as a Notebook bag, cross body bag, lengthways with a strap attached, with the handle extended as a trolley, backpack. For Notebooks up to 370 x 280 x 50 mm, Material: Nylon/Polyester, Exterior Dimensions: 410 x 330 x 50-60 mm, Weight: 0.86 kg	x																																									S26391-F119-L110	16		
	Value Case A17	Stylish and lightweight Design with padded Notebook section, Adjustable and padded shoulder straps, compartment for MP3 or CD player with direct output for the headphones, cable, Zipper pocket on the front with lots of accessory compartments inside. For Tablet PC and Notebooks up to 17 inch, Material: black/grey polyester, Exterior dimensions: 445 x 330 x 150 mm, Weight: 1.1 kg	x																																									S26391-F119-L120	16		
	Value Backpack A17	Stylish and light weight design; padded notebook section, highest Comfort with adjustable and padded shoulder straps, compartment for MP3 or CD Player with direct output for the headphones cable, Zipper pocket on the front with lots of accessory compartments inside. For Tablet PC and Notebooks up to 17-inch, Material: black/grey resistant polyester, Exterior dimensions: 445 x 350 x 150 mm, Weight: 1.10 kg	x																																									S26391-F119-L121	16	Phased out	
	Case HD 25-1	2.5" HDD-Case "Anti Shock", Schwarz/Silber																																										S26391-F119-L122	11		
	Case HD 35-1	Universaltasche für externe 2.5"-3.5"-Festplatten, Schwarz/Silber																																										S26391-F119-L123	14		
	Prestige Case Trolley	Aluminum trolley handle with optimized wheels for smooth rolling, a separate front case for power supply and cables and a heightened compartment to accommodate e.g. clothes for an overnight stay. For Tablet PC and Notebooks up to 17". Material: 1680D polyester, Exterior dimensions: 480 x 400 x 260 mm, Weight: 3.7 kg	x	x																																								S26391-F119-L130	49		



Fujitsu Siemens Computers recommends Windows Vista® Business.

Professional Notebooks Accessories

Data Sheets: <http://www.fujitsu-siemens.com/lifebook>

Category	Description	Details	LIFEBOOK C1330	LIFEBOOK C1410	LIFEBOOK E8910	LIFEBOOK E8920	LIFEBOOK E110	LIFEBOOK E110	LIFEBOOK E110	LIFEBOOK E110	LIFEBOOK E110	LIFEBOOK P1620	LIFEBOOK P1620	LIFEBOOK P7230	LIFEBOOK P910	LIFEBOOK Q2110 Encr./Iris	LIFEBOOK Q2110 Supreme	LIFEBOOK S1110 AMD Glee	LIFEBOOK S1410	LIFEBOOK S1420	LIFEBOOK S1910	LIFEBOOK S1910 Supreme	LIFEBOOK S1920 Basic	LIFEBOOK S1920 Secure Edition	LIFEBOOK S1920 Supreme	LIFEBOOK S1930 Value	LIFEBOOK S1930 Supreme	LIFEBOOK S1930 Value	LIFEBOOK S1930 Value FF	LIFEBOOK S1930	LIFEBOOK S1930	LIFEBOOK T2110	LIFEBOOK T2120	LIFEBOOK T2130	LIFEBOOK T2130	Code	End User Price (€)	Comments			
Accessories & services matrix	Notbook Cases (Continued)	Prestige Genuine, Backpack, up to 15.4"	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F119-L131	21	Orderable from: 15/09/2008		
	LADY VOGUE	Fashion style Laptop sleeve, A5 front pocket section, storage for business cards, pens and mobiles. For Notebooks up to 14" widescreen size. Material: black nylon. Exterior dimensions: 370 x 290 x 90 mm, Weight: 0.28 kg	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F119-L140	21			
	SUPREME CASE COACH	The cushioned Notebook compartment protects your computer perfectly. You can easily store your documents in the large inside compartment. Supreme case Coach has stretchable folds that adjust to the contents of the bag. The integrated workstation creates order for your mobile, pens, keys and more. Power supply units can be comfortably stored in the separate cable bag. In an additional zipper-locked compartment you can keep your make-up, mirror and other necessities. In the exterior compartment you can place even more documents. Carry your Supreme case Coach as you wish, long or short. The removable shoulder strap is adjustable for all options. Discreet optical details like the colorfully accentuated seams (2-color optics), glossy black interior lining as well as high-quality silver-colored metal fittings turn this bag into a real eye-catcher! For Notebooks up to 14.1-inch or 360 x 290 x 55 mm. Material: black high-quality leather. Exterior dimensions: 375 x 315 x 135 mm, Weight: 1.3 kg									x	x	x	x			x																				S26391-F119-L141	47			
	Sleeve P9010	Sleeve made by fake suede														x																					S26391-F119-L200	12			
	Campus T10 Backpack																																				S26391-F119-L210	16			
	Case A5 unique	Light weight leather folio for optimal protection. For Tablet PC and Notebooks up to 232 x 187 x 37 mm. Material: black nappa leather. Exterior dimensions: 250/230/40 mm, Weight: 400 g												x	x																							S26391-F119-L48	25	Phased out	
	Value case	Resistant Notebook case with cushioning as well as rubber coating for soft placement of the case on the floor. Cushioned handle and shoulder strap. Including two-fold compartment for mobile accessories or documents. For Tablet PC and Notebooks up to 15.4" or 340 x 295 x 50 mm. Material: black polyester. Exterior dimensions: 360 x 320 x 140 mm, Weight: 0.8 kg	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26391-F119-L50	21		
	Slipcover	Save keeping and carrying of modular bay devices such as second hard drive, second battery or optical drives. Material: black nylon. Exterior Dimensions: 145 x 145 x 20 mm, Weight: 56 g	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26391-F119-L67	12		
	Prestige case mid	Zip-down case with cushioned Notebook compartment; separate second compartment for mobile accessories and documents; exterior compartment with workstation for mobile accessories; cushioned shoulder strap; trolley fastening strap on the back side. For Tablet PC and Notebooks up to 15.4" or 360 x 295 x 50 mm. Material: black polyester. Exterior dimensions: 360 x 320 x 100 mm, Weight: 1.3 kg	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26391-F119-L60	29		
	Prestige case maxi	Zip-down case with a large cushioned two-fold Notebook compartment; separate, cushioned compartment for printer and mobile accessories; document compartment; exterior compartment with workstation for accessories; cushioned shoulder strap; trolley fastening strap on the back side. For Tablet PC and Notebooks up to 15.4" or 360 x 295 x 50 mm. For printer/projector up to 340 x 295 x 60 mm. Material: black polyester. Exterior dimensions: 390 x 320 x 200 mm, Weight: 1.9 kg	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26391-F119-L61	38		
	Prestige case Top S	Business nylon toploader in a modern look for Notebooks; separate, padded Notebook compartment (lockable); separate document compartment (lockable); integrated workstation for mobile equipment (pen holder, cell phone, business cards) in front compartment; retractable address tag; adjustable and padded shoulder strap; comfortable carry handle; trolley strap. For Tablet PC and Notebooks up to 14.1" or 340 x 295 x 40 mm. Material: black nylon. Exterior dimensions: 410 x 320 x 14 mm, Weight: 1.52 kg																																					S26391-F119-L63	19	Phased out
	Prestige case Top L	Material: Nylon	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26391-F119-L64	29			
	Prestige case S65	Elegant business Notebook case; separate, padded Notebook compartment; document compartment; integrated workstation for mobile equipment (PDA, cell phone, etc.) in front compartment; adjustable shoulder strap; comfortable carry handle; sturdy nylon material. For Tablet PC and Notebooks up to 14.1" or 340 x 295 x 40 mm. Material: black nylon. Exterior dimensions: 405 x 305 x 140 mm, Weight: 1.50 kg	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26391-F119-L65	21	Phased out	
	Prestige Sportive	Sportive Notebook backpack; padded, integrated Notebook compartment; pockets on inside for documents and mobile equipment; mesh pockets on sides; padded Notebook compartment; front compartment for cell phone, pens, keys and additional accessories as well as separate storage space for power supply units; adjustable, padded shoulder straps; comfortable, breathable back padding; additionally expandable front pocket (for bicycle helmet, etc.). For Tablet PC and Notebooks up to: 370 x 290 x 40 mm. Material: black/silver/gray nylon. Exterior dimensions: 500 x 370 x 210 mm, Weight: 1.42 kg	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26391-F119-L67	42			
	Prestige Cover L	NB-folio / protective casing made of durable and water-repellent nylon, soft Nylflex material on the inside; holder for business cards and pens. For Tablet PC and Notebooks up to 15.4" or 370 x 290 x 40 mm. Material: black 1680D ballistic nylon. Exterior dimensions: 370 x 290 x 60 mm, Weight: 530 g	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26391-F119-L69	19	Phased out	



Fujitsu Siemens Computers recommends Windows Vista® Business.

Professional Notebooks Accessories

Data Sheets: <http://www.fujitsu-siemens.com/lifebook>

Category	Description	Details	LIFEBOOK C1320	LIFEBOOK C1410	LIFEBOOK E8100	LIFEBOOK E8100	LIFEBOOK E8110	LIFEBOOK E8110	LIFEBOOK E8110	LIFEBOOK E8110	LIFEBOOK E8110	LIFEBOOK P1020	LIFEBOOK P1220	LIFEBOOK P1910	LIFEBOOK P1910 Executive	LIFEBOOK S2010 Supreme	LIFEBOOK S2110 AMD Glee	LIFEBOOK S2410	LIFEBOOK S2420	LIFEBOOK S2910	LIFEBOOK S2910 Supreme	LIFEBOOK S3020 Basic	LIFEBOOK S3020 Secure Edition	LIFEBOOK S3020 Supreme	LIFEBOOK S3020 Value	LIFEBOOK S3110 Supreme	LIFEBOOK S3110 Value	LIFEBOOK S3110 Value FF	LIFEBOOK S3210	LIFEBOOK S3220	LIFEBOOK T2110	LIFEBOOK T215	LIFEBOOK T220	LIFEBOOK T2910	Codes	End User Price (€)	Comments					
Additional Software (Continued)																																										
Accessories & services matrix																																										
Additional Software (Continued)	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201																																					U11081-C204	3165			
	License openFT-4 (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201																																					U11081-C205	4748			
	License openFT-5 (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201																																					U11081-C206	6330			
	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201																																					U11081-C207	563			
	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201																																					U11081-C208	917			
	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201																																					U11081-C209	1836			
	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201																																					U11081-C210	2753			
	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201																																					U11081-C211	3671			
	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202																																					U11081-C212	972			
	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203																																					U11081-C213	1583			
	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204																																					U11081-C214	3165			
	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205																																					U11081-C215	4748			
	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206																																					U11081-C216	6330			
	Upd license openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207																																					U11081-C217	563			
	Upd license openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208																																					U11081-C218	917			
	Upd license openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C209																																					U11081-C219	1836			
	Upd license openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C210																																					U11081-C220	2753			
	Upd license openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C211																																					U11081-C221	3671			
	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202																																					U11081-C222	367			
	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203																																					U11081-C223	646			
	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204																																					U11081-C224	1292			
	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205																																					U11081-C225	1938			
	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206																																					U11081-C226	2583			
	Postreplicator/AC Adapter/EU-cable kit																																						S26391-F408-L100	92		
	Port Replicator For LIFEBOOK S7110, S7210, S8410, E8110, E8210, E8310, E8410, C1410, CELSIUS N240, N250																																						S26391-F408-L110	69		
	Postreplicator																																						S26391-F413-L100	75		
	Port Replicator/AC adapter/EU-cable kit																																						S26391-F413-L200	80		
	Port Replicator/AC adapter/UK-cable kit																																						S26391-F413-L300	92		
	Port Replicator/AC Adapter/EU-Cable Kit																																						S26391-F445-L100	102		
	Port Replicator/AC Adapter/GB-Cable Kit																																						S26391-F445-L200	102		
	Postreplicator																																						S26391-F5031-L500	68		
	Postreplicator/AC adapter/EU-cable kit																																						S26391-F5031-L510	73		
	Postreplicator/AC adapter/UK-cable kit																																						S26391-F5031-L520	73		
	Postreplicator																																							S26391-F5049-L900	75	
	Postreplicator																																							S26391-F5049-L900	66	
	Portrep/AC Adapter/EU-Cable Kit																																							S26391-F5049-L910	85	
	Portrep/AC Adapter/GB-Cable Kit																																							S26391-F5049-L920	85	



Fujitsu Siemens Computers recommends Windows Vista® Business.

LIFEBOOK Services

Data Sheets: <http://www.fujitsu-siemens.com/lifebook>

Category	Description	Details	LIFEBOOK C1320	LIFEBOOK C1410	LIFEBOOK E810	LIFEBOOK E820	LIFEBOOK E8110	LIFEBOOK E8210	LIFEBOOK E8310	LIFEBOOK E8410	LIFEBOOK P1610	LIFEBOOK P1620	LIFEBOOK P7120	LIFEBOOK P7230	LIFEBOOK P810	LIFEBOOK S2110 AMD Ollere	LIFEBOOK S610	LIFEBOOK S7010	LIFEBOOK S7100 Supreme	LIFEBOOK S7020 Basic Edition	LIFEBOOK S7020 Supreme	LIFEBOOK S7020 Value	LIFEBOOK S7110 Supreme	LIFEBOOK S7110 Value PP	LIFEBOOK S7210	LIFEBOOK T1810	LIFEBOOK T4210	LIFEBOOK T4215	LIFEBOOK T4220	LIFEBOOK T5810	Code	End User Price (€)	Comments								
Accessories & services matrix																																									
Product related services																																									
SP 3y C&R Svc.5x9	SP 3 years Collect & Return Service, 5x9																																FSP-GB3C00000GBPEN	34							
SP 3y OS Svc.NBD Rt.5x9	SP 3 years On-Site Service, next business day response, 5x9		x	x																														FSP-GB3S20000GBNBS	88						
SP 3y OS Svc.NBD Rt.5x9	SP 3 years On-Site Service, next business day response, 5x9				x	x	x	x	x	x																									FSP-GC3S20000GBNBS	82					
SP 4y OS Svc.NBD Rt.5x9	SP 4 years On-Site Service, next business day response, 5x9		x	x																															FSP-GC4S20000GBNBS	129					
TP 3y C&R Svc.5x9	TP 3 years Collect & Return Service, 5x9																																		FSP-GN3C002000GBPEN	35					
TP 4y C&R Svc.5x9	TP 4 years Collect & Return Service, 5x9																																			FSP-GN4C00000GBNBS	46				
TP 4y C&R Svc.5x9	TP 4 years Collect & Return Service, 5x9				x	x	x	x	x	x																										FSP-GN4C00000GBNBS	47				
TP 4y OS Svc.5x9	TP 4 years On-Site Service, 5x9																																				FSP-GN4S00000GBNBS	50			
TP 4y OS Svc.5x9	TP 4 years On-Site Service, 5x9		x	x																																	FSP-GN4S00000GBNBS	27			
TP 4y OS Svc.NBD Rt.5x9	TP 4 years On-Site Service, next business day response, 5x9				x	x	x	x	x	x																												FSP-GN4S20000GBNBS	107		
TP 5y C&R Svc.5x9	TP 5 years Collect & Return Service, 5x9				x	x	x	x	x	x																												FSP-GN5C00000GBNBS	74		
TP 5y C&R Svc.5x9	TP 5 years Collect & Return Service, 5x9																																					FSP-GN5C00000GBPEN	120		
TP 5y OS Svc.5x9	TP 5 years On-Site Service, 5x9		x	x																																			FSP-GN5S00000GBNBS	68	
TP 5y OS Svc.NBD Rt.5x9	TP 5 years On-Site Service, next business day response, 5x9				x	x	x	x	x	x																													FSP-GN5S20000GBNBS	125	



**Fujitsu Siemens Computers recommends Windows Vista®
Business.**

Positioning FUTRO thin clients



FUTRO A

Why take a fully featured PC for server-based computing when you can have everything you need in a reliable small-form thin client? Without fans and rotating drives, the FUTRO A Series is reliable, fail-safe and silent. That means FUTRO A minimizes Total Cost of Ownership.



FUTRO S

This small but powerful and expandable thin client is your ideal client for server-based computing. No matter if used with RDP or ICA protocol, as thin client for Windows terminal services or as Java based network terminal, FUTRO S Series always helps you to minimize the Total Cost of Ownership. Low power consumption, no fans and rotating drives turn the FUTRO S Series into a very reliable and silent thin client.



**FUTRO ESPRIMO
C5910**

FUTRO ESPRIMO C5910 is the successor of the FUTRO C250.

The FUTRO ESPRIMO C5910 is built with specially selected material to minimize impact on the environment.

Development, production, transportation and recycling are optimized to the aspect of environmental sustainability and aligned to strong internal environmental directives. The FUTRO ESPRIMO C5910 provides thin client functionality with a configurable hard disk drive, optical drive and flash memory. This system is extremely compact and features the latest processor technology.

Configurable with the Linux based operating system eLux NG or Microsoft's XP Embedded (via CUZ) FUTRO ESPRIMO C5910 runs Windows, Unix or other terminal applications from a server.



Fujitsu Siemens Computers recommends Windows Vista® Business.

FUTRO A

Data Sheets: <http://www.fujitsu-siemens.com/futro>

Why take a fully featured PC for server based computing, when you can have everything you need in a reliable small form factor thin client? The FUTRO A is ideally suited for Windows Terminal Server computing. The server executes the applications, the screen is displayed on the client. Your data is saved secure on the server and is therefore protected against loss. Also the operating system is stored secure on a flash memory and safe from unauthorized changes due to a write protected file system. Smart administration tools help to update the client easily. Space saving desing, no fan and rotating drives turn the FUTRO A into the ideal thin client for your project and into a minimizer of Total Cost of Ownership.

Model	Description	Details	Code	End User Price (£)	Comments
Standard products					
FUTRO A 220					
FUTRO A220	A220, CE 5.0 & SCOUT Managebility, 10/100/1000 Mbit/s Fast Ethernet LAN, 128 MB RAM, 128 MB Compact Flash, , Processor AMD LX800, 500 MHz., Interfaces: 1xserial, 1x mouse, 1x keyboard, 2x USB(2.0) front, 1x USB(2.0) rear, 1x monitor, line out, Mic in, 1x LAN RJ45 Standard European Power cord, , You find the corresponding part number for the power cord below the accessories list.		S26361-K525-V220	192	
FUTRO A230					
FUTRO A230	A230, eLuxNG&ScoutNG built-in Lizenz, 10/100/1000 Mbit/s Fast Ethernet LAN, 128 MB RAM, 128 MB Compact Flash, Processor AMD LX800, 500 MHz , Interfaces: 1xserial, 1x mouse, 1x keyboard, 2x USB(2.0) front, 1x USB(2.0) rear, 1x monitor, line out, Mic in, 1x LAN RJ45 Standard European Power cord, , You find the corresponding part number for the power cord below the accessories list.		S26361-K525-V230	211	
FUTRO A250					
FUTRO A250	A250, eLuxNG w/o License, 10/100/1000 Mbit/s Fast Ethernet LAN, 256 MB RAM, 256 MB Compact Flash, Processor AMD LX800, 500 MHz , Interfaces: 1xserial, 1x mouse, 1x keyboard, 2x USB(2.0) front, 1x USB(2.0) rear, 1x monitor, line out, Mic in, 1x LAN RJ45 Standard European Power cord, , You find the corresponding part number for the power cord below the accessories list.		S26361-K525-V250	172	



Fujitsu Siemens Computers recommends Windows Vista® Business.

FUTRO S

Data Sheets: <http://www.fujitsu-siemens.com/futro>

Why take a fully featured PC for server based computing, when you can have everything you need in a reliable small form factor thin client?

The FUTRO S Series is ideally suited for Windows Terminal Server computing. The server executes the applications, the screen is displayed on the client. Your data is saved secure on the server and is therefore protected against loss.

Also the operating system is stored secure on a flash memory and safe from unauthorized changes due to a write protected file system. Smart administration tools help to update the client easily. Without fan and rotating drives, the FUTRO S Series is reliable, fail-safe and silent.

All that turns the FUTRO S Series into a minimizer of Total Cost of Ownership.

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	CD_RW_DVD	LAN	WLAN	Graphics	Audio	Mouse	Keyboards	Front_USB	Security_Hardware	Code	End User Price (£)	Comments
Standard products																
FUTRO S400																
AMD NX1500 1 GHz	eLux NG+Scout NG	256MB	CF128MB EMPTY	x	x					x	2x			PDP:GBR-522760-001	282	Phased out
AMD NX1500 1 GHz	eLux NG+Scout NG	256MB	CF128MB EMPTY	x	x					x	2x	SmartCard reader internal, USB 2.0		PDP:GBR-522760-002	295	Phased out
AMD NX1500 1 GHz	eLux NG	256MB	CF128MB EMPTY	x	x					x	2x			PDP:GBR-522760-005	267	Phased out
AMD NX1500 1 GHz	eLux NG+Scout NG	512MB	CF 256MB EMPTY	x	x					x	2x	SmartCard reader internal, USB 2.0		PDP:GBR-522760-006	313	
AMD NX1500 1 GHz	eLux NG+Scout NG	512MB	CF 512MB EMPTY	x				on board		x	2x			PDP:GBR-522760-008	308	
AMD NX1500 1 GHz	XP EMBEDDED	512MB	CF 512MB EMPTY	x				on board		x	2x			PDP:GBR-522760-009	317	



Fujitsu Siemens Computers recommends Windows Vista® Business.

FUTRO Accessories

Data Sheets: <http://www.fujitsu-siemens.com/futro>

Category	Description	Details	FUTRO (Esprimo C)	FUTRO A 210	FUTRO A 220	FUTRO A 100	FUTRO A120	FUTRO A230	FUTRO A240	FUTRO A250	FUTRO B100 eLux	FUTRO B2xx	FUTRO C100 i845GV	FUTRO C200 i915GV	FUTRO C250 i915GV	FUTRO D100	FUTRO D100 f4r CF-Card	FUTRO S200	FUTRO S2xx	FUTRO S300	FUTRO S400	FUTRO S450	FUTRO S600	Code	End User Price (£)	Comments		
Accessories & services matrix																												
Memory																												
	512MB DDR-333 SODIMM	1 Modul PC 333 (PC 2700), DIMM																							S26361-F3149-L310	49		
Graphics																												
	DVI Modul																									S26361-F2421-L400	23	
	Matrox Millennium G450 32 MB, DH, PCI card	Connectors: 1x VGA + 1x DVI or 2x VGA, PCI card												x	x					x						S26361-F2421-L231	82	
Removable Media Drives																												
	External DVD Dual Slim Slot-In Drive	Easy connection via USB 2.0, Included AC-adapter provides power support, Connection and disconnection without restarting, Slot-loading drive, Ultra slim design with the low weight of only 365 g, Read Speed: 8x DVD±R, 8x DVD±R DL, Write Speed: 8x DVD±RW, 8x DVD-RW, NERO Essentials Software, High quality and stability, Reliability of delivery, Low noise, Accessories for highly differentiated demands, Meets highest demands in terms of ergonomics and usability								x				x	x	x										S26391-F7119-L100	85	
	Floppy Disk Drive 1.44MB USB external	anthracite	x																							S26361-F2383-L20	28	
Hard Disk Drives																												
	CF modul 1GB empty	CF modul IDE, 1 GB empty,with CF Adapter																								S26361-F2255-L100	77	
	CF modul 1GB empty	CF modul IDE, 1 GB empty,without CF Adapter,PQI	x																							S26361-F2255-L110	74	
	4 GB CF Card empty																									S26361-F3520-L100	85	
	CF 128MB EMPTY	CF modul IDE, 128 MB empty without CF Adapter																								S26361-F2255-L77	31	Phased out
	CF 256MB EMPTY	CF modul IDE, 256 MB empty without CF adapter																								S26361-F2255-L55	39	
	CF 512MB EMPTY	CF modul IDE, 512 MB empty, with CF Adapter																								S26361-F2255-L8	70	
	CF 512MB EMPTY	CF modul IDE, 512 MB empty without CF Adapter	x																							S26361-F2255-L9	53	
Communication/Network																												
	WLAN 802.11g 54Mbps, PCI	D-Link DWL-G520	x																							S26391-F6121-L10	32	
	Dual Serial interface PCI card	2 serial interfaces,only S400																								S26391-F6122-L10	57	
	Gigabit Ethernet SysConnect	10/100/1000 Mbit/s, full height, autodetect, WoL, BootPROM, RJ45, driver-CD, PCI																								S26361-F3067-L1	19	
	WLAN II, 802.11g 54Mbps	internal WLAN module, occupies 1 internal USB interface, RoHS compliant																								S26361-F3108-L2	23	
	PCI Parallel Card LP (1 port)	EPP/ ECP, 1 x 25 Pin D-SUB parallel socket																								S26361-F3465-L1	15	
Audio/Video																												
	Headset	stereo headset, microphone	x																							S26361-F2631-L10	13	
Security																												
	SmartCard reader internal, USB 2.0	chipcard reader f. FUTRO S400,requires int. USB interface,w/o SmartCard																								S26361-F1260-L801	23	
	SmartCard Reader	internal																								S26361-F1260-L802	23	
	MicroSaver	anti-theft cable with lock																								S26361-F1650-L200	38	
	SmartCase SCR (USB)	PC/SC and Win 98/Me/2000/XP compatible, USB interface	x	x	x																					S26361-F2542-L220	27	
Miscellaneous																												
	Y-cable DVI/VGA	Dual Monitoring support																								S26361-F2421-L100	15	
	Riser Card																									S26361-F2421-L200	7	
	Vesa Mounting Kit	FUTRO A with LCD B19-2 or B17-2		x	x	x	x	x	x	x																S26361-F2601-L518	19	
	Scout EP	Scout Enterprise V10 kann bis zu 25 Thin Clients managen ohne das eine zusätzlicher Lizenz Schlüssel erforderlich ist., Die Lizenz Scout EP S26361-F2727-L701 ist nur erforderlich ab einer Installation von mehr als 25 Thin Clients,including 2 years software support																								S26361-F2727-L701	40	
	eLux RL	license,including 2 years software support																								S26361-F2727-L702	24	
	Upgr on eLux RL	license																								S26361-F2727-L703	15	
	eLux NG for PC demo	eLux NG boot from CD	x																							S26361-F1818-L100	5	
	PowerTerm WBT	Ericom Emulation for Win CE and eLuxNG	x	x	x																					S26361-F2600-L144	23	
	eLux NG	eLux NG full license, including 2 years software support	x																							S26361-F2600-L134	39	
	eLux NG CD	CD-Rom for eLux NG SW	x																							S26361-F2600-L136	5	
	Universal PC-TFT holder	for TFT (15"-20") and PC (max 105x370x400mm)	x																							S26361-F2542-L35	82	



Fujitsu Siemens Computers recommends Windows Vista® Business.

FUTRO Services

Data Sheets: <http://www.fujitsu-siemens.com/futro>

Category	Description	Details	FUTRO (Esprimo C)	FUTRO C100 I845GV	FUTRO C200 I915GV	FUTRO C250 I915GV	FUTRO D100	FUTRO D100 für CF-Card	FUTRO S200	FUTRO S2xx	FUTRO S300	FUTRO S400	FUTRO S500	Code	End User Price (£)	Comments
Product related services																
SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9		x	x	x	x	x	x	x	x	x	x	x	FSP:GB3S20000GBTC2	128	
TP 4y OS Svc,5x9	TP 4 years On-Site Service, 5x9		x	x	x	x	x	x	x	x	x	x	x	FSP:GN4S00000GBTC2	7	
TP 5y OS Svc,5x9	TP 5 years On-Site Service, 5x9		x	x	x	x	x	x	x	x	x	x	x	FSP:GN5S00000GBTC2	13	



Positioning ESPRIMO



ESPRIMO P2xxx series

The ESPRIMO P2xxx series is designed for price-driven customers and is pre-configured with up-to-date standard features. These systems can handle any office requirement, particularly those typical to small and mid-sized enterprises. The ESPRIMO Edition line is instantly available at your dealer.



ESPRIMO Project PC

The ESPRIMO Project PCs are the right choice for large customers requiring up-to-date standard features. Freely configurable, with proven technology and an extended lifecycle of up to 12 months, these PCs are the perfect choice for cost-driven projects.



ESPRIMO C

The ESPRIMO C Green PC is your perfect partner for smallest space. The ultra small form factor PC combines latest technology with environmentally conscious product design to minimize impact on the environment. With its silent product concept and service friendly cabinet, the ESPRIMO C offers best working conditions.



ESPRIMO E

Put your performance on the desk. The ESPRIMO E Green PC is a small form factor PC setting new desktop standards. ESPRIMO E offers highly reliable computing power for every business demands. Due to latest technologies, highest ergonomic and silent product design the ESPRIMO E Green PC is for every customer who requires high computing power. It can be positioned either horizontally or vertically.



ESPRIMO P

Your every day business performer. The ESPRIMO P Green PC microtower offers highest performance and best expandability. With various system modifications, the ESPRIMO P is tailored to every business use to reasonable value. Working with ESPRIMO P is stress free. It is ergonomic, silent and reliable.



ESPRIMO Q

The ESPRIMO Q Series opens a new chapter on performance, size and design. With its extremely small and stylish design, the new Professional Mini PC satisfies a so far unanswered business need: Professional PC becomes fashionable. Add an eye catcher to your desk.



Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO C

Don't let yourself be fooled from the size of the ESPRIMO C. Although it's an ultra small form factor system presenting latest chipset and processor technologies and offers Multibay functionality like a notebook. Make profit from the small form factor design because you need less space. This will lower your office rental costs. ESPRIMO professional PCs are built with specially selected material to minimize impact on the environment. Production and selection of material are optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives. Working with the ESPRIMO C is stress-free. It is small, ergonomic, silent and reliable. It is easy to administrate and secure. In short, this highly reliable premium PC is particularly tailor-made to your business demands.

Data Sheets: <http://www.fujitsu-siemens.com/esprimo>

Model	Processor	Operating Systems	Memory	Hard Disk Drives	DVD ROM	CD, RW, DVD	DVD, RW, DUAL DL	DVD, RW, DL, DVD, RW	DVD, SUPERMULTI	Other Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front, USB	Rear, Panel	Security Hardware	Code	End User Price (£)	Comments
ESPRIMO C5720																								
Intel® Pentium® Dual Core E2180 2.0 GHz 800 MHz 1 MB	Genuine Windows VISTA® Business 32 bit MuLi A	2x512 MB DDR2	160 GB SATA II 7200				x				x			Intel® GMA 3100	onboard	Tilt-Wheelmouse	United Kingdom	3		PDP:GBR1009311-002		458	Phased out	
Intel® Core™2 Duo E8400 3.0 GHz 1333 MHz 6 MB	Genuine Windows VISTA® Business 32 bit MuLi A	2x2 GB DDR2	250 GB SATA II 7200				x				x			Intel® GMA 3100	onboard	Tilt-Wheelmouse	United Kingdom	3		PDP:GBR1009311-003		620	Phased out	
Intel® Core™2 Duo E7200 2.53 GHz 1066 MHz 3 MB	Genuine Windows VISTA® Business 32 bit MuLi A	2 GB DDR2	250 GB SATA II 7200				x				x			Intel® GMA 3100	onboard	Optical Wheelmouse	United Kingdom	3		PDP:GBR1009311-005		549	Phased out	



Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO E

Data Sheets: <http://www.fujitsu-siemens.com/esprimo>

Put your performance on the desk. The ESPRIMO E is a small form factor PC that can either positioned vertical or horizontal. With its chipset diversity and a managed lifecycle up to 18 month, the ESPRIMO E is the right solution for customer requiring a high quality desktop. ESPRIMO professional PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives. Working with the ESPRIMO E Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO E best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

Model	Processor	Operating Systems	Memory	Hard Disk Drives	DVD-ROM	CD RW DVD	DVD RW DUAL DL	DVD RW DL DVD RAM	DVD SUPERMULTI	Other Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front USB	Rear Panel	Security Hardware	Code	End User Price (€)	Comments
Standard products																								
ESPRIMO E9625																								
	AMD AMD Athlon™ 64 X2 4400+ 2.3 GHz 512 KB	Genuine Windows VISTA® Business 32 bit MxLI A	1 GB DDR2	160 GB SATA II 7200					x	x				onboard	onboard	Tilt-Wheelmouse	United Kingdom	2		PDP-GBR-691511-001		420	Phased out	
	AMD AMD Athlon™ 64 X2 5000+ 2.6 GHz 512 KB	Genuine Windows VISTA® Business 32 bit MxLI A	2 GB DDR2	250 GB SATA II 7200					x	x				onboard	onboard	Tilt-Wheelmouse	United Kingdom	2		PDP-GBR-691511-002		455	Phased out	
	AMD AMD Athlon™ 64 X2 5600+ 2.9 GHz 512 KB	Genuine Windows VISTA® Business 32 bit MxLI A	2 GB DDR2	250 GB SATA II 7200					x	x				onboard	onboard	Optical Wheelmouse	United Kingdom	2		PDP-GBR-691511-003		482	Phased out	
ESPRIMO E9720																								
	Intel® Pentium® Dual Core E2180 2.0 GHz 800 MHz 1 MB	Genuine Windows VISTA® Business 32 bit MxLI A	2x512 MB DDR2	160 GB SATA II 7200					x	x				onboard	onboard	Tilt-Wheelmouse	United Kingdom	2		PDP-GBR-691321-005		436	Phased out	
	Intel® Core™ 2 Duo E8400 3.0 GHz 1333 MHz 6 MB	Genuine Windows VISTA® Business 32 bit MxLI A	2x2 GB DDR2	250 GB SATA II 7200					x	x				onboard	onboard	Tilt-Wheelmouse	United Kingdom	2		PDP-GBR-691321-006		599	Phased out	
	Intel® Pentium® Dual Core E2200 2.2 GHz 800 MHz 1 MB	Genuine Windows VISTA® Business 32 bit MxLI A	2 GB DDR2	250 GB SATA II 7200					x	x				onboard	onboard	Tilt-Wheelmouse	United Kingdom	2		PDP-GBR-691321-007		460	Phased out	
	Intel® Core™ 2 Duo E7200 2.53 GHz 1066 MHz 3 MB	Genuine Windows VISTA® Business 32 bit MxLI A	2 GB DDR2	250 GB SATA II 7200					x	x				onboard	onboard	Tilt-Wheelmouse	United Kingdom	2		PDP-GBR-691321-008		518	Phased out	
	Intel® Core™ 2 Duo E7200 2.53 GHz 1066 MHz 3 MB	Genuine Windows VISTA® Business 32 bit MxLI A	2 GB DDR2	250 GB SATA II 7200					x	x				onboard	onboard	Optical Wheelmouse	United Kingdom	2		PDP-GBR-691321-009		527	Phased out	
	Intel® Pentium® Dual Core E2180 2.0 GHz 800 MHz 1 MB	Genuine Windows VISTA® Business 32 bit MxLI A	1 GB DDR2	80 GB SATA I 7200					x	x				onboard	onboard	Tilt-Wheelmouse	United Kingdom	2		PDP-GBR-691321-010		427	Phased out	
	Intel® Pentium® Dual Core E2180 2.0 GHz 800 MHz 1 MB	Genuine Windows VISTA® Business 32 bit MxLI A	1 GB DDR2	160 GB SATA II 7200					x	x				onboard	onboard	Optical Wheelmouse	United Kingdom	2		PDP-GBR-691321-011		440	Phased out	
	Intel® Pentium® Dual Core E2200 2.2 GHz 800 MHz 1 MB	Genuine Windows VISTA® Business 32 bit MxLI A	2 GB DDR2	250 GB SATA II 7200					x	x				onboard	onboard	Optical Wheelmouse	United Kingdom	2		PDP-GBR-691321-012		469	Phased out	
	Intel® Core™ 2 Duo E8400 3.0 GHz 1333 MHz 6 MB	Genuine Windows VISTA® Business 32 bit MxLI A	2x2 GB DDR2	250 GB SATA II 7200					x	x				onboard	onboard	Optical Wheelmouse	United Kingdom	2		PDP-GBR-691321-013		606	Phased out	
ESPRIMO E9925																								
	Intel® Pentium® Dual Core E2180 2.0 GHz 800 MHz 1 MB	Genuine Windows VISTA® Business 32 bit MxLI A	1 GB DDR2	160 GB SATA II 7200					x	x				onboard	onboard	Tilt-Wheelmouse	United Kingdom	2		PDP-GBR-691211-005		515	Phased out	
	Intel® Core™ 2 Duo E8400 3.0 GHz 1333 MHz 6 MB	Genuine Windows VISTA® Business 32 bit MxLI A	2x2 GB DDR2	160 GB SATA II 7200					x	x				onboard	onboard	Tilt-Wheelmouse	United Kingdom	2		PDP-GBR-691211-006		673	Phased out	
	Intel® Core™ 2 Duo E7200 2.53 GHz 1066 MHz 3 MB	Genuine Windows VISTA® Business 32 bit MxLI A	1 GB DDR2	250 GB SATA II 7200					x	x				onboard	onboard	Optical Wheelmouse	United Kingdom	2		PDP-GBR-691211-008		594	Phased out	
	Intel® Pentium® Dual Core E2180 2.0 GHz 800 MHz 1 MB	Genuine Windows VISTA® Business 32 bit MxLI A	1 GB DDR2	80 GB SATA II 7200					x	x				onboard	onboard	Optical Wheelmouse	United Kingdom	2		PDP-GBR-691211-009		518	Phased out	
Special products																								
ESPRIMO E5720																								
	Intel Core2 Duo E4600 2.40 2M 800	Genuine Windows VISTA® Business 32 bit MxLI A & BusSuite	1 GB DDR2	160 GB SATA II 7200					x	x				onboard	onboard	Tilt-Wheelmouse	United Kingdom	2		VFY.E5720PPAA1GB		385		
	Intel® Intel® Core™ 2 Duo E4600 2.4 GHz 800 MHz 2 MB	Genuine Windows VISTA® Business 32 bit MxLI A & BusSuite	2x1 GB DDR2	250 GB SATA II 7200					x	x				onboard	onboard	Tilt-Wheelmouse	United Kingdom	2		VFY.E5720PPAD1GB		408		
ESPRIMO E9925																								
	Intel® Intel® Core™ 2 Duo D8600 2.4 GHz 1066 MHz 8 MB	Genuine Windows VISTA® Business 32 bit MxLI A & BusSuite	2x1 GB DDR2	500 GB SATA II 7200					x	x				onboard	onboard	Tilt-Wheelmouse	United Kingdom	2		VFY.E9925PPAD1GB		533		
	Intel® Intel® Core™ 2 Duo E8300 2.83 GHz 1333 MHz 6 MB	Genuine Windows VISTA® Business 32 bit MxLI A & BusSuite	2x1 GB DDR2	250 GB SATA II 7200					x	x				onboard	onboard	Tilt-Wheelmouse	United Kingdom	2		VFY.E9925PFAE1GB		499		



Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO P

Combine high expandability with latest technology. With its expandability and its chipset diversity ESPRIMO P is the right solution for customer requiring a high quality microtower with a managed lifecycle up to 18 months
 ESPRIMO professional PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.

Working with the ESPRIMO P Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO P best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

Data Sheets: <http://www.fujitsu-siemens.com/esprimo>

Model	Processor	Operating Systems	Memory	Hard Disk Drives	CD ROM	DVD ROM	CD RW DVD	DVD RW DUAL DL	FDD	Other Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Noise	Keyboards	Front USB	Rear Port	Security Hardware	Code	End User Price (€)	Comments
ESPRIMO P5625																								
Standard products																								
	AMD AMD Athlon™ 64 X2 4400+ 2.3 GHz 512 KB	Genuine Windows VISTA® Business 32 bit MuLi A	1 GB DDR2	160 GB SATA II 7200								x				onboard	Tilt-Wheelmouse	United Kingdom	2	PDP-GBR1007801-001	415	Phased out		
	AMD AMD Athlon™ 64 X2 5000+ 2.6 GHz 512 KB	Genuine Windows VISTA® Business 32 bit MuLi A	2 GB DDR2	250 GB SATA II 7200								x				onboard	Tilt-Wheelmouse	United Kingdom	2	PDP-GBR1007801-002	449	Phased out		
	AMD AMD Athlon™ 64 X2 5600+ 2.9 GHz 512 KB	Genuine Windows VISTA® Business 32 bit MuLi A	2 GB DDR2	250 GB SATA II 7200								x				onboard	Optical Wheelmouse	United Kingdom	2	PDP-GBR1007801-003	478	Phased out		
ESPRIMO P5720																								
	Intel® Pentium® Dual Core E2180 2.0 GHz 800 MHz 1 MB	Genuine Windows VISTA® Business 32 bit MuLi A	2x512 MB DDR2	160 GB SATA II 7200								x			Intel® GMA 3100	onboard	Tilt-Wheelmouse	United Kingdom	2	PDP-GBR1007651-005	434	Phased out		
	Intel® Core™2 Duo E8400 3.0 GHz 1333 MHz 6 MB	Genuine Windows VISTA® Business 32 bit MuLi A	2x2 GB DDR2	250 GB SATA II 7200								x			Intel® GMA 3100	onboard	Tilt-Wheelmouse	United Kingdom	2	PDP-GBR1007651-006	597	Phased out		
	Intel® Core™2 Duo E7200 2.53 GHz 1066 MHz 3 MB	Genuine Windows VISTA® Business 32 bit MuLi A	2 GB DDR2	250 GB SATA II 7200								x			Intel® GMA 3100	onboard	Tilt-Wheelmouse	United Kingdom	2	PDP-GBR1007651-007	515	Phased out		
	Intel® Pentium® Dual Core E2200 2.2 GHz 800 MHz 1 MB	Genuine Windows VISTA® Business 32 bit MuLi A	2 GB DDR2	250 GB SATA II 7200								x			Intel® GMA 3100	onboard	Tilt-Wheelmouse	United Kingdom	2	PDP-GBR1007651-008	457	Phased out		
	Intel® Pentium® Dual Core E2180 2.0 GHz 800 MHz 1 MB	Genuine Windows VISTA® Business 32 bit MuLi A	1 GB DDR2	160 GB SATA II 7200								x			Intel® GMA 3100	onboard	Optical Wheelmouse	United Kingdom	2	PDP-GBR1007651-009	436	Phased out		
	Intel® Pentium® Dual Core E2180 2.0 GHz 800 MHz 1 MB	Genuine Windows VISTA® Business 32 bit MuLi A	1 GB DDR2	80 GB SATA I 7200								x			Intel® GMA 3100	onboard	Optical Wheelmouse	United Kingdom	2	PDP-GBR1007651-010	432	Phased out		
	Intel® Pentium® Dual Core E2200 2.2 GHz 800 MHz 1 MB	Genuine Windows VISTA® Business 32 bit MuLi A	2 GB DDR2	250 GB SATA II 7200								x			Intel® GMA 3100	onboard	Optical Wheelmouse	United Kingdom	2	PDP-GBR1007651-011	467	Phased out		
	Intel® Core™2 Duo E7200 2.53 GHz 1066 MHz 3 MB	Genuine Windows VISTA® Business 32 bit MuLi A	2 GB DDR2	250 GB SATA II 7200								x			Intel® GMA 3100	onboard	Optical Wheelmouse	United Kingdom	2	PDP-GBR1007651-012	525	Phased out		
	Intel® Core™2 Duo E8400 3.0 GHz 1333 MHz 6 MB	Genuine Windows VISTA® Business 32 bit MuLi A	2x2 GB DDR2	250 GB SATA II 7200								x			Intel® GMA 3100	onboard	Optical Wheelmouse	United Kingdom	2	PDP-GBR1007651-013	603	Phased out		
ESPRIMO P9225																								
	Intel® Pentium® Dual Core E2180 2.0 GHz 800 MHz 1 MB	Genuine Windows VISTA® Business 32 bit MuLi A	1 GB DDR2	160 GB SATA II 7200								x			Intel® GMA 3100	onboard	Tilt-Wheelmouse	United Kingdom	2	PDP-GBR1007501-005	497	Phased out		
	Intel® Core™2 Duo E8400 3.0 GHz 1333 MHz 6 MB	Genuine Windows VISTA® Business 32 bit MuLi A	2x2 GB DDR2	250 GB SATA II 7200								x			Intel® GMA 3100	onboard	Tilt-Wheelmouse	United Kingdom	2	PDP-GBR1007501-006	663	Phased out		
	Intel® Core™2 Duo E8400 3.0 GHz 1333 MHz 6 MB	Genuine Windows VISTA® Business 32 bit MuLi A	2 GB DDR2	250 GB SATA II 7200								x			Intel® GMA 3100	onboard	Tilt-Wheelmouse	United Kingdom	2	PDP-GBR1007501-008	639	Phased out		
	Intel® Core™2 Duo E8400 3.0 GHz 1333 MHz 6 MB	Genuine Windows VISTA® Business 32 bit MuLi A	2x2 GB DDR2	500 GB SATA II 7200								x			Intel® GMA 3100	onboard	Tilt-Wheelmouse	United Kingdom	2	PDP-GBR1007501-009	708	Phased out		
	Intel® Pentium® Dual Core E2180 2.0 GHz 800 MHz 1 MB	Genuine Windows VISTA® Business 32 bit MuLi A	1 GB DDR2	80 GB SATA I 7200								x			Intel® GMA 3100	onboard	Optical Wheelmouse	United Kingdom	2	PDP-GBR1007501-010	515	Phased out		
	Intel® Core™2 Duo E7200 2.53 GHz 1066 MHz 3 MB	Genuine Windows VISTA® Business 32 bit MuLi A	2x1 GB DDR2	250 GB SATA II 7200								x			Intel® GMA 3100	onboard	Optical Wheelmouse	United Kingdom	2	PDP-GBR1007501-011	611	Phased out		
	Intel® Core™2 Duo E8400 3.0 GHz 1333 MHz 6 MB	Genuine Windows VISTA® Business 32 bit MuLi A	2 GB DDR2	250 GB SATA II 7200								x			Intel® GMA 3100	onboard	Optical Wheelmouse	United Kingdom	2	PDP-GBR1007501-012	649	Phased out		
	Intel® Core™2 Duo E8400 3.0 GHz 1333 MHz 6 MB	Genuine Windows VISTA® Business 32 bit MuLi A	2x2 GB DDR2	500 GB SATA II 7200								x			Intel® GMA 3100	onboard	Tilt-Wheelmouse	United Kingdom	2	PDP-GBR1007501-013	710	Phased out		
ESPRIMO P2425																								
Special products																								
	AMD AMD Athlon™ LE-1600 2.2 GHz 1 MB	Genuine Windows VISTA® Business 32 bit MuLi A	1 GB DDR2	80 GB SATA II 7200								x				HD Audio		United Kingdom	2	VFY-P2420PPAA1GB	226			
ESPRIMO P2520																								
	Intel® Pentium® Dual Core E2180 2.0 GHz 800 MHz 1 MB	Genuine Windows VISTA® Business 32 bit MuLi A	1 GB DDR2	160 GB SATA II 7200								x				HD Audio		United Kingdom	2	VFY-P2520PPAA1GB	272			
	Intel® Core™2 Duo E4600 2.4 GHz 800 MHz 2 MB	Genuine Windows VISTA® Business 32 bit MuLi A	1 GB DDR2	250 GB SATA II 7200								x						United Kingdom		VFY-P2520PPAP1GB	317			
	Intel® Core™2 Duo E4600 2.4 GHz 800 MHz 2 MB	Genuine Windows VISTA® Business 32 bit MuLi A	2x1 GB DDR2	500 GB SATA II 7200								x						United Kingdom		VFY-P2520PPAA1GB	351			
ESPRIMO P2525																								
	Intel® Pentium® Dual Core E2180 2.0 GHz 800 MHz 1 MB	Genuine Windows VISTA® Business 32 bit MuLi A	1 GB DDR2	250 GB SATA II 7200														United Kingdom		VFY-P2520PPAA1GB	283			
	Intel® Core™2 Duo E4600 2.4 GHz 800 MHz 2 MB	Genuine Windows VISTA® Business 32 bit MuLi A	1 GB DDR2	250 GB SATA II 7200														United Kingdom		VFY-P2520PPAAE1GB	317			
	Intel® Core™2 Duo E4600 2.4 GHz 800 MHz 2 MB	Genuine Windows VISTA® Business 32 bit MuLi A	2x1 GB DDR2	500 GB SATA II 7200														United Kingdom		VFY-P2520PPAF1GB	351			
ESPRIMO P2720																								
	Intel® Core™2 Duo E4600 2.4 GHz 800 MHz 2 MB	Genuine Windows VISTA® Business 32 bit MuLi A & BusSuite	1 GB DDR2	160 GB SATA II 7200								x			Intel® GMA 3100	onboard	Tilt-Wheelmouse	United Kingdom	2	VFY-P5720PPAA1GB	385			
	Intel® Core™2 Duo E4600 2.4 GHz 800 MHz 2 MB	Genuine Windows VISTA® Business 32 bit MuLi A & BusSuite	2x1 GB DDR2	250 GB SATA II 7200								x			Intel® GMA 3100	onboard	Tilt-Wheelmouse	United Kingdom	2	VFY-P5720PPAD1GB	408			
ESPRIMO P9225																								
	Intel® Core™2 Duo E8300 2.83 GHz 1333 MHz 6 MB	Genuine Windows VISTA® Business 32 bit MuLi A & BusSuite	2x1 GB DDR2	160 GB SATA II 7200								x			Intel® GMA 3100	onboard	Tilt-Wheelmouse	United Kingdom	2	VFY-P9225PPAA1GB	499			
	Intel® Core™2 Duo Q6600 2.4 GHz 1066 MHz 8 MB	Genuine Windows VISTA® Business 32 bit MuLi A & BusSuite	2x1 GB DDR2	500 GB SATA II 7200								x			Intel® GMA 3100	onboard	Tilt-Wheelmouse	United Kingdom	2	VFY-P9225PPAD1GB	533			



Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Q5020

Data Sheets: <http://www.fujitsu-siemens.com/esprimo>

The ESPRIMO Q Series opens a new chapter on performance, size and design.

With its extremely small and stylish design, the new Professional Mini PC satisfies a so far unanswered business need: Professional PC becomes fashionable. Powered by the latest Intel® Mobile Technology, the ESPRIMO Q Series fulfills the requirements of a professional PC.

Don't buy expandability you never use and gain more space on your desk. You'll profit from its low energy consumption, as well as from its whisper silent noise level. Add an eye catcher to your desk.

Model	Processor	Operating Systems	Memory	Hard Disk Drives	CD_ROM	DVD_ROM	CD_RW_DVD	DVD_RW_DUAL_DL	FDD	Other Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front_USB	Rear_Panel	Security_Hardware	Code	End User Price (€)	Comments	
ESPRIMO Q5020																									
Standard products																									
Intel® Core™2 Duo T8100 2.1 GHz 800 MHz 3 MB	Genuine Windows VISTA® Business 32 bit Multi A	1 GB DDR2	160 GB SATA 5400	x							x	x	Intel® 965GM	onboard	Optical Wheelmouse		3		PDP-GBR1001411-002				€17	Phased out	
Intel® Core™2 Duo T5270 1.4 GHz 800 MHz 2 MB	Genuine Windows VISTA® Business 32 bit Multi A	1 GB DDR2	120 GB SATA 5400	x							x	x	Intel® 965GM	onboard	Optical Wheelmouse		3		PDP-GBR1001411-003				552	Phased out	
Intel® Celeron® 550 2.0 GHz 533 MHz 1 MB	Genuine Windows VISTA® Business 32 bit Multi A	1 GB DDR2	120 GB SATA 5400	x							x	x	Intel® 965GM	onboard	Optical Wheelmouse		3		PDP-GBR1001411-004				488	Phased out	



Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Accessories

Data Sheets: <http://www.fujitsu-siemens.com/esprimo>

Category	Description	Details	ESPRIMO C570	ESPRIMO C590	ESPRIMO C590	ESPRIMO E3000	ESPRIMO E310	ESPRIMO E4015	ESPRIMO E416	ESPRIMO E5025	ESPRIMO E570	ESPRIMO E516	ESPRIMO E5925	ESPRIMO E7035	ESPRIMO P420	ESPRIMO P430	ESPRIMO P460	ESPRIMO P500	ESPRIMO P510	ESPRIMO P515	ESPRIMO P516	ESPRIMO P5925	ESPRIMO O410	ESPRIMO O420	ESPRIMO O430	Code	End User Price (€)	Comments	
Memory																													
	512MB DDR2-667	memory mix refer to system board manual, 1 module PC 667 (PC2-5300), DIMM, compatible with this base unit	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2989-L112	15	
	1GB DDR2-667	memory mix refer to system board manual, 1 module PC 667 (PC2-5300), DIMM, compatible with this base unit	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2989-L114	24	
	2GB DDR2-667	memory mix refer to system board manual, 1 module PC 667 (PC2-5300), DIMM, compatible with this base unit	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2989-L116	57	
	512MB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit	x			x	x	x	x	x	x	x	x														S26361-F2994-L112	15	
	1GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit	x			x	x	x	x	x	x	x	x														S26361-F2994-L114	24	
	2GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit	x			x					x		x														S26361-F2994-L116	57	
	512MB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit								x													x				S26361-F2995-L112	15	
	1GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit								x																	S26361-F2995-L114	24	
	2GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit								x																	S26361-F2995-L116	57	
	1GB DDR2-667	1 module PC 667 (PC2-5300), SO-DIMM																					x	x			S26361-F2992-L114	24	
	2GB DDR2-667	1 module PC 667 (PC2-5300), SO-DIMM																					x	x			S26361-F2992-L116	57	
Graphics																													
	DVI Ext. Adapter Bxx Q965 Q33/35 ATI	PCIe, DVI-D extension for onboard graphics				x	x				x	x	x							x							S26361-F2757-L610	19	
	DVI Ext. Adapter P3510 FH	PCIe, DVI-D extension for onboard graphics, 2 monitor mode (1 DVI-D + 1 VGA) possible																			x						S26361-F2757-L620	15	
	DVI Extension Adapter	DVI-D extension for on board graphics, 2 monitor mode possible (1 DVI-D + 1 VGA)					x	x														x	x				S26361-F3305-L200	9	
	Dual DVI Ext. Adapter I945G Q965 Q33/35	Dual DVI-D extension for onboard graphics, 2 monitor mode possible (2 DVI-D)				x	x															x	x	x	x		S26361-F2757-L650	27	
	DVI Extension Adapter	PCIe, DVI-D extension for onboard graphics, 2 monitor mode (1 DVI-D + 1 VGA) possible									x											x					S26361-F3305-L210	11	Orderable from: 19/09/2008
	ATI Radeon HD3450 256 MB	PCIe, dual monitor (2 DVI-I/ VGA), HDCP, DirectX10, incl. 2 adapter DVI-VGA															x	x				x					S26361-F3535-L345	41	Orderable from: 19/09/2008
	NVIDIA GeForce 7300LE 256MB TrueMemoryLP	PCIe, dual monitoring (2DVI-I/ VGA), HDCP, TV-out (S-VID / Video), 2 adapters DVI-VGA, incl. HDTV and LFH59 cable				x	x	x	x		x	x	x														S26361-F3000-L255	49	
	NVIDIA GeForce 7300LE 256MB TrueMemory	PCIe, dual monitoring (2DVI-I/ VGA), TV-out (S-VID / Video), 2 adapters DVI-VGA, incl. HDTV cable												x	x	x	x	x	x	x	x	x	x	x		S26361-F3000-L256	67		
	NVIDIA GeForce 8400 256MB HDMI LP	PCIe Gen2, single monitor (1 DVI-I/ VGA), HDMI, HDCP, DirectX10, incl. 1 adapter DVI-VGA				x		x	x		x											x	x				S26361-F3000-L840	45	
	NVIDIA GeForce 9300 GE 256MB LP	PCIe Gen2, dual monitor (2 DVI-I/ VGA), HDCP, DirectX10, incl. 2 adapter DVI-VGA and LFH59 cable								x	x																S26361-F3000-L931	51	Orderable from: 24/10/2008
	NVIDIA GeForce 9300 GE 256MB	PCIe Gen2, dual monitor (2 DVI-I/ VGA), HDCP, DirectX10, incl. 2 adapter DVI-VGA and LFH59 cable														x	x					x	x				S26361-F3000-L936	49	Orderable from: 31/10/2008
	NVIDIA GeForce 9300 GE 512MB LP	PCIe Gen2, dual monitor (2 DVI-I/ VGA), HDCP, DirectX10, incl. 2 adapter DVI-VGA and LFH59 cable				x		x	x																		S26361-F3000-L933	56	Orderable from: 24/10/2008
	NVIDIA GeForce 9500 GS 512MB LP	PCIe Gen2, dual monitor (2 DVI-I/ VGA), HDCP, DirectX10, incl. 2 adapter DVI-VGA and LFH59 cable						x	x				x														S26361-F3000-L951	67	
	NVIDIA GeForce 9500 GS 512MB	PCIe Gen2, dual monitor (2 DVI-I/ VGA), HDCP, DirectX10, incl. 2 adapter DVI-VGA and LFH59 cable																					x	x			S26361-F3000-L956	65	
	NVIDIA Quadro NVS 290 256MB PCIe x16	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe																x					x	x			S26361-F2748-L234	67	
	NVIDIA Quadro NVS 290 256MB PCIe x16LP	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe				x		x	x				x														S26361-F2748-L334	67	
Removable Media Drives																													
	MEMORYBIRD P 2GB	High Speed USB flash stick. Driveless use for Microsoft Windows operating systems. Plug and play. Suitable for LIFEBOOK Series and ESPRIMO PC, AMILO Pro, ESPRIMO Mobile, CELSIUS Mobile and PRIMERGY. Availability of various capacities for storage of miscellaneous data, up to 28 Mbit/s read-speed, write-speed up to 17 Mbit/s	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F6047-L102	40	
	DVD SATA	occupies accessible 5.25"-bay, without DVD-video playback software				x	x	x	x	x								x	x	x	x	x	x	x			S26361-F3418-L110	31	
	DVD SuperMulti SATA	occupies accessible 5.25"-bay, DVD burning software included (without DVD-video playback software)				x	x	x	x	x								x	x	x	x	x	x	x			S26361-F3420-L110	45	
	DVD SuperMulti SATA	occupies accessible 5.25"-bay, DVD burning software included (without DVD-video playback software)													x	x											S26361-F3447-L110	45	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write + CD read/write, Blu-ray Playback SW must be ordered separately				x		x														x	x				S26361-F3523-L110	148	
	DVD SATA	occupies accessible 5.25"-bay, without DVD-video playback software								x													x				S26361-F3418-L510	25	
	DVD SuperMulti SATA	occupies accessible 5.25"-bay, DVD burning software included (without DVD-video playback software)								x													x				S26361-F3420-L510	38	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write + CD read/write, Blu-ray Playback SW must be ordered separately								x																	S26361-F3523-L510	148	Orderable from: 19/09/2008
	MultiCard Reader 15in1 USB 2.0, 3.12"	MultiCard Reader 15in1 USB 2.0 3.5", occupies accessible 3.5"-bay, requires internal USB interface. Formats: CF I, CF II, CF HI-SPEED, Micro Drive, MS, MS Magic Gate, MS PRO Magic Gate, HI-SPEED MS PRO Magic Gate, MS DUO Magic Gate, MS PRO DUO Magic Gate, HI-SPEED MS PRO DUO Magic Gate, SD, HI-SPEED SD, SDC, MMC, HS MMC, SM, XD				x	x	x	x	x								x	x	x	x	x	x	x			S26361-F3077-L20	23	
	MultiCard Reader 15in1 USB 2.0 3.5"	occupies accessible 3.5"-bay, requires internal USB interface. Formats: CF I, CF II, CF HI-SPEED, Micro Drive, MS, MS Magic Gate, MS PRO Magic Gate, HI-SPEED MS PRO Magic Gate, MS DUO Magic Gate, MS PRO DUO Magic Gate, SD, HI-SPEED SD, SDC, MMC, HS MMC, SM, XD									x												x				S26361-F3077-L40	19	Orderable from: 19/09/2008
	Floppy Disk Drive 1.44MB	occupies accessible 3.5"-bay, incl. cable				x	x	x	x	x																	S26361-F1723-L30	14	
	FDD 1.44MB	occupies accessible 3.5"-bay, incl. cable								x																	S26361-F1723-L510	10	
	Floppy Disk Drive 1.44MB USB external	antirattle	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2383-L20	28		



Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Accessories

Data Sheets: http://www.fujitsu-siemens.com/esprimo

Table with columns: Category, Description, Details, and a grid of compatibility checkboxes for various ESPRIMO models (e.g., ES720, C5730, C5910, etc.). Includes sections for Removable Media Drives, Hard Disk Drives, Communication/Network, Audio/Video, and Software.



Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Accessories

Data Sheets: <http://www.fujitsu-siemens.com/esprimo>

Category	Description	Details	ESPRIMO C5720	ESPRIMO C5730	ESPRIMO C5910	ESPRIMO E3300	ESPRIMO E3310	ESPRIMO E5415	ESPRIMO E5416	ESPRIMO E5425	ESPRIMO E5720	ESPRIMO E5915	ESPRIMO E5916	ESPRIMO E5925	ESPRIMO E7305	ESPRIMO P2400	ESPRIMO P2420	ESPRIMO P2520	ESPRIMO P2500	ESPRIMO P3510	ESPRIMO P4615	ESPRIMO P4616	ESPRIMO P4625	ESPRIMO P5720	ESPRIMO P5730	ESPRIMO P5915	ESPRIMO P5916	ESPRIMO P7305	ESPRIMO Q3010	ESPRIMO Q3020	Code	End User Price (€)	Comments		
Accessories & services matrix																																			
PRIMERGY-Software (Continued)																																			
MS 5 User CAL for Win Server 2003, E	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) E		x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-1664	74				
MS 5 Device TS-CAL Win Server 2003, GB	Microsoft Device Terminal Server Client License Pack for Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 Device TS-CAL Version, GB		x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-1670	242				
MS 5 Device TS-CAL Win Server 2003, D	Microsoft Device Terminal Server Client License Pack for Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 Device TS-CAL Version, D		x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-1671	242				
MS 5 User TS-CAL Win Server 2003, GB	Microsoft User Terminal Server Client License Pack for Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 User TS-CAL Version, GB		x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-1680	242				
MS 5 User TS-CAL Win Server 2003, D	Microsoft User Terminal Server Client License Pack for Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 User TS-CAL Version, D		x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-1681	242				
MS 5 Device CAL for Win SBS 2003	Microsoft Device Client License Pack for Windows Small Business Server 2003 products, Standard, Premium Edition, 32bit (5 Device CAL Version) multi-language CAL for GB, D, I, F, E		x			x										x	x	x	x											S26361-F2565-1690	254				
MS 5 User CAL for Win SBS 2003	Microsoft User Client License Pack for Windows Small Business Server 2003 products, Standard, Premium Edition, 32bit (5 User CAL Version) multi-language CAL for GB, D, I, F, E		x			x										x	x	x	x											S26361-F2565-1691	254				
OS/Application-SW																																			
Media Less Key Office 07 Basic (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-1556	102				
Media Less Key Office 07 SBE (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-1557	135				
Media Less Key Office 07 PRO (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-1558	171				
Downgrade Pack XP Prof 32bit Multi A	(D, DK, E, F, FIN, GB, I, N, NL, S), for downgrading Vista Business to XP Prof, CDs only, no license		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-1815	13				
Downgrade Pack XP Prof 32bit Multi B	(CZ, E, F, GB, GR, P, PL, TR), for downgrading Vista Business to XP Prof, CDs only, no license		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-1816	13				
Downgrade Pack XP Prof 32bit Multi C	(CZ, GB, H, MJ), for downgrading Vista Business to XP Prof, CDs only, no license		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-1817	13				
Downgrade Pack XP Prof 32bit RUS	(RUS), for downgrading Vista Business to XP Prof, CD only, no license		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-1818	7				
Drivers/Utilities DVD ESPRIMO XP	incl. Nero Essentials S, Norton Internet Security		x	x		x									x	x	x	x	x										S26361-F2007-1910	13					
Vista Drivers&Utility ESPRIMO	ESPRIMO, CELSIUS W, incl. Nero 7 Essentials S, Norton Internet Security 2007		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-1901	13				
Security																																			
SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard		x	x	x	x	x	x	x	x	x	x	x	x						x	x	x	x	x	x	x	x	x	x	S26361-F1260-1520	23				
SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard		x											x																S26361-F1260-1521	24	Orderable from: 19/09/2008			
SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b, 64 KByte EEPROM		x	x		x	x	x	x	x	x	x	x							x	x	x	x	x	x	x	x	x	x	S26361-F1571-1201	13				
SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b, 64 KByte EEPROM		x	x		x	x	x	x	x	x	x	x							x	x	x	x	x	x	x	x	x	x	S26361-F1571-1210	91				
Smart Security API 4.1	Contents: 1 CD (includes 1 license), PKCS 11, CSP, PKI Environment and Driver for SC Token USB		x	x	x	x	x	x	x	x	x	x	x							x	x	x	x	x	x	x	x	x	x	S26361-F1571-1310	7				
MicroSaver	anti-theft cable with lock		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-1200	38				
MicroSaver Combination	anti-theft cable with combination lock		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-1500	51				
MicroSaver DS	Specialkey and steelcable		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-1700	25				
SmartCase SCR (USB)	PCSC and Win 98/Me/2000/XP compatible, USB interface		x	x	x	x	x	x	x	x	x	x	x							x	x	x	x	x	x	x	x	x	x	S26361-F2542-1220	27				
SmartCase FingerprintSensor (USB)	external FingerprintSensor, incl. SmartCase Logon+		x	x	x	x	x	x	x	x	x	x								x	x	x	x	x	x	x	x	x	x	S26361-F2542-1222	27				
SmartCard Token USB			x	x	x	x	x	x	x	x	x	x								x	x	x	x	x	x	x	x	x	x	S26361-F2542-1300	23				
SmartCase Logon+ license (1-99 licenses)	includes 1 license, for orders up to 99 licenses, no software, no data medium		x	x	x	x	x	x	x	x	x	x								x	x	x	x	x	x	x	x	x	x	S26361-F2727-1100	13				
SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smartcard / Fingerprint for Win 2000/XP/Vista		x	x	x	x	x	x	x	x	x	x								x	x	x	x	x	x	x	x	x	x	S26361-F2727-1730	25				
Mouse																																			
Logitech Bluetooth Mouse	Logitech Bluetooth Mouse, manual, leathercase 2AA batteries, packed in white box																													x	x	LTC-M-RBB93	34	Phased out	
Miscellaneous																																			
ESPRIMO Q mounting kit	necessary to contact monitor directly to the PC					x	x	x	x	x	x	x																			x	S26361-F2542-186	28		
Monitor outlet cable																															x	S26361-F2542-157	7		
Cable for 2 USB device						x	x	x	x													x	x	x								S26361-F2581-110	13		
VGA+DVI Dual View Cable	Y-cable from DVI-H to VGA and DVI-D																														x	S26361-F2542-158	7		
Rear Panel for 2 full height PCI cards	2 full height PCI and 1 low profile PCI Express 16x, incl. riser card					x	x	x	x	x	x	x																				x	S26361-F2542-1414	14	
Feet for vertical position (set)						x	x	x	x	x	x	x																				S26361-F2542-1200	13		
Riser card 1x PCI	1x PCI slot full height with flexislot		x	x																												S26361-F2542-1318	13		
Riser Card 1x PCI, DVI	1x PCI slot full height with flexislot and DVI-connector		x	x																												S26361-F2542-1319	19		
KBPC SX USB (N) & Power Cord	standard keyboard USB, USB cable, power cord Europe		x	x	x	x	x	x	x	x	x	x																				S26361-F2542-1274	14		
KBPC SX USB (S/FIN) & Power Cord	standard keyboard USB, USB cable, power cord Europe		x	x	x	x	x	x	x	x	x	x																				S26361-F2542-1275	14		
KBPC SX USB (DK) & Power Cord (DK)	standard keyboard USB, USB cable, power cord DK		x	x	x	x	x	x	x	x	x	x																				S26361-F2542-1277	14		
Rear USB 2.0 connector	2x USB 2.0																															S26361-F2438-1215	6		
Blanking Plate 5.25" drive bays, 10 pcs						x	x																									S26361-F2542-1323	13		
Blanking Plate 3.5" drive bays, 10 pcs						x	x	x	x	x	x	x																				S26361-F2542-1230	13		
Blanking Plate + cage 3.5" bay, 6 pcs.						x	x	x																									S26361-F2542-1231	10	
Upgrade kit 5.25" for 2nd HDD, 3pcs.	3x 5.25" HDD cage with 3 SATA cables, 3 PATA-SATA power-adapters																															S26361-F2542-1330	13		
Blanking Plate, 5.25" drive bays, 3 pcs.	3x 5.25" covers & drive cage					x	x	x																								S26361-F2542-1324	13		
Blanking Plate 3.5" drive bays, 10 pcs.																																S26361-F2542-1327	13	New product	
Upgrade kit 5.25" for 2nd HDD, 3pcs.	3x 5.25" HDD cage with 3 SATA cables, 3 PATA SATA power-adapters																															S26361-F2542-1331	13	New product	
Universal PC-TFT holder	for TFT (15"-20") and PC (max 105x370x400mm)		x	x	x	x	x	x	x	x	x	x																				S26361-F2542-135	62		
Power cord three-wire GB	Power cord three-wire GB																														x	S26361-F2581-1320	7		
Input Devices																																			



Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Accessories

Data Sheets: <http://www.fujitsu-siemens.com/esprimo>

Category	Description	Details	ESPRIMO C5720	ESPRIMO C5730	ESPRIMO C5910	ESPRIMO E3300	ESPRIMO E3310	ESPRIMO E5615	ESPRIMO E5616	ESPRIMO E5625	ESPRIMO E5720	ESPRIMO E5730	ESPRIMO E5915	ESPRIMO E5916	ESPRIMO E5925	ESPRIMO E7305	ESPRIMO P2400	ESPRIMO P2400	ESPRIMO P2520	ESPRIMO P2520	ESPRIMO P3500	ESPRIMO P3510	ESPRIMO P5615	ESPRIMO P5616	ESPRIMO P5625	ESPRIMO P5720	ESPRIMO P5730	ESPRIMO P5915	ESPRIMO P5916	ESPRIMO P7305	ESPRIMO Q3610	ESPRIMO Q3620	ESPRIMO Q3620	Code	End User Price (€)	Comments		
Accessories & services matrix Input Devices (Continued)	Presenter Mouse PM1200	Optical Wireless Mouse with 3 add. functions, wireless mouse with 2.4 GHz dongle and 1200 dpi, presentation, Laserpointer and Media Control for Media Player. Up to 10m range, package enclosure. Presenter Mouse, dongle, 2 x AA batteries, retail box.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K421-L100	24				
Additional Software																																						
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM. Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1	x	x		x	x						x	x																				U11081-C157	12			
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, for 1 system with 1 to 4 CPUs	x	x		x	x						x	x																					U11081-C171	893		
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, for 1 system with 1 to 4 CPUs	x	x		x	x						x	x																					U11081-C177	446		
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	x	x		x	x						x	x																					U11081-C163	24		
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, for 1 system with 1 to 4 CPUs	x	x		x	x						x	x																					U11081-C186	893		
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x	x		x	x						x	x																					U11081-C192	358		
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	x	x		x	x						x	x																					U11081-C199	12		
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x	x		x	x						x	x																					U11081-C201	24		
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x		x	x						x	x																						U11081-C202	972	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x		x	x						x	x																						U11081-C203	1583	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x		x	x						x	x																						U11081-C204	3165	
	OPENFT-4 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x		x	x						x	x																						U11081-C205	4748	
	OPENFT-5 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x		x	x						x	x																						U11081-C206	6330	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x		x	x						x	x																						U11081-C207	563	
	OPENFT-2-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x		x	x						x	x																						U11081-C208	917	
	OPENFT-3-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x		x	x						x	x																						U11081-C209	1836	
	OPENFT-4-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x		x	x						x	x																						U11081-C210	2753	
	OPENFT-5-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x		x	x						x	x																						U11081-C211	3671	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x		x	x						x	x																						U11081-C212	972	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x		x	x						x	x																						U11081-C213	1583	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x		x	x						x	x																						U11081-C214	3165	
	OPENFT-FTAM-4 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x		x	x						x	x																						U11081-C215	4748	
	OPENFT-FTAM-5 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x		x	x						x	x																						U11081-C216	6330	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x	x		x	x						x	x																						U11081-C217	563	
	OPENFT-FTAM-2-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208	x	x		x	x						x	x																						U11081-C218	917	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C209	x	x		x	x						x	x																						U11081-C219	1836	
	OPENFT-FTAM-4-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C210	x	x		x	x						x	x																						U11081-C220	2753	
	OPENFT-FTAM-5-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C211	x	x		x	x						x	x																						U11081-C221	3671	
	OPENFT-FTP-1 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x		x	x						x	x																						U11081-C222	397	



Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Accessories

Data Sheets: <http://www.fujitsu-siemens.com/esprimo>

Category	Description	Details	ESPRIMO C5720	ESPRIMO C5730	ESPRIMO C5910	ESPRIMO E3400	ESPRIMO E3510	ESPRIMO E5615	ESPRIMO E5616	ESPRIMO E5625	ESPRIMO E5720	ESPRIMO E5915	ESPRIMO E5916	ESPRIMO E5925	ESPRIMO E7935	ESPRIMO F2420	ESPRIMO F2430	ESPRIMO F2520	ESPRIMO F2530	ESPRIMO P3500	ESPRIMO P3510	ESPRIMO P5615	ESPRIMO P5616	ESPRIMO P5625	ESPRIMO P5720	ESPRIMO P5730	ESPRIMO P5915	ESPRIMO P5916	ESPRIMO P5925	ESPRIMO P7935	ESPRIMO Q5610	ESPRIMO Q5620	ESPRIMO Q5630	Code	End User Price (€)	Comments
Additional Software (Continued)																																				
	OPENFT-FTP-2 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x		x	x					x	x																					U11081-C223	646	
	OPENFT-FTP-3 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x		x	x					x	x																					U11081-C224	1292	
	OPENFT-FTP-4 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x		x	x					x	x																					U11081-C225	1938	
	OPENFT-FTP-5 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x		x	x					x	x																					U11081-C226	2583	



Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Options

Data Sheets: <http://www.fujitsu-siemens.com/esprimo>

Category	Description	Details	ESPRIMO C5720	ESPRIMO C5910	ESPRIMO E5500	ESPRIMO E3510	ESPRIMO E6615	ESPRIMO E6616	ESPRIMO E6625	ESPRIMO E6720	ESPRIMO E6915	ESPRIMO E6916	ESPRIMO E6925	ESPRIMO P2420	ESPRIMO P2520	ESPRIMO P3500	ESPRIMO P3510	ESPRIMO P5615	ESPRIMO P5616	ESPRIMO P5625	ESPRIMO P5720	ESPRIMO P5915	ESPRIMO P5916	ESPRIMO P5925	ESPRIMO Q5010	ESPRIMO Q5020	Code	End User Price (£)	Comments
Product related services																													
	SP 3y OS Svc.2BD Rt.5x9	SP 3 years On-Site Service, second business day response, 5x9		x											x	x	x										FSP:GB3S10000GBBD2	40	
	SP 3y OS Svc.NBD Rt.5x9	SP 3 years On-Site Service, next business day response, 5x9			x										x	x	x										FSP:GB3S20000GBBD2	51	
	SP 3y OS Svc.NBD Rt.5x9	SP 3 years On-Site Service, next business day response, 5x9	x	x		x	x	x	x	x	x	x						x	x	x	x	x	x	x			FSP:GB3S20000GBBD3	42	
	SP 4y OS Svc.2BD Rt.5x9	SP 4 years On-Site Service, second business day response, 5x9	x	x		x	x	x	x	x	x	x						x	x	x	x	x	x	x			FSP:GB4S10000GBBD3	51	
	SP 4y OS Svc.NBD Rt.5x9	SP 4 years On-Site Service, next business day response, 5x9	x	x		x	x	x	x	x	x	x						x	x	x	x	x	x	x			FSP:GB4S20000GBBD3	68	
	SP 5y OS Svc.5x9	SP 5 years On-Site Service, 5x9																						x	x	FSP:GB5S00000GBBD4	36		
	SP 5y OS Svc.NBD Rt.5x9	SP 5 years On-Site Service, next business day response, 5x9	x	x		x	x	x	x	x	x	x						x	x	x	x	x	x	x			FSP:GB5S20000GBBD3	85	
	SP 3y OS Svc.5x9	SP 3 years On-Site Service, 5x9			x													x								FSP:GD3S00Z00GBBD5	39		
	SP 3y OS Svc.NBD Rt.5x9	SP 3 years On-Site Service, next business day response, 5x9			x													x								FSP:GD3S20Z00GBBD5	56		
	TP 3y OS Svc.5x9	TP 3 years On-Site Service, 5x9			x										x	x	x									FSP:GN3S00Z00GBBD2	20		
	TP 3y OS Svc.5x9	TP 3 years On-Site Service, 5x9				x												x								FSP:GN3S00Z00GBBD5	39		
	TP 3y OS Svc.2BD Rt.5x9	TP 3 years On-Site Service, second business day response, 5x9			x										x	x	x									FSP:GN3S10000GBBD2	39		
	TP 3y OS Svc.NBD Rt.5x9	TP 3 years On-Site Service, next business day response, 5x9			x										x	x	x									FSP:GN3S20000GBBD2	56		
	TP 4y OS Svc.5x9	TP 4 years On-Site Service, 5x9	x	x		x	x	x	x	x	x	x						x	x	x	x	x	x			FSP:GN4S00000GBBD3	10		
	TP 4y OS Svc.5x9	TP 4 years On-Site Service, 5x9																						x	x	FSP:GN4S00000GBBD4	17		
	TP 4y OS Svc.5x9	TP 4 years On-Site Service, 5x9			x													x								FSP:GN4S00Z00GBBD5	53		
	TP 4y OS Svc.NBD Rt.5x9	TP 4 years On-Site Service, next business day response, 5x9																						x	x	FSP:GN4S20Z00GBBD4	93		
	TP 5y OS Svc.5x9	TP 5 years On-Site Service, 5x9	x	x		x	x	x	x	x	x	x						x	x	x	x	x	x			FSP:GN5S00000GBBD3	20		
	TP 5y OS Svc.5x9	TP 5 years On-Site Service, 5x9																						x	x	FSP:GN5S00000GBBD4	34		



**Fujitsu Siemens Computers recommends Windows Vista®
Business.**

Positioning CELSIUS workstations



**CELSIUS H
Series**

CELSIUS H Series. Powerful mobile workstation. If you run power-hungry 3D applications that demand no compromise on the graphics side, you'll appreciate the CELSIUS H. The system offers the power of a full-fledged workstation: Editing 3D OpenGL graphics in real time, running computer simulations and computing multimedia animations wherever you are.



**CELSIUS W
Series**

CELSIUS W Series. High-End PC / Entry-Level workstation
If you need more power and more expandability than a desktop PC can offer, choose the entry-level workstation CELSIUS W Series. The CELSIUS W Series offers workstation performance - in combination with fastest generation of processors, chipsets and graphic cards.



**CELSIUS M
Series**

CELSIUS M Series. Mid-range workstation.
Do you need more power, more memory, more data security, and more expandability than a conventional PC can offer? Then choose the mid-range workstation CELSIUS M Series. CELSIUS workstations are equipped with the very latest technology and system components to deliver high-end performance. CELSIUS are certified for a huge variety of software applications.



**CELSIUS R
Series**

CELSIUS R Series. High-end workstation.
You need a powerful, dual-processor workstation and want to choose from a large range of graphics subsystems. The CELSIUS R Series is ready for all challenges. What is more, the CELSIUS R Series offers great expandability. Latest technology combined with top performance components makes this the optimum hardware choice for power hungry applications.



**CELSIUS V
Series**

CELSIUS V Series. 64-bit workstation. You need a powerful workstation for memory demanding applications? With support for up to two AMD Opteron™ processors and up to 16 GB main memory, the CELSIUS V Series provides maximum system performance when it is really needed. The wide range of professional 3D graphics, the large cabinet with room for additional components and ISV Software certifications are the ideal conditions for compute-intensive and multi-processor-optimized workstation applications.



Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS H250

CELSIUS workstations are equipped with the very latest technology and system components to deliver high-end performance. They are the ideal hardware choice for business segments like computer aided design and engineering, mechanical design, simulation, virtual reality, visualization, digital content creation, and finance. CELSIUS are certified for a huge variety of software applications, guaranteeing optimum performance whatever your preferred software solution. If you need more processor power, more graphics power, higher screen resolution and full ISV certification, opt for the mobile workstation CELSIUS H250

Data Sheets: <http://www.fujitsu-siemens.com/celsius>

Model	Processor	Operating System	Memory	Hard Disk Drives	DVD ROM	CD RW DVD	DVD RW DUAL DL	Other Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front USB	Rear Panel	Security Hardware	Code	End User Price (£)	Comments
-------	-----------	------------------	--------	------------------	---------	-----------	----------------	--------------	-------	-----	------	----------	----------	-------	-------	-----------	-----------	------------	-------------------	------	--------------------	----------

Standard products																						
CELSIUS H250																						
Intel®	Intel® Core™2 Duo T7700 2.4 GHz 800 MHz 2 MB	Genuine Windows VISTA® Business 32 bit Multi A	2 GB DDR2	160 GB SATA 5400			SDMS Cardreader	No		x	x		NVIDIA Quadro FX 570M	onboard					TPM Module V1.2	PDP-GBR-227255-002	1538	Phased out
Intel®	Intel® Core™2 Duo T7800 2.2 GHz 800 MHz 2 MB	Genuine Windows VISTA® Business 32 bit Multi A	1 GB DDR2	120 GB SATA 5400			SDMS Cardreader	Modem V92	x	x			NVIDIA Quadro FX 570M	onboard						PDP-GBR-227255-004	1216	Phased out
Intel®	Intel® Core™2 Duo T7800 2.6 GHz 800 MHz 4 MB	Genuine Windows VISTA® Business 32 bit Multi A	4 GB DDR2	200 GB SATA 7200			SDMS Cardreader	No		x	x		NVIDIA Quadro FX 570M	onboard						PDP-GBR-227255-006	2102	Phased out
Intel®	Intel® Core™2 Duo T7800 2.6 GHz 800 MHz 4 MB	Genuine Windows VISTA® Business 32 bit Multi A	2x2 GB DDR2	200 GB SATA 7200			SDMS Cardreader	No		x	x		NVIDIA Quadro FX 570M	onboard						PDP-GBR-227255-007	1860	Phased out
Intel®	Core™2 Duo T7700 2.4 GHz 800 MHz 2 MB	Genuine Windows VISTA® Business 32 bit Multi A	2 GB DDR2	160 GB SATA 7200			SDMS Cardreader	Modem V92	x	x			NVIDIA Quadro FX 570M	onboard					TPM Module V1.2	PDP-GBR-227255-001	1541	Phased out
Intel®	Core™2 Duo T7250 2.0 GHz 800 MHz 2 MB	Genuine Windows VISTA® Business 32 bit Multi A	1 GB DDR2	160 GB SATA 7200			SDMS Cardreader	No		x	x		NVIDIA Quadro FX 570M	onboard						PDP-GBR-227255-002	1325	Phased out
Intel®	Core™2 Duo T7500 2.2 GHz 800 MHz 2 MB	Genuine Windows VISTA® Business 32 bit Multi A	2 GB DDR2	200 GB SATA 7200			SDMS Cardreader	No		x	x		NVIDIA Quadro FX 570M	onboard						PDP-GBR-227255-003	1517	Phased out

Model	Processor	Operating System	Memory	Hard Disk Drives	DVD ROM	CD RW DVD	DVD RW DUAL DL	Other Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front USB	Rear Panel	Security Hardware	Code	End User Price (£)	Comments
Special products																						
CELSIUS H250																						
Intel®	Core™2 Duo T9300 2.5 GHz 800 MHz 6 MB	Genuine Windows VISTA® Business 32 bit Multi A & Business	2x2 GB DDR2	320 GB SATA 5400			SDMS Cardreader	Modem V92	x	x	x		NVIDIA Quadro FX 570M	onboard						VF1-H250WPG1GB	1397	



CELSIUS W360 The Gate to Workstation Performance

CELSIUS W360

Data Sheets: <http://www.fujitsu-siemens.com/celsius>

CELSIUS workstations feature the very latest technology and system components to deliver high-end performance. They are the ideal choice for business segments like computer aided design and engineering, mechanical design, simulation, virtual reality, visualization, digital content creation, and finance. CELSIUS workstations are certified for a broad variety of software applications. The ISV certification process enables workstation users to run their preferred applications with the best possible performance and maximum system stability. If you need more power and more expandability than a standard PC can offer, choose the high-end PC / entry-level workstation CELSIUS W360.

Model	Processor	Operating System	Memory	Hard Disk Drives	DVD ROM	CD RW DVD	DVD RW DUAL DL	DVD SUPERMULTI	FD	Other Drives	Storage	LAN	WLAN	Bluetooth	UMTS	Mobile	Front USB	Screen	Graphics	Audio	Port Replicator	Mouse	Keyboard	SCSI Controller	Security Software	Code	End User Price (£)	Comments
CELSIUS W360																												
Intel® Core™2 Quad Q6700 2.66 GHz 1066 MHz 8 MB	Genuine Windows VISTA® Business 32 bit Multi A	2x2 GB DDR2	750 GB SATA II 7200		x							x								HD Audio				United Kingdom	POP-GBR1000215-006	802		
Intel® Pentium® Dual Core E2180 2.0 GHz 800 MHz 1 MB	Genuine Windows VISTA® Business 32 bit Multi A	2x2 GB DDR2	250 GB SATA II 7200		x							x								HD Audio		USB lift wheel mouse		United Kingdom	POP-GBR1000215-007	521	Phased out	
Intel Core2 Quad Q6550 2.83 GHz 1333 MHz 13 MB	Vista Business 32bit Multi A	2x2GB	SATA II 500GB 7.2k		x							1xGB								NVIDIA G FX 1700 512 MB		USB lift wheel mouse		GB	POP-GBR1000215-010	507	Phased out	
Intel Core2 Duo T7200 2.0 GHz 667	Vista Business 32bit Multi A	2GB	SATA II 250GB 7.2k		x							1xGB								NVIDIA G FX 1700 512 MB		USB lift wheel mouse		GB	POP-GBR1000215-011	507	Phased out	
Intel Core™2 Quad Q6550 2.83 GHz 1333 MHz 13 MB	Genuine Windows VISTA® Business 32 bit Multi A	2x2 GB DDR2	500 GB SATA II 7200		x							x								HD Audio		Optical Wheelhouse		United Kingdom	POP-GBR1000215-011	1300	Phased out	
Intel® Pentium® Dual Core E2180 2.0 GHz 800 MHz 1 MB	Genuine Windows VISTA® Business 32 bit Multi A	1 GB DDR2	250 GB SATA II 7200		x							x								HD Audio		Optical Wheelhouse		United Kingdom	POP-GBR1000215-012	518	Phased out	
Intel® Core™2 Duo E7200 2.53 GHz 1066 MHz 3 MB	Genuine Windows VISTA® Business 32 bit Multi A	1 GB DDR2	250 GB SATA II 7200		x							x								HD Audio		Optical Wheelhouse		United Kingdom	POP-GBR1000215-013	581	Phased out	
Intel® Core™2 Duo E7200 2.53 GHz 1066 MHz 3 MB	Genuine Windows VISTA® Business 32 bit Multi A	2 GB DDR2	250 GB SATA II 7200		x							x								HD Audio		Optical Wheelhouse		United Kingdom	POP-GBR1000215-014	593	Phased out	
Intel® Core™2 Duo E7200 2.53 GHz 1066 MHz 3 MB	Genuine Windows VISTA® Business 32 bit Multi A	2x1 GB DDR2	250 GB SATA II 7200		x							x								HD Audio		Optical Wheelhouse		United Kingdom	POP-GBR1000215-015	593	Phased out	

Model	Processor	Operating System	Memory	Hard Disk Drives	DVD ROM	CD RW DVD	DVD RW DUAL DL	DVD SUPERMULTI	FD	Other Drives	Storage	LAN	WLAN	Bluetooth	UMTS	Mobile	Front USB	Screen	Graphics	Audio	Port Replicator	Mouse	Keyboard	SCSI Controller	Security Software	Code	End User Price (£)	Comments
CELSIUS W360																												
Intel® Core™2 Duo E8400 3.0 GHz 1333 MHz 6 MB	Genuine Windows VISTA® Business 32 bit Multi A & BusSuite	2x1 GB DDR2	350 GB SATA II 7200		x							x								HD Audio				United Kingdom	VFY-W360WFO11GB	533		
Intel® Pentium® Dual Core E2180 2.0 GHz 800 MHz 1 MB	Genuine Windows VISTA® Business 32 bit Multi A & BusSuite	1 GB DDR2	160 GB SATA II 7200		x							x								HD Audio				United Kingdom	VFY-W360WFO21GB	463		
Intel® Core™2 Duo E7200 2.53 GHz 1066 MHz 3 MB	Genuine Windows VISTA® Business 32 bit Multi A & BusSuite	2x1 GB DDR2	160 GB SATA II 7200		x							x								HD Audio				United Kingdom	VFY-W360WFO31GB	533		
Intel® Intel® Core™2 Quad Q6700 2.66 GHz 1066 MHz 8 MB	Genuine Windows VISTA® Business 32 bit Multi A & BusSuite	2x2 GB DDR2	500 GB SATA II 7200		x							x								NVIDIA Quadro NVS 290 256MB				United Kingdom	VFY-W360WFO41GB	635		
																				HD Audio				United Kingdom	QUADRO P3375 256MB			



CELSIUS M460

Get more power

CELSIUS M460

Data Sheets: <http://www.fujitsu-siemens.com/celsius>

CELSIUS workstations feature the very latest technology and system components to deliver high-end performance. They are the ideal choice for business segments like computer aided design and engineering, mechanical design, simulation, virtual reality, visualization, digital content creation, and finance. CELSIUS workstations are certified for a broad variety of software applications. The ISV certification process enables workstation users to run their preferred applications with the best possible performance and maximum system stability. If you need more power and more expandability than an entry-level workstation can offer, opt for the mid-range workstation CELSIUS M460.

Model	Processor	Operating Systems	Memory	Hard Disk Drives	DVD ROM	CD RW DVD	DVD RW DUAL DL	DVD SUPERMULTI	Other Drives	Battery	Modem	LAN	Bluetooth	UMTS	FireWire	Front USB	Screen	Graphics	Audio	Port Replicator	Mouse	Keyboards	SCSI Controller	Security Hardware	Code	End User Price (€)	Comments
CELSIUS M460																											
Intel® Core™2 Duo E8500 3.16 GHz 1333 MHz 6 MB	Genuine Windows VISTA® Business 32 bit Mult A	2x1 GB DDR2	750 GB SATA II 7200				x						x				2	No graphicscard	HD Audio on board					United Kingdom	PDP-GBR-990315-002	884	
Intel® Core™2 Quad Q8700 2.86 GHz 1066 MHz 8 MB	Genuine Windows VISTA® Business 32 bit Mult A	2x2 GB DDR2	300 GB SAS 15000				x						x				2	No graphicscard	HD Audio on board					United Kingdom	PDP-GBR-990315-004	1168	
Intel® Core™2 Duo E7200 3.0 GHz 1066 MHz 3 MB	Genuine Windows VISTA® Business 32 bit Mult A	2x1 GB DDR2	250 GB SATA II 7200				x						x				2	No graphicscard	HD Audio on board					United Kingdom	PDP-GBR-990315-006	670	Phased out
Intel® Core™2 Quad Q8550 3.0 GHz 1333 MHz 12 MB	Genuine Windows VISTA® Business 32 bit Mult A	2x2 GB DDR2	500 GB SATA II 7200				x						x				2	No graphicscard	HD Audio on board					United Kingdom	PDP-GBR-990315-007	1163	Orderable from: 26/09/2008
Intel® Core™2 Duo E7200 3.0 GHz 1066 MHz 3 MB	Genuine Windows VISTA® Business 32 bit Mult A	2 GB DDR2	250 GB SATA II 7200				x						x				2	No graphicscard	HD Audio on board					United Kingdom	PDP-GBR-990315-008	673	Phased out
Intel® Core™2 Duo E7200 2.53 GHz 1066 MHz 3 MB	Genuine Windows VISTA® Business 32 bit Mult A	1 GB DDR2	250 GB SATA II 7200										x				2	No graphicscard	HD Audio on board					United Kingdom	PDP-GBR-990315-009	660	

Model	Processor	Operating Systems	Memory	Hard Disk Drives	DVD ROM	CD RW DVD	DVD RW DUAL DL	DVD SUPERMULTI	Other Drives	Battery	Modem	LAN	Bluetooth	UMTS	FireWire	Front USB	Screen	Graphics	Audio	Port Replicator	Mouse	Keyboards	SCSI Controller	Security Hardware	Code	End User Price (€)	Comments
CELSIUS M460																											
Intel® Core™2 Duo E8400 3.0 GHz 1333 MHz 6 MB	Genuine Windows VISTA® Business 32 bit Mult A & Business	2x1 GB DDR2	250 GB SATA II 7200				x						x				2	No graphicscard	HD Audio on board					United Kingdom	VFY-M460WFO21GB	647	



Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS R550

Data Sheets: <http://www.fujitsu-siemens.com/celsius>

CELSIUS workstations are equipped with the very latest technology and system components to deliver high-end performance. They are the ideal hardware choice for business segments like computer aided design and engineering, mechanical design, simulation, virtual reality, visualization, digital content creation, and finance. CELSIUS workstations are certified for a huge variety of software applications. The ISV certification process enables workstation users to run their preferred applications with the best possible performance and maximum system stability.

Model	Processor	Operating Systems	Memory	Hard Disk Drives	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW/DUAL_DL	FD	Other Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front USB	Rear Panel	Security Hardware	Code	End User Price (£)	Comments
-------	-----------	-------------------	--------	------------------	--------	---------	-----------	----------------	----	--------------	-------	-----	------	----------	----------	-------	-------	-----------	-----------	------------	-------------------	------	--------------------	----------

CELSIUS R550																								
Intel® Dual-Core Intel® Xeon® 5205 1.86 GHz 1066 MHz 6 MB	Genuine Windows VISTA® Business 32 bit MLI A		2x1GB ECC	146 GB SAS 15000											x	No graphicscard		United Kingdom	2		PDP:GBR-994215-001		1252	
Intel® Quad-Core Intel® Xeon® X5480 3.16 GHz 1333 MHz	Genuine Windows VISTA® Business 32 bit MLI A		2x4GB ECC	300 GB SAS 15000											x	No graphicscard		United Kingdom	2		PDP:GBR-994215-002		2474	
Intel® Quad-Core Intel® Xeon® E5420 2.5 GHz 1333 MHz	Genuine Windows VISTA® Business 32 bit MLI A		2x2GB ECC	300 GB SAS 15000											x	No graphicscard		United Kingdom	2		PDP:GBR-994215-003		1577	

Model	Processor	Operating Systems	Memory	Hard Disk Drives	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW/DUAL_DL	FD	Other Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front USB	Rear Panel	Security Hardware	Code	End User Price (£)	Comments
-------	-----------	-------------------	--------	------------------	--------	---------	-----------	----------------	----	--------------	-------	-----	------	----------	----------	-------	-------	-----------	-----------	------------	-------------------	------	--------------------	----------

CELSIUS R550																								
Intel® Quad-Core Intel® Xeon® 5410 2.33 GHz 1333 MHz	Genuine Windows VISTA® Business 32 bit MLI A & BusSuite		2x1GB ECC	250 GB SATA II 7200											x	No graphicscard		United Kingdom	2		VFY:R550-02GB		976	



Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS Accessories

Data Sheets: <http://www.fujitsu-siemens.com/celsius>

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS M460	CELSIUS M470	CELSIUS R340	CELSIUS R350	CELSIUS R640	CELSIUS R650	CELSIUS V840	CELSIUS V840-2	CELSIUS W360	CELSIUS W370	Code	End User Price (€)	Comments
Processor																		
	2x Opteron 2210 1.8 GHz															x	S26361-F3450-L518	467
	2x Opteron 2220 2.8 GHz															x	S26361-F3450-L528	1414
	Opteron 2346 HE 1.8 GHz	4x512KB L2 2MB L3														x	S26361-F3501-L46	315
	Opteron 2350 2.0 GHz	4x512KB L2 2MB L3														x	S26361-F3502-L50	313
	Opteron 2354 2.2 GHz	4x512KB L2 2MB L3														x	S26361-F3502-L54	534
	Opteron 2356 2.3 GHz	4x512KB L2 2MB L3														x	S26361-F3502-L56	740
	2x D-C Xeon 5130 2.00GHz 4MB 1333MHz						x			x							S26361-F3426-L520	649
	2x D-C Xeon 5160 3.00GHz 4MB 1333MHz						x		x								S26361-F3426-L530	1532
	2x Q-C Xeon E5310 1.60GHz 2x4MB 1066						x	x									S26361-F3453-L516	478
	2x Q-C Xeon E5345 2.33GHz 2x4MB 1333						x	x									S26361-F3454-L523	1028
	Dual-Core Xeon 5110 1.60GHz 4MB 1066MHz						x	x									S26361-F3427-L16	227
	Dual-Core Xeon 5130 2.00GHz 4MB 1333MHz						x	x									S26361-F3426-L20	328
	Dual-Core Xeon 5150 2.66GHz 4MB 1333MHz						x	x									S26361-F3426-L26	667
	Dual-Core Xeon 5160 3.00GHz 4MB 1333MHz						x	x									S26361-F3426-L30	753
	Quad-Core Xeon E5310 1.60GHz 2x4MB 1066						x	x									S26361-F3453-L160	238
	Quad-Core Xeon E5335 2.00GHz 2x4MB 1333						x	x									S26361-F3454-L200	368
	Quad-Core Xeon E5345 2.33GHz 2x4MB 1333						x	x									S26361-F3454-L233	516
	Quad-Core Xeon X5365 2.66GHz 2x4MB 1333						x	x									S26361-F3454-L266	697
	Quad-Core Xeon X5365 3.0GHz 2x4MB 1333						x	x									S26361-F3454-L300	1003
	Dual-Core Xeon E5205 1.86GHz 6MB 1066								x		x						S26361-F3508-L105	227
	Dual-Core Xeon X5260 3.33GHz 6MB 1333								x		x						S26361-F3506-L160	765
	Quad-Core Xeon E5410 2.33GHz 2x6MB 1333								x		x						S26361-F3507-L110	267
	Quad-Core Xeon L5420 2.5GHz 2x6MB 1333								x		x						S26361-F3507-L320	400
	Quad-Core Xeon E5420 2.5GHz 2x6MB 1333								x		x						S26361-F3507-L120	335
	Quad-Core Xeon E5430 2.66GHz 2x6MB 1333								x		x						S26361-F3507-L130	477
	Quad-Core Xeon E5440 2.83GHz 2x6MB 1333								x		x						S26361-F3507-L140	658
	Quad-Core Xeon X5450 3.00GHz 2x6MB 1333								x		x						S26361-F3507-L550	798
	Quad-Core Xeon X5460 3.16GHz 2x6MB 1333								x		x						S26361-F3507-L560	1044
Memory																		
	1GB DDR2-667	1 module, PC2-5300 ub, dual channel performance with two identical modules only	x														S26391-F681-L200	49
	2GB DDR2-667	1 module, PC2-5300 ub, dual channel performance with two identical modules only	x														S26391-F681-L310	115
	4GB DDR2-667	1 module, PC2-5300 ub, dual channel performance with two identical modules only	x														S26391-F681-L400	659
	512MB DDR2-667	memory mix refer to system board manual, 1 module PC 667 (PC2-5300), DIMM, compatible with this base unit														x	S26361-F2989-L112	15
	1GB DDR2-667	memory mix refer to system board manual, 1 module PC 667 (PC2-5300), DIMM, compatible with this base unit														x	S26361-F2989-L114	24
	2GB DDR2-667	memory mix refer to system board manual, 1 module PC 667 (PC2-5300), DIMM, compatible with this base unit														x	S26361-F2989-L116	57
	512MB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit				x										x	S26361-F2994-L112	15
	1GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit				x										x	S26361-F2994-L114	24
	2GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit				x										x	S26361-F2994-L116	57
	512MB DDR2-800 ECC	to be used in pairs, 1 module PC 800 (PC2-6400), ECC, DIMM				x											S26361-F3369-L422	28
	1GB DDR2-800 ECC	to be used in pairs, 1 module PC 800 (PC2-6400), ECC, DIMM				x											S26361-F3369-L423	41
	2GB DDR2-800 ECC	to be used in pairs, 1 module PC 800 (PC2-6400), ECC, DIMM				x											S26361-F3369-L424	70
	1GB 2x512 DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary														x	S26361-F3367-L439	88
	2GB 2x1GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary														x	S26361-F3367-L449	132
	4GB 2x2GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary														x	S26361-F3367-L459	273
	8GB 2x4GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary														x	S26361-F3367-L469	622
	1GB 2x512 FB-DIMM PC2-5300 ECC						x		x								S26361-F3368-L439	88
	2GB 2x1GB FB-DIMM PC2-5300 ECC						x		x								S26361-F3368-L449	132
	4GB 2x2GB FB-DIMM PC2-5300 ECC						x		x								S26361-F3368-L459	273
	8GB 2x4GB FB-DIMM PC2-5300 ECC						x		x								S26361-F3368-L469	622
	2GB FB-DIMM PC2-5300 ECC (2x 1GB)	PC2-5300, 2 modules, same number of modules for each processor necessary						x		x							S26361-F3370-L449	132
	4GB FB-DIMM PC2-5300 ECC (2x 2GB)	PC2-5300, 2 modules, same number of modules for each processor necessary						x		x							S26361-F3370-L459	273
	8GB FB-DIMM PC2-5300 ECC (2x 4GB)	PC2-5300, 2 modules, same number of modules for each processor necessary						x		x							S26361-F3370-L469	622
Graphics																		
	DVI Ext. Adapter i9xx Q965 Q33/35 ATI	PCIe, DVI-D extension for onboard graphics														x	S26361-F2757-L610	19
	Dual DVI Ext. Adapter i945G Q965 Q33/35	Dual DVI-D extension for onboard graphics, 2 monitor mode possible (2 DVI-D)														x	S26361-F2757-L650	27



Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS Accessories

Data Sheets: <http://www.fujitsu-siemens.com/celsius>

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS M460	CELSIUS M470	CELSIUS R540	CELSIUS R550	CELSIUS R640	CELSIUS R650	CELSIUS V640	CELSIUS V640-2	CELSIUS W360	CELSIUS W370	Code	End User Price (€)	Comments
Accessories & services matrix																		
Graphics (Continued)																		
	DVI Extension Adapter	PCIe, DVI-D extension for onboard graphics, 2 monitor mode (1 DVI-D + 1 VGA) possible														x S26361-F3305-L210	11	Orderable from: 19/09/2008
	NVIDIA GeForce 7300LE 256MB TrueMemory	PCIe, dual monitoring (2DVI-I / VGA), TV-out (S-VID / Video), 2 adapters DVI-VGA, incl. HDTV cable						x		x						S26361-F3000-L256	67	
	NVIDIA Quadro NVS 290 256MB PCIe x1	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe				x	x									x S26361-F2748-L233	85	
	NVIDIA Quadro NVS 290 256MB PCIe x16	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe				x	x			x						x S26361-F2748-L234	67	
	NVIDIA Quadro NVS 440 2x128MB PCIe x1	Connectors: Up to 4x DVI or VGA PCIe				x	x	x	x	x	x	x	x	x	x	S26361-F2748-L244	249	
	NVIDIA Quadro FX 370 256MB	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe				x	x			x						S26361-F2856-L37	85	
	NVIDIA Quadro FX 570 256MB	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe				x	x			x						S26361-F2856-L57	113	
	NVIDIA Quadro FX 1700 512MB	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe				x	x			x						S26361-F2856-L217	249	
	NVIDIA Quadro FX 3700 512MB	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCIe card				x	x			x						S26361-F2856-L237	502	
	NVIDIA Quadro FX 4600 768MB	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCIe				x		x	x	x	x	x				S26361-F2856-L246	1014	
	NVIDIA Quadro FX 4700x2 2x1GB	Connectors: 4x DVI-I; 4x DVI/VGA-Adapter; PCIe x16					x									S26361-F2856-L247	1999	Orderable from: 15/09/2008
	NVIDIA Quadro FX 4800 1.5GB	Connectors: 1x DVI-I and 2x DP, stereo; 1x DVI/VGA- adapter; PCIe x16					x									S26361-F2856-L248	1069	Orderable from: 06/10/2008
	NVIDIA Quadro FX 5600 1.5GB	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCIe						x	x	x	x	x	x			S26361-F2856-L256	1461	
	ATI Fire GL V5200 256MB	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCIe				x		x		x	x	x				S26361-F2530-L256	203	Phased out
	ATI FireGL V5600 512 MB	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCI-E card				x	x			x						S26361-F2530-L560	274	
	ATI Fire GL V7300 512MB	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCIe						x		x						S26361-F2530-L730	707	Phased out
	ATI FireGL V7600 512 MB	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCI-E card						x		x						S26361-F2530-L760	501	
	SLI bridge for NVIDIA graphics	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCI-E card														S26361-F2542-L95	51	
Removable Media Drives																		
	Micro SD Card 2GB	Micro SD Card 2GB, SDC/2GB-2ADP , Mini and normal SD-Adapter included	x	x	x											S26391-F2486-L822	20	
	Micro SD Card 4GB	Micro SD Card 4GB, SDC/4GB-2ADP , Mini and normal SD-Adapter included	x	x	x											S26391-F2486-L842	34	
	FDD USB (external)	external USB FDD, USB cable included	x	x	x											S26391-F264-L226	26	
	DVD Super Multi	Nero on driver DVD	x													S26391-F405-L601	86	
	MEMORYBIRD P 2GB	High Speed USB flash stick. Driverless use for Microsoft Windows operating systems, Plug and play, Bootable for LIFEBOOK Series and ESPRIMO PC, AMILO Pro, ESPRIMO Mobile, CELSIUS Mobile and PRIMERGY. Availability of various capacities for storage of miscellaneous data, up to 28 Mbit/s read-speed, write-speed up to 17 Mbit/s	x	x	x	x	x	x	x	x	x					S26391-F6047-L102	40	
	MEMORYBIRD L 2GB /S26391-F6048-L102		x	x	x											S26391-F6048-L102	13	Phased out
	MEMORYBIRD L 4GB		x	x	x											S26391-F6048-L104	18	Phased out
	MEMORYBIRD L 8 GB	For storage of miscellaneous data, Perfect for storage and transportation of data files, Ease of use – driverless for Microsoft Windows XP and Microsoft Windows Vista™, Plug & Play, Very convenient due to compactness, Fits in any pocket, Designed for both notebook and desktop users, USB 2.0 downwards compatible	x	x	x											S26391-F6048-L108	28	
	MEMORYBIRD L 16 GB	For storage of miscellaneous data, Perfect for storage and transportation of data files, Ease of use – driverless for Microsoft Windows XP and Microsoft Windows Vista™, Plug & Play, Very convenient due to compactness, Fits in any pocket, Designed for both notebook and desktop users, USB 2.0 downwards compatible	x	x	x											S26391-F6048-L116	42	



Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS Accessories

Data Sheets: <http://www.fujitsu-siemens.com/celsius>

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS M460	CELSIUS M470	CELSIUS R540	CELSIUS R590	CELSIUS R640	CELSIUS R690	CELSIUS V840	CELSIUS V840-2	CELSIUS W360	CELSIUS W370	Code	End User Price (€)	Comments
Removable Media Drives (Continued)																		
	External DVD Dual Slim Slot-In Drive	Easy connection via USB 2.0, Included AC-adapter provides power support, Connection and disconnection without restarting, Slot-loading drive, Ultra slim design with the low weight of only 365 g, Read Speed: 8x DVD±R, 6x DVD±R DL, Write Speed: 8x DVD±RW, 8x DVD-RW, NERO Essentials Software, High quality and stability, Reliability of delivery, Low noise, Accessories for highly differentiated demands, Meets highest demands in terms of ergonomics and usability	x	x	x											S26391-F7119-L100	85	
	Blu-ray combo drive	Bay Modul, BD read + DVD read/write, + CD read/write, Blu-ray Playback SW must be ordered separately	x	x												S26391-F725-L100	157	Orderable from: 30/09/2008
	DVD Super multi (reader/writer)		x	x												S26391-F725-L200	109	Orderable from: 08/09/2008
	DVD SuperMulti double layer writer	occupies accessible 5.25"- bay, DVD burning software included (without DVD-video playback software)						x	x							S26361-F3304-L10	45	
	DVD SATA	occupies accessible 5.25"- bay, without DVD-video playback software				x		x	x	x	x	x				S26361-F3418-L10	31	
	DVD SuperMulti SATA	occupies accessible 5.25"- bay, DVD burning software included (without DVD-video playback software)				x		x	x	x	x	x				S26361-F3420-L10	45	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write +CD read/write, Blu-ray Playback SW must be ordered separately				x		x	x	x	x	x				S26361-F3523-L10	148	
	DVD SATA	occupies accessible 5.25"- bay, without DVD-video playback software					x						x			S26361-F3418-L510	25	
	DVD SuperMulti SATA	occupies accessible 5.25"- bay, DVD burning software included (without DVD-video playback software)					x							x		S26361-F3420-L510	38	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write +CD read/write, Blu-ray Playback SW must be ordered separately												x		S26361-F3523-L510	148	Orderable from: 19/09/2008
	MultiCard Reader 15in1 USB 2.0 5.25"	MultiCard Reader 15in1 USB 2.0 5.25" , occupies accessible 5.25"- bay,, requires internal USB interface. Formats: , CF II, CF HI-SPEED, Micro Drive, MS, MS Magic Gate, MS PRO Magic Gate, HI-SPEED MS PRO Magic Gate, MS DUO Magic Gate, MS PRO DUO Magic gate, HI-SPEED MS PRO DUO Magic Gate, SD, HI-SPEED SD, SDC, MMC, HS MMC, SM, XD				x	x	x	x	x	x	x				S26361-F3077-L2	23	
	MultiCard Reader 15in1 USB 2.0, 3 1/2"	MultiCard Reader 15in1 USB 2.0 3.5" , occupies accessible 3.5"- bay,, requires internal USB interface. Formats: , CF I, CF II, CF HI-SPEED, Micro Drive, MS, MS Magic Gate, MS PRO Magic Gate, HI-SPEED MS PRO Magic Gate, MS DUO Magic Gate, MS PRO DUO Magic gate, HI-SPEED MS PRO DUO Magic Gate, SD, HI-SPEED SD, SDC, MMC, HS MMC, SM, XD											x			S26361-F3077-L20	23	
	MultiCard Reader 15in1 USB 2.0 3.5"	occupies accessible 3.5"- bay, requires internal USB interface. , Formats: CF I, CF II, CF HI-SPEED, Micro Drive, MS, MS Magic Gate, MS PRO Magic Gate, HI-SPEED MS PRO Magic Gate, MS DUO Magic Gate, MS PRO DUO Magic gate, HI-SPEED MS PRO DUO Magic Gate, SD, HI-SPEED SD, SDC, MMC, HS MMC, SM, XD												x		S26361-F3077-L40	19	Orderable from: 19/09/2008
	Floppy Disk Drive 1.44MB	occupies accessible 3.5"- bay, incl. cable													x	S26361-F1723-L30	14	
	Floppy Disk Drive for 5.25" bay					x	x	x	x	x	x	x				S26361-F1723-L31	16	
	FDD 1.44MB	occupies accessible 3.5"- bay,incl. cable													x	S26361-F1723-L510	10	
	Floppy Disk Drive 1.44MB USB external	anthracite				x	x	x	x	x	x	x	x			S26361-F2383-L20	28	
Hard Disk Drives																		
	HD SATA 120GB 5.4k HOT PLUG 2.5"	7.200 rpm				x		x	x	x	x	x				S26361-F3515-L120	145	
	2ND HDD SATA 80GB 7.2k			x												S26391-F682-L350	141	
	2ND HDD SATA 160GB 7.2k			x												S26391-F682-L550	157	
	2ND HDD SATA 250GB 5.4k			x												S26391-F682-L600	157	
	2nd HDD SATA 160GB 5.4k			x												S26391-F682-L700	133	
	2ND HDD SATA 200GB 7.2k			x												S26391-F682-L800	165	
	2nd HDD SATA 320GB 5.4k			x	x											S26391-F727-L300	216	Orderable from: 15/09/2008
	2nd HDD SATA 160GB 7.2k			x	x											S26391-F728-L100	157	Orderable from: 30/09/2008
	2nd HDD SATA 320GB 7.2k			x	x											S26391-F728-L300	249	Orderable from: 30/09/2008
	2nd HDD SSD SATA 64GB			x	x											S26391-F729-L100	581	Orderable from: 03/11/2008
	HDD SATA II 80GB 7.2k	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology				x	x	x	x	x	x	x	x	x		S26361-F3210-L100	53	
	HDD SATA II 160GB 7.2k	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology				x	x	x	x	x	x	x	x	x		S26361-F3211-L100	66	
	HDD SATA II 250GB 7.2k	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology				x	x	x	x	x	x	x	x	x		S26361-F3212-L100	78	



Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS Accessories

Data Sheets: <http://www.fujitsu-siemens.com/celsius>

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS M460	CELSIUS M470	CELSIUS R540	CELSIUS R550	CELSIUS R640	CELSIUS R650	CELSIUS V840	CELSIUS V840-2	CELSIUS W360	CELSIUS W370	Code	End User Price (€)	Comments
Accessories & services matrix																		
Hard Disk Drives (Continued)																		
	HDD SATA II 500GB 7.2k	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, incl. cable				x	x	x	x	x	x	x	x	x	x	S26361-F3435-L100	90	
	HDD SATA II 500GB 7.2k business-critical	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, incl. cable				x	x		x	x	x	x	x	x	x	S26361-F3497-L100	128	
	HDD SATA II 750GB 7.2k business-critical	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, incl. cable				x	x		x	x	x	x	x	x	x	S26361-F3498-L100	165	
	HDD SATAII 1000GB 7.2k business-critical	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, incl. cable				x	x		x	x	x	x	x	x	x	S26361-F3521-L100	206	Orderable from: 23/09/2008
	HDD SATA II 160GB 10k	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology				x	x	x	x	x	x	x	x	x	x	S26361-F3457-L100	131	
	HDD SATA II 150GB 10k	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology				x	x		x	x	x	x	x	x	x	S26361-F3526-L10	124	Orderable from: 24/10/2008
	HDD SATA II 300GB 10k	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology				x	x		x	x	x	x	x	x	x	S26361-F3527-L10	240	Orderable from: 24/10/2008
	HDD SAS 73GB 15k	occupies 3.5"-bay (internal), incl. cable				x		x	x	x	x					S26361-F3405-L20	138	
	HDD SAS 146GB 15k	occupies 3.5"-bay (internal), incl. cable				x		x	x	x	x	x				S26361-F3406-L20	173	
	HDD SAS 300GB 15k	occupies 3.5"-bay (internal), incl. cable				x		x	x	x	x	x				S26361-F3414-L20	298	
	HDD SAS 450GB 15k	occupies 3.5"-bay (internal), incl. cable				x		x	x	x	x	x				S26361-F3518-L20	348	Orderable from: 22/09/2008
SCSI/RAID/SAS controller																		
	SAS Controller (LSI-3041E)	for 4 HDDs, 4 ports, PCIe x4 card				x		x	x							S26361-F3407-L1	90	
	SAS Controller D2507 (LSI1064e)	4 ports incl. cables, PCIe x4				x		x	x							S26361-F3976-L1	82	Orderable from: 06/10/2008
Communication/Network																		
	Modemstecker kit, for all EU countries	Modemstecker kit, for all EU countries D, UK, S, N, SF, DK, A, CH, F, I, E, B, NL, P	x	x	x									x	x	S26361-F3145-L50	13	
	Cardreader All-in-1 USB 2.0	High quality and stability. Compact and stylish design. USB 2.0, and USB 1.1 compatible, Transfer rate up to 480 Mbit, USB Bus powered, All essential industry standards have been taken into account, Plug and play, Driverless use for Microsoft Windows XP, Easy-to-use, Versatile reader for flash media, Providing maximal portability, No additional adapter needed, Enhance your system connectivity: use different card formats via one device	x	x	x											S26361-F3172-L1	12	
	PowerLAN IH200	Our PowerLAN adapter is Homeplug conform, which is a technology to transmit data over power line, Radio-wave reflection, interference, and obstruction can result in "dead spots" where users cannot connect wirelessly. Home Plug technology provides LAN and Internet access through the wire that brings power to every part of a building. Coverage is complete; dead spots are no longer a problem, PowerLAN adapter IH200 provides up to 200 MBit/s performance, 128-bits AES link Encryption with key management to secure powerline communications, Integrated Quality of Service (QoS) features support Triple play, Plug and Play without any configuration modification before using this adapter	x	x	x											S26361-F3485-L1	48	
	PowerLAN IH200 c	Our PowerLAN adapter is Homeplug conform, which is a technology to transmit data over power line, Radio-wave reflection, interference, and obstruction can result in "dead spots" where users cannot connect wirelessly. Home Plug technology provides LAN and Internet access through the wire that brings power to every part of a building. Coverage is complete; dead spots are no longer a problem, PowerLAN adapter IH200 provides up to 200 MBit/s performance, 128-bits AES link Encryption with key management to secure powerline communications, Integrated Quality of Service (QoS) features support Triple play, Plug and Play without any configuration modification before using this adapter	x	x	x											S26361-F3485-L2	88	
	USB Adapter PS/2	2x PS/2 connection	x	x	x	x	x									S26391-F5100-L100	12	
	USB Centronics printer cable	for printers only	x	x	x			x	x			x	x	x	x	S26391-F6055-L100	16	



Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS Accessories

Data Sheets: <http://www.fujitsu-siemens.com/celsius>

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS M460	CELSIUS M470	CELSIUS R540	CELSIUS R550	CELSIUS R640	CELSIUS R650	CELSIUS V840	CELSIUS V840-2	CELSIUS W360	CELSIUS W370	Code	End User Price (€)	Comments
Accessories & services matrix																		
Communication/Network (Continued)																		
	USB-WLAN 11n	Ultra-fast wireless data transfer at up to 300 Mbps. For internet access in combination with a wireless router or access point, Enables wireless IP-TV/HD video streaming, Higher data throughput, better coverage within the home or office, Advanced security with WPA/WPA2 for a safer network, User-friendly installation and configuration	x	x	x											S26391-F7132-L100	20	
	USB-BT Stick V2.1	Extended inquiry response, Sniff subrating, Encryption Pause Resume, Secure Simple Pairing, Near Field Communication, Highest quality and stability, Compact and stylish design, Simply slot in your USB enabled device and start using Bluetooth® wireless technology, USB 2.0 and USB 1.1 compatible, USB bus powered, Easily connect to other devices with Bluetooth® technology, Access to latest data anytime and anywhere, Versatile stick for Bluetooth® interconnections, EDR (Enhanced Data Rate) enables transfer rates up to 3 Mbit, Software on CD, Providing maximal portability, Enhance your system connectivity, Bluetooth Core Specification Version 2.1 is fully backward-compatible with 2.0/1.2	x	x	x											S26391-F7137-L1	12	
	Gigabit Ethernet SysConnect	10/100/1000 Mbit/s, full height, autodetect, WoL, BootPROM, RJ45, driver-CD, PCI				x		x	x	x	x	x	x	x		S26361-F3067-L1	19	
	Gigabit Ethernet PCIe x1	10/100/1000 Mbit/s, RJ45, WoL, RJ45, autodetect, PXE Boot, driver CD, PCI Express, full height				x	x									S26361-F3067-L30	16	
	WLAN II, 802.11g 54Mbps	internal WLAN module, occupies 1 internal USB interface, RoHS compliant				x		x	x	x	x	x	x			S26361-F3108-L2	23	
	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface				x								x		S26361-F3108-L5	24	Orderable from: 01/10/2008
	Modem 56k inkl. RJ11 modem cable	PCI board, NT not supported, adapter to be ordered separately, full Height												x	x	S26361-F3088-L2	13	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot				x	x							x	x	S26361-F2542-L30	7	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot				x	x							x	x	S26361-F2542-L40	7	
	Dual serial card, PCI, EX-43092	Dual Port RS232, full height				x	x	x	x	x	x	x	x	x	x	S26361-F3316-L2	23	
	FireWire PCI-Card IEEE1394	400 Mbit/s, 3 external and 1 internal connectors						x	x					x	x	S26361-F3106-L520	20	
	Brocade 410 Fibre Channel HBA	Single 4 GB/s Fibre Channel Controller, PCIe x8, currently drivers available for Windows XP only, only in combination with FibreCAT Sx80 and Brocade 200E FC switch, CELSIUS M460: Must be plugged in slot 7				x		x		x						S26361-F3959-L10	243	
Rack-Infrastructure																		
	Rack mount kit CELSIUS	For assembling in racks from Fujitsu Siemens Computers and in third party racks, inclusive rails				x	x	x	x	x	x	x	x	x		S26361-F2581-L100	173	
OS/Application-SW																		
	Media Less Key Office 07 Basic (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x			x	x	S26361-F2727-L556	102	
	Media Less Key Office 07 SBE (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x			x	x	S26361-F2727-L557	135	
	Media Less Key Office 07 PRO (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x			x	x	S26361-F2727-L558	171	
	Downgrade Pack XP Prof 32bit MuLi A	(D, DK, E, F, FIN, GB, I, N, NL, S), for downgrading Vista Business to XP Prof, CDs only, no license	x			x		x	x	x	x	x	x			S26361-F2007-L815	13	
	Downgrade Pack XP Prof 32bit MuLi B	(CZ, E, F, GB, GR, P, PL, TR), for downgrading Vista Business to XP Prof, CDs only, no license	x			x		x	x	x	x	x	x			S26361-F2007-L816	13	
	Downgrade Pack XP Prof 32bit MuLi C	(CZ, GB, H, MUJ), for downgrading Vista Business to XP Prof, CDs only, no license	x			x		x	x	x	x	x	x			S26361-F2007-L817	13	
	Downgrade Pack XP Prof 32bit RUS	(RUS), for downgrading Vista Business to XP Prof, CD only, no license	x			x		x	x	x	x	x	x			S26361-F2007-L818	7	
	Downgrade Pack XP Prof 64bit MUI	for downgrading Vista Business 64bit to XP Prof, CD only, no license	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2007-L821	13	
	Drivers&Utilities DVD CELSIUS XP/ Vista	incl. Nero Essentials S, Norton Internet Security				x	x		x	x	x	x	x			S26361-F2007-L909	15	
	Vista Drivers&Utility ESPRIMO	ESPRIMO, CELSIUS W, incl. Nero 7 Essentials S, Norton Internet Security 2007												x		S26361-F2007-L901	13	
	Drivers&Utility (XP+Vista) Mobile H	incl. Nero 7 Essentials S, Norton Internet Security 2007	x	x	x											S26361-F2007-L904	16	
	VistaDrivers & Utility DVD CELSIUS	incl. Nero 7 Essentials S, Norton Internet Security 2007 (for CELSIUS M, R, V)				x	x	x	x	x	x	x				S26361-F2007-L905	9	



Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS Accessories

Data Sheets: <http://www.fujitsu-siemens.com/celsius>

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS M460	CELSIUS M470	CELSIUS R540	CELSIUS R550	CELSIUS R640	CELSIUS R650	CELSIUS V840	CELSIUS V840-2	CELSIUS W360	CELSIUS W370	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																		
UPS/Power supply																		
	AC/Car adapter	Multiple power adapter, 110-220V / 12V/24V input, output 5V/16V/20V, 90Watt	x	x	x											S26391-F2613-L310	76	
	2nd battery		x													S26391-F405-L200	84	
	1st Battery E8410/ E8420 8-cell 75Wh		x													S26391-F405-L810	66	
	AC-Adapter 19V/100W		x													S26391-F408-L300	31	
	External battery charger, incl. 16V AC	incl. AC adapter, without power cable	x	x	x											S26391-F5031-L700	129	
	Ext. Battery Charger	without AC-adapter	x	x	x											S26391-F5031-L710	86	
	AC Adapter 120W		x	x	x											S26391-F740-L120	33	Orderable from: 30/09/2008
	2ND BATTERY		x													S26391-F746-L100	90	Orderable from: 19/09/2008
	1st Battery EM D+X 8-cell		x	x	x											S26391-F746-L600	90	Orderable from: 08/09/2008
	power cable EU	black, 2-pole, 1,8 m	x	x	x											T26139-Y2540-V113	6	
	power cable UK	black, 2-pole, 1,8 m	x	x	x											T26139-Y2540-V213	6	
	power cable US	black, 2-pole, 1,8 m	x	x	x											T26139-Y2540-V313	6	
Security																		
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard				x		x	x	x	x	x	x	x		S26361-F1260-L520	23	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard						x							x	S26361-F1260-L521	24	Orderable from: 19/09/2008
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1571-L201	13	
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1571-L210	91	
	Smart Security API 4.1	Contents: 1 CD (includes 1 licence), PKCS 11, CSP, PKI Environment and Driver for SC Token USB	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1571-L310	7	
	MicroSaver	anti-theft cable with lock	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L200	38	
	MicroSaver, Shared Access	lead time 16 Weeks; Minimum order 50 units, higher Quantities needs to divide by 50, complete order as a one shoot deal	x	x	x											S26361-F1650-L220	49	
	MicroSaver, Master Access	(only for projects, special release; lead time 8 weeks), Minimum order quantity: 50 pieces, For higher quantities: 25 pieces per package	x	x	x											S26361-F1650-L400	53	
	MicroSaver Combination	anti-theft cable with combination lock	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L500	25	
	MicroSaver Twin	2 locks on steel cable, e. g. for display and notebook	x	x	x											S26361-F1650-L600	60	
	MicroSaver DS	Specialkey and steelcable	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L700	51	
	SmartCase SCR (USB)	PC/SC and Win 98/Me/2000/XP compatible, USB interface	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2542-L220	27	
	SmartCase Fingerprintsensor (USB)	external Fingerprintsensor, incl. SmartCase Logon+				x	x	x	x	x	x	x	x	x	x	S26361-F2542-L222	27	
	SmartCard Token USB		x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2542-L300	23	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for Win 2000/XP/Vista	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L730	25	
	MicroSaver Portable	rollable steel cable with lock	x	x	x											S26391-F6045-L100	34	
Mouse																		
	Logitech Bluetooth Mouse	Logitech Bluetooth Mouse, manual, leathercase, 2AA batteries, packed in white box	x	x	x											LTC-M-RBB93	34	Phased out
Miscellaneous																		
	Liquid View CD	Dynamic indication enlargement with a highly soluble LCD	x													S26361-F1850-L800	8	
	Webcam 130 portable	Ultra-slim and portable design, Ease of use: easy to install and configure, High quality video sensor, Max. 30 frames per second. Easy to use with the clip to attach the camera to any notebook, Plug & Play, CD with Webcam software included	x	x	x											S26361-F3871-L1	16	
	Mobile school room	usable for 25 notebooks, only supported with EU cables, not for ESPRIMO Mobile D9500 with second battery	x	x	x											S26391-F2000-L100	3795	
	Keyboard Rubber caps	10 caps	x	x	x											S26391-F2602-V1	11	
	Keyboard protector 15,4"	5 pieces	x	x	x											S26391-F4000-L200	13	
	LB Office Kit C_E_S	Contains: Port Replicator, AC adapter (100W), EU cable kit, Notebook stand	x	x	x											S26391-F6036-L390	160	Phased out
	MOBILE STARTER KIT 14	Contains: S26391-F6048-L102 MEMORYBIRD L, S26381-K452-L100 MINI MOUSE USB, S26391-F119-L120 VALUE CASE A17, For Notebooks up to 17"	x	x	x											S26391-F6036-L541	28	
	Mobile Starter Kit Backpack 3	S26381-K452-L100 Mini Mouse USB, S26391-F6048-L102 Memorybird L, S26391-F119-L121 Value Backpack A17	x	x	x											S26391-F6036-L552	28	Phased out
	MOBILE STARTERKIT 11	Contains: 1x Mouse USB MC100, 1x Prestige Case 5-in-1	x	x	x											S26391-F6036-L600	21	
	Mobile Starter Kit Safe 1	FSP:805N00020 Amilo NB Case III, S26361-F1650-L500 Combo Saver, S26381-K410-L100 Mouse USB OP MC100	x	x	x											S26391-F6036-L612	44	
	Notebook Stand	adapter include mounting kit for PortRep for S71xx/72xx, E81xx/82xx/E83xx/E84xx/Celsius C240/250 and C1410. , , Other Notebooks can be fixed with industry velcro (not included)	x	x	x											S26391-F6047-L1	84	



Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS Accessories

Data Sheets: <http://www.fujitsu-siemens.com/celsius>

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS M460	CELSIUS M470	CELSIUS R540	CELSIUS R550	CELSIUS R640	CELSIUS R650	CELSIUS V840	CELSIUS V840-2	CELSIUS W360	CELSIUS W370	Code	End User Price (€)	Comments
Accessories & services matrix																		
Miscellaneous (Continued)																		
	3M Privacy filter 15,4"		x	x	x											S26391-F6097-L316	58	
	Microfiber Rag		x	x	x											S26391-F6105-L5	6	
	Soundssystem DS2000U	Ultra-slim and portable design, Awesome 2.0 channel stereo sound, Convenient USB powered, Simple Plug & Play	x	x	x											S26391-F7127-L100	12	
	Mobile Notetaker	New design of "Black-core & White Shell", Handwriting Capture from Any Surface, Store over 100 A4 Pages, No Special Notepad Needed, Using Standard Refill Pen Ink, Latest Ultra-sound & Infrared technology, Notes Export via JPEG, Off-line Note-Taking Support, Pen Mode & Mouse Mode Support, LCD Display for Status, Carry Bag Bundle	x	x	x											S26391-F7134-L1	47	
	Webcam 130 AF	Latest autofocus liquid lens - noiseless and power saving, Best video quality with 1.3-megapixel CMOS, Business Card Recognition (BCR) software for 9 languages (DE, ES, FR, EN, HU, IT, NL, PL & RU), Built-in microphone for excellent sound while chatting, Innovative LED lighting for notebook keyboard	x	x	x											S26391-F7136-L1	21	Orderable from: 12/09/2008
	WebCam V30S	Excellent 300K CMOS sensor with glass lens, High quality built-in USB microphone, Plug&Play UVC Type / No driver needed, Fit for Notebook & LCD Display,	x	x	x											S26391-F7136-L3	16	Orderable from: 12/09/2008
	PC Headset		x	x	x											S26391-F7139-L200	15	Orderable from: 20/09/2008
	Monitor outlet cable	necessary to contact monitor directly to the PC												x	x	S26361-F2542-L57	7	
	Cable for 2. USB device					x	x	x	x	x	x	x	x	x	x	S26361-F2581-L10	13	
	Casters for CELSIUS M, R & V	Available in systems serial no. higher than YBSJ001400 (CELSUS V830) and YBWM004000 (CELSIUS M440).				x	x	x	x	x	x	x	x			S26361-F2581-L200	59	
	Blanking Plate, 5,25" drive bays, 10 pcs													x		S26361-F2542-L322	13	
	Power cord three-wire GB	Power cord three-wire GB		x	x											S26361-F2581-L320	7	
	Power cord three-wire CHN	Power cord three-wire CHN		x	x											S26361-F2581-L350	13	Orderable from: 30/09/2008
Notebook Cases																		
	Pouch case	For AC adapter and power cable, , Material: black koskin, Exterior Dimensions: 250 x 70 x 70 mm, Weight: 120 g	x	x	x											S26391-F119-L105	13	
	Prestige Nightcase	Durable, water-repellent material; high-class manufacturing; smooth-running zipper; integrated notebook compartment; integrated pocket for power supply unit and cable; shirt compartment; workstation (cell phone, pens, CD-ROMs); exterior pocket for travel accessories; durable, dirt-resistant underbody; storage room for clothing (suits, shoes, etc.); especially smooth-running and quiet wheels; stable telescope handle made of high-class aluminium; carry handles on top and sides; handle shell on bottom. For Tablet PC and Notebooks up to 370 x 290 x 40 mm, Material: black/silver 1680D ballistic nylon, Exterior dimensions: 580 x 420 x 250 mm, Weight: 5.15 kg	x	x	x											S26391-F119-L106	84	
	Value Entry case	This carrying case protects the notebook with effective cushioning and the reinforced frame on all sides and so provides optimal safety. The especially soft handle of the Value Entry Case in combination with the shoulder strap offers a comfortable transport for notebooks from 14-inch up to 15.4-inch. For Notebooks up to 15.4" or 390 x 285 x 55 mm, Material: Polyester, Dimensions: 410 x 330 x 80 mm, Weight: 0.8 kg	x	x	x											S26391-F119-L107	11	
	Prestige case 5-in-1	The case is usable as a Notebook bag, cross body bag, lengthways with a strap attached, with the handle extended as a trolley, backpack. For Notebooks up to 370 x 280 x 50 mm, Material: Nylon/Polyester, Exterior Dimensions: 410 x 330 x 50-90 mm, Weight: 0.86 kg	x	x	x											S26391-F119-L110	16	



Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS Accessories

Data Sheets: <http://www.fujitsu-siemens.com/celsius>

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS M460	CELSIUS M470	CELSIUS R540	CELSIUS R550	CELSIUS R640	CELSIUS R650	CELSIUS V840	CELSIUS V840-2	CELSIUS W360	CELSIUS W370	Code	End User Price (€)	Comments
Notebook Cases (Continued)																		
	Value Case A17	Stylish and lightweight Design with padded Notebook section. Adjustable and padded shoulder straps, compartment for MP3 or CD player with direct output for the headphone cable. Zipper pocket on the front with lots of accessory compartments inside. For Tablet PC and Notebooks up to 17 inch, Material: black/grey polyester, Exterior dimensions: 445 x 330 x 150 mm, Weight: 1.1 kg	x	x	x											S26391-F119-L120	16	
	Value Backpack A17	Stylish and lightweight design; padded notebook section; Highest Comfort with adjustable and padded shoulder straps, compartment for MP3 or CD Player with direct output for the headphone cable. Zipper pocket on the front with lots of accessory compartments inside. For Tablet PC and Notebooks up to 17-inch, Material: black/grey resistant polyester, Exterior dimensions: 445 x 350 x 150 mm, Weight: 1.10 kg	x	x	x											S26391-F119-L121	16	Phased out
	Case HD 25-1	2.5" HDD-Case "Anti Shock", Schwarz/Silber	x	x	x											S26391-F119-L122	11	
	Case HD 35-1	Universaltasche für externe 2.5"/3.5"-Festplatten, Schwarz/Silber	x	x	x											S26391-F119-L123	14	
	Prestige Case Trolley	Aluminium trolley handle with optimized wheels for smooth rolling, a separate front case for power supply and cables and a heightened compartment to accommodate e.g. clothes for an overnight stay. For Tablet PC and Notebooks up to 17", Material: 1680D polyester, Exterior dimensions: 480 x 400 x 260 mm, Weight: 3.7 kg	x	x	x											S26391-F119-L130	49	
	Prestige Geneve, Backpack, up to 15.4"		x	x	x											S26391-F119-L131	21	Orderable from: 15/09/2008
	Value case	Resistant Notebook case with cushioning as well as rubber coating for soft placement of the case on the floor. Cushioned handle and shoulder strap. Including two-fold compartment for mobile accessories or documents. For Tablet PC and Notebooks up to 15.4" or 340 x 295 x 50 mm, Material: black polyester, Exterior dimensions: 360 x 320 x 140 mm, Weight: 0.8 kg	x	x	x											S26391-F119-L50	21	
	Slipcover	Save keeping and carrying of modular bay devices such as second hard disk drive, second battery or optical drives, Material: black nylon, Exterior Dimensions: 145 x 145 x 20 mm, Weight: 55 g	x	x	x											S26391-F119-L57	12	
	Prestige case midi	Zip-down case with cushioned Notebook compartment; separate second compartment for mobile accessories and documents; exterior compartment with workstation for mobile accessories; cushioned shoulder strap; trolley fastening strap on the back side. For Tablet PC and Notebooks up to 15.4" or 360 x 295 x 50 mm, Material: black polyester, Exterior dimensions: 390 x 320 x 100 mm, Weight: 1.3 kg	x	x	x											S26391-F119-L60	29	
	Prestige case maxi	Zip-down case with a large cushioned two-fold Notebook compartment; separate, cushioned compartment for printer and mobile accessories; document compartment; exterior compartment with workstation for accessories; cushioned shoulder strap; trolley fastening strap on the back side. For Tablet PC and Notebooks up to 15.4" or 360 x 295 x 50 mm, For printer/projector up to 340 x 295 x 60 mm, Material: black polyester, Exterior dimensions: 390 x 320 x 200 mm, Weight: 1.9 kg	x	x	x											S26391-F119-L61	38	
	Prestige case Top L	Material: Nylon	x	x	x											S26391-F119-L64	29	



Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS Accessories

Data Sheets: <http://www.fujitsu-siemens.com/celsius>

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS IM60	CELSIUS IM70	CELSIUS RS40	CELSIUS RS50	CELSIUS RS60	CELSIUS RS40	CELSIUS RS60	CELSIUS V840	CELSIUS V840-2	CELSIUS W360	CELSIUS W370	Code	End User Price (€)	Comments
Accessories & services matrix																			
Notebook Cases (Continued)																			
	Prestige Sportive	Sportive Notebook backpack; padded, integrated Notebook compartment; pockets on inside for documents and mobile equipment; mesh pockets on sides; padded Notebook compartment; front compartment for cell phone, pens, keys and additional accessories as well as separate storage space for power supply units; adjustable, padded shoulder straps; comfortable, breathable back padding; additionally expandable front pocket (for bicycle helmet, etc.). For Tablet PC and Notebooks up to: 370 x 290 x 40 mm, Material: black/silver/grey nylon, Exterior dimensions: 500 x 370 x 210 mm, Weight: 1.42 kg	x	x	x												S26391-F119-L67	42	
	Prestige Cover L	NB-folio / protective casing made of durable and water-repellent nylon; soft Nylflex material on the inside; holder for business cards and pens. For Tablet PC and Notebooks up to 15.4 or 370 x 290 x 40 mm, Material: black 1680D ballistic nylon, Exterior dimensions: 370 x 290 x 60 mm, Weight: 530 g	x	x	x												S26391-F119-L69	19	Phased out
	Supreme case maxi	Stylish business case. High-quality leather; cushioned Notebook compartment; document compartment and another additional document compartment, high-quality locks. Front pocket with zipper and workstation; cushioned shoulder strap. For Tablet PC and Notebooks up to 15.4-inch or 370 x 290 x 40 mm, Material: black leather, Exterior dimensions: 420 x 340 x 210 mm, Weight: 2.5 kg	x	x	x												S26391-F119-L71	84	
	Supreme case midill	Stylish business case; high-quality leather; cushioned Notebook compartment; high-quality locks; fold-out front pocket with workstation for mobile accessories; cushioned shoulder strap; additional pocket with zipper and trolley fastening strap on the backside. For Tablet PC and Notebooks up to 15.4-inch or 380 x 285 x 40 mm, Material: brown leather, Exterior dimensions: 430 x 320 x 100 mm, Weight: 2.5 kg	x	x	x												S26391-F119-L73	64	
	Supreme Case Maxi II	Stylish business case; high-quality leather; cushioned Notebook compartment; document compartment; high-quality locks; fold-out front pocket with workstation for mobile accessories; cushioned shoulder strap; additional pocket with zipper and trolley fastening strap on the backside. For Tablet PC and Notebooks up to 15.4-inch or 380 x 285 x 40 mm, Material: brown leather, Exterior dimensions: 430 x 320 x 160 mm, Weight: 2.9 kg	x	x	x												S26391-F119-L74	73	
Input Devices																			
	Presenter Mouse PM1200	Optical Wireless Mouse with 3 add. functions, wireless mouse with 2.4 GHz dongle and 1200 dpi, presenterfunction, Laserpointer and Media Control for Media Player. Up to 10m range, package enclose: Presenter Mouse, dongle, 2 x AA batteries, retail box	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K421-L100	24	
	Presenter III	remote control for powerpoint presentations	x	x	x												S26391-F7116-L100	28	
Additional Software																			
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1								x	x						U11081-C157	12	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs										x	x				U11081-C171	893	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs										x	x				U11081-C177	446	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME										x	x				U11081-C183	24	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs												x	x		U11081-C186	893	



Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS Accessories

Data Sheets: <http://www.fujitsu-siemens.com/celsius>

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS IM460	CELSIUS IM470	CELSIUS RS40	CELSIUS RS50	CELSIUS R640	CELSIUS R650	CELSIUS V840	CELSIUS V840-2	CELSIUS W360	CELSIUS W370	Code	End User Price (€)	Comments
Additional Software (Continued)																		
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs										x	x			U11081-C192	358	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions												x	x	U11081-C199	12	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0												x	x	U11081-C201	24	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201												x	x	U11081-C202	972	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201												x	x	U11081-C203	1583	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201												x	x	U11081-C204	3165	
	OPENFT-4 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201												x	x	U11081-C205	4748	
	OPENFT-5 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201												x	x	U11081-C206	6330	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201												x	x	U11081-C207	563	
	OPENFT-2-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201												x	x	U11081-C208	917	
	OPENFT-3-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201												x	x	U11081-C209	1836	
	OPENFT-4-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201												x	x	U11081-C210	2753	
	OPENFT-5-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201												x	x	U11081-C211	3671	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202												x	x	U11081-C212	972	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203												x	x	U11081-C213	1583	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204												x	x	U11081-C214	3165	
	OPENFT-FTAM-4 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205												x	x	U11081-C215	4748	
	OPENFT-FTAM-5 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206												x	x	U11081-C216	6330	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207												x	x	U11081-C217	563	
	OPENFT-FTAM-2-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208												x	x	U11081-C218	917	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C209												x	x	U11081-C219	1836	



Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS Accessories

Data Sheets: <http://www.fujitsu-siemens.com/celsius>

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS M460	CELSIUS M470	CELSIUS R540	CELSIUS R550	CELSIUS R640	CELSIUS R650	CELSIUS V840	CELSIUS V840-2	CELSIUS W360	CELSIUS W370	Code	End User Price (€)	Comments
Additional Software (Continued)																		
	OPENFT-FTAM-4-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C210														U11081-C220	2753	
	OPENFT-FTAM-5-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C211														U11081-C221	3671	
	OPENFT-FTP-1 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202														U11081-C222	397	
	OPENFT-FTP-2 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203														U11081-C223	646	
	OPENFT-FTP-3 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204														U11081-C224	1292	
	OPENFT-FTP-4 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205														U11081-C225	1938	
	OPENFT-FTP-5 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206														U11081-C226	2583	
Docking																		
	Portreplicator/AC Adapter/EU-cable kit		x													S26391-F408-L100	92	
	Port Replicator	For LIFEBOOK S7110, S7210, S6410, E8110, E8210, E8310, E8410, C1410, CELSIUS H240, H250	x													S26391-F408-L110	69	
	Portreplicator/AC Adapter 120W			x	x											S26391-F740-L250	99	Orderable from: 30/09/2008
	Portreplicator			x	x											S26391-F740-L500	99	Orderable from: 16/09/2008




Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS Services

Data Sheets: <http://www.fujitsu-siemens.com/celsius>

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS IM460	CELSIUS R540	CELSIUS R550	CELSIUS R640	CELSIUS R650	CELSIUS V840	CELSIUS V840-2	CELSIUS W360	Code	End User Price (€)	Comments
Accessories & services matrix																
Product related services																
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9	x	x	x									FSP:GB3S20000GBNBH	175	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9										x		FSP:GB3S20000GBWSB	111	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9									x	x		FSP:GB3S20000GBWSH	111	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9				x								FSP:GB3S20000GBWSL	111	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9					x	x	x	x				FSP:GB3S20000GBWSS	111	
	TP 4y OS Svc,5x9	TP 4 years On-Site Service, 5x9										x		FSP:GN4S00000GBWSB	17	
	TP 4y OS Svc,5x9	TP 4 years On-Site Service, 5x9									x	x		FSP:GN4S00000GBWSH	107	
	TP 4y OS Svc,5x9	TP 4 years On-Site Service, 5x9				x								FSP:GN4S00000GBWSL	26	
	TP 4y OS Svc,5x9	TP 4 years On-Site Service, 5x9					x	x	x	x				FSP:GN4S00000GBWSS	41	
	TP 5y OS Svc,5x9	TP 5 years On-Site Service, 5x9										x		FSP:GN5S00000GBWSB	35	
	TP 5y OS Svc,5x9	TP 5 years On-Site Service, 5x9									x	x		FSP:GN5S00000GBWSH	214	
	TP 5y OS Svc,5x9	TP 5 years On-Site Service, 5x9			x									FSP:GN5S00000GBWSL	53	
	TP 5y OS Svc,5x9	TP 5 years On-Site Service, 5x9					x	x	x	x				FSP:GN5S00000GBWSS	82	



Positioning Displays



Value Line

A feast for your eyes and a pleasure to work with. Our LCD displays offer a new scope to arrange a comfortable and representative workplace. Positioned in different lines and with a wide range of screen sizes you will find the right display for any desire.

SCENICVIEW Value Line - Enter the world of professional LCD displays at an affordable price. Comprehensive standard and wide format portfolio.



Business Line

SCENICVIEW Business Line - Efficiency for intensive office use offering enhanced ergonomics (height adjustable stand) and a representative design. Now also in wide-formats.



Premium Line

SCENICVIEW Premium Line - comprehensive wide format portfolio in new design language; premium panel with wide viewing angle and outstanding color performance; enhanced ergonomics and usability; the benefits of ECO features e.g. unique 0-Watt power save mode.



Q Line

SCALEOVIEW Q Line - a touch of luxury; multifunctional display with high connectivity for home and office use with glossy piano black front frame.



H Line

SCALEOVIEW H Line - multifunctional display with high connectivity for home and office use



D Line

SCALEOVIEW D Line - display in lifestyle design with glossy piano black front frame. 22-inch wide optional with Glare panel.



Projectors

Projector XP80 - High resolution and contrast, excellent brightness, very low weight, silent and just a little larger than an A5 sheet, make the Projector XP80 to the ideal choice for travelling users or business executives, even for presentations in fully lit rooms.



Displays

Data Sheets: <http://www.fujitsu-siemens.com/display>

LCD Displays

SCENICVIEW Value Line

- Continuity for projects
- Professional reliability

SCENICVIEW Business Line

- Enhanced ergonomics: height adjustable stand
- DVI and analog interface
- Ready for Manageability

SCENICVIEW Premium Line

- 0-Watt power save mode*
- Auto Brightness Control*
- UVA (Ultra Wide Viewing Angle)*
- Enhanced ergonomic height adjust stand
- HDMI for wide screen models
- Ready for Manageability
- 5th generation models in new design language
- *: on selected models

SCALEOVIEW H Line

- Ultra fast overdrive (2ms)
- DisplayView - patented technology
- Multifunctional connectivity

SCALEOVIEW D Line

- Lifestyle Design with glossy black front
- Advanced Contrast Ratio

Projector

Projector XP80

- Only 1.1 kg
- 1700 lumen
- HDTV compliant
- Integrated loudspeaker

Category	Description	Details	Code	End User Price (£)	Comments
Peripherals					
Displays					
	Monitor LCD 19"wide SCALEOVIEW H19W-2	Monitor LCD 19"wide SCALEOVIEW H19W-2, Consumer Line	S26361-K1185-V170	159	Phased out
	SCENICVIEW P19-3	SCENICVIEW P19-3, Premium Line 19" Display, VGA, DVI, Enhanced Height adjust, Auto Pivot, Light sensor	S26361-K1208-V151	256	
	SCENICVIEW P17-3P	SCENICVIEW P17-3P, Premium Line 17" Display, VGA, DVI, Enhanced Height adjust, Auto Pivot, Light sensor	S26361-K1240-V150	169	
	SCENICVIEW P19-3P	SCENICVIEW P19-3P, Premium Line 19" Display, VGA, DVI, Enhanced Height adjust, Auto Pivot, Light sensor	S26361-K1241-V150	203	
	SCENICVIEW A19W-3	SCENICVIEW A19W-3, Value Line 19" wide Display, VGA	S26361-K1242-V150	122	
	SCENICVIEW P20W-5 ECO	SCENICVIEW P20W-5 ECO Premium Line 20" wide Display, ECO 0-Watt power save mode, Light sensor HDMI,DVI,VGA Interface	S26361-K1252-V150	222	
	SCENICVIEW P22W-5 ECO	SCENICVIEW P22W-5 ECO Premium Line 22" wide Display, ECO 0-Watt power save mode, Light sensor HDMI,DVI,VGA Interface, 97%Color Gamut	S26361-K1253-V150	256	
	SCENICVIEW B17-5	SCENICVIEW B17-5, Business Line 17" Display, VGA, DVI, 4-in-1 stand	S26361-K1255-V150	128	
	SCENICVIEW B19-5	SCENICVIEW B19-5, Business Line 19" Display, VGA, DVI, 4-in-1 stand	S26361-K1256-V150	147	
	SCENICVIEW B20W-5	SCENICVIEW B20W-5, Business Line 20"wide Display, VGA, DVI, 3-in-1 stand	S26361-K1257-V150	165	
	SCENICVIEW B22W-5	SCENICVIEW B22W-5, Business Line 22"wide Display, VGA, DVI, 3-in-1 stand	S26361-K1258-V150	181	
	SCENICVIEW B24W-5	SCENICVIEW B24W-5, Business Line 24"wide Display, VGA, DVI, 3-in-1 stand	S26361-K1259-V150	272	
	SCENICVIEW P20-2S	SCENICVIEW P20-2S, Premium Line 20" Display, VGA, DVI, Enhanced Height adjust, Pivot	S26361-K984-V152	331	
	SCENICVIEW A17-3	SCENICVIEW A17-3, Value Line 17" Display, VGA Interface	S26361-K1146-V150	113	



Displays

Data Sheets: <http://www.fujitsu-siemens.com/display>

Category	Description	Details	Code	End User Price (£)	Comments
Peripherals					
Displays (Continued)					
	SCENICVIEW A19-3	SCENICVIEW A19-3, Value Line 19" Display, VGA Interface	S26361-K1147-V150	128	
	SCENICVIEW P20W-3	SCENICVIEW P20W-3, Premium Line 20" wide Display, VGA, DVI, HDMI Interface	S26361-K1174-V150	215	Phased out
	SCENICVIEW A22W-3	SCENICVIEW A22W-3, Value Line 22" wide Display, VGA	S26361-K1178-V150	158	



Positioning Input Devices & Security devices



Keyboards & Security

The keyboard is the most important interface between humans and the computer. Our keyboards are designed according to the latest ergonomic development and the non-abrasive laser inscription lasts a lifetime. The security keyboards conform to current market requirements and offer an perfect platform for security applications.



Keyboards & mice

Please look for your favourite keyboard amongst a vast choice of different types. We have the right keyboard for you, no matter if you only need basic functionality or enhanced business typing. For office and a long days work, our Premium Line keyboards are the right ones.



Security devices

Choose the perfect mouse for your environment: small when on the road, regular sizes for the desk, left and right hand usage, wired or unwired, four way scroll function, high-precise optical or laser technology - whatever you desire!

To serve and protect - we take care. There is no choice than our security devices if you want to protect your valuable data from being stolen, changed or copied. SmartCard technology helps to protect your data. Accompanying software completes the functionality of your SmartCard.



Input devices and Security

Data Sheets: <http://www.fujitsu-siemens.com/keyboards>

Value and Business line keyboards

A keyboard is the most important interface between user and computer. Our basic and business line keyboards are designed to do the job. Reliable, effective and persevering.

Premium Line keyboards

If you expect more from your keyboard, please have a look on our Premium Line. These keyboards are designed for long working hours, endless codes to type and offer some specials you don't want to miss.

Mice

Mice for every working or private environmen. Vast range in different sizes, with or without cable, high precision technology, ergonomic and easy to use.

Security devices

Data are often inestimable worths. But they can be deleted, copied and changed in a short time by anyone. With Fujitsu Siemens Computers security devices the access to mobile and stationary systems is effectively secured.

Category	Description	Details	Code	End User Price (£)	Comments
Peripherals					
Keyboard /Mouse					
	Mouse Mini RF USB	MINI RF MOUSE USB, silver/black, retail package	S26381-K354-L100	13	Phased out
	KB SC GB value keyboard	KBSC value keyboard, Great-Britain, bright light grey, PS/2	S26381-K360-V165	11	
	KB SC USB GB	KB SC USB value keyboard, Great-Britain, bright light grey, USB	S26381-K361-L165	16	
	KBPC SX GB standard keyboard	KBPC SX, keyboard standard, England, cable (PS/2,2m), global design	S26381-K397-V165	15	
	KBPC SX USB GB	KBPC SX USB, keyboard standard, England, cable USB 2m, Global Design	S26381-K398-L165	19	
	KBPC PX GB professional keyboard	keyboard professional PS2 - USB, Great-Britain, global design, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PS2 and USB cable 2m included, blue LED	S26381-K340-V165	27	
	Optical Wheel Mouse Tilt USB/PS2	Optical Wheel Mouse Tilt, USB and PS2 interface with PS2-Adapter, Tilt-Wheel-Fuction, SW-CD, Manual, single packed in white box.	S26381-K415-L100	15	
	Keyboard cable PS2 4m round	with PS/2 plug; length 4m; for KBPC B,S,P,E,N,C,HK,P2	T26139-Y2530-V104	6	
	Keyboard cable with USB connector	Keyboard cable with USB and Western Plug lenght 2m; for KBPC SX, KBPC PX, KBPC NX	T26139-Y3812-V1	2	
	Keyboard cable with PS2 connector	with PS/2 plug; length 2m; for KBPC S2, SX, PX	T26139-Y4530-V1	2	



Positioning PRIMERGY Economy Servers



**PRIMERGY
Econel 100 S2**

PRIMERGY Econel servers are the best choice when funds are limited but server availability, performance, and uncomplicated operation are important. PRIMERGY Econel brings server performance at a price rivaling that of a PC!

PRIMERGY Econel servers ensure data security through ECC memory protection and integrated RAID disk mirroring. With its particularly low noise levels, the PRIMERGY Econel 100 S2 is the perfect system for any office environment.



**PRIMERGY
Econel 200 S2**

The Econel 200 S2 delivers performance, ease of use and expandability at an interesting price level. The Dual-/Quad-Core Xeon® processor combined with Intel® 5000V chipset supporting EM64 Technology. Proven server features ranging from ECC, memory scrubbing and SDDC support to RAID 1 (mirroring) controller onboard protect your data against loss and falsification.



**PRIMERGY
Econel 230 S1**

For datacenters where high Quad-Core AMD Opteron performance combined with memory addressability and entry price level is key. the cost-efficient PRIMERGY Econel 230R S1 extends the PRIMERGY Rack portfolio and focuses rather on basic than on standard feature set in comparison to RX330 S1. Econel 230R S1 is offering enough local storage capacity to be used as a stand-alone application server for customers with 19" rack focus who need dedicated application servers and for Server farms in scale-out environments.



PRIMERGY Econel 100 S2

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

PRIMERGY Econel 100 S2 - Mono socket economy tower - Server performance at a PC price level

PRIMERGY Econel servers are the best choice when funds are limited but server availability, performance, and uncomplicated operation are important.

PRIMERGY Econel only uses "server-certified components" developed for round-the-clock operation, at a price level rivaling that of a PC!

PRIMERGY Econel servers ensure data security through ECC memory protection and integrated RAID disk mirroring.

With its particularly low noise levels, the PRIMERGY Econel 100 S2 is the perfect system for any office environment.

PRIMERGY Econel "easy change" design principles make it possible for you to install or replace components without technical expertise.

And of course, the renowned and dependable PRIMERGY quality is ensured by applying the full set of PRIMERGY testing procedures to the Econel servers.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
PRIMERGY Econel 100 S2					
Primergy Econel 100 S2	Econel 100 S2, base unit, Mono-Socket Economy Server (Intel), Microtower, µBTX system board D2679-A, Intel 3200 chipset, 4x DIMM slots (max 8GB SDRAM DDR2 ECC 667/800 MHz - dual channel technology requires 2 identical modules), graphics / LAN (10/100/1000) on board, TPM 1.2, 4 slots (1x PCI, 1x PCI Express x1, x4,x8; 2 of them FlexySlots), 6 drive bays (2x 5.25" externally accessible, 4x 3.5", thereof 2x externally accessible), 4x serial ATA II ports (3GB/s/NCQ), Intel SW RAID 0/1 (LSI), 260W power supply, TPM 1.2 can be cancelled with S26361-F3436-E2, wheelmouse. , , Upgrade to 4 HDD is not possible. , , Interfaces: 1x serial external, 1x parallel external (optional), 2x PS/2, 6x USB 2.0 rear, , 2x USB 2.0 internal, 2x USB 2.0 in front, 1x monitor power outlet, 1x VGA, 1x LAN RJ45 , , Optional:, Lock in side panel, Intrusion switch	S26361-K1182-V101	211		
Primergy Econel 100 S2 4HDD	Econel 100 S2 4 HDD, base unit, Mono-Socket Economy Server (Intel), Microtower, µBTX system board D2679-A, Intel 3200 chipset, 4x DIMM slots (max 8GB SDRAM DDR2 ECC 667/800 MHz - dual channel technology requires 2 identical modules), graphics / LAN (10/100/1000) on board, TPM 1.2, 4 slots (1x PCI, 1x PCI Express x1, x4,x8; 2 of them FlexySlots), 8 drive bays (2x 5.25" externally accessible, 6x 3.5", thereof 2x externally accessible), 4x serial ATA II ports (3GB/s/NCQ), Intel SW RAID 0/1 (LSI), 300W power supply, rear fan 120mm, 4HDD cage, TPM 1.2 can be cancelled with S26361-F3436-E2, wheelmouse. , , Interfaces: 1x serial external, 1x parallel external (optional), 2x PS/2, 6x USB 2.0 rear, , 2x USB 2.0 internal, 2x USB 2.0 in front, 1x monitor power outlet, 1x VGA, 1x LAN RJ45 , , Optional:, Lock in side panel, Intrusion switch, PCI-Express LAN controller "Intel PRO/1000PT" PCIe x1 card	S26361-K1182-V201	258		



PRIMERGY Econel 230R S1

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Dual-Core AMD Opteron™ Processor 2000 series based Rack Server – Dual-Core performance combined with economy features
 For datacenters where high performance combined with memory addressability and entry price level is key. The cost-efficient PRIMERGY Econel 230R S1 extends the PRIMERGY RACK portfolio and focuses rather on basic than on standard feature set in comparison to RX330 S1. Econel 230R S1 is offering enough local storage capacity to be used as a stand-alone application server for customers with 19" rack focus who need dedicated application servers and for Server farms in scale-out environments. With two Dual-Core AMD Opteron™ processors of the 2000 series and up to 16 Gbytes DDR2-667 direct addressable memory, the PRIMERGY Econel 230R S1 matches your application requirements perfectly. Therefore the PRIMERGY Econel 230R S1 with its integrated up to six "easy change" or optional hot-plug SAS or SATA hard disks in combination with onboard disk mirroring function and sufficient free PCI slots for heavy I/O requirements, provides you with a budget saving platform.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
PRIMERGY Econel 230R S1					
PY Eco230RS1/O 2214	Rack mountable server 19" (2U) incl. power supply and universal rack mounting kit, 3 fans, dual systemboard with 1x Opteron 2000 processor, Base DDR2 667 RAM PC2-5300 ECC, SAS Backplane option for hot plug HDDs, server management and graphics controller onboard, dual channel GBit Ethernet LAN onboard, Fast-IDE controller (for 1xDVD) and SAS controller with 6 ports (IME included) onboard; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.		S26361-K1172-V114	788	
PY Eco230RS1/O 2216	Rack mountable server 19" (2U) incl. power supply and universal rack mounting kit, 3 fans, dual systemboard with 1x Opteron 2000 processor, Base DDR2 667 RAM PC2-5300 ECC, SAS Backplane option for hot plug HDDs, server management and graphics controller onboard, dual channel GBit Ethernet LAN onboard, Fast-IDE controller (for 1xDVD) and SAS controller with 6 ports (IME included) onboard; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.		S26361-K1172-V116	827	
PY Eco230RS1/O 2218	Rack mountable server 19" (2U) incl. power supply and universal rack mounting kit, 3 fans, dual systemboard with 1x Opteron 2000 processor, Base DDR2 667 RAM PC2-5300 ECC, SAS Backplane option for hot plug HDDs, server management and graphics controller onboard, dual channel GBit Ethernet LAN onboard, Fast-IDE controller (for 1xDVD) and SAS controller with 6 ports (IME included) onboard; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.		S26361-K1172-V118	918	
PY Eco230RS1/O 2344HE	Rack mountable server 19" (2U) incl. power supply and universal rack mounting kit, 3 fans, dual systemboard with 1x Opteron 2000 processor, Base DDR2 667 RAM PC2-5300 ECC, SAS Backplane option for hot plug HDDs, server management and graphics controller onboard, dual channel GBit Ethernet LAN onboard, Fast-IDE controller (for 1xDVD) and SAS controller with 6 ports (IME included) onboard; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.		S26361-K1172-V130	831	
PY Eco230RS1/O 2346HE	Rack mountable server 19" (2U) incl. power supply and universal rack mounting kit, 3 fans, dual systemboard with 1x Opteron 2000 processor, Base DDR2 667 RAM PC2-5300 ECC, SAS Backplane option for hot plug HDDs, server management and graphics controller onboard, dual channel GBit Ethernet LAN onboard, Fast-IDE controller (for 1xDVD) and SAS controller with 6 ports (IME included) onboard; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.		S26361-K1172-V131	886	
PY Eco230RS1/O 2347HE	Rack mountable server 19" (2U) incl. power supply and universal rack mounting kit, 3 fans, dual systemboard with 1x Opteron 2000 processor, Base DDR2 667 RAM PC2-5300 ECC, SAS Backplane option for hot plug HDDs, server management and graphics controller onboard, dual channel GBit Ethernet LAN onboard, Fast-IDE controller (for 1xDVD) and SAS controller with 6 ports (IME included) onboard; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.		S26361-K1172-V132	1042	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
PRIMERGY Software (Continued)																	
	Altiris Server Management Suite - L1 AUP	Annual upgrade protection for Mangement Suite (to be ordered for each system)	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C271	26	
	MS Device CAL for Win Server 2003, GB	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) GB		x	x	x		x	x	x				x	S26361-F2565-L610	20	
	MS 1 Device CAL for Win Server 2003, D	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) D		x	x	x		x	x	x				x	S26361-F2565-L611	20	
	MS 1 Device CAL for Win Server 2003, F	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) F		x	x	x		x	x	x				x	S26361-F2565-L613	20	
	MS 5 Device CAL for Win Server 2003, GB	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) GB		x	x	x		x	x	x				x	S26361-F2565-L650	74	
	MS 5 Device CAL for Win Server 2003, D	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) D		x	x	x		x	x	x				x	S26361-F2565-L651	74	
	MS 5 Device CAL for Win Server 2003, I	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) I		x	x	x		x	x	x				x	S26361-F2565-L652	74	
	MS 5 Device CAL for Win Server 2003, F	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) F		x	x	x		x	x	x				x	S26361-F2565-L653	74	
	MS 5 Device CAL for Win Server 2003, E	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) E		x	x	x		x	x	x				x	S26361-F2565-L654	74	
	MS 1 User CAL for Win Server 2003, GB	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) GB		x	x	x		x	x	x				x	S26361-F2565-L620	20	
	MS 1 User CAL for Win Server 2003, D	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) D		x	x	x		x	x	x				x	S26361-F2565-L621	20	
	MS 1 User CAL for Win Server 2003, I	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) I		x	x	x		x	x	x				x	S26361-F2565-L622	20	
	MS 1 User CAL for Win Server 2003, F	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) F		x	x	x		x	x	x				x	S26361-F2565-L623	20	
	MS 5 User CAL for Win Server 2003, GB	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) GB		x	x	x		x	x	x				x	S26361-F2565-L660	74	
	MS 5 User CAL for Win Server 2003, D	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) D		x	x	x		x	x	x				x	S26361-F2565-L661	74	
	MS 5 User CAL for Win Server 2003, I	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) I		x	x	x		x	x	x				x	S26361-F2565-L662	74	
	MS 5 User CAL for Win Server 2003, F	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) F		x	x	x		x	x	x				x	S26361-F2565-L663	74	
	MS 5 User CAL for Win Server 2003, E	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) E		x	x	x		x	x	x				x	S26361-F2565-L664	74	
	MS 5 Device TS-CAL Win Server 2003, GB	Microsoft Device Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 Device TS-CAL Version, GB						x	x	x				x	S26361-F2565-L670	242	
	MS 5 Device TS-CAL Win Server 2003, D	Microsoft Device Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 Device TS-CAL Version, D						x	x	x				x	S26361-F2565-L671	242	
	MS 5 User TS-CAL Win Server 2003, GB	Microsoft User Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 User TS-CAL Version, GB		x	x	x		x	x	x				x	S26361-F2565-L680	242	
	MS 5 User TS-CAL Win Server 2003, D	Microsoft User Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 User TS-CAL Version, D		x	x	x		x	x	x				x	S26361-F2565-L681	242	
	MS 5 Device CAL for Win SBS 2003	Microsoft Device Client License Pack for Windows Small Business Server 2003 products, Standard, Premium Edition, 32bit (5 Device CAL Version) multi-language CAL for GB, D, I, F, E		x	x	x			x	x					S26361-F2565-L690	254	
	MS 5 User CAL for Win SBS 2003	Microsoft User Client License Pack for Windows Small Business Server 2003 products, Standard, Premium Edition, 32bit (5 User CAL Version) multi-language CAL for GB, D, I, F, E		x	x	x			x	x					S26361-F2565-L691	254	
	SUSE Linux ES 9 x86 and x86_64 Media Kit	SUSE Linux Enterprise Server 9 for x86 and for AMD64 and Intel EM64T media kit		x	x	x		x	x	x				x	S26361-F2346-L109	67	
	SUSE Linux ES 32-CPU +1Y	SUSE Linux Enterprise Server for all platforms 1-Server up to 32-CPU sockets 1-Year subscription (renewal)						x	x	x				x	S26361-F2346-L111	182	
	SUSE Linux ES 1-CPU +1Y	SUSE Linux Enterprise Server for all platforms 1-Server with 1-CPU sockets 1-Year subscription (renewal)		x	x	x									S26361-F2346-L181	114	
	SUSE Linux ES 10 x86 and x86_64 Media	SUSE Linux Enterprise Server 10 for x86, AMD64 and Intel EM64T media kit		x	x	x		x							S26361-F2346-L192	67	
	ServerView Integration V2.0	ServerView Integration V2.0 CD and node licence for HP OpenView NNM and Operations IBM NetView and ServerView Plus TEC&Inventory		x	x	x	x	x	x	x	x	x	x	x	U15051-C108	78	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
PRIMERGY Software (Continued)																	
	Red Hat EL 2-CPU 5x9 I3 support +1Y	Red Hat Enterprise Linux up to 2-CPU sockets for all platforms 5x9 level3 support 1-Server 1-Year renewal	x	x	x									x	S26361-F2346-L211	284	
	Red Hat EL 5 SRV x86 & x86_64 Media Kit	Red Hat Enterprise Linux ES 5 Server media kit for x86 & x86_64.								x					S26361-F2346-L292	39	
	debian4you media kit	debian4you Media Kit (current version) for x86 and x86_64	x	x	x			x	x	x					S26361-F2346-L400	35	
	debian4you Basic Support 1Y	debian4you Basic (email) Support Subscription for x86 and x86_64 1-Server 1-Year	x	x	x			x	x	x					S26361-F2346-L411	153	
	debian4you Basic Support 3Y	debian4you Basic (email) Support Subscription for x86 and x86_64 1-Server 3-Years	x	x	x			x	x	x					S26361-F2346-L412	387	
	debian4you Standard Support 1Y	debian4you Standard (5x9) Support Subscription for x86 and x86_64 1-Server 1-Year	x	x	x			x	x	x					S26361-F2346-L415	387	
	debian4you Standard Support 3Y	debian4you Standard (5x9) Support Subscription for x86 and x86_64 1-Server 3-Years	x	x	x			x	x	x					S26361-F2346-L416	1093	
	debian4you Premium Support 1Y	debian4you Premium (7x24) Support Subscription for x86 and x86_64 1-Server 1-Year	x	x	x			x	x	x					S26361-F2346-L417	773	
	debian4you Premium Support 3Y	debian4you Premium (7x24) Support Subscription for x86 and x86_64 1-Server 3-Years	x	x	x			x	x	x					S26361-F2346-L418	1944	
	Win Server 2008 Standard ROK	Windows Server 2008 Standard ROK (1-4 CPU), ML, Only for distributors with ROK Agreement. , Includes: Hyper-V, 1 Virtual Use Right, 5 CALs, 32-bit/x64, x86: 4 sockets, 4 GB RAM, x64: 4 sockets, 32 GB RAM, Languages: CZ,D,E,F,GB,HU,I,NL,PL,PT,RU,SE,TR, OEM DVD, license, manual		x						x	x				S26361-F2565-L110	375	
	Win Server 2003 R2, ROK SE SP2, GB	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x			x	x	x			x		S26361-F2565-L230	361	
	Win Server 2003 R2, ROK SE SP2, D	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x			x	x	x			x		S26361-F2565-L231	391	
	Win Server 2003 R2, ROK SE SP2, I	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x			x	x	x			x		S26361-F2565-L232	391	
	Win Server 2003 R2, ROK SE SP2, F	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x				x	x	x			x		S26361-F2565-L233	391	
	Win Server 2003 R2, ROK SE SP2, E	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x			x	x	x			x		S26361-F2565-L234	391	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
PRIMERGY Software (Continued)																	
	Win Server 2003 R2, ROK SE SP2, CZ	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x			x	x	x				x	S26361-F2565-L235	391	
	Win Server 2003 R2, ROK SE SP2, PL	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x			x	x	x				x	S26361-F2565-L236	391	
	Win Server 2003 R2, ROK SE SP2, RUS	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x			x	x	x				x	S26361-F2565-L237	391	
	Win Server 2003 R2, ROK SE x64 SP2, GB	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x			x	x	x				x	S26361-F2565-L270	382	
	Win Server 2003 R2, ROK SE x64 SP2, D	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x			x	x	x				x	S26361-F2565-L271	391	
	Win Server 2003 R2, ROK SE x64 SP2, I	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x			x	x	x				x	S26361-F2565-L272	391	
	Win Server 2003 R2, ROK SE x64 SP2, F	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x			x	x	x				x	S26361-F2565-L273	391	
	Win Server 2003 R2, ROK SE x64 SP2, E	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x			x	x	x				x	S26361-F2565-L274	391	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
PRIMERGY Software (Continued)																	
	Win SBS 2003 R2, ROK SE SP2, GB	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x			x	x	x					S26361-F2565-L250	222	
	Win SBS 2003 R2, ROK SE SP2, D	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x			x	x	x					S26361-F2565-L251	242	
	Win SBS 2003 R2, ROK SE SP2, I	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x			x	x	x					S26361-F2565-L252	242	
	Win SBS 2003 R2, ROK SE SP2, F	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x			x	x	x					S26361-F2565-L253	242	
	Win SBS 2003 R2, ROK SE SP2, E	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x			x	x	x					S26361-F2565-L254	242	
	Win SBS 2003 R2, ROK SE SP2, CZ	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x			x	x	x					S26361-F2565-L255	242	
	Win SBS 2003 R2, ROK PREMIUM SP2, GB	The Windows Small Business Server 2003 R2 ROK Premium Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x			x	x	x					S26361-F2565-L260	475	
	Win SBS 2003 R2, ROK PREMIUM SP2, D	The Windows Small Business Server 2003 R2 ROK Premium Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x			x	x	x					S26361-F2565-L261	511	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
PRIMERGY Software (Continued)																	
	Win SBS 2003 R2, ROK PREMIUM SP2, I	The Windows Small Business Server 2003 R2 ROK Premium Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x			x	x	x					S26361-F2565-L262	511	
OS/Application-SW																	
	ARCserve r11.5 Media Kit	BrightStor ARCserve Backup r11.5 Media Kit, 1 x BAB r11.5 CD f. Windows, 1 x BAB r11.5 CD f. Linux, 1 x BAB r11.5 Agent CD	x	x	x			x	x	x	x	x	x	x	U15355-C732	20	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 1 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x			x	x	x	x	x	x	x	U15260-C10	1990	
	CA XOssoft WANSync FS Std. OS	CA XOssoft WANSync File Server Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x			x	x	x	x	x	x	x	U15260-C300	1672	
	CA XOssoft WANSync AS Std. OS	CA XOssoft WANSync Application Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. Offers data replication for Windows Servers and database/email applications. Product includes 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x			x	x	x	x	x	x	x	U15260-C308	2548	
	CA XOssoft WANSyncHA FS Std. OS	CA XOssoft WANSyncHA File Server Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x			x	x	x	x	x	x	x	U15260-C400	2548	
	CA XOssoft WANSyncHA AS Std. OS	CA XOssoft WANSyncHA Application Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers and database/email applications. Product includes 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x			x	x	x	x	x	x	x	U15260-C408	3663	
	XOssoft r12 Replication FS Std. OS	XOssoft r12 Replication File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. The product offers data replication for Windows File Servers. It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition), Content: 1x Media Kit and 1x License for one server., More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: ----- ---, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software: Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit), A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x			x	x	x	x	x	x	x	U15260-C600	1247	
	XOssoft r12 HighAvailability FS Std. OS	XOssoft r12 High Availability File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. The product offers data replication and high availability for Windows File Servers. It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition), Content: 1x Media Kit and 1x License for one server., More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: ----- ---, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software: Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit), A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x			x	x	x	x	x	x	x	U15260-C616	1900	
	CA ARCserve r12 Base for Windows	Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/rij/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/rij/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x			x	x	x	x	x	x	x	U15355-C2000	631	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																		
	UP CA ARCServe r12 Basis for Windows	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12.---, Basic component of CA ARCServe Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCServe r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCServe r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	x	U15355-C2000-U	473	
	1Yr Mnt ARCServe WIN (Basic)	BrightStor ARCServe Backup for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C400U1	158		
	3Yr Mnt ARCServe WIN (Basic)	BrightStor ARCServe Backup for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C400U3	474		
	BrightStor ARCServe Backup for Laptops	BrightStor ARCServe Backup for Laptops and Desktops Release 11.1 for 10 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C426	393		
	ARCServe r11.5 for Windows 2000/2003	Basic component for backup/restore of one or more servers. BrightStor ARCServe Backup r11.5 is for Windows 2000/2003 certified and released! ARCServe r11.5 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots. For every further Windows server will be needed a further ARCServe r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C700	615		
	UP ARCServe r11.5 for Windows 2000/2003	ARCServe r11.5 for Windows Upgrade from ARCServe v9, r11.0 or r11.1 for Windows!! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C700-U	461		
	ARCServe r11.5 for MS SBS Standard	BrightStor ARCServe Backup r11.5 for Microsoft Small Business Server Standard Edition (existing of basic, Exchange agent, Open File Agent, Volume Shadow Copy Service Agent and Share Point Portal Agent). Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C750	393		



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																	
	ARCserve r11.5 for Linux	BrightStor ARCserve r11.5 for Linux! Basic component for backup/restore of one server or in consumption with clients of more servers, too. Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C800	615	
	UP ARCserve r11.5 for Linux	ARCserve r11.5 for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C800-U	461	
	1Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C800U1	158	
	3Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C800U3	473	
	BSRM for Windows incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) is a cross-platform data storage management solution that monitors, analyzes, schedules and automates networked storage resources across distributed and mainframe environments. Delivery of BrightStor Storage Resource Manager inclusive 1 Year CA Enterprise Maintenance. U15355-C900 is a prerequisite for all other BrightStor SRM products.	x	x	x		x	x	x		x	x	x	x	U15355-C900	2376	
	BrightStor SAN Manager incl 1yr Mnt	BrightStor SAN Manager is a business centric SAN Management solution, that simplifies monitoring and management of complex networked storage resources. With BrightStor SAN Manager you will cover, configure and administrate business centric complex SAN infrastructures. This BrightStor SAN Manager product includes 1 Year CA Enterprise Maintenance.	x	x	x		x	x	x		x	x	x	x	U15355-C920	4757	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 1 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x		x	x	x		x	x	x	x	U15260-C11	2787	
	CA XOssoft WANSync FS Std. OS	CA XOssoft WANSync File Server Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server. More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x		x	x	x		x	x	x	x	U15260-C301	2340	
	CA XOssoft WANSync AS Std. OS	CA XOssoft WANSync Application Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. Offers data replication for Windows Servers and database/email applications. Product includes 1x Media Kit and 1x License for one server. More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x		x	x	x		x	x	x	x	U15260-C309	3567	
	CA XOssoft WANSyncHA FS Std. OS	CA XOssoft WANSyncHA File Server Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server. More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x		x	x	x		x	x	x	x	U15260-C401	3567	
	CA XOssoft WANSyncHA AS Std. OS	CA XOssoft WANSyncHA Application Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers and database/email applications. Product includes 1x Media Kit and 1x License for one server. More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x		x	x	x		x	x	x	x	U15260-C409	5128	
	XOssoft r12 Replication FS Std. OS	XOssoft r12 Replication File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. The product offers data replication for Windows File Servers. It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition). Content: 1x Media Kit and 1x License for one server. More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: --- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software: Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit). A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x		x	x	x	x	U15260-C601	1745	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)	XOsoft r12 HighAvailability FS Std. OS	XOsoft r12 High Availability File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows File Servers. . . It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition). . . Content: 1x Media Kit and 1x License for one server. . . More product information at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . . System Requirements: . . . Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit). . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C617	2660	
	CA ARCserve r12 WIN Tape Library Option	CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows). https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows). https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2001	810	
	UP CA ARCserve r12 WIN Tape Library Opt.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---. CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows). https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows). https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2001-U	608	
	1Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C401U1	202	
	3Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C401U3	607	
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 100 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . , CA Compatibility Matrix (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C427	2377	
	ARCserve r11.5 WIN Tape Library Option	ARCserve r11.5 Tape Library Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Required for jukeboxes with several drives! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . , CA Compatibility Matrix (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C701	790	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																	
	UP ARCserve r11.5 Tape Library Option	ARCserve r11.5 for Windows Tape Library Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C701-U	592	
	ARCserve r11.5 for MS SBS Premium	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Premium Edition (existing of basic, Exchange agent, Open File agent, SQL agent, Volume Shadow Copy Service agent and Share Point Portal agent). Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C751	552	
	ARCserve r11.5 LX Tape Library Option	BrightStor ARCserve r11.5 for Linux Tape Library Option! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C801	790	
	UP ARCserve r11.5 LX Tape Library Option	ARCserve r11.5 for Linux Upgrade Tape Library Option from ARCserve v9, r11.0 or r11.1 Tape Library Option for Linux! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C801-U	592	
	1Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C801U1	202	
	3Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C801U3	608	
	BSRM Managed Srv Windows incl. 1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Windows inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x		x	x	x		x	x	x	x	U15355-C901	471	
	Proxy for Windows incl 1yr Mnt	BrightStor SAN Manager Proxy for Windows inclusive 1 Year CA Enterprise Maintenance! For each further monitoring Windows server!	x	x	x		x	x	x		x	x	x	x	U15355-C921	471	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 10 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x		x	x	x		x	x	x	x	U15260-C12	19905	
	CA XOssoft WANSync FS Ent. OS	CA XOssoft WANSync File Server Suite Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x		x	x	x		x	x	x	x	U15260-C302	2548	
	CA XOssoft WANSync AS Ent. OS	CA XOssoft WANSync Application Suite Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. Offers data replication for Windows Servers and database/email applications. Product includes: 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x		x	x	x		x	x	x	x	U15260-C310	3821	
	CA XOssoft WANSyncHA FS Ent. OS	CA XOssoft WANSyncHA File Server Suite Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x		x	x	x		x	x	x	x	U15260-C402	3663	
	CA XOssoft WANSyncHA AS Ent. OS	CA XOssoft WANSyncHA Application Suite Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers and database/email applications. Product includes: 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x		x	x	x		x	x	x	x	U15260-C410	5733	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																		
	XOsoft r12 Replication FS Ent. OS	XOsoft r12 Replication File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication for Windows File Servers. . It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . System Requirements: Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x			x	x	x					x	U15260-C602	1900	
	XOsoft r12 HighAvailability FS Ent. OS	XOsoft r12 High Availability File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows File Servers. . It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . System Requirements: Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x			x	x	x					x	U15260-C618	2731	
	CA ARCserve r12 WIN SAN Option	CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option. The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows). https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows). https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x			x	x	x					x	U15355-C2002	1298	
	UP CA ARCserve r12 WIN SAN Option	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---. CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option. The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows). https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows). https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x			x	x	x					x	U15355-C2002-U	974	
	1Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x			x	x	x					x	U15355-C402U1	263	
	3Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x			x	x	x					x	U15355-C402U3	790	
	1Yr Mnt ARCserve WIN LAPD 10 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 10 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x			x	x	x					x	U15355-C426U1	101	
	ARCserve r11.5 WIN Optical Library Opt.	ARCserve r11.5 Optical Library Option for Windows: works with ARCserve r11.5 base! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x			x	x	x					x	U15355-C702	1028	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																	
	UP ARCserve r11.5 Optical Library Option	ARCserve r11.5 for Windows Optical Library Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdln.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C702-U	771	
	1Yr Mnt ARCserve WIN SBS Standard	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Standard - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C750U1	101	
	ARCserve r11.5 LX NAS Option	BrightStor ARCserve r11.5 for Linux NDMP NAS Option! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdln.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C802	790	
	UP ARCserve r11.5 LX NAS Option	ARCserve r11.5 for Linux Upgrade NAS Option from ARCserve v9, r11.0 or r11.1 NAS Option for Linux! Hardware and operating system dependent extract from the following link. CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdln.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C802-U	592	
	1Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C802U1	202	
	3Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C802U3	608	
	BSRM Opt MS Exchange incl. 1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft Exchange inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x		x	x	x		x	x	x	x	U15355-C902	948	
	Proxy for Linux incl 1yr Mnt	BrightStor SAN Manager Proxy for Linux inclusive 1 Year CA Enterprise Maintenance! For each further monitoring Linux server!	x	x	x		x	x	x		x	x	x	x	U15355-C922	471	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 10 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x		x	x	x		x	x	x	x	U15260-C13	27867	
	CA XOssoft WANSync FS Ent. OS	CA XOssoft WANSync File Server Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More information at: http://extranet.fujitsu-siemens.com/wansync	x	x	x		x	x	x		x	x	x	x	U15260-C303	3567	
	CA XOssoft WANSync AS Ent. OS	CA XOssoft WANSync Application Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. Offers data replication for Windows Servers and database/email applications. Product includes 1x Media Kit and 1x License for one server., More information at: http://extranet.fujitsu-siemens.com/wansync	x	x	x		x	x	x		x	x	x	x	U15260-C311	5351	
	CA XOssoft WANSyncHA FS Ent. OS	CA XOssoft WANSyncHA File Server Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More information at: http://extranet.fujitsu-siemens.com/wansync	x	x	x		x	x	x		x	x	x	x	U15260-C403	5128	
	CA XOssoft WANSyncHA AS Ent. OS	CA XOssoft WANSyncHA Application Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers and database/email applications. Product includes 1x Media Kit and 1x License for one server., More information at: http://extranet.fujitsu-siemens.com/wansync	x	x	x		x	x	x		x	x	x	x	U15260-C411	8025	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																	
	XOsoft r12 Replication FS Ent. OS	XOsoft r12 Replication File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication for Windows File Servers. . It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . System Requirements: ----- ---. Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x		x	x	x	x	U15260-C603	2660	
	XOsoft r12 HighAvailability FS Ent. OS	XOsoft r12 High Availability File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. . The product offers data replication and high availability for Windows File Servers. . It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . System Requirements: ----- ---. Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x		x	x	x	x	U15260-C619	3823	
	CA ARCserve r12 WIN Disaster Recovery O.	CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2003	566	
	UP CA ARCserve r12 WIN Disaster Rec. Op.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---. CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2003-U	425	
	1Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C403U1	325	
	3Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C403U3	974	
	3Yr Mnt ARCserve WIN LAPD 10 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 10 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C426U3	302	
	ARCserve r11.5 WIN SAN Option	ARCserve r11.5 Storage Area Network (SAN) Option for Windows; works with ARCserve r11.5 basic! Includes one Tape Library Option! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cd.asp . CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C703	1266	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																	
	UP ARCserve r11.5 SAN Option	ARCserve r11.5 for Windows Storage Area Network Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdil.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C703-U	949	
	3Yr Mnt ARCserve WIN SBS Standard	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Standard - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C750U3	302	
	ARCserve r11.5 LX Oracle Agent	BrightStor ARCserve r11.5 for Linux Agent for Oracle! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdil.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C803	790	
	UP ARCserve r11.5 LX Oracle Agent	ARCserve r11.5 for Linux Upgrade Oracle Agent from ARCserve v9, r11.0 or r11.1 Oracle Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdil.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C803-U	592	
	1Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C803U1	202	
	3Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C803U3	608	
	BSRM Opt MS SQL Srv incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft SQL Server inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x		x	x	x		x	x	x	x	U15355-C903	948	
	Proxy for Solaris incl 1yr Mnt	BrightStor SAN Manager Proxy for Solaris inclusive 1 Year CA Enterprise Maintenance! For each further monitoring Solaris server!	x	x	x		x	x	x		x	x	x	x	U15355-C923	948	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 50 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x		x	x	x		x	x	x	x	U15260-C14	39810	
	CA XOssoft WANSync FS Cluster	CA XOssoft WANSync File Server Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x		x	x	x		x	x	x	x	U15260-C304	1592	
	CA XOssoft WANSync AS Cluster	CA XOssoft WANSync Application Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x		x	x	x		x	x	x	x	U15260-C312	2229	
	CA XOssoft WANSyncHA FS Cluster	CA XOssoft WANSyncHA File Server Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x		x	x	x		x	x	x	x	U15260-C404	2389	
	CA XOssoft WANSyncHA AS Cluster	CA XOssoft WANSyncHA Application Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x		x	x	x		x	x	x	x	U15260-C412	2867	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																	
	XOsoft r12 Replication FS Cluster	XOsoft r12 Replication File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , The product offers data replication for Windows File Servers. , It supports only Windows Clusters. Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: ----- ---, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x		x	x	x	x	U15260-C604	1187	
	XOsoft r12 HighAvailability FS Cluster	XOsoft r12 High Availability File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Clusters. Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: ----- ---, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x		x	x	x	x	U15260-C620	1781	
	CA ARCserve r12 WIN NDMP NAS Option	CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2004	810	
	UP CA ARCserve r12 WIN NDMP NAS Option	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2004-U	608	
	1Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C404U1	325	
	3Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C404U3	974	
	1Yr Mnt ARCserve WIN LAPD 100 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 100 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C427U1	610	
	ARCserve r11.5 WIN Serverless BackupOpt	ARCserve r11.5 Serverless Backup Option for Windows; works with ARCserve r11.5 basic and ARCserve r11.5 SAN Option! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cd.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C704	1266	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																	
	UP ARCserve r11.5 Serverless Backup Opt.	ARCserve r11.5 for Windows Serverless Backup Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C704-U	949	
	1Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 1 year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C751U1	141	
	ARCserve r11.5 LX SQL Agent	BrightStor ARCserve r11.5 for Linux Agent for MySQL! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C804	790	
	UP ARCserve r11.5 LX SQL Agent	ARCserve r11.5 for Linux Upgrade SQL Agent from ARCserve v9, r11.0 or r11.1 SQL Agent for Linux! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C804-U	592	
	1Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C804U1	202	
	3Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C804U3	608	
	BSRM Opt Oracle incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Oracle inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x		x	x	x		x	x	x	x	U15355-C904	948	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 50 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x		x	x	x		x	x	x	x	U15260-C15	55733	
	CA XOssoft WANSync FS Cluster	CA XOssoft WANSync File Server Suite forMicrosoft Cluster - inclusive 3 Years CA Enterprise Maintenance., Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at; http://extranet.fujitsu-siemens.com/wansync	x	x	x		x	x	x		x	x	x	x	U15260-C305	2229	
	CA XOssoft WANSync AS Cluster	CA XOssoft WANSync Application Suite for Microsoft Cluster - inclusive 3 Years CA Enterprise Maintenance., Offers data replication for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., More informationen at; http://extranet.fujitsu-siemens.com/wansync	x	x	x		x	x	x		x	x	x	x	U15260-C313	3121	
	CA XOssoft WANSyncHA FS Cluster	CA XOssoft WANSyncHA File Server Suite forMicrosoft Cluster - inclusive 3 Years CA Enterprise Maintenance., Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at; http://extranet.fujitsu-siemens.com/wansync	x	x	x		x	x	x		x	x	x	x	U15260-C405	3344	
	CA XOssoft WANSyncHA AS Cluster	CA XOssoft WANSyncHA Application Suite for Microsoft Cluster - inclusive 3 Years CA Enterprise Maintenance., Offers data replication and high availability for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., More informationen at; http://extranet.fujitsu-siemens.com/wansync	x	x	x		x	x	x		x	x	x	x	U15260-C413	4013	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																	
	XOsoft r12 Replication FS Cluster	XOsoft r12 Replication File Server Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication for Windows File Servers. . It supports only Windows Clusters. Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: ----- ---, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x		x	x	x	x	U15260-C605	1662	
	XOsoft r12 HighAvailability FS Cluster	XOsoft r12 High Availability File Server Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows File Servers. . It supports only Windows Clusters. Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: ----- ---, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x		x	x	x	x	U15260-C621	2494	
	CA ARCserve r12 WIN Open Files Agent	CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2005	648	
	UP CA ARCserve r12 WIN Open Files Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2005-U	486	
	1Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C405U1	141	
	3Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C405U3	424	
	3Yr Mnt ARCserve WIN LAPD 100 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 100 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C427U3	1829	
	ARCserve r11.5 WIN Disaster Recovery Opt	ARCserve r11.5 Disaster Recovery Option for Windows; works with ARCserve r11.5 basic! Provides a fast and easy recovery of a downed server! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cd1.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C705	552	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																	
	UP ARCserve r11.5 Disaster Recovery Opt.	ARCserve r11.5 for Windows Disaster Recovery Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdil.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C705-U	413	
	3Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C751U3	424	
	ARCserve r11.5 LX Apache Web Server Agt.	BrightStor ARCserve r11.5 for Linux Agent for Apache Web Server! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdil.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C805	790	
	UP ARCserve r11.5 LX Apache Web Server	ARCserve r11.5 for Linux Upgrade Apache Web Server Agent from ARCserve v9, r11.0 or r11.1 Apache Web Server Agent for Linux! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdil.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C805-U	592	
	1Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C805U1	202	
	3Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C805U3	608	
	BSRM Managed Srv Linux incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Linux inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x		x	x	x		x	x	x	x	U15355-C905	471	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 200 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x		x	x	x		x	x	x	x	U15260-C16	79619	
	CA XOssoft WANSync FS Virtual Machine	CA XOssoft WANSync File Server Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at; http://extranet.fujitsu-siemens.com/wansync	x	x	x		x	x	x		x	x	x	x	U15260-C306	1274	
	CA XOssoft WANSync AS Virtual Machine	CA XOssoft WANSync Application Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., More informationen at; http://extranet.fujitsu-siemens.com/wansync	x	x	x		x	x	x		x	x	x	x	U15260-C314	1433	
	CA XOssoft WANSyncHA FS Virtual Machine	CA XOssoft WANSyncHA File Server Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at; http://extranet.fujitsu-siemens.com/wansync	x	x	x		x	x	x		x	x	x	x	U15260-C406	1592	
	CA XOssoft WANSyncHA Virtual Machine	CA XOssoft WANSyncHA Application Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., More informationen at; http://extranet.fujitsu-siemens.com/wansync	x	x	x		x	x	x		x	x	x	x	U15260-C414	2389	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)	XOsoft r12 Replication FS Virt. Machine	XOsoft r12 Replication File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication for Windows File Servers. . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation). Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . System Requirements: ----- ---, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x	x	x	x	x	x	U15260-C606	950	
	XOsoft r12 HighAvailability FS Virt. Ma.	XOsoft r12 High Availability File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication and high availabilityfor Windows File Servers. . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation). Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . System Requirements: ----- ---, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x	x	x	x	x	x	U15260-C622	1187	
	CA ARCserve r12 WIN IBM Informix Agent	CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client . CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows). https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html . CA Compatibility Matrix (Windows). https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x	x	x	x	x	x	U15355-C2006	1055	
	UP CA ARCserve r12 WIN IBM Informix Ag.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! . CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows). https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html . CA Compatibility Matrix (Windows). https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x	x	x	x	x	x	U15355-C2006-U	791	
	1Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x	x	x	x	x	x	U15355-C406U1	202	
	3Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x	x	x	x	x	x	U15355-C406U3	607	
	ARCserve r11.5 WIN Image Option	ARCserve r11.5 Image Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cd.asp . CA Compatibility Matrix (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x	x	x	x	x	x	U15355-C706	790	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																	
	UP ARCserve r11.5 Image Option	ARCserve r11.5 for Windows Image Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!; Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C706-U	592	
	ARCserve r11.5 LX Client Agent for UNIX	BrightStor ARCserve r11.5 Client Agent for UNIX!!Hardware and operating system dependent extract from the following link.; CA Certified Device List (Linux). https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp , CA Compatibility Matrix (Linux). https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C806	313	
	UP ARCserve r11.5 LX Client Agent UNIX	ARCserve r11.5 for Linux Upgrade Client Agent for UNIX from ARCserve v9, r11.0 or r11.1 Client Agent for UNIX Hardware and operating system dependent extract from the following link.; CA Certified Device List (Linux). https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp , CA Compatibility Matrix (Linux). https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C806-U	235	
	1Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C806U1	80	
	3Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C806U3	241	
	BSRM Managed Srv NW incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for NetWare inclusive 1 Year CA Enterprise Maintenance Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C906	471	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows -200 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C17	111467	
	CA XOssoft WANSync FS Virtual Machine	CA XOssoft WANSync File Server Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at.; http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C307	1783	
	CA XOssoft WANSync AS Virtual Machine	CA XOssoft WANSync Application Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at.; http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C315	2006	
	CA XOssoft WANSyncHA FS Virtual Machine	CA XOssoft WANSyncHA File Server Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at.; http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C407	2229	
	CA XOssoft WANSyncHA AS Virtual Machine	CA XOssoft WANSyncHA Application Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , Offers data replicationand high availability for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at.; http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C415	3344	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
Accessories & services matrix OS/Application-SW (Continued)	XOsoft r12 Replication FS Virt. Machine	XOsoft r12 Replication File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication for Windows File Servers. . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation). Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: ----- ---, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x		x	x	x	x	U15260-C607	1330	
	XOsoft r12 HighAvailability FS Virt. Ma.	XOsoft r12 High Availability File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication and high availabilityfor Windows File Servers. . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation). Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: ----- ---, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x		x	x	x	x	U15260-C623	1662	
	CA ARCserve r12 WIN MS Exchange Agent	CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2007	810	
	UP CA ARCserve r12 WIN MS Exchange Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2007-U	608	
	1Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C407U1	202	
	3Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C407U3	607	
	ARCserve r11.5 WIN NAS Option	ARCserve r11.5 Network Attached Storage (NAS) Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Backups a NAS unit with NDMP on a locally connected tape library. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cd.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C707	790	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																	
	UP ARCserve r11.5 NAS Option	ARCserve r11.5 for Windows NDMP Network Attached Storage (NAS) Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released. Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C707-U	592	
	ARCserve r11.5 LX Client Agent for Linux	BrightStor ARCserve r11.5 Client Agent for Linux! Hardware and operating system dependent extract from the following link., CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp , , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C807	198	
	UP ARCserve r11.5 LX Client Agent Linux	ARCserve r11.5 for Linux Upgrade Client Agent for Linux from ARCserve v9, r11.0 or r11.1 Client Agent for Linux Hardware and operating system dependent extract from the following link.; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp , , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C807-U	149	
	1Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C807U1	51	
	3Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C807U3	152	
	XOsoft r12 Replication APP Std. OS	XOsoft r12 Replication for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication for Windows Application Servers. . It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition). . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, . Content: 1x Media Kit and 1x License for one server., . More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , . System Requirements: ---, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x		x	x	x	x	U15260-C608	1900	
	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows Application Servers. . It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition). . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, . Content: 1x Media Kit and 1x License for one server., . More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , . System Requirements: ---, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x		x	x	x	x	U15260-C624	2731	
	CA ARCserve r12 WIN Lotus/Domino Agent	CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! . CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link.; CA Certified Device List (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , , CA Compatibility Matrix (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2008	810	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																	
	UP CA ARCServe r12 WIN Lotus/Domino Ag.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12.---, CA ARCServe r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCServe Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link: , CA Certified Device List (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2008-U	608	
	1Yr Mnt ARCServe WIN RAID Opt.	BrightStor ARCServe Backup for Windows RAID Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C408U1	202	
	3Yr Mnt ARCServe WIN RAID Opt.	BrightStor ARCServe Backup for Windows RAID Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C408U3	607	
	ARCServe r11.5 WIN Tape RAID Option	ARCServe r11.5 Tape RAID Option for Windows; works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link: , CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C708	790	
	UP ARCServe r11.5 Tape RAID Option	ARCServe r11.5 for Windows Tape RAID Option Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! , Hardware and operating system dependent extract from the following link: , CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C708-U	592	
	ARCServe r11.5 LX Client Agent NetWare	BrightStor ARCServe r11.5 Client Agent for NetWare! Hardware and operating system dependent extract from the following link: , CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C808	313	
	UP ARCServe r11.5 LX Client AgentNetWare	ARCServe r11.5 for Linux Upgrade Client Agent for NetWare from ARCServe v9, r11.0 or r11.1 Client Agent for NetWare Hardware and operating system dependent extract from the following link: , CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C808-U	235	
	1Yr Mnt ARCServe LX Client Agent NW	BrightStor ARCServe Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C808U1	80	
	3Yr Mnt ARCServe LX Client Agent NW	BrightStor ARCServe Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C808U3	241	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)	XOsoft r12 Replication APP Std. OS	XOsoft r12 Replication for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication for Windows Application Servers. . It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition) . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, . Content: 1x Media Kit and 1x License for one server. . . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . System Requirements: ----- ---, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x		x	x	x	x	U15260-C609	2660	
	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows Application Servers. . It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition). . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, . Content: 1x Media Kit and 1x License for one server. . . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . System Requirements: ----- ---, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x		x	x	x	x	U15260-C625	3823	
	CA ARCserve r12 WIN Sybase Agent	CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/rij/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rij/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2009	1055	
	UP CA ARCserve r12 WIN Sybase Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/rij/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rij/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2009-U	791	
	1Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C409U1	162	
	3Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C409U3	486	
	ARCserve r11.5 WIN Open File Agent WIN	ARCserve r11.5 Agent for Open Files on Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C709	631	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																	
	UP ARCserve r11.5 Open File Agent	ARCserve r11.5 for Windows Open File Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C709-U	473	
	ARCserve r11.5 Client Agent for Windows	BrightStor ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C809	198	
	UP ARCserve r11.5 LX Client Agent Windows	ARCserve r11.5 for Linux Upgrade Client Agent for Windows from ARCserve v9, r11.0 or r11.1 Client Agent for Windows Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C809-U	149	
	1Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C809U1	51	
	3Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C809U3	152	
	XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , The product offers data replication for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . , System Requirements: ----- ---, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x		x	x	x	x	U15260-C610	2849	
	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . , System Requirements: ----- ---, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x		x	x	x	x	U15260-C626	4275	
	CA ARCserve r12 WIN Oracle Agent	CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2010	810	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																	
	UP CA ARCServe r12 WIN Oracle Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! CA ARCServe Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2010-U	608	
	1Yr Mnt ARCServe WIN Open File Agent NW	BrightStor ARCServe Backup for Windows Open File Agent on NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C410U1	162	
	3Yr Mnt ARCServe WIN Open File Agent NW	BrightStor ARCServe Backup for Windows Open File Agent on NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C410U3	486	
	ARCServe r11.5 NetWare Open File Agent	ARCServe r11.5 Agent for Open Files on NetWare: works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C710	631	
	UP ARCServe r11.5 Informix Agent	ARCServe r11.5 for Windows Informix Agent Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C711-U	771	
	ARCServe r11.5 LX SAN Option	BrightStor ARCServe r11.5 für Linux Storage Area Network Option! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C810	1266	
	UP ARCServe r11.5 LX SAN Option	ARCServe r11.5 for Linux Upgrade SAN Option from ARCServe v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C810-U	949	
	1Yr Mnt ARCServe LX SAN Option	BrightStor ARCServe Backup for Linux Storage Area Network Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C810U1	325	
	3Yr Mnt ARCServe LX SAN Option	BrightStor ARCServe Backup for Linux Storage Area Network Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C810U3	974	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)	XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication for Windows Application Servers. . It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . System Requirements: ----- ---. Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x		x	x	x	x	U15260-C611	3990	
	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. . . It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . System Requirements: ----- ---. Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x		x	x	x	x	U15260-C627	5984	
	CA ARCserve r12 WIN MS SQL Agent	CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2011	810	
	UP CA ARCserve r12 WIN MS SQL Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---. CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2011-U	608	
	1Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C411U1	263	
	3Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C411U3	790	
	ARCserve r11.5 WIN Informix Agent	ARCserve r11.5 Agent for Informix for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cd.html , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C711	1028	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
Accessories & services matrix	OS/Application-SW (Continued)																
	UP ARCServe r11.5 MS Exchange Agent	ARCServe r11.5 for Windows Exchange Agent Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C712-U	592	
	ARCServe r11.5 LX SAN SecondarySrvBundle	BrightStor ARCServe r11.5 for Linux SAN Secondary Server Bundle! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C811	1266	
	UP ARCServe r11.5 LX SAN Sec. Srv.Bundle	ARCServe r11.5 for Linux Upgrade SAN Option from ARCServe v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C811-U	949	
	1Yr Mnt ARCServe LX SAN Sec.Srv.Bundle	BrightStor ARCServe Backup for Linux SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C811U1	325	
	3Yr Mnt ARCServe LX SAN Sec.Srv.Bundle	BrightStor ARCServe Backup for Linux SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C811U3	974	
	XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication for Windows Application Servers. . . It supports only Windows Clusters. . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. . . Content: 1x Media Kit and 1x License for one server. . . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . . System Requirements: . . . Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) . . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x		x	x	x	x	U15260-C612	1662	
	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows Application Servers. . . It supports only Windows Clusters. . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. . . Content: 1x Media Kit and 1x License for one server. . . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . . System Requirements: . . . Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) . . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x		x	x	x	x	U15260-C628	2137	
	CA ARCServe r12 WIN SAP/R3 Oracle Option	CA ARCServe r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! CA ARCServe Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2012	1625	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)	UP CA ARCServe r12 WIN SAP/R3 Oracle Op.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12.---, CA ARCServe r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! CA ARCServe Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x	x	x	x	x	x	U15355-C2012-U	1218	
	1Yr Mnt ARCServe WIN Exchange Agent	BrightStor ARCServe Backup for Windows Exchange Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C412U1	202	
	3Yr Mnt ARCServe WIN Exchange Agent	BrightStor ARCServe Backup for Windows Exchange Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C412U3	607	
	ARCServe r11.5 WIN Exchange Agent	ARCServe r11.5 Agent for Microsoft Exchange for Windows; works with ARCServe r11.5 basic! Allows online databases or mailboxes on the Exchange Server to be selectively backed up or restored. BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C712	790	
	UP ARCServe r11.5 MS Exch.Premium Bundle	ARCServe r11.5 for Windows Exchange Premium Bundle Upgrade from ARCServe v9, r11.0 or r11.1 for Windows!! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C713-U	949	
	ARCServe r11.5 LX Advantage IngresOption	BrightStor ARCServe r11.5 for Enterprise Option for Advantage Ingres for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C812	1028	
	1Yr Mnt ARCServe LX Advantage Ingres Opt	BrightStor ARCServe Backup for Enterprise Option for Advantage Ingres for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C812U1	263	
	3Yr Mnt ARCServe LX Advantage Ingres Opt	BrightStor ARCServe Backup for Enterprise Option for Advantage Ingres for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C812U3	791	
	XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. . It supports only Windows Clusters. , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10 , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x		x	x	x	x	U15260-C613	2327	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																	
	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Clusters. , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: ----- ---, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x		x	x	x	x	U15260-C629	2992	
CA	ARCserve r12 WIN Windows Client Agent	CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: , CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2013	204	
UP	CA ARCserve r12 WIN Windows Client Ag	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: , CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2013-U	152	
1Yr	Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C413U1	325	
3Yr	Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C413U3	974	
	ARCserve r11.5 WIN Exchange Prem.Bundle	ARCserve r11.5 MS Exchange Premium Bundle! Consisting of ARCserve r11.5 Exchange Agent and ARCserve r11.5 MS Exchange Premium Add-On! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: , CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cd.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C713	1266	
UP	ARCserve r11.5 Lotus/Domino Agent	ARCserve r11.5 for Windows Agent for Lotus/Domino Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: , CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cd.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C715-U	592	
	ARCserve r11.5 LX Disk Staging Option	BrightStor ARCserve r11.5 for Linux Disk Staging Option! Hardware and operating system dependent extract from the following link: , CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cd.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C813	393	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)	XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication for Windows Application Servers. . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . System Requirements: ----- ---. Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x		x	x	x	x	U15260-C614	1068	
	XOsoft r12 HighAvailability APP Virt. M.	XOsoft r12 High Availability for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows Application Servers. . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . System Requirements: ----- ---. Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x		x	x	x	x	U15260-C630	1781	
	CA ARCserve r12 WIN MS SBS Premium Edt.	CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base. , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent. , CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2014	566	
	UP CA ARCserve r12 WIN MS SBS Premium E.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---. CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base. , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent. , CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2014-U	425	
	1Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C414U1	202	
	3Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C414U3	607	
	ARCserve r11.5 WIN Exchange Prem.Add-On	ARCserve r11.5 MS Exchange Premium Add-On; works with ARCserve r11.5 basic and ARCserve r11.5 Exchange Agent! Allows the backup and restore on document section! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cd.asp . CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C714	790	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
Accessories & services matrix OS/Application-SW (Continued)	UP ARCServe r11.5 Sybase Agent	ARCServe r11.5 for Windows Agent for Sybase Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C716-U	771	
	ARCServe r11.5 LX Lotus / Domino Agent	BrightStor ARCServe r11.5 for Linux Agent for Lotus / Domino Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C814	790	
	XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , The product offers data replication for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10 , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: ----- ---, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x		x	x	x	x	U15260-C615	1496	
	XOsoft r12 HighAvailability APP Virt. M.	XOsoft r12 High Availability for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10 , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: ----- ---, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x		x	x	x		x	x	x	x	U15260-C631	2494	
	CA ARCServe r12 WIN SAN Sec. Srv. Bundle	CA ARCServe r12 SAN Secondary Server Bundle includes the following ARCServe r12 components: , 1x Base, 1x SAN Option, CA ARCServe Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2015	1298	
	UP CA ARCServe r12 WIN SAN Sec. Srv. Bnd	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12. ---, CA ARCServe r12 SAN Secondary Server Bundle includes the following ARCServe r12 components: , 1x Base, 1x SAN Option, CA ARCServe Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2015-U	974	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																	
	ARCserve r11.1 LX FlexFrame Agent	Allows the backup of one online SAP/Oracle database under linux and the archive of Redo-log files! Licensing is made pro SID! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C356	1844	
	1Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C415U1	202	
	3Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C415U3	607	
	ARCserve r11.5 WIN Lotus/Domino Agent	ARCserve r11.5 Agent for Lotus Notes for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C715	790	
	UP ARCserve r11.5 Oracle Agent	ARCserve r11.5 for Windows Agent for Oracle Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C717-U	592	
	CA ARCserve r12 WIN MS SBS Standard Edt.	CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, 1x Exchange Agent, 1x Open File Agent, 1x Sharepoint Agent, CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)!. Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2016	403	
	UP CA ARCserve r12 WIN MS SBS Stand. Edt	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, 1x Exchange Agent, 1x Open File Agent, 1x Sharepoint Agent, CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)!. Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2016-U	302	
	1Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C416U1	263	
	3Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C416U3	790	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																	
	ARCserve r11.5 WIN Sybase Agent	ARCserve r11.5 Agent for Sybase for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdil.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C716	1028	
	UP ARCserve r11.5 MS SQL Agent	ARCserve r11.5 for Windows Agent for SQL Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdil.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C718-U	592	
	1 Yr Mnt. WANSyncHA Std Srv	1 Year CA Enterprise Maintenance Renewal for CA XOssoft WANSync HA Standard Server	x	x	x		x	x	x		x	x	x	x	U15260-C40U1	543	
	CA ARCserve r12 WIN DiskToDiskToTape Op.	CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link.; CA Certified Device List (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/cdils/4536_12_cdil.html , CA Compatibility Matrix (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2017	403	
	UP CA ARCserve r12 WIN DiskToDiskToTape	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link.; CA Certified Device List (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/cdils/4536_12_cdil.html , CA Compatibility Matrix (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2017-U	302	
	1Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C417U1	202	
	3Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C417U3	607	
	ARCserve r11.5 WIN Oracle Agent	ARCserve r11.5 Agent for Oracle for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdil.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C717	790	
	UP ARCserve r11.5 Client Agent for UNIX	ARCserve r11.5 Client Agent for UNIX Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdil.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C720-U	235	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																	
	CA ARCserve r12 WIN MS Sharepoint Agent	CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client. CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2018	810	
	UP CA ARCserve r12 WIN MS Sharepoint Ag.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---. CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client. CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2018-U	608	
	1Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C418U1	202	
	3Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C418U3	607	
	ARCserve r11.5 WIN SQL Server Agent	ARCserve r11.5 Agent for Microsoft SQL for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C718	790	
	UP ARCserve r11.5 Client Agent Linux	ARCserve r11.5 Client Agent for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C721-U	149	
	CA ARCserve r12 WIN Enterprise Module	CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2019	3440	
	UP CA ARCserve r12 WIN Enterprise Module	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---. CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2019-U	3054	
	1Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C419U1	317	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																	
	3Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C419U3	952	
	ARCserve r11.5 SAP R/3 Agent for Oracle	ARCserve r11.5 Agent for SAP R/3 for Oracle; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdil.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C719	2123	
	UP ARCserve r11.5 Client Agent NetWare	ARCserve r11.5 Client Agent for NetWare Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdil.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C722-U	235	
	CA ARCserve r12 WIN MS DPM Agent	CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client! CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! Hardware and operating system dependencies can be found at the following link.; CA Certified Device List (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/cdils/4536_12_cdil.html , CA Compatibility Matrix (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2020	810	
	UP CA ARCserve r12 WIN MS DPM Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---; CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client! CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! Hardware and operating system dependencies can be found at the following link.; CA Certified Device List (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/cdils/4536_12_cdil.html , CA Compatibility Matrix (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2020-U	608	
	1Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C420U1	80	
	3Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C420U3	240	
	ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdil.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C720	313	
	UP ARCserve r11.5 Client Agent Windows	ARCserve r11.5 Client Agent for Windows Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdil.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C723-U	149	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																	
	CA ARCserve r12 WIN VSS-HW Snap. Option	CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: , CA Certified Device List (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2021	4067	
	UP CA ARCserve r12 WIN VSS-HW Snap. Opt.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: , CA Certified Device List (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2021-U	3051	
	1Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C421U1	51	
	3Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C421U3	152	
	ARCserve r11.5 WIN Client Agent Linux	ARCserve r11.5 Client Agent for Linux: works with ARCserve r11.5 base! Allows the backup of one further LINUX servers! Hardware and operating system dependent extract from the following link: , CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.as.p	x	x	x		x	x	x		x	x	x	x	U15355-C721	198	
	UP ARCserve r12 WIN Sngl Srv-Full Edt.	ARCserve r12 for Windows Upgrade from ARCserve Single Server Edition to ARCserve r12 for Windows Standard Edition. BrightStor ARCserve Backup r12 is for Windows 2000 / 2003 / 2008 certified and released! Hardware and operating system dependent extract from the following link: , CA Certified Device List (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C780-U	461	
	CA ARCserve r12 WIN VMware Agent	CA ARCserve r12 Agent f. VMware for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Agent f. VMware for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link: , CA Certified Device List (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2022	810	
	1Yr Mnt ARCserve WIN Client AgentNetwork	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C422U1	80	
	3Yr Mnt ARCserve WIN Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C422U3	240	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																	
	ARCserve r11.5 WIN Client Agent NetWare	ARCserve r11.5 Client Agent for NetWare; works with ARCserve r11.5 basic! Allows the backup of one further NetWare servers! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C722	313	
	CA ARCserve r12 WIN Central Mngmt. Opt.	CA ARCserve r12 Central Management Option for Windows can only be used in conjunction with CA ARCserve r12 base! CA ARCserve Backup r12 Central Management Option for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x		x	x	x		x	x	x	x	U15355-C2023	1217	
	1Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C423U1	51	
	3Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C423U3	152	
	ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C723	198	
	1Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C424U1	80	
	3Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C424U3	240	
	ARCserve r11.5 WIN Client Agent MAC OS X	ARCserve r11.5 Client Agent for Mac OS X; works with ARCserve r11.5 basic! Allows the backup of one further Mac OS X servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C724	313	
	1Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C428U1	325	
	3Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C428U3	974	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econe! 10	PRIMERGY Econe! 100	PRIMERGY Econe! 100 S2	PRIMERGY Econe! 130 S1	PRIMERGY Econe! 20	PRIMERGY Econe! 200	PRIMERGY Econe! 200 S2	PRIMERGY Econe! 230R S1	PRIMERGY Econe! 30	PRIMERGY Econe! 40	PRIMERGY Econe! 50	PRIMERGY Econe! 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																	
	ARCserve r11.5 WIN Special	ARCserve r11.5 Special! Consisting of ARCserve r11.5 basic and ARCserve r11.5 Disaster Recovery! Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C725	1167	
	1Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C429U1	263	
	3Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C429U3	790	
	ARCserve r11.5 WIN Secondary Srv Bundle	ARCserve r11.5 Secondary Server Bundle! Exists of ARCserve r11.5 basic license and ARCserve r11.5 SAN Option license! No media kit included! For further server which has access to the jukebox in a SAN! Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C726	1266	
	1Yr Mnt ARCserve WIN Enterprise Module	BrightStor ARCserve Backup for Windows Enterprise Module - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C430U1	763	
	3Yr Mnt ARCserve WIN Enterprise Modul	BrightStor ARCserve Backup for Windows Enterprise Module - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C430U3	2290	
	ARCserve r11.5 WIN Clt VSS SW Snap Shot	ARCserve r11.5 Client for VSS (Volume Shadow Copy Service) Snap Shot! The integration with Microsoft VSS-ability applications allows backups to a specific time. In this process can be saved snapshot copies, when the processes are active and open data are working. Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C727	1028	
	1Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C431U1	101	
	3Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C431U3	302	
	ARCserve r11.5 WIN Disk Staging Option	ARCserve r11.5 Disk Staging Option Shrinks backup time by allowing backup data to be staged to fast disk drives before it is automatically moved to tape. Restore requests are redirected to disks automatically, reducing recovery time. The whole operation is policy driven, reducing cost and management overhead. Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C728	393	
	1Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C432U1	202	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																	
	3Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C432U3	607	
	ARCserve r11.5 WIN Share Point Portal	ARCserve r11.5 für Windows Share Point Portal Agent With this agent Microsoft Share Point and all its components will be identify and efficiently backed up. Hardware and operating system dependent extract from the following link.: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C729	790	
	1Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C433U1	202	
	3Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C433U3	607	
	ARCserve r11.5 Enterprise Modul	ARCserve r11.5 Enterprise Module; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C730	3349	
	1Yr Mnt ARCserve WIN Central Mgmt. Opt.	ARCserve Backup for Windows Central Management Option - 1 Year CA Enterprise Maintenance.. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C434U1	304	
	3Yr Mnt ARCserve WIN Central Mgmt. Opt.	ARCserve Backup for Windows Central Management Option - 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C434U3	913	
	ARCserve r11.5 WIN DPM Agent	ARCserve r11.5 for Windows DPM Agent; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C731	790	
	1Yr Mnt ARCserve WIN VMware Agent	ARCserve Backup for Windows Agent f. VMware - , 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C435U1	202	
	3Yr Mnt ARCserve WIN VMware Agent	ARCserve Backup for Windows Agent f. VMware - , 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C435U3	608	
	1Yr Mnt ARCserve WIN Enterprise HW-VSS	ARCserve Backup for Windows Enterprise Option f. VSS Hardware Snapshots, - 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C436U1	958	
	3Yr Mnt ARCserve WIN Enterprise HW-VSS	ARCserve Backup for Windows Enterprise Option f. VSS Hardware Snapshots, - 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C436U3	2874	
UPS/Power supply																	
	APC-UPS COM Cable NOVELL.NT.OS2	UPS control cable for Win-NT and OS/2, for 2nd+3rd server, grey													S26113-F231-L1	27	
	APC-UPS COM Cable extension	UPS control cable extension 5m, for connection to an APC-UPS COM Interface													S26113-F233-L1	27	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
Accessories & services matrix																	
UPS/Power supply (Continued)																	
	APC-UPS WEB Management Adapter	for APC-UPS (use one smart slot), SNMP WEB Management adapter, 10 / 100 Mbit autosense	x	x			x	x	x	x	x	x	x		S26113-F80-L10	199	
	APC-UPS COM-Port extension	APC-UPS								x					S26113-F81-L1	74	
	Cable powercord (D...), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR	x	x	x	x	x	x	x		x	x	x		T26139-Y1740-L10	12	
	Cable powercord (UK, IR), 1.8m, grey	suitable for UK, IR	x	x	x	x	x	x	x		x	x	x		T26139-Y1744-L10	12	
Security																	
	MicroSaver	anti-theft cable with lock			x	x									S26361-F1650-L200	38	
	MicroSaver Combination	anti-theft cable with combination lock			x	x									S26361-F1650-L500	25	
	MicroSaver DS	Specialkey and steelcable			x	x									S26361-F1650-L700	51	
Media																	
	DAT160 cleaning cartridge	DAT160 cleaning cartridge without label		x					x						D-CL-DAT160-MX-01	18	
	DAT72 cleaning cartridge	DAT72 cleaning cartridge without label		x	x	x		x	x	x		x	x		D-CL-DAT72-MX-01	5	
	LTO cleaning cartridge Fuji	Cleaning cartridge without label from Fuji for LTO drives		x				x	x						D-CL-LTO2-FJ-01	46	
	LTO cleaning cartridge Fuji with label	cleaning cartridge with label from Fuji for LTO drives		x				x	x						D-CL-LTO2-FJ-01L	46	
	LTO cleaning cartridge IBM	Cleaning cartridge without label from IBM for LTO drives		x				x	x						D-CL-LTO2-IB-01	43	
	LTO cleaning cartridge IBM with label	cleaning cartridge with label from IBM for LTO -drives		x				x	x						D-CL-LTO2-IB-01L	44	
	LTO cleaning cartridge Maxell	cleaning cartridge without label from Maxell for LTO drives		x				x	x						D-CL-LTO2-MX-01	44	
	LTO cleaning cartridge Maxell with label	cleaning cartridge with label from Maxell for LTO drives		x				x	x						D-CL-LTO2-MX-01L	44	
	LTO cleaning label	label for LTO cleaning cartridges		x				x	x						D-CL-LTO-LAB	1	
	LTO cleaning cartridge Sony	Cleaning cartridge without label from Sony for LTO drives		x				x	x						D-CL-LTO-SY-01	44	
	LTO cleaning cartridge Sony with label	cleaning cartridge with label from Sony for LTO drives		x				x	x						D-CL-LTO-SY-01L	44	
	VXA cleaning label	Label for VXA cleaning cartridge		x				x	x		x	x	x		D-CL-VXA2-LAB	1	
	VXA cleaning cartridge	VXA cleaning cartridge		x				x	x	x	x	x	x		D-CL-VXA2-X-01	18	
	VXA cleaning cartridge with label	VXA cleaning cartridge		x				x	x	x	x	x	x		D-CL-VXA2-X-01L	19	
	DAT160 data cartridge	DAT160 data cartridge without label		x				x							D-CR-DAT160-MX-01	24	
	DAT72 data cartridge	DAT72 data cartridge without label		x	x	x		x	x	x		x	x		D-CR-DAT72-MX-01	10	
	LTO 1 data cartridge Fuji	LTO-1 data cartridge without label from Fuji, 100 GB native capacity		x				x	x						D-CR-LTO1-FJ-01	26	
	LTO 1 data cartridge with label Fuji	LTO-1 data cartridge with label from Fuji, 100 GB native capacity		x				x	x						D-CR-LTO1-FJ-01L	27	
	LTO 1 data cartridge IBM	LTO-1 data cartridge without label from IBM, 100 GB native capacity		x				x	x						D-CR-LTO1-IB-01	22	
	LTO 1 data cartridge with label IBM	LTO-1 data cartridge with label from IBM, 100 GB native capacity		x				x	x						D-CR-LTO1-IB-01L	23	
	LTO 1 barcode label	label for LTO-1 data cartridges		x				x	x						D-CR-LTO1-LAB	1	
	LTO 1 data cartridge Maxell	LTO-1 data cartridge without label from Maxell, 100 GB native capacity		x				x	x						D-CR-LTO1-MX-01	22	
	LTO 1 data cartridge with label Maxell	LTO-1 data cartridge with label from Maxell, 100 GB native capacity		x				x	x						D-CR-LTO1-MX-01L	23	
	VXA barcode label	Label for VXA data cartridge		x				x	x	x	x	x	x		D-CR-VXA2-LAB	1	
	VXA-2/320 data cartridge 40/80GB	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB		x				x	x	x	x	x	x		D-CR-VXA2-X10-01	19	
	VXA-2/320 data cartr. 40/80GB with label	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB		x				x	x	x	x	x	x		D-CR-VXA2-X10-01L	20	
	VXA-2/320 data cartridge 80/160GB	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB		x				x	x	x	x	x	x		D-CR-VXA2-X23-01	41	
	VXA-2/320 data cartr 80/160GB with label	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB		x				x	x	x	x	x	x		D-CR-VXA2-X23-01L	42	
	RDX Cartridge 160/320GB	RDX Cartridge 160GB uncompressed / 320GB compressed		x	x	x		x							S26361-F3857-L160	179	Deliverable from: 12/09/2008,Orderable from: 19/09/2009
	RDX Cartridge 320/640GB	RDX Cartridge 320GB uncompressed / 640GB compressed		x	x	x		x							S26361-F3857-L320	281	Deliverable from: 12/09/2008,Orderable from: 19/09/2009
	RDX Cartridge 80/160GB	RDX Cartridge 80GB uncompressed / 160GB compressed		x	x	x		x							S26361-F3857-L80	116	
	RDX Cartridge 120/240GB	RDX Cartridge 120GB uncompressed / 240GB compressed		x	x	x		x							S26361-F3857-L120	147	
Additional Software																	
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1		x	x	x	x	x		x	x	x	x		U11081-C157	12	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs		x	x	x	x	x		x	x	x	x		U11081-C171	893	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs		x	x	x	x	x		x	x	x	x		U11081-C177	446	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME		x	x	x	x	x		x	x	x	x		U11081-C183	24	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs		x	x	x	x	x		x	x	x	x		U11081-C186	893	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs		x	x	x	x	x		x	x	x	x		U11081-C192	358	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions		x	x	x	x	x		x	x	x	x		U11081-C199	12	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0		x	x	x	x	x		x	x	x	x		U11081-C201	24	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201		x	x	x	x	x		x	x	x	x		U11081-C202	972	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201		x	x	x	x	x		x	x	x	x		U11081-C203	1583	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201		x	x	x	x	x		x	x	x	x		U11081-C204	3165	
	OPENFT-4 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201		x	x	x	x	x		x	x	x	x		U11081-C205	4748	
	OPENFT-5 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201		x	x	x	x	x		x	x	x	x		U11081-C206	6330	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201		x	x		x	x		x	x	x	x		U11081-C207	563	
	OPENFT-2-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201		x	x	x	x	x		x	x	x	x		U11081-C208	917	



Economy Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (€)	Comments
Additional Software (Continued)																	
	OPENFT-3-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	x		x	x			x	x	x	x	U11081-C209	1836	
	OPENFT-4-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x	x		x	x			x	x	x	x	U11081-C210	2753	
	OPENFT-5-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x	x		x	x			x	x	x	x	U11081-C211	3671	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x		x	x			x	x	x	x	U11081-C212	972	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	x		x	x			x	x	x	x	U11081-C213	1583	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	x		x	x			x	x	x	x	U11081-C214	3165	
	OPENFT-FTAM-4 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x	x		x	x			x	x	x	x	U11081-C215	4748	
	OPENFT-FTAM-5 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x	x		x	x			x	x	x	x	U11081-C216	6330	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x	x	x		x	x			x	x	x	x	U11081-C217	563	
	OPENFT-FTAM-2-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208	x	x	x		x	x			x	x	x	x	U11081-C218	917	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C209	x	x	x		x	x			x	x	x	x	U11081-C219	1836	
	OPENFT-FTAM-4-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C210	x	x	x		x	x			x	x	x	x	U11081-C220	2753	
	OPENFT-FTAM-5-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C211	x	x	x		x	x			x	x	x	x	U11081-C221	3671	
	OPENFT-FTP-1 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x		x	x			x	x	x	x	U11081-C222	397	
	OPENFT-FTP-2 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	x		x	x			x	x	x	x	U11081-C223	646	
	OPENFT-FTP-3 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	x		x	x			x	x	x	x	U11081-C224	1292	
	OPENFT-FTP-4 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x	x		x	x			x	x	x	x	U11081-C225	1938	
	OPENFT-FTP-5 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x	x		x	x			x	x	x	x	U11081-C226	2583	



Economy Servers Services

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (£)	Comments
Accessories & services matrix																	
Professional Services																	
	PRIMERGY RX100 - RX600 Standard Implm.	System Implementation Service, Standard "PRIMERGY RX100, RX300, RX450, RX600 Implementation"	x	x	x		x	x			x	x	x	x	CPS:PR-INT-21021FX	480	
	Addit.PRIMERGY RX100-RX600 Stand.Impl.	System Implementation Service, Standard "PRIMERGY RX100, RX300, RX450, RX600 Implementation"; Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x		x	x			x	x	x	x	CPS:PR-INT-21022FX	240	
	PRIMERGY BX600 Standard Implementation	System Implementation Service, Standard "PRIMERGY BX600 Implementation" (up to 10 blades)	x	x	x		x	x			x	x	x	x	CPS:PR-INT-21023FX	1080	
	Additional PR. BX600 Standard Implement.	System Implementation Service, PRIMERGY BX600 Standard Implementation (up to 10 blades); Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x		x	x			x	x	x	x	CPS:PR-INT-21024FX	540	
	PRIMERGY RX800 Standard Implementation	System Implementation Service, PRIMERGY RX 800 Standard Implementation 1st SYSTEM	x	x	x		x	x			x	x	x	x	CPS:PR-INT-21025FX	960	
	Additional PR.RX800 Standard Implement.	System Implementation Service, PRIMERGY RX 800 Standard Implementation. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x		x	x			x	x	x	x	CPS:PR-INT-21026FX	480	
	PRIMERGY RX100-RX600 Advanced Implement.	System Implementation Service, PRIMERGY RX100, RX300, RX450 & RX600 Advanced Implementation'	x	x	x		x	x			x	x	x	x	CPS:PR-INT-21027FX	750	
	Addit.PRIMERGY RX100-RX600 Adv.Implement	System Implementation Service, PRIMERGY RX100, RX300, RX450 & RX600 Advanced Implementation. Additional systems AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x		x	x			x	x	x	x	CPS:PR-INT-21028FX	375	
	PRIMERGY BX600 Advanced Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation (including 1st blade)	x	x	x		x	x			x	x	x	x	CPS:PR-INT-21029FX	1440	
	Additional PR. BX600 Adv Implement.	System Implementation Service, PRIMERGY BX600 Advanced Implementation (including 1st blade). Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x		x	x			x	x	x	x	CPS:PR-INT-21030FX	720	
	PRIMERGY BX600 Blade Advanced Implement.	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITHOUT Remote Deploy Software 1st SYSTEM	x	x	x		x	x			x	x	x	x	CPS:PR-INT-21031FX	120	
	Add. PRIM. BX600 Blade Advanced Implem.	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITHOUT Remote Deploy Software. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x		x	x			x	x	x	x	CPS:PR-INT-21032FX	60	
	PRIM.X600 Blade Depl. Adv.Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITH Remote Deploy Software 1st SYSTEM	x	x	x		x	x			x	x	x	x	CPS:PR-INT-21033FX	60	
	Add.BX600 Blade Depl. Adv.Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITH Remote Deploy Software. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x		x	x			x	x	x	x	CPS:PR-INT-21034FX	30	
	PRIMERGY RX800 Advanced Implementation	System Implementation Service, PRIMERGY RX800 Advanced Implementation'	x	x	x		x	x			x	x	x	x	CPS:PR-INT-21035FX	1500	
	Additional PR. RX800 Advanced Implement.	System Implementation Service, PRIMERGY RX800 Advanced Implementation. Additional system AT SAME SITE AS 1st SYSTEM	x	x	x		x	x			x	x	x	x	CPS:PR-INT-21036FX	750	



Economy Servers Services

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (£)	Comments
Accessories & services matrix																	
Professional Services (Continued)																	
Product related services																	
	SP 3y OS Svc,5x9	SP 3 years On-Site Service, 5x9												x	FSP:GB3S00000GBPEE	21	
	SP 3y OS Svc,5x9	SP 3 years On-Site Service, 5x9	x	x			x	x	x		x	x	x		FSP:GB3S00000GBSFC	42	
	SP 4y OS Svc,NBD Rt,5x9	SP 4 years On-Site Service, next business day response, 5x9	x	x			x	x	x		x	x	x		FSP:GB4S20000GBSFC	84	
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9	x	x			x	x	x		x	x	x		FSP:GB5S20000GBSFC	135	
	SP 3y OS Svc,5x9	SP 3 years On-Site Service, 5x9			x	x									FSP:GD3S00Z00GBEC1	34	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9	x	x			x	x	x		x	x	x		FSP:GD3S60000GBSFC	100	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9			x	x									FSP:GD3S60Z00GBEC1	74	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9	x	x			x	x	x		x	x	x		FSP:GD3S60Z00GBSFC	100	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24			x	x									FSP:GD3S63Z00GBEC1	107	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24	x	x			x	x	x		x	x	x		FSP:GD3S63Z00GBSFC	145	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9	x	x			x	x	x		x	x	x		FSP:GD4S60000GBSFC	419	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9			x	x									FSP:GD4S60Z00GBEC1	106	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9	x	x			x	x	x		x	x	x		FSP:GD4S60Z00GBSFC	143	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24			x	x									FSP:GD4S63Z00GBEC1	151	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24	x	x			x	x	x		x	x	x		FSP:GD4S63Z00GBSFC	204	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9	x	x			x	x	x		x	x	x		FSP:GD5S60000GBSFC	584	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9			x	x									FSP:GD5S60Z00GBEC1	137	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9	x	x			x	x	x		x	x	x		FSP:GD5S60Z00GBSFC	186	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24			x	x									FSP:GD5S63Z00GBEC1	195	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24	x	x			x	x	x		x	x	x		FSP:GD5S63Z00GBSFC	263	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9			x	x									FSP:GE3S20Z00GBEC1	46	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9											x		FSP:GE3S20Z00GBPEE	104	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9	x	x			x	x	x		x	x	x		FSP:GE3S20Z00GBSFC	62	
	SP 4y OS Svc,NBD Rt,5x9	SP 4 years On-Site Service, next business day response, 5x9			x	x									FSP:GE4S20Z00GBEC1	68	
	SP 4y OS Svc,NBD Rt,5x9	SP 4 years On-Site Service, next business day response, 5x9	x	x			x	x	x		x	x	x		FSP:GE4S20Z00GBSFC	91	
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9			x	x									FSP:GE5S20Z00GBEC1	89	
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9	x	x			x	x	x		x	x	x		FSP:GE5S20Z00GBSFC	121	
	TP 3y OS Svc,5x9	TP 3 years On-Site Service, 5x9			x	x									FSP:GN3S00Z00GBEC1	43	
	TP 3y OS Svc,5x9	TP 3 years On-Site Service, 5x9								x					FSP:GN3S00Z00GBPEE	88	
	TP 3y OS Svc,5x9	TP 3 years On-Site Service, 5x9											x		FSP:GN3S00Z00GBSFC	20	
	TP 3y OS Svc,5x9	TP 3 years On-Site Service, 5x9	x	x			x	x	x		x	x	x		FSP:GN3S00Z00GBSFC	39	
	TP 4y OS Svc,5x9	TP 4 years On-Site Service, 5x9											x		FSP:GN4S00000GBPEE	29	
	TP 4y OS Svc,5x9	TP 4 years On-Site Service, 5x9	x	x			x	x	x		x	x	x		FSP:GN4S00000GBSFC	59	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9	x	x			x	x	x		x	x	x		FSP:GN4S20000GBSFC	84	
	TP 5y OS Svc,5x9	TP 5 years On-Site Service, 5x9											x		FSP:GN5S00000GBPEE	39	
	TP 5y OS Svc,5x9	TP 5 years On-Site Service, 5x9	x	x			x	x	x		x	x	x		FSP:GN5S00000GBSFC	78	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9	x	x			x	x	x		x	x	x		FSP:GN5S20000GBSFC	135	
	TP 3y OS Svc,4h Rt,5x9	TP 3 years On-Site Service, 4h response, 5x9			x	x									FSP:GP3S60Z00GBEC1	74	
	TP 3y OS Svc,4h Rt,7x24	TP 3 years On-Site Service, 4h response, 7x24			x	x									FSP:GP3S63Z00GBEC1	107	
	TP 4y OS Svc,4h Rt,5x9	TP 4 years On-Site Service, 4h response, 5x9			x	x									FSP:GP4S60Z00GBEC1	106	



Economy Servers Services

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code	End User Price (£)	Comments
Professional Services (Continued)																	
	TP 4y OS Svc,4h Rt,7x24	TP 4 years On-Site Service, 4h response, 7x24			x	x									FSP:GP4S63Z00GBEC1		151
	TP 5y OS Svc,4h Rt,5x9	TP 5 years On-Site Service, 4h response, 5x9			x	x									FSP:GP5S60Z00GBEC1		137
	TP 5y OS Svc,4h Rt,7x24	TP 5 years On-Site Service, 4h response, 7x24			x	x									FSP:GP5S63Z00GBEC1		195
	TP 3y OS Svc,NBD Rt,5x9	TP 3 years On-Site Service, next business day response, 5x9			x	x									FSP:GQ3S20Z00GBEC1		46
	TP 3y OS Svc,NBD Rt,5x9	TP 3 years On-Site Service, next business day response, 5x9	x	x			x	x	x		x	x	x		FSP:GQ3S20Z00GBSFC		62
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9			x	x									FSP:GQ4S20Z00GBEC1		68
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9	x	x			x	x	x		x	x	x		FSP:GQ4S20Z00GBSFC		91
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9			x	x									FSP:GQ5S20Z00GBEC1		89
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9	x	x			x	x	x		x	x	x		FSP:GQ5S20Z00GBSFC		121





Positioning PRIMERGY Tower Servers



**PRIMERGY
TX120**

The new first generation ultra-compact sized PRIMERGY tower server TX120 with a powerful Intel® Xeon® UP Dual-Core processor incorporates leading edge, low power consumption and space-saving technologies. Thus a significantly smaller footprint, reduced noise and energy savings are achieved. The PRIMERGY TX120 tower server is perfect for office workspaces, for distributed and SOHO applications including retail in-store, back office servers and small office application servers.



PRIMERGY TX120

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

The new first generation ultra-compact sized PRIMERGY tower server TX120 with a powerful Intel® Xeon® UP Dual-Core processor incorporates leading edge, low power consumption and space-saving technologies. Thus a significantly smaller footprint, reduced noise and energy savings are achieved. The PRIMERGY TX120 tower server is perfect for office workspaces, for distributed and SOHO applications including retail in-store, back office servers and small office application servers. Enhance your efficiency when it comes to simultaneous execution of multiple applications and downloading mass data. The processor with the Intel® 3000 chipset also supports VT technology. Two 2.5-inch SAS hot-plug hard disks and the built-in RAID 1 functionality offer high data security. The standard iRMC (Integrated Remote Management Controller) offers enhanced system management, based on IPMI 2.0 technology, and the advanced diagnostic functions with Diagnostic LED increases operational reliability. A DAT drive can also be installed for easy backup or optional two further hot-plug hard disks. Alternatively an even more power saving Celeron® processor rounds off the offering.

Model	Description	Details	Code		End User Price (£)	Comments
Base unit configurations						
PRIMERGY TX120						
PY TX120		Floorstand incl. power supply, systemboard for configurable CPU, DDR2-667 PC2-5300 ub ECC; iRMC onboard server management and graphics controller, LAN Broadcom 10/100/1000, 1x Fast-IDE Controller (for optical disk drive) and 4-port SAS controller (IME included = RAID 0, 1, 1E) onboard; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K1109-V101		374	



PRIMERGY TX150 S6

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

The PRIMERGY TX150 S6 tower server delivers new levels of energy efficient performance with Intel® Xeon® Quad-Core processor 3200 series. This is achieved with a 1066 MHz FSB clock rate and with Intel's new state-of-the-art multi-core optimized microarchitecture. A server

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
PRIMERGY TX150 S6					
PY TX150S6f/LFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable front slider, standard fan; systemboard for Celeron or Xeon UP processor and DDR2RAM PC2-6400 ub ECC; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 (6") drive bays for hot plug 3.5" SATA/SAS HDs; mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.		S26361-K1081-V101	296	
PY TX150S6f/LFF/Hotplug PSU	Floorstand BU without processor and RAM, incl. 1 hot pug power supply module, lockable front slider, standard fan; systemboard for Celeron or Xeon UP processor and DDR2RAM PC2-6400 ub ECC; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 (6") drive bays for hot plug 3.5" SATA/SAS HDs; mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.		S26361-K1081-V201	374	
PY TX150S6f/SFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable front slider, standard fan; systemboard for Celeron or Xeon UP processor and DDR2RAM PC2-6400 ub ECC; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SAS HDs; mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.		S26361-K1081-V301	367	
PY TX150S6f/SFF/Hotplug PSU	Floorstand BU without processor and RAM, incl. 1 hot pug power supply module, lockable front slider, standard fan; systemboard for Celeron or Xeon UP processor and DDR2RAM PC2-6400 ub ECC; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SAS HDs; mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.		S26361-K1081-V401	445	
PY TX150S6r/LFF/Standard PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 standard power supply module, RMK optional, standard fan; systemboard for Celeron or Xeon UP processor and DDR2RAM PC2-6400 ub ECC; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 (6") drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.		S26361-K1081-V501	312	
PY TX150S6r/LFF/Hotplug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 hot pug power supply module, RMK optional, standard fan; systemboard for Celeron or Xeon UP processor and DDR2RAM PC2-6400 ub ECC; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 (6") drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.		S26361-K1081-V601	391	



PRIMERGY TX150 S6

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Model	Description	Details	Code		End User Price (£)	Comments
Base unit configurations						
PRIMERGY TX150 S6 (Continued)						
PY TX150S6r/SFF/Standard PSU		Rack based server 19" (5U), BU without processor and RAM, incl. 1 standard power supply module, RMK optional, standard fan; systemboard for Celeron or Xeon UP processor and DDR2RAM PC2-6400 ub ECC; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1081-V701		382	
PY TX150S6r/SFF/Hotplug PSU		Rack based server 19" (5U), BU without processor and RAM, incl. 1 hot pug power supply module, RMK optional, standard fan; systemboard for Celeron or Xeon UP processor and DDR2RAM PC2-6400 ub ECC; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1081-V801		460	



PRIMERGY TX200 S4

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Flexible expansion options are the key to placing new or larger workloads on your server. This applies not only to physical capacity, such as the number of disk drives, advanced data protection schemes, or I/O connectivity, in particular consideration of the transition to 64-bit computing and virtualization is a must in today's technology purchase decisions. The PRIMERGY TX200 S4 uses a completely new housing and is a perfect match for these requirements, providing you with a previously unreachd cost-efficient standard. TX200 is a failsafe operation platform for your application stacks, with standards such as disk mirroring for SAS and SATA, hot-plug disks, SDDC and hot-spare memory and the "Cool-safe™" innovative air flow system design. Expandability is covering for heavy workload: up to 24 GB FBD667 memory, up to 8 (16) 2.5-inch SAS hard disk drives, and 7 (6) free PCI slots for heavy I/O requirements. Your business can rely on this solution. In addition, further options – such as extended RAID functions, clustering options and redundancy for power supplies and fans – tailor these standards to your individual safety needs.

Model	Processor	Operating_Systems	Cabinet	Memory	Hard_Disk_Drives	CD_ROM	DVD_ROM	CD_RW_DVD	DVD_RW_DL_DVD_RAM	FDD	Tape_Drives	LAN	Mouse	Keyboards	SCSI_Controller	RAID_Controller	Power_Pack	RAID_Option	SAS_Controller	FC_Controller	System_Option	Miscellaneous	Cable	Graphics	Code	End User Price (€)	Comments
Special products																											
PRIMERGY TX200 S4																											
	Xeon DP E5405 2.00 2x6M 1333		Floor	2x1GB		x						1xGbit		GB			PSM + Power cord							on board	VFY:T2004SP050GB	859	

Model	Description	Details	Code	End User Price (€)	Comments
Base unit configurations					
PRIMERGY TX200 S4					
PY TX200S4/LFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, 2 lockable covers, 3 standard fans; dual systemboard for Xeon DP Dual / Quad Core processor and FDBRAM PC2-5300F ECC; iRMC 2 onboard server management incl. graphics controller and 10/100Mbit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 Gbit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 (6") drive bays for hot plug 3.5" SATA/SAS HDs; mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.		S26361-K1158-V101	488	
PY TX200S4/LFF/Hotplug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, 2 lockable covers, 4 redundant fans; dual systemboard for Xeon DP Dual / Quad Core processor and FDBRAM PC2-5300F ECC; iRMC 2 onboard server management incl. graphics controller and 10/100Mbit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 Gbit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 (6") drive bays for hot plug 3.5" SATA/SAS HDs; mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.		S26361-K1158-V201	589	
PY TX200S4/SFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, 2 lockable covers, 3 standard fans; dual systemboard for Xeon DP Dual / Quad Core processor and FDBRAM PC2-5300F ECC; iRMC 2 onboard server management incl. graphics controller and 10/100Mbit Service LAN port; 6 port SATA controller (for DVD) and 1 Gbit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 (16") drive bays for hot plug 2.5" SAS HDs; mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.		S26361-K1158-V301	527	
PY TX200S4/SFF/Hotplug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, 2 lockable covers, 4 redundant fans; dual systemboard for Xeon DP Dual / Quad Core processor and FDBRAM PC2-5300F ECC; iRMC 2 onboard server management incl. graphics controller and 10/100Mbit Service LAN port; 6 port SATA controller (for DVD) and 1 Gbit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 (16") drive bays for hot plug 2.5" SAS HDs; mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.		S26361-K1158-V401	589	
PY TX200S4/LFF/Standard PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 standard power supply module, RMK optional, 3 standard fans; dual systemboard for Xeon DP Dual / Quad Core processor and FDBRAM PC2-5300F ECC; iRMC 2 onboard server management incl. graphics controller and 10/100Mbit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 Gbit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 (6") drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.		S26361-K1158-V501	527	
PY TX200S4/LFF/Hotplug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 hot plug power supply module, RMK optional, 4 redundant fans; dual systemboard for Xeon DP Dual / Quad Core processor and FDBRAM PC2-5300F ECC; iRMC 2 onboard server management incl. graphics controller and 10/100Mbit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 Gbit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 (6") drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.		S26361-K1158-V601	589	
PY TX200S4/SFF/Standard PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 standard power supply module, RMK optional, 3 standard fans; dual systemboard for Xeon DP Dual / Quad Core processor and FDBRAM PC2-5300F ECC; iRMC 2 onboard server management incl. graphics controller and 10/100Mbit Service LAN port; 6 port SATA controller (for DVD) and 1 Gbit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 (16") drive bays for hot plug 2.5" SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.		S26361-K1158-V701	527	
PY TX200S4/SFF/Hotplug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 hot plug power supply module, RMK optional, 4 redundant fans; dual systemboard for Xeon DP Dual / Quad Core processor and FDBRAM PC2-5300F ECC; iRMC 2 onboard server management incl. graphics controller and 10/100Mbit Service LAN port; 6 port SATA controller (for DVD) and 1 Gbit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 (16") drive bays for hot plug 2.5" SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.		S26361-K1158-V801	589	



PRIMERGY TX300 S4

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Are you looking for business continuity, especially for your core business applications? Our TX300 servers provide peace of mind when choosing a suitable server platform, because their set of integrated redundancy and hot-plug features assures continuous operation of the platform and thus high application reliability.
 It is offering the breakthrough performance features of leading edge Intel® Dual-/Quad-Core Xeon® 5200 and 5400 series CPUs embedded in a powerful design with an 8-port SAS controller and fast PCIe links and PCI-X busses. Continuity is assured with the optional hot-plug power supply, hot-plug redundant fans, modular RAID and redundant dual LAN features. For your high capacity needs, PRIMERGY TX300 S4 provides up to 2 memory boards with 16 DIMM slots for hot-spare or memory mirroring with up to 64 GB PC2-5300F (667 MHz) RAM memory for enhancing data transfer throughput. And the system only needs a few additional options to meet the highest demands, such as clustering or disaster-tolerant setup.
 For business-critical remote sites, the PRIMERGY TX300 S4 is the right platform.

Model	Processor	Operating Systems	Cabinet	Memory	Hard Disk Drives	CD-ROM	DVD-ROM	CD-RW/DVD	DVD-RW/ DL DVD-RAM	FDD	Tape Drives	LAN	Mouse	Keyboards	SCSI Controller	RAID Controller	Power Pack	RAID Option	SAS Controller	PC Controller	System Option	Miscellaneous	Cable	Graphics	Code	End User Price (€)	Comments
PRIMERGY TX300 S4																											
Special products																											
Xeon DP E5405 2.00 2x6M 1333																											
			Floor	2x512MB		x					2xGB	x	GB		RAID 0/1 SAS based on LSI MegaRAID 8Port	PSM + Power cord							on board		VFY-T3004SP10GB	1045	
			Floor	2x1GB		x						2xGB	GB		RAID 0/1 SAS based on LSI MegaRAID 8Port	Hot plug PSM + Power cord							on board		VFY-T3004SP120GB	1362	

Model	Description	Details	Code	End User Price (€)	Comments
PRIMERGY TX300 S4					
Base unit configurations					
PY TX300S4/standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, sliding screen with lock, 2 standard fans; dual systemboard for Xeon DP Dual / Quad Core processor and Fully Buffered DIMM FDB667 PC2-5300F ECC, IRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 Gbit Ethernet LAN onboard (WOL ready), Modular 8-Port RAID Controller optional, 6 (8") drive bays for hot plug 3.5" SAS/SATA HDs or optional 12 bays for hot plug 2.5" SAS-HDs; mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1159-V101	820		
PY TX300S4/standard PSU	Rack based server 19" (4U), BU without processor and RAM, incl. 1 standard power supply module, sliding screen with lock, 2 standard fans; RMK optional, dual systemboard for Xeon DP Dual / Quad Core processor and Fully Buffered DIMM FDB667 PC2-5300F ECC, IRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 Gbit Ethernet LAN onboard (WOL ready), Modular 8-Port RAID Controller optional, 6 (8") drive bays for hot plug 3.5" SAS/SATA HDs or optional 12 bays for hot plug 2.5" SAS-HDs; mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1159-V301	820		
PY TX300S4/hotplug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, sliding screen with lock, 2 hot plug fans; dual systemboard for Xeon DP Dual / Quad Core processor and Fully Buffered DIMM FDB667 PC2-5300F ECC, IRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 Gbit Ethernet LAN onboard (WOL ready), Modular 8-Port RAID Controller optional, 6 (8") drive bays for hot plug 3.5" SAS/SATA HDs or optional up to 20 bays for hot plug 2.5" SAS-HDs; mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1159-V201	898		
PY TX300S4/hotplug PSU	Rack based server 19" (4U), BU without processor and RAM, incl. 1 hot plug power supply module, sliding screen with lock, 2 hot plug fans; RMK optional, dual systemboard for Xeon DP Dual / Quad Core processor and Fully Buffered DIMM FDB667 PC2-5300F ECC, IRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 Gbit Ethernet LAN onboard (WOL ready), Modular 8-Port RAID Controller optional, 6 (8") drive bays for hot plug 3.5" SAS/SATA HDs or optional up to 20 bays for hot plug 2.5" SAS-HDs; mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1159-V401	898		
PY TX300S4/ESXi 3.5 Embedded	Dedicated System Virtualized by VMware Please select the ESX or VI license and support option of your choice. Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, sliding screen with lock, 2 hot plug fans; dual systemboard for Xeon DP Dual / Quad Core processor and Fully Buffered DIMM FDB667 PC2-5300F ECC, IRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 Gbit Ethernet LAN onboard (WOL ready), Modular 8-Port RAID Controller optional, 6 (8") drive bays for hot plug 3.5" SAS/SATA HDs or optional up to 20 bays for hot plug 2.5" SAS-HDs; mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1159-V222	933		



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments	
Processor	Xeon DP 3.0GHz 2MB 800MHz	heatpipe + fan, PDA function, 2MB SLC ECC, 800MHz FSB									x											S26361-F3099-L300	387		
	Xeon DP 3.2GHz 2MB 800MHz	heatpipe + fan, PDA function, 2MB SLC ECC, 800MHz FSB									x					x							S26361-F3099-L332	465	
	Xeon DP 3.4GHz 2MB 800MHz	heatpipe + fan, PDA function, 2MB SLC ECC, 800MHz FSB									x												S26361-F3099-L340	621	
	Xeon DP 3.6GHz 2MB 800MHz	heatpipe + fan, PDA function, 2MB SLC ECC, 800MHz FSB														x							S26361-F3099-L360	847	
	Xeon DP 3.8GHz 2MB 800MHz	heatpipe + fan, PDA function, 2MB SLC ECC, 800MHz FSB																					S26361-F3099-L380	1031	
	VRM for 3.4. CPU 3.xxGHz 1M 8M0S2	1x 9.1 VRM, 2x 10.2LD VRM																			x		S26361-F3124-L100	136	
	VRM for 3.4. CPU 70xx / 3.xxGHz 1M	2x 10.2 VRM																		x			S26361-F3124-L200	101	
	Xeon MP 7040 3.00GHz 2x2MB 667MHz	Dual Core CPU with heat sink, 2x 2MB Second Level Cache, ECC, 667MHz FSB																			x		S26361-F3124-L303	4098	
	CPU Xeon MP 7041 3.00GHz 2x2MB 800MHz	Dual Core CPU mit Kühlkörper, 2x 2MB Second Level Cache, ECC, 800MHz FSB																			x		S26361-F3124-L304	4098	
	Xeon MP 3.16GHz 1MB 667MHz	heat sink, 1MB Second Level Cache, 667MHz FSB																			x		S26361-F3124-L311	975	
	Xeon MP 3.00GHz 8MB 667MHz	heat sink, 8MB Third Level Cache, 667MHz FSB																			x		S26361-F3124-L364	2459	
	Xeon MP 3.33GHz 8MB 667MHz	heat sink, 8MB Third Level Cache, 667MHz FSB																			x		S26361-F3124-L368	4566	
	Xeon MP 7110M 2.60GHz 4MB 800MHz	Dual Core CPU with heat sink, 4MB TLC ECC, 800MHz FSB																			x		S26361-F3124-L410	936	
	Xeon MP 7120M 3.00GHz 4MB 800MHz	Dual Core CPU with heat sink, 4MB TLC ECC, 800MHz FSB																			x		S26361-F3124-L420	1249	
	Xeon MP 7130M 3.20GHz 8MB 800MHz	Dual Core CPU with heat sink, 8MB TLC ECC, 800MHz FSB																			x		S26361-F3124-L430	1444	
	Xeon MP 7140M 3.40GHz 16MB 800MHz	Dual Core CPU with heat sink, 16MB TLC ECC, 800MHz FSB																			x		S26361-F3124-L440	1952	
	VRM for 3.4. CPU 71xx	2x 10.2 VRM + 1x 9.D0 VRM																				x	S26361-F3124-L800	1012	
	Xeon DP E5310 1.60GHz 2x4MB 1066MHz	Xeon DP quad core, 1.60GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT, heatpipe, PDA function											x										S26361-F3250-L160	274	
	Xeon DP E5320 1.86GHz 2x4MB 1066MHz	Xeon DP quad core, 1.86GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatpipe, PDA function												x									S26361-F3250-L186	312	
	Xeon DP E5335 2.00GHz 2x4MB 1333MHz	Xeon DP quad core, 2.00GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatpipe, PDA function													x								S26361-F3250-L200	387	
	Xeon DP E5345 2.33GHz 2x4MB 1333MHz	Xeon DP quad core, 2.33GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatpipe, PDA function																					S26361-F3250-L233	519	
	Xeon DP E5310 1.60GHz 2x4MB 1066MHz	Xeon DP quad core, 1.60GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT, heatpipe + fan, PDA function																					S26361-F3251-L160	276	
	Xeon DP E5320 1.86GHz 2x4MB 1066MHz	Xeon DP quad core, 1.86GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatpipe + fan, PDA function																					S26361-F3251-L186	312	
	Xeon DP E5335 2.00GHz 2x4MB 1333MHz	Xeon DP quad core, 2.00GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT, heatpipe + fan, PDA function																					S26361-F3251-L200	384	
	Xeon DP E5345 2.33GHz 2x4MB 1333MHz	Xeon DP quad core, 2.33GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatpipe + fan, PDA function																					S26361-F3251-L233	519	
	Xeon DP X5355 2.66GHz 2x4MB 1333MHz	Xeon DP quad core, 2.66GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatpipe + fan, PDA function																					S26361-F3251-L266	785	
	Xeon DP X5365 3.00GHz 2x4MB 1333MHz	Xeon DP quad core, 3.00GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatpipe + fan, PDA function																					S26361-F3251-L300	1241	
	Xeon DP E5205 1.86 GHz 6MB 1066MHz	Xeon DP Dual Core CPU (65W), 1.86GHz, 6MB SLC ECC, 1066MHz FSB, VT/DBS, heatpipe, PDA function												x									S26361-F3274-L186	199	
	Xeon DP E5205 1.86 GHz 6MB 1066MHz	Dual Core CPU (65W) with heatpipe, 6MB SLC ECC protected, 1066MHz FSB, 64-bit / Intel® VT / DBS, PDA function																					S26361-F3275-L186	199	
	Xeon DP X5260 3.33 GHz 6MB 1333MHz	Dual Core CPU (65W) with heatpipe, 6MB SLC ECC protected, 1333MHz FSB, 64-bit / Intel® VT / DBS, PDA function																					S26361-F3275-L333	773	
	Xeon DP E5405 2.00 GHz 2x6MB 1333MHz	Xeon DP Quad Core CPU (80W), 2.00GHz, 2x6MB SLC ECC, 1333MHz FSB, VT, heatpipe, PDA function																					S26361-F3276-L200	274	
	Xeon DP E5420 2.50 GHz 2x6MB 1333MHz	Xeon DP Quad Core CPU (80W), 2.50GHz, 2x6MB SLC ECC, 1333MHz FSB, VT/DBS, heatpipe, PDA function																					S26361-F3276-L250	384	
	Xeon DP E5430 2.66 GHz 2x6MB 1333MHz	Xeon DP Quad Core CPU (80W), 2.66GHz, 2x6MB SLC ECC, 1333MHz FSB, VT/DBS, heatpipe, PDA function																					S26361-F3276-L266	441	
	Xeon DP 2.8GHz 2x2MB 800MHz	Dual Core CPU with heatpipe + fan, PDA function, 2x2MB SLC ECC, 800MHz FSB																					S26361-F3310-L280	1300	
	Xeon DP 5050 3.00GHz 2x2MB 667MHz	Xeon DP dual core, 3.00GHz, 2x2MB SLC ECC, 667MHz FSB, VT/HT/DBS, heatpipe, PDA function												x									S26361-F3318-L300	252	
	Xeon DP 5060 3.20GHz 2x2MB 1066MHz	Xeon DP dual core, 3.20GHz, 2x2MB SLC ECC, 1066MHz FSB, VT/HT, heatpipe, PDA function																					S26361-F3318-L320	387	
	Xeon DP 5110 1.60GHz 4MB 1066MHz	Xeon DP dual core, 1.60GHz, 4MB shared SLC ECC, 1066MHz FSB, VT, heatpipe, PDA function																					S26361-F3320-L160	252	
	Xeon DP 5120 1.86GHz 4MB 1066MHz	Xeon DP dual core, 1.86GHz, 4MB shared SLC ECC, 1066MHz FSB, VT, heatpipe, PDA function																					S26361-F3320-L186	312	
	Xeon DP 5130 2.00GHz 4MB 1333MHz	Xeon DP dual core, 2.00GHz, 4MB shared SLC ECC, 1333MHz FSB, VT, heatpipe, PDA function																					S26361-F3320-L200	387	
	Xeon DP 5140 2.33GHz 4MB 1333MHz	Xeon DP dual core, 2.33GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatpipe, PDA function																					S26361-F3320-L233	519	
	Xeon DP 5110 1.60GHz 4MB 1066MHz	Xeon DP dual core, 1.60GHz, 4MB shared SLC ECC, 1066MHz FSB, VT, heatpipe + fan, PDA function																					S26361-F3321-L160	254	
	Xeon DP 5120 1.86GHz 4MB 1066MHz	Xeon DP dual core, 1.86GHz, 4MB shared SLC ECC, 1066MHz FSB, VT, heatpipe + fan, PDA function																					S26361-F3321-L186	309	
	Xeon DP 5130 2.00GHz 4MB 1333MHz	Xeon DP dual core, 2.00GHz, 4MB shared SLC ECC, 1333MHz FSB, VT, heatpipe + fan, PDA function																					S26361-F3321-L200	387	
	Xeon DP 5140 2.33GHz 4MB 1333MHz	Xeon DP dual core, 2.33GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatpipe + fan, PDA function																					S26361-F3321-L233	519	
	Xeon DP 5150 2.66GHz 4MB 1333MHz	Xeon DP dual core, 2.66GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatpipe + fan, PDA function																					S26361-F3321-L266	738	
	Xeon DP 5160 3.00GHz 4MB 1333MHz	Xeon DP dual core, 3.00GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatpipe + fan, PDA function																					S26361-F3321-L300	906	
	Xeon LV DP L5410 2.33 GHz 2x6MB 1333MHz	Xeon Low Voltage DP Quad Core CPU (50W), 2.33GHz, 2x6MB SLC ECC, 1333MHz FSB, VT, heatpipe, PDA function																					S26361-F3330-L233	320	
	Xeon LV DP L5420 2.50 GHz 2x6MB 1333MHz	Xeon Low Voltage DP Quad Core CPU (50W), 2.50GHz, 2x6MB SLC ECC, 1333MHz FSB, VT, heatpipe, PDA function																					S26361-F3330-L250	374	
	Xeon LV DP L5240 3.00 GHz 6MB 1333MHz	Xeon Low Voltage DP Dual Core CPU (40W), 3.00GHz, 6MB SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function																					S26361-F3330-L300	608	
	Xeon LV DP L5310 1.60GHz 2x4MB 1066MHz	Xeon Low Voltage DP Quad Core CPU (50W), 1.60GHz, 2x4MB SLC ECC, 1066MHz FSB, VT, heatpipe, PDA function																					S26361-F3343-L160	305	
	Xeon LV DP L5335 2.00GHz 2x4MB 1333MHz	Xeon Low Voltage DP Quad Core CPU (50W), 2.00GHz, 2x4MB SLC ECC, 1333MHz FSB, VT, heatpipe, PDA function																					S26361-F3343-L200	438	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments	
Processor (Continued)																								
Xeon LV DP L5410	2.33 GHz 2x6MB 1333MHz	Xeon Low Voltage DP Quad Core CPU (50W), 2.33GHz, 2x6MB SLC ECC, 1333MHz FSB, VT, heatpipe, PDA function													x						S26361-F3343-L233	320		
Xeon LV DP L5420	2.50 GHz 2x6MB 1333MHz	Xeon Low Voltage DP Quad Core CPU (50W), 2.50GHz, 2x6MB SLC ECC, 1333MHz FSB, VT, heatpipe, PDA function													x							S26361-F3343-L250	374	
Xeon DP E5405	2.00 GHz 2x6MB 1333MHz	Quad Core CPU (80W) with heatpipe, 2x6MB SLC ECC protected, 1333MHz FSB, 64-bit / Intel® VT, PDA function															x					S26361-F3340-L200	274	
Xeon DP E5420	2.50 GHz 2x6MB 1333MHz	Quad Core CPU (80W) with heatpipe, 2x6MB SLC ECC protected, 1333MHz FSB, 64-bit / Intel® VT / DBS, PDA function															x					S26361-F3340-L250	384	
Xeon DP E5430	2.66 GHz 2x6MB 1333MHz	Quad Core CPU (80W) with heatpipe, 2x6MB SLC ECC protected, 1333MHz FSB, 64-bit / Intel® VT / DBS, PDA function																x				S26361-F3340-L266	441	
Xeon DP E5440	2.83 GHz 2x6MB 1333MHz	Quad Core CPU (80W) with heatpipe, 2x6MB SLC ECC protected, 1333MHz FSB, 64-bit / Intel® VT / DBS, PDA function																x				S26361-F3340-L283	628	
Xeon DP X5460	3.16 GHz 2x6MB 1333MHz	Quad Core CPU (120W) with heatpipe, 2x6MB SLC ECC protected, 1333MHz FSB, 64-bit / Intel® VT / DBS, PDA function																x				S26361-F3340-L316	1054	
Xeon LV DP L5310	1.60GHz 2x4MB 1066MHz	Low Voltage Quad Core CPU (50W)+ heatpipe, 2x4MB SLC ECC protected, 1066MHz FSB, 64-bit / Intel® VT, PDA function																x				S26361-F3330-L160	305	
Xeon LV DP L5335	2.00GHz 2x4MB 1333MHz	Low Voltage Quad Core CPU (50W)+ heatpipe, 2x4MB SLC ECC protected, 1333MHz FSB, 64-bit / Intel® VT, PDA function																x				S26361-F3330-L200	438	
Memory																								
4GB 2x2GB DDR266	PC2100 rg ECC	2 modules, lp, registered DDR 266MHz, Chipkill									x											S26361-F2762-L826	1124	Phased out
MEM 512MB DDR2-533	PC2-4200 ubECC (1mod)	1 module, unbuffered DDR2-533		x	x																	S26361-F3000-L513	20	
MEM 1GB DDR2-533	PC2-4200 ub ECC(1mod)	1 module, unbuffered DDR2-533			x	x																S26361-F3000-L514	42	
MEM 2GB DDR2-533	PC2-4200 ub ECC (1Mod)	1 module, unbuffered DDR2-533				x	x															S26361-F3000-L515	67	
2GB 2x1GB DDR400	PC3200 ub ECC	2 modules 1GB each, unbuffered DDR 400MHz		x																		S26361-F3019-L524	352	Phased out
2GB 2x1GB DDR2-400	PC2-3200 rg ECC	2 modules, registered DDR2 400MHz													x							S26361-F3072-L522	136	
4GB 2x2GB DDR2-400	PC2-3200 rg ECC	2 modules, registered DDR2 400MHz													x							S26361-F3072-L523	294	
2GB 2x1GB DDR2-400	PC2-3200 rg ECC	2 Module, registered DDR2 400MHz																x	x			S26361-F3072-L622	136	
4GB 2x2GB DDR2-400	PC2-3200 rg d ECC	2 Module, registered dual rank DDR2 400MHz																x	x			S26361-F3072-L623	273	
8GB 2x4GB DDR2-400	PC2-3200 rg d ECC	2 Module, registered dual rank DDR2 400MHz																x	x			S26361-F3072-L624	800	
Memory Board 4 DIMM Slots,	hot plug able	4 DIMM Slots, hot plug able																x	x			S26361-F3125-L130	118	
MEM 1GB 2x512MB FBD667	PC2-5300F ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC													x		x					S26361-F3230-L521	86	
MEM 2GB 2x1GB FBD667	PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC													x		x					S26361-F3230-L522	120	
MEM 4GB 2x2GB FBD667	PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC													x		x					S26361-F3230-L523	168	
MEM 8GB 2x4GB FBD667	PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC													x		x					S26361-F3230-L524	438	
1GB DDR2-667	PC2-5300 ub d ECC	1 module, unbuffered DDR2 667MHz													x							S26361-F3237-L514	42	
2GB DDR2-667	PC2-5300 ub d ECC	1 module, unbuffered DDR2 667MHz																				S26361-F3237-L515	96	
Memory Board 2 for TX300 S4		for additional 4 DIMM pairs, necessary for mirroring																				S26361-F3263-L300	116	
1GB 2x512MB FBD667	PC2-5300F ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC													x		x					S26361-F2623-L521	86	
2GB 2x1GB FBD667	PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC													x		x					S26361-F3263-L522	120	
4GB 2x2GB FBD667	PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC													x		x					S26361-F3263-L523	221	
8GB 2x4GB FBD667	PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC													x		x					S26361-F3263-L524	716	
1GB DDR2-800	PC2-6400 ub d ECC 1 MODUL	1 modul, unbuffered DDR2 800MHz								x												S26361-F3870-L514	42	
2GB DDR2-800	PC2-6400 ub d ECC 1 MODUL	1 modul, unbuffered DDR2 800MHz								x												S26361-F3870-L515	96	
1GB 2x512MB DDR266	PC2100 rg ECC	2 modules, registered DDR 266MHz													x		x					S26361-F2762-L524	254	Phased out
2GB 2x1GB DDR266	PC2100 rg ECC	2 modules, registered DDR 266MHz													x		x					S26361-F2762-L525	468	Phased out
4GB 2x2GB DDR266	PC2100 rg ECC	2 modules, registered DDR 266MHz																x				S26361-F2762-L526	1124	
2GB 2x1GB DDR333	PC2700 rg ECC	2x1GB modules, registered DDR 333MHz ECC													x							S26361-F3084-L522	426	
4GB 2x2GB DDR333	PC2700 rg ECC	2x2GB modules, registered DDR 333MHz ECC													x							S26361-F3084-L523	2311	
Graphics																								
PY VGA Card 128MB	PCI-e	NVIDIA NVS 285 128MB PCIe-x1 graphic card																				S26361-F2748-L531	125	
PP LV VGA Card 128MB	PCI-e	NVIDIA NVS 285 128MB LP PCIe-x1 graphic card	x																			S26361-F2748-L631	125	
Removable Media Drives																								
F-D-L-HDD-Box2		for slim FDD or LocalView and DVD, 2x HDD																				S26361-F2826-L101	62	
F-D-L-HDD-Box2		for slim FDD or LocalView or CSS and DVD, 2x HDD																				S26361-F2826-L102	62	
SFF 8xSAS HDD Box		Extension Box for 8 pc. 2.5" hotplug HDD																				S26361-F2826-L113	118	
FDD-DVD-Box TX200 S3		incl. 3.5" Floppy Disk Drive and mounting kit for SL DVD, 1.6" fitting height, anthracite																				S26361-F2826-L201	35	
Mounting Kit DVD(s) + FDD/CSS		for FDD/CSS and DVD																				S26361-F2826-L203	16	
F-D-L-Box1		for slim FDD and slim DVD, 1x LocalView																				S26361-F2826-L301	27	
DVD-ROM 1.6" SATA		16x DVD, 48x CD, 1.6" fitting height, anthracite																				S26361-F3266-L1	31	
DVD-RW supermulti 1.6" SATA		all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, anthracite, incl. software																				S26361-F3267-L1	67	
CD-RW/DVD slimline SATA		24x CD-R/RW/ROM, 8x DVD, incl. software, slimline 0.5" fitting height, anthracite																				S26361-F3268-L1	51	
DVD-RW supermulti slimline SATA		all CD/DVD formats, DUAL/DL, DVD-RAM, incl. software, slimline 0.5" fitting height, anthracite																				S26361-F3269-L1	86	
Tape Kit DDS Gen5 36GB	USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit, 1.6" fitting height, with description (G/US), data and cleaning cartridge	x																			S26361-F3324-L2	353	
FDD USB (external)		external USB FDD, USB cable included	x																			S26391-F264-L226	26	
MEMORIBIRD P 2GB		High Speed USB flash stick, Driverless use for Microsoft Windows operating systems, Plug and Play, Bootable for LIFEBOOK Series and ESPRIMO PC, AMILO Pro, ESPRIMO Mobile, CELSIUS Mobile and PRIMERGY, Availability of various capacities for storage of miscellaneous data, up to 28 Mbit/s read-speed, write-speed up to 17 Mbit/s	x																			S26391-F6047-L102	40	
External DVD Dual Slim Slot-In Drive		Easy connection via USB 2.0. Included AC-adapter provides power support. Connection and disconnection without restarting. Slot-loading drive. Ultra slim design with the low weight of only 365 g. Read Speed: 8x DVD±R, 8x DVD±R DL, Write Speed: 8x DVD±RW, 8x DVD-RW, NERO Essentials Software. High quality and stability. Reliability of delivery. Low noise. Accessories for highly differentiated demands. Meets highest demands in terms of ergonomics and usability																				S26391-F7119-L100	85	
Floppy Disk Drive 1.44MB 1"		1" fitting height																				S26361-F2575-L1	19	
Floppy Disk Drive 1.44MB slimline		Connector FFC 26pin, 0.5" fitting height																				S26361-F3059-L2	31	
DVD-ROM ATAPI		ATAPI/IDE, 1.6" fitting height																				SNP-SY-F2234-L1-A	31	
CD-RW / DVD ATAPI slimline		CD-RW / DVD drive ATAPI/IDE 0.5" 24/24/24/8x, incl. SW, 0.5" fitting height, anthracite	x																			S26361-F3123-L1	67	
DVD-RW DL/DVD-RAM ATAPI		DVDRW DL/DVD-RAM ATAPI 40/24/40x 16x/16 16x8, incl. Nero SW, 1.6" fitting height, anthracite																				S26361-F3148-L1	67	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments
Removable Media Drives (Continued)																							
	DVD-RW DL/DVD-RAM ATAPI slimline	DVDRW DL/DVD-RAM ATAPI 24/16/24x 8x/8 8x/8 6/2.4, incl. Nero SW, slimline 0.5" fitting height, anthracite	x							x	x										S26361-F3236-L1	98	Phased out
	Blu-ray Combo 1.6" SATA	6x BD-ROM, 16x DVD, 40x CD, BD DL and all CD/DVD formats, 1.6" fitting height, anthracite, incl. software						x				x									S26361-F3530-L1	199	
	Blu-ray Combo slimline SATA	2x BD-ROM, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0.5" fitting height, anthracite, incl. software						x					x								S26361-F3531-L1	199	Deliverable from: 12/09/2008, Orderable from: 22/09/2008
	RDX Drive USB 25MB/s 5.25" int	RDX Drive 80-160GB 25MB/s 5.25" intern., USB 2.0 Connector: USB "B" with USB cable, 1.6" fitting height, with description (G/US)					x	x			x	x									S26361-F3857-L1	132	
	RDX Drive USB 25MB/s 3.5" int	RDX Drive 80-160GB 25MB/s 3.5" intern., USB 2.0 Connector: USB "B" with USB cable, 1.6" fitting height, with description (G/US)	x																		S26361-F3857-L2	132	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B"; 1.6" fitting height, with USB cables for Econel, TX150, TX200 and TX300, with description (G/US), data and cleaning cartridge					x	x	x			x	x								S26361-F3324-L4	353	
	Tape Kit DDS Gen5 36GB 3MB/s int.	LVD U2W SCSI Interface 68-pin, 1.6" fitting height, with description (G/US), data and cleaning cartridge	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2848-L3	244	
	Tape Kit DDS Gen5 36GB 3MB/s for OBDR	LVD U2W SCSI Interface 68-pin, 1.6" fitting height, with description (G/US), data and cleaning cartridge, for One Button Disaster Recovery	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2848-L31	382	
	Tape Kit VXA-320 160GB 12MB/s int.	LVD U160 SCSI Interface 68-pin, 1.6" fitting height, with description (G/US), data and cleaning cartridge				x	x	x				x	x								S26361-F3224-L3	852	Phased out
	Tape Kit Entry LTO Ultr 100GB 16MB/s int	U160 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge					x	x					x								S26361-F3460-L3	816	
	Tape Kit LTO2HH Ultrium 200GB 24MB/s int	U160 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge, without cable				x	x	x				x	x								S26361-F3157-L3	681	
	Tape Drv LTO2HH Ultrium 200GB 24MB/s int	U160 SCSI Interface 68-pin, 1.6" fitting height, anthracite, Delivery includes no cartridges				x	x	x				x	x								S26361-F3157-L30	600	
	Tape Kit LTO3HH Ultrium 400GB 60MB/s int	U320 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge					x	x					x								S26361-F3459-L3	934	
	Tape Kit LTO3 Ultrium 400GB 80MB/s int.	U160 SCSI Interface 68-pin, 3.2" fitting height, anthracite, with data and cleaning cartridge										x	x								S26361-F3158-L3	1815	
Hard Disk Drives																							
	HDD U320 15k 300GB hot plug 1"	15,000 rpm with 1" frame, U320 SCSI	x	x	x						x										S26361-F2764-L530	800	
	HDD Extension for 3x hot plug	for 3x U320 SCSI HDD hot plug, aktiv termination				x	x	x													S26361-F2826-L1	214	
	HDD Extension for 2x hot plug	for 2x 2.5" SAS HDD hot plug, aktiv termination	x																		S26361-F2826-L120	39	
	HDD SATA 250GB 7.2k hot plug 3.5"	7,200 rpm, fitting height 1"					x	x													S26361-F3017-L250	153	
	HDD U320 146GB 15k hot plug 3.5"	15,000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s				x	x						x								S26361-F3121-L514	238	
	HDD U320 300GB 15k hot plug 3.5"	15,000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s				x	x						x								S26361-F3121-L530	426	
	HDD U320 73GB 15k hot plug 3.5"	15,000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s				x							x								S26361-F3121-L573	184	
	HD SATA 160GB 7.2k 3GB/s hot plug 3.5"	7,200 rpm, fitting height 1"				x	x	x													S26361-F3218-L160	61	
	HD SATA 250GB 7.2k 3GB/s hot plug 3.5"	7,200 rpm, fitting height 1"				x	x	x													S26361-F3218-L250	78	
	HD SATA 500GB 7.2k 3GB/s hot plug 3.5"	7,200 rpm, fitting height 1"				x	x	x													S26361-F3218-L500	192	
	HD SATA 3GB/s 250GB 7.2k hot plug 3.5"	7,200 rpm, fitting height 1"					x														S26361-F3265-L250	78	
	HD SATA 3GB/s 500GB 7.2k hot plug 3.5"	7,200 rpm, fitting height 1"					x														S26361-F3265-L500	192	
	HD SATA 3GB/s 750GB 7.2k hot plug 3.5"	7,200 rpm, fitting height 1"					x														S26361-F3265-L750	274	
	HD SAS 3GB/s 73GB 15k hot plug 3.5"	15,000 rpm, fitting height 1"				x	x														S26361-F3204-L573	159	
	HD SAS 3GB/s 146GB 15k hot plug 3.5"	15,000 rpm, fitting height 1"				x	x														S26361-F3204-L514	213	
	HD SAS 3GB/s 300GB 15k hot plug 3.5"	15,000 rpm, fitting height 1"				x	x														S26361-F3204-L530	395	
	HD SAS 3GB/s 450GB 15k hot plug 3.5"	15,000 rpm, fitting height 1"				x	x														S26361-F3204-L545	488	
	HDD SAS 73GB 10k 3GB/s hot plug 2.5"	10,000 UpM	x																		S26361-F3208-L173	159	
	HDD SAS 146GB 10k 3GB/s hot plug 2.5"	10,000 UpM	x																		S26361-F3208-L114	200	
	HDD SAS 365GB 15k 3GB/s hot plug 2.5"	15,000 rpm with 1" frame, 2.5" SAS, hot plug																			S26361-F3208-L536	195	
	HDD SAS 73GB 15k 3GB/s hot plug 2.5"	15,000 rpm with 1" frame, 2.5" SAS, hot plug																			S26361-F3208-L573	239	
SCSI/RAID/SAS controller																							
	SCSI Ctrl U160 1- ch int/ext	Adaptec 29160, 1x U160 SCSI	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2399-L1	162	
	SCSI Ctrl U160 1- ch int/ext lp	Adaptec 29160LP, 1x U160 SCSI	x																		S26361-F2737-L201	162	
	68-Pin Kit for int. access. SCSI drives	Cable with terminator																			S26361-F2814-L12	39	
	68-Pin Kit for accessible drives	Cable with terminator																			S26361-F2814-L6	39	
	RAID Ctrl 2-Channel 128MB BBU LSI	LSI 320-2, TBBU, U320, PCI controller, 128MB	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3006-L128	534	Phased out
	BBU Modul for RAID Controller	BBU modul for RAID controller																			S26361-F3085-L10	86	
	RAID-Ctrl 0-Channel 128MB LSI	RAID-Ctrl, Zero-Channel, 128MB, LSI, PCI-X 133, 128MB Cache, optional BBU																			S26361-F3085-L128	232	Phased out
	RAID-Ctrl 0-Channel SAS 128MB LSI	RAID-Ctrl, Zero-Channel SAS, 128MB, LSI, PCI-X 64/66, 128MB Cache, optional BBU																			S26361-F3085-L2	175	
	RAID-Ctrl 0-Channel SAS 128MB LP LSI	RAID-Ctrl, Zero-Channel SAS, 128MB, low profile, LSI, PCI-X 64/66, 128MB Cache																			S26361-F3085-L202	174	
	RAID Ctrl 2-Channel 256MB BBU LSI	LSI 320-2, TBBU, U320, PCI-X controller, 256MB	x	x	x																S26361-F3090-L256	773	
	RAID Ctrl onboard key 128MB iTBBU LSI	MegaRaid PCI Express ROMB Upgrade Kit, includes iButton, 128 MB Cache and BBU																			S26361-F3091-L328	242	
	RAID Ctrl onboard key 256MB iTBBU LSI	MegaRaid PCI Express ROMB Upgrade Kit, includes iButton, 256 MB Cache and BBU																			S26361-F3091-L556	320	
	SCSI-Cable for internal Tapes x800 Sx	for connetion of internal Tapes																			S26361-F3128-L101	62	
	RAID Ctrl SAS onboard 256MB LSI	MegaRaid ROMB SAS Upgrade Kit., includes iButton, 256 MB Cache without BBU																			S26361-F3205-L256	101	
	RAID Ctrl SAS onboard 256MB iTBBU LSI	MegaRaid ROMB SAS Upgrade Kit., includes iButton, 256 MB Cache and iTBBU																			S26361-F3205-L556	251	
	RAID Ctrl SAS 8 Port 256MB LSI	RAID-Ctrl, LSI MegaRAID SAS8344ELP, PCIe x4, 256MB Cache, 4 external ports, 4 internal ports, optional BBU, >>>exclusive for external attachment of FibreCAT SX40 !!!, This SAS RAID controller supports SAS and SATA disks.																			S26361-F3215-L1	421	Phased out
	RAID Ctrl BBU Upgrade 8344ELP LSI	BBU Upgrade for LSI 8344ELP																			S26361-F3215-L10	109	Phased out
	RAID Ctrl SATA 8 port 128MB LSI	RAID-Ctrl, LSI MegaRAID SAS8308ELP, PCIe x4, 128MB Cache, 8 internal ports, optional BBU., only for attachment of SATA disks in TX150 S5																			S26361-F3216-L1	333	
	RAID Ctrl Upgrade BBU 3080ELP LSI	BBU upgrade for SATA RAID 5 Controller (LSI 3080ELP)																			S26361-F3216-L10	109	
	RAIDS Embedded MegaRAID SW LSI	key for software RAID5, only for attachment of SATA disks																			S26361-F3217-L100	93	
	RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for FSC SAS/SATA RAID Controller for RAID Ctrl. F3257 256MB and 512MB																			S26361-F3257-L10	116	
	RAID 5/6 SAS based on LSI MegaRAID 256MB	RAID-Ctrl, LSI MegaRAID SAS1078, PCIe x4, 256MB Cache, 8 internal ports, optional BBU																			S26361-F3257-L256	294	
	RAID 5/6 SAS based on LSI MegaRAID 512MB	RAID-Ctrl, LSI MegaRAID SAS1078, PCIe x4, 512MB Cache, 8 internal ports, optional BBU																			S26361-F3257-L512	340	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments
Accessories & services matrix																								
SCSI/RAID/SAS controller (Continued)																								
	RAID 0/1 SAS based on LSI MegaRAID 8Port	RAID-Ctrl, LSI MegaRAID SAS1068, PCIe x4, 8 internal ports							x			x				x						S26361-F3257-L8	108	
	SCSI Ctrl U320 1ch int/ext PCIe	Adaptec 29320LPE, 1x U320 SCSI							x			x					x					S26361-F3270-L1	124	
	SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, LSI SAS3442E-R																x				S26361-F3271-L1	153	
	RAID Ctrl SAS 8Port opt remote BBU LSI	optional BBU for LSI MegaRAID SAS8880E																	x			S26361-F3890-L11	109	
	RAID Ctrl SAS 8Port 512M FH/LP LSI	RAID-Ctrl, LSI MegaRAID SAS8880E, PCIe x4, 512MB Cache, 8 external ports, without IBBU							x			x							x			S26361-F3890-L501	359	
	DVD cable for upgrade modular RAID	DVD cable for upgrade modular RAID										x										T26139-Y3969-L201	20	
Fibre Channel																								
	FC Ctrl 2GBit/s QLA2340 MMF LC	QLA2340, 2GBit/s, 64Bit/133MHz PCI, 1-channel, LC interface									x	x		x	x	x	x	x	x	x		S26361-F3097-L1	867	
	FC Ctrl 2GBit/s LP1011 MMF LC	Emulex LP1011, 2GBit/s, 64Bit/133MHz PCI, full height, 1-channel, LC interface, only for attachment of the subsystem FibreCAT SX60						x			x	x										S26361-F3122-L1	384	
	FC Ctrl 2GBit/s LP1050Ex MMF LC	LP1050Ex, 2GBit/s, 1-channel FC controller, PCIe x4, MMF LC interface																		x	x	S26361-F3141-L1	664	
	FC Ctrl 2GBit/s LP1050 MMF LC	Emulex LP1050, 2GBit/s, 64Bit/133MHz PCI, 1-channel, LC interface									x					x						S26361-F3141-L10	664	
	FC Ctrl 4GBit/s LPe1150 MMF LC	LPe1150, 4GBit/s, 1-channel FC controller, PCIe x4, MMF LC interface										x	x			x	x	x	x	x		S26361-F3306-L1	531	
	FC Ctrl 2x4GBit/s LPe11002 MMF LC	LPe11002, 4GBit/s, 2-channel FC controller, PCIe x4, MMF LC interface										x	x					x	x	x	x	S26361-F3306-L2	796	
	FC Ctrl 4GBit/s QLE2460 MMF LC	QLE2460, 4GBit/s, 1 channel FC controller, PCIe x4, full height, MMF LC interface. This controller is in PRIMERGY server not certified for Microsoft Cluster.										x	x					x	x		x	S26361-F3483-L1	664	
	FC Ctrl 4GBit/s QLE2462 MMF LC	QLE2462, 4GBit/s, 2 channel FC controller, PCIe x4, full height, MMF LC interface. This controller is in PRIMERGY server not certified for Microsoft Cluster.										x	x					x	x		x	S26361-F3483-L2	1022	
	FC Ctrl 4GBit/s LPe1111 MMF LC	Emulex LPe1111, 4GBit/s, 1 Channel FC Controller, PCIe x4 Full Height, MMF LC-Interface							x													S26361-F3864-L1	387	Phased out
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber												x								S26361-F3961-L1	719	Orderable from: 15/09/2008
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber												x								S26361-F3961-L2	1108	Orderable from: 15/09/2008
Communication/Network																								
	ISDN S0-Ctrl (2B+D) aktive BRI2M-2.0	Eicon Diva Server BRI-2M 2.0, WAN-Controller, digital&analog, ISDN & V.90, for Europe, incl. ISDN S0-cable		x	x	x					x					x	x					S26361-F1809-L2	636	Phased out
	X.25 Ctrl Dual X.21 Eicon S94 V2 (R)	WAN-Controller; incl. 2x X.21 DCE connection cable on X.25, Frame Relay and SNA network										x	x	x		x	x	x				S26361-F2610-L3	2186	
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter	x	x	x	x	x				x	x	x		x	x	x					S26361-F3142-L1	58	
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter																				S26361-F3142-L2	58	
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu lp	Intel PRO 1000 GT Desktop Adapter, low profile	x																			S26361-F3142-L202	42	
	Eth Ctrl 2x1GBit PCIe PRO/1000P Cu	Intel Pro 1000P 2 Port Server Adapter																			x	S26361-F3143-L1	148	
	Eth Ctrl 2x1GBit PCI-X PRO/1000GT Cu	Intel Pro 1000GT Dual Port Server Adapter						x	x			x	x									S26361-F3227-L2	125	
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu	Intel Pro 1000PT 2 Port Server Adapter						x	x			x	x									S26361-F3228-L1	159	
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu lp	Intel Pro 1000PT 2 Port Server Adapter	x																			S26361-F3228-L201	160	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu	Intel Pro 1000PT 1 Port Server Adapter																				S26361-F3241-L1	55	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp	Intel Pro 1000PT 1 Port Server Adapter	x																			S26361-F3241-L201	55	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT LC	Intel Pro 1000PT 1 Port Server Adapter																				S26361-F3242-L1	226	
	Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu	Intel Pro 1000PT Quad Port Server Adapter with full hight bracket																				S26361-F3462-L1	305	
	Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu lp	Intel Pro 1000PT Quad Port Server Adapter with low profile bracket	x																			S26361-F3462-L201	305	
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	Intel Pro 1000MT 2 Port Server Adapter	x	x	x	x					x	x	x		x	x	x	x	x	x		S26361-F3011-L1	125	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MT Cu	Intel PRO 1000 MT Server Adapter	x	x	x	x					x	x	x		x	x	x	x	x	x		S26361-F3053-L1	96	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MT Cu lp	Intel PRO 1000 MT Server Adapter, low profile	x																			S26361-F3053-L201	96	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MF LC	Intel PRO 1000 MF Server Adapter																				S26361-F3054-L1	226	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MF LC lp	Intel PRO 1000 MF Server Adapter, low profile	x																			S26361-F3054-L201	226	
Rack-Infrastructure																								
	RMK CR additional to RMK TX/RX600	additional RMK for mounting of RX/TX600 in PY 19" 23/42HE Classic Racks																				S26361-F1331-L200	55	
	RMK CR additional to RMK TX200/300 S2	additional RMK incl. cable guide for mounting of TX200/300S2 / RX300S2 in PY 19" 23/42HE Classic Racks					x	x														S26361-F1331-L300	93	
	Conversion kit 2 Floor -> Rack	for conversion of a floorstand BU to rack BU																				S26361-F1729-L220	74	
	Conversion kit 3 Floor -> Rack	for conversion of a floorstand BU to rack BU																				S26361-F1729-L230	74	
	Conversion kit 4 Floor -> Rack	for conversion of a floorstand BU to rack BU																				S26361-F1729-L330	74	
	Conversionkit PRY TX150 S6 Floor -> Rack	for conversion of a floorstand BU to rack BU								x	x											S26361-F2618-L250	47	
	RMK 1 D/P/3rd P Racks telescopic rails	1 pair telescopic rails depth 735-770mm incl. adapter angle and cable management	x	x	x																	S26361-F2734-L31	188	
	RMK TX150 s4 telescopic rails	1 pair telescopic rails depth 704-790mm, D/P/3rd P Racks incl.vario carrier and cable management							x	x												S26361-F2734-L32	140	
	RMK 11 D/P/3rd P Racks telescopic rails	1 pair telescopic rails depth 713-812mm incl. adapter angle and cable management for DC-, PC- and 3rd party racks																				S26361-F2734-L36	186	
	RMK-TX200-S4	Special-Rackmount-Kit with Rack brackets and base tub, incl. full extraction and cable management																				S26361-F2734-L90	146	
	RMK-F2_TX300-S4	telescopic full extraction, 1-hand mount vario-carrier, pre-assem, centre screw, max. load 50 kg																				S26361-F2735-L103	80	
	RMK-F1_TX150-S6	full extraction with vario-carrier, pre-assembled with centre screw																				S26361-F2735-L105	55	
	cage nut set, M5, t=2,5mm	Content: 50 pieces																				S26361-F2735-L500	39	
	Cable magnit. for 19" DC- PC- Rack	cable management for adding a server or storage subsystem from a 3rd party rack into the PRIMECENTER rack 2																				S26361-F2735-L7	24	
	1 U cable arm, dragged	cable arm for PRIMERGY server, dragged for PRIMECENTER- and 3rd-party racks																				S26361-F2735-L8	24	
	Conversion Kit PY TX600 S3 floor->rack	for conversion of a floorstand BU to rack BU, incl. Rack face Plate, Local/View Display, Rack Rails and cabel management																				S26361-F3126-L600	271	
	cable management arm for 3rd party racks	all-purpose for PY server in 3rd party a. classic racks	x																			S26361-F2201-L20	39	
PRIMERGY-Software																								
	iRMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection	x																			S26361-F1790-L240	234	
	iRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection																				S26361-F1790-L241	232	
	VMware FND-AK w/1yr SNS DistributionOnly																					S26361-F2341-L403	1838	
	VMware FND-AK w/3yr SNS DistributionOnly																					S26361-F2341-L404	2495	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments		
PRIMERGY Software (Continued)																										
	VMware STD-AK w/1yr SNS DistributionOnly											x	x			x	x					S26361-F2341-L405		3679		
	VMware STD-AK w/3yr SNS DistributionOnly											x	x			x	x					S26361-F2341-L406		4995		
	VMware VI-AK w/1yr SNS DistributionOnly											x	x			x	x					S26361-F2341-L422		14261		
	VMware VI-AK w/3yr SNS DistributionOnly											x	x			x	x					S26361-F2341-L424		19362		
	RemoteView Service Board S2 LP 3HU	incl. cables and RV SW; for PRIMERGY RX300 S2, TX200 S2, TX300 S2, TX150 S3, TX150 S4, RX/TX600 S2, RX220, RX/TX600 S3			x	x														x			S26361-F2425-L103		387	
	PRIMERGY MultiPath LinuxWinServ GB 3.x	Support of redundant Multipath between PRIMERGY and Disk Storage, for W2K, Windows2003 and LINUX, Full product, licence for 1 Server									x	x	x	x	x	x	x	x	x	x	x		U15000-C197		684	
	PRIMERGY MultiPath MPIO WinServ GB 4.x	MultiPath based on Microsoft MPIO supporting multiple paths between server and subsystem; for Windows Server 2003									x	x	x		x	x	x		x				U15000-C278		684	
	PRIMERGY DuplexDataManager GB 3.x	Advanced Edition, Software under W2K, Windows2003 and Linux, for disaster-tolerant PRIMERGY, configuration, includes MultiPath (1 License per Server)									x	x	x	x	x	x	x	x	x	x	x		U15000-C196		2144	
	PRIMERGY ServerView Suite subscription.	Subscription for 1 year, ca. 10 releases, The subscription is licensed only for PRIMERGY servers.	x	x						x	x	x	x	x	x	x	x	x	x				U15000-C176		168	
	RSB LP external power supply	incl. power cord (with Euro socket connector- and Euro plug)			x	x						x	x							x			S26361-F2425-L305		31	
	RemoteDeploy 3.x Single license	Single license for operation of one client server (managed node) under RD 3.x	x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	x		U15000-C262		108	
	RemoteDeploy V4.1 Software CD	Full version with license key for SW usage - no license.	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x		U15000-C286		24	
	RemoteDeploy 4.x Single License	Single license for operation of one client server (managed node) under RD 4.x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x		U15000-C287		109	
	RemoteDeploy 4.1 Single Upgrade License	for upgrades of one 3.x single license to version 4.0 - no software!	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x		U15000-C288		47	
	ServerView Suite, latest version	Latest ServerView Suite Edition - including Installation Manager	x								x	x	x	x	x	x	x	x	x				U15000-C289		20	
	ServerView Deployment Manager V5	Software CD Full version, software only - no license	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x		U15000-C299		24	
	ServerView Deployment Mgr 5 Single Lic.	Single license for operation of one client server (managed node) - no software!	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x		U15000-C300		109	
	ServerView Depl. Mgr. 5 Single Upgrade	for upgrades of one 4.x single license to version 5.0 - no software!	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x		U15000-C301		47	
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x						x														S26361-F2565-L140		16	
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x						x														S26361-F2565-L141		74	
	Altiris Server Deployment Solution 6	Single license for operation of one client server (to be ordered for each system)	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x		U15000-C251		140	
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x						x														S26361-F2565-L142		16	
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x						x														S26361-F2565-L143		74	
	Win Server 2008 TS CAL (5 Device)	(5 Device) Terminal Server Client License Pack for Microsoft Windows Server 2008 Standard, Enterprise und Datacenter, multilingual	x						x														S26361-F2565-L144		261	
	Win Server 2008 TS CAL (5 User)	(5 User) Terminal Server Client License Pack for Microsoft Windows Server 2008 Standard, Enterprise und Datacenter, multilingual	x						x														S26361-F2565-L145		261	
	Altiris Server Deployment AUP	Annual upgrade protection for Deployment Solution (to be ordered for each system)	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x		U15000-C255		21	
	Altiris Premium Support Pack	1 year support package for Altiris	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x		U15000-C259		10831	
	Altiris 5 Incidents Support	5 support incidents for Altiris	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x		U15000-C260		1464	
	Altiris Server Management Suite - Level1	Single license for operation of one client server (to be ordered for each system)	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x		U15000-C267		186	
	Altiris Server Management Suite - L1 AUP	Annual upgrade protection for Mangement Suite (to be ordered for each system)	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x		U15000-C271		26	
	MS Device CAL for Win Server 2003, GB	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) GB	x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	x		S26361-F2565-L610		20	
	MS 1 Device CAL for Win Server 2003, D	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) D	x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	x		S26361-F2565-L611		20	
	MS 1 Device CAL for Win Server 2003, F	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) F	x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	x		S26361-F2565-L613		20	
	MS 5 Device CAL for Win Server 2003, GB	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) GB	x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	x		S26361-F2565-L650		74	
	MS 5 Device CAL for Win Server 2003, D	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) D	x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	x		S26361-F2565-L651		74	
	MS 5 Device CAL for Win Server 2003, I	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) I	x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	x		S26361-F2565-L652		74	
	MS 5 Device CAL for Win Server 2003, F	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) F	x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	x		S26361-F2565-L653		74	
	MS 5 Device CAL for Win Server 2003, E	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) E	x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	x		S26361-F2565-L654		74	
	MS 1 User CAL for Win Server 2003, GB	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) GB	x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	x		S26361-F2565-L620		20	
	MS 1 User CAL for Win Server 2003, D	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) D	x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	x		S26361-F2565-L621		20	
	MS 1 User CAL for Win Server 2003, I	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) I	x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	x		S26361-F2565-L622		20	
	MS 1 User CAL for Win Server 2003, F	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) F	x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	x		S26361-F2565-L623		20	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments
PRIMERGY-Software (Continued)																							
MS 5 User CAL for Win Server 2003, GB	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) GB		x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	S26361-F2565-L660	74		
MS 5 User CAL for Win Server 2003, D	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) D		x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	S26361-F2565-L661	74		
MS 5 User CAL for Win Server 2003, I	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) I		x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	S26361-F2565-L662	74		
MS 5 User CAL for Win Server 2003, F	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) F		x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	S26361-F2565-L663	74		
MS 5 User CAL for Win Server 2003, E	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) E		x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	S26361-F2565-L664	74		
MS 5 Device TS-CAL Win Server 2003, GB	Microsoft Device Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 Device TS-CAL Version, GB		x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	S26361-F2565-L670	242		
MS 5 Device TS-CAL Win Server 2003, D	Microsoft Device Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 Device TS-CAL Version, D		x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	S26361-F2565-L671	242		
MS 5 User TS-CAL Win Server 2003, GB	Microsoft User Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 User TS-CAL Version, GB		x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	S26361-F2565-L680	242		
MS 5 User TS-CAL Win Server 2003, D	Microsoft User Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 User TS-CAL Version, D		x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	S26361-F2565-L681	242		
MS 5 Device CAL for Win SBS 2003	Microsoft Device Client License Pack for Windows Small Business Server 2003 products, Standard, Premium Edition, 32bit (5 Device CAL Version) multi-language CAL for GB, D, I, F, E		x					x					x							S26361-F2565-L690	254		
MS 5 User CAL for Win SBS 2003	Microsoft User Client License Pack for Windows Small Business Server 2003 products, Standard, Premium Edition, 32bit (5 User CAL Version) multi-language CAL for GB, D, I, F, E		x					x					x							S26361-F2565-L691	254		
SUSE Linux ES 9 x86 and x86_64 Media Kit	SUSE Linux Enterprise Server 9 for x86 and for AMD64 and Intel EM64T media kit		x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	S26361-F2346-L109	67		
SUSE Linux ES 32-CPU +1Y	SUSE Linux Enterprise Server for all platforms 1-Server up to 32-CPU sockets 1-Year subscription (renewal)				x	x					x	x	x		x	x				S26361-F2346-L111	182		
SUSE Linux ES 1-CPU +1Y	SUSE Linux Enterprise Server for all platforms 1-Server with 1-CPU sockets 1-Year subscription (renewal)						x	x												S26361-F2346-L181	114		
SUSE Linux ES 10 x86 and x86_64 Media	SUSE Linux Enterprise Server 10 for x86, AMD64 and Intel EM64T media kit		x		x	x	x				x	x	x		x	x	x	x	x	S26361-F2346-L192	67		
ServerView Integration V2.0	ServerView Integration V2.0 CD and node licence for HP OpenView NNM and Operations IBM NetView and ServerView Plus TEC&Inventory		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15051-C108	78		
Red Hat EL AP 5x9 I3 support +1Y	Red Hat Enterprise Linux AP for all platforms 5x9 level3 support 1-Server 1-Year renewal										x				x					S26361-F2346-L201	553		
Red Hat EL 2-CPU 5x9 I3 support +1Y	Red Hat Enterprise Linux up to 2-CPU sockets for all platforms 5x9 level3 support 1-Server 1-Year renewal		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2346-L211	284		
Red Hat EL 5 SRV x86 & x86_64 Media Kit	Red Hat Enterprise Linux ES 5 Server media kit for x86 & x86_64		x				x										x			S26361-F2346-L292	39		
debian4you media kit	debian4you Media Kit (current version) for x86 and x86_64		x			x	x													S26361-F2346-L400	35		
debian4you Basic Support 1Y	debian4you Basic (email) Support Subscription for x86 and x86_64 1-Server 1-Year		x			x	x													S26361-F2346-L411	153		
debian4you Basic Support 3Y	debian4you Basic (email) Support Subscription for x86 and x86_64 1-Server 3-Years		x			x	x													S26361-F2346-L412	387		
debian4you Standard Support 1Y	debian4you Standard (5x9) Support Subscription for x86 and x86_64 1-Server 1-Year		x			x	x													S26361-F2346-L415	387		
debian4you Standard Support 3Y	debian4you Standard (5x9) Support Subscription for x86 and x86_64 1-Server 3-Years		x			x	x													S26361-F2346-L416	1093		
debian4you Premium Support 1Y	debian4you Premium (7x24) Support Subscription for x86 and x86_64 1-Server 1-Year		x			x	x													S26361-F2346-L417	773		
debian4you Premium Support 3Y	debian4you Premium (7x24) Support Subscription for x86 and x86_64 1-Server 3-Years		x			x	x													S26361-F2346-L418	1944		
Win Server 2008 Standard ROK	Windows Server 2008 Standard ROK (1-4 CPU), ML, Only for distributors with ROK Agreement. , Includes: Hyper-V, 1 Virtual Use Right, 5 CALS, 32-bit/x64, x86: 4 sockets, 4 GB RAM, x64: 4 sockets, 32 GB RAM, Languages: CZ,D,E,F,GB,HU,I,NL,PL,PT,RU,SE,TR, OEM DVD, license, manual		x						x						x					S26361-F2565-L110	375		
Win Server 2003 R2, ROK SE SP2, GB	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x		x	x	x	x												S26361-F2565-L230	361		



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments
PRIMERGY-Software (Continued)																							
	Win Server 2003 R2, ROK SE SP2, D	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x		x	x	x	x			x	x	x	x	x	x	x	x	x	S26361-F2565-L231	391		
	Win Server 2003 R2, ROK SE SP2, I	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x		x	x	x	x			x	x	x	x	x	x	x	x	x	S26361-F2565-L232	391		
	Win Server 2003 R2, ROK SE SP2, F	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x		x	x	x	x			x	x	x	x	x	x	x	x	x	S26361-F2565-L233	391		
	Win Server 2003 R2, ROK SE SP2, E	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x		x	x	x	x			x	x	x	x	x	x	x	x	x	S26361-F2565-L234	391		
	Win Server 2003 R2, ROK SE SP2, CZ	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x		x	x	x	x			x	x	x	x	x	x	x	x	x	S26361-F2565-L235	391		
	Win Server 2003 R2, ROK SE SP2, PL	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x		x	x	x	x			x	x	x	x	x	x	x	x	x	S26361-F2565-L236	391		
	Win Server 2003 R2, ROK SE SP2, RUS	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x		x	x	x	x			x	x	x	x	x	x	x	x	x	S26361-F2565-L237	391		
	Win Server 2003 R2, ROK SE x64 SP2, GB	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x		x	x	x	x			x	x	x	x	x	x	x	x	x	S26361-F2565-L270	382		



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments
PRIMERGY-Software (Continued)	Win Server 2003 R2, ROK SE x64 SP2, D	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x		x	x	x	x			x	x	x	x	x	x	x	x	x	x	S26361-F2565-L271	391		
	Win Server 2003 R2, ROK SE x64 SP2, I	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x		x	x	x	x			x	x	x	x	x	x	x	x	x	x	S26361-F2565-L272	391		
	Win Server 2003 R2, ROK SE x64 SP2, F	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x		x	x	x	x			x	x	x	x	x	x	x	x	x	x	S26361-F2565-L273	391		
	Win Server 2003 R2, ROK SE x64 SP2, E	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x		x	x	x	x			x	x	x	x	x	x	x	x	x	x	S26361-F2565-L274	391		
	Win SBS 2003 R2, ROK SE SP2, GB	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x			x	x	x			x	x	x			x	x				S26361-F2565-L250	222		
	Win SBS 2003 R2, ROK SE SP2, D	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x			x	x	x			x	x	x			x	x				S26361-F2565-L251	242		
	Win SBS 2003 R2, ROK SE SP2, I	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x			x	x	x			x	x	x			x	x				S26361-F2565-L252	242		
	Win SBS 2003 R2, ROK SE SP2, F	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x			x	x	x			x	x	x			x	x				S26361-F2565-L253	242		



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments
PRIMERGY-Software (Continued)	Win SBS 2003 R2, ROK SE SP2, E	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x				x	x	x													S26361-F2565-L254	242	
	Win SBS 2003 R2, ROK SE SP2, CZ	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x					x	x			x	x									S26361-F2565-L255	242	
	Win SBS 2003 R2, ROK PREMIUM SP2, GB	The Windows Small Business Server 2003 R2 ROK Premium Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x					x	x			x	x									S26361-F2565-L260	475	
	Win SBS 2003 R2, ROK PREMIUM SP2, D	The Windows Small Business Server 2003 R2 ROK Premium Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x					x	x			x	x									S26361-F2565-L261	511	
	Win SBS 2003 R2, ROK PREMIUM SP2, I	The Windows Small Business Server 2003 R2 ROK Premium Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x					x	x			x	x									S26361-F2565-L262	511	
	VMware VI-FND w/1yr SNS	VMware Infrastructure 3 Foundation OEM License for 2 sockets, additive licenses with 1 year SNS Support and Subscription										x	x									S26361-F2341-L367	1108	
	VMware VI-FND w/1yr SNS DistributionOnly	VMware Infrastructure 3 Foundation OEM License for 2 sockets, additive licenses with 1 year SNS Support and Subscription										x	x									S26361-F2341-L368	835	
	VMware VI-FND w/3yr SNS	VMware Infrastructure 3 Foundation OEM License for 2 sockets, additive licenses with 3 year SNS Support and Subscription										x	x									S26361-F2341-L369	2038	
	VMware VI-FND w/3yr SNS DistributionOnly	VMware Infrastructure 3 Foundation OEM License for 2 sockets, additive licenses with 3 year SNS Support and Subscription										x	x									S26361-F2341-L370	1566	
	VMware VC-FND-C w/1yr SNS	VMware VirtualCenter Foundation Limited to 3 V13 ESX Nodes with 1 year Support and Subscription OEM										x	x									S26361-F2341-L380	1071	
	VMware VC-FND-C w/3yr SNS	VMware VirtualCenter Foundation Limited to 3 V13 ESX Nodes with 3 year Support and Subscription OEM										x	x									S26361-F2341-L381	1638	
	VMware VC-FND-UG-C w/1yr SNS	Upgrade VC Foundation to VCMS includes upgrade License to VCMS Upgrade VC-FND to VC-VMCS + 1 year SNS	x						x													S26361-F2341-L401	2158	
	VMware VC-FND-UG-C w/3yr SNS	Upgrade VC Foundation to VCMS includes upgrade License to VCMS Upgrade VC-FND to VC-VMCS + 3 year SNS	x						x													S26361-F2341-L402	2688	
	VMware VI-STD w/1yr SNS	Virtual Infrastructure 3 Standard OEM License for 2 sockets; additive licenses with 1 year SNS Support and Subscription.										x	x									S26361-F2341-L303	2338	
	VMware VI-STD w/3yr SNS	Virtual Infrastructure 3 Standard OEM License for 2 sockets; additive licenses with 3 year SNS Support and Subscription.										x	x									S26361-F2341-L304	3008	
	VMware VI-STD w/1yr SNS DistributionOnly	Virtual Infrastructure 3 Standard OEM License for 2 sockets; additive licenses with 1 year SNS Support and Subscription. Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.										x	x									S26361-F2341-L333	1838	
	VMware VI-STD w/3yr SNS DistributionOnly	Virtual Infrastructure 3 Standard OEM License for 2 sockets; additive licenses with 3 year SNS Support and Subscription. Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.										x	x									S26361-F2341-L334	2495	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments
PRIMERGY-Software (Continued)																							
	VMware VI-EE w/1yr SNS	Virtual Infrastructure 3 Enterprise OEM License for 2 sockets; additive licenses with 1 year SNS Support and Subscription.									x	x			x	x					S26361-F2341-L305	4488	
	VMware VI-EE w/3yr SNS	Virtual Infrastructure 3 Enterprise OEM License for 2 sockets; additive licenses with 3 year SNS Support and Subscription.									x	x			x	x					S26361-F2341-L306	5776	
	VMware VI-EE w/1yr SNS DistributionOnly	Virtual Infrastructure 3 Enterprise OEM License for 2 sockets; additive licenses with 1 year SNS Support and Subscription. Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.									x	x			x	x					S26361-F2341-L335	3528	
	VMware VI-EE w/3yr SNS DistributionOnly	Virtual Infrastructure 3 Enterprise OEM License for 2 sockets; additive licenses with 3 year SNS Support and Subscription. Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.									x	x			x	x					S26361-F2341-L336	4788	
	VMware VCMS w/1yr SNS	VirtualCenter Management Server 2 OEM License per VCMS application instance with 1 year SNS Support and Subscription.	x			x	x	x			x	x	x		x	x	x				S26361-F2341-L321	3066	
	VMware VCMS w/3yr SNS	VirtualCenter Management Server 2 OEM License per VCMS application instance with 3 year SNS Support and Subscription.	x			x	x	x			x	x	x		x	x	x				S26361-F2341-L322	4162	
	VMware VMS-VCMS-BUN-C	VMware VirtualCenter for VMware Server and Support Bundle. Includes one Activation Key for VMware VirtualCenter Management Server for VMware Server, three 2-CPU-agents, and two support incidents. Is designed and licensed for use exclusively with VMware Server. Requires VirtualCenter for VMware Server binaries download from VMware. Requires a Windows Server 2003 operating system.	x			x	x	x			x	x	x		x	x	x				S26361-F2341-L327	956	
	VMware VI-FND-AK-C w/1yr SNS	VI Foundation Acceleration Kit includes VC FND and VI FND for 6 Sockets with 1 year Support and Subscription OEM									x	x			x	x					S26361-F2341-L382	2338	
	VMware VI-FND-AK-C w/3yr SNS	VI Foundation Acceleration Kit includes VC FND and VI FND for 6 Sockets with 3 year Support and Subscription OEM									x	x			x	x					S26361-F2341-L383	3013	
	VMware VI-STD-AK-C w/1yr SNS	VI Standard Acceleration Kit includes VC FND and VI STD for 4 Sockets with 1 year Support and Subscription OEM									x	x			x	x					S26361-F2341-L384	4680	
	VMware VI-STD-AK-C w/3yr SNS	VI Standard Acceleration Kit includes VC FND and VI STD for 4 Sockets with 3 year Support and Subscription OEM									x	x			x	x					S26361-F2341-L385	6022	
	VMware VI-FND-STD-UG w/1yr SNS	VI3 FND to Standard Upgrade OEM for 2 sockets, additive licenses with 1 year SNS Support and Subscription									x				x						S26361-F2341-L407	1238	
	VMware VI-FND-STD-UG w/3yr SNS	VI3 FND to Standard Upgrade OEM for 2 sockets, additive licenses with 3 year SNS Support and Subscription									x				x						S26361-F2341-L408	1355	
	VMware VI-FND-ENT-UG w/1yr SNS	VI3 FND to Enterprise Upgrade OEM for 2 sockets, additive licenses with 1 year SNS Support and Subscription									x				x						S26361-F2341-L409	3046	
	VMware VI-FND-ENT-UG w/3yr SNS	VI3 FND to Enterprise Upgrade OEM VI3 FND to Enterprise Upgrade OEM VI3 FND to Enterprise Upgrade OEM									x				x						S26361-F2341-L410	3945	
	VMware VI-AK w/1yr SNS	VI Enterprise XL Acceleration Kit includes VCMS and VI ENT for 8 Sockets with 1 year Support and Subscription OEM									x				x						S26361-F2341-L421	18118	
	VMware VI-AK w/3yr SNS	VI Enterprise XL Acceleration Kit includes VCMS and VI ENT for 8 Sockets with 3 year Support and Subscription OEM									x				x						S26361-F2341-L423	23312	
	VMware ESX 3i w/o SNS DistributionOnly	VMware ESX Server 3i Standalone OEM Server License for up to 2 sockets without Support and Subscription Option																			S26361-F2341-L366	8	
	VMware ESX 3i w/1yr SNS DistributionOnly	VMware ESX Server 3i Standalone OEM Server License for up to 2 sockets with 1 year Support and Subscription Option																			S26361-F2341-L371	307	
	VMware ESX3-FND-UG-C w/1yr SNS	Upgrade from ESXi 3.5 OEM to VI3 Foundation, License for 2 sockets with 1 year Support and Subscription OEM																			S26361-F2341-L386	542	
	VMware ESX3-STD-UG-C w/1yr SNS	Upgrade from ESXi 3.5 OEM to VI3 Standard, License for 2 sockets with 1 year Support and Subscription OEM																			S26361-F2341-L387	1733	
	VMware ESX3-ENT-UG-C w/1yr SNS	Upgrade from ESXi 3.5 OEM to VI3 Enterprise, License for 2 sockets with 1 year Support and Subscription OEM																			S26361-F2341-L388	3661	
	VMware VI-STD-ENT-UG w/1yr SNS	VI3 Standard to Enterprise Upgrade OEM for 2 sockets, additive licenses with 1 year SNS Support and Subscription. Includes VSMP, VMFS, VMotion, HA, DRS, VCB.									x				x						S26361-F2341-L313	2148	
	VMware VI-STD-ENT-UG w/3yr SNS	VI3 Standard to Enterprise Upgrade OEM for 2 sockets, additive licenses with 3 year SNS Support and Subscription. Includes VSMP, VMFS, VMotion, HA, DRS, VCB.									x	x	x	x	x	x	x				S26361-F2341-L314	2916	
	VMware RN SNS 1yr for VI-STD	Renewal SNS Support and Subscription OEM from FSC for 1 year for 2 sockets for Virtual Infrastructure 3 Standard OEM									x	x			x	x					S26361-F2341-L351	424	
	VMware RN SNS 1yr for VI-EE	Renewal SNS Support and Subscription OEM from FSC for 1 year for 2 sockets for Virtual Infrastructure 3 Enterprise OEM									x	x			x	x					S26361-F2341-L352	813	
	VMware RN SSS 1yr for VCMS	Renewal SNS Support and Subscription OEM from FSC for 1 year for VirtualCenter Management Server 2 OEM	x			x	x	x			x	x			x	x					S26361-F2341-L353	707	
	VMware RN SSS 1yr for VI-VMOT	Renewal SNS Support and Subscription OEM from FSC for 1 year for 2 sockets for VMotion for VI-STD OEM									x	x			x	x					S26361-F2341-L354	495	
	VMware RN SNS 1yr for VI-STD-ENT-UG	Price is per each 2sockets. Order 2x for a PRIMERGY RX600, TX600, BX630 Quad, and order 4x for an RX800, BX630 8-way.									x	x			x	x					S26361-F2341-L357	495	
	VMware RN SNS 1yr for VI-FND	Renewal SNS Support and Subscription OEM from FSC for 1 year for 2 sockets for VI-FND (OEM)									x	x			x	x					S26361-F2341-L358	366	
	VMware RN SNS 1yr for VDI-STD-100	Renewal SNS Support and Subscription from FSC for VDI-STD-100 OEM									x	x			x	x					S26361-F2341-L364	2479	
	VMware RN SNS 1yr for VDI-ENT-100	Renewal SNS Support and Subscription from FSC for VDI-ENT-100 OEM									x	x			x	x					S26361-F2341-L365	3895	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments	
PRIMERGY-Software (Continued)																									
	VMware RN SNS 1yr for VDI-W-STR	Renewal SNS Support and Subscription OEM from FSC for 1 year for VDM2-Windows + VI-ENT + VC-FND for 10 desktop VMs													x							S26361-F2341-L394	212		
	VMware RN SNS 1yr for VDI-W-100	Renewal SNS Support and Subscription OEM from FSC for 1 year for VDM2-Windows + VI-ENT + VC-FND for 100 desktop VMs														x			x				S26361-F2341-L395	2125	
	VMware RN SNS 1yr for VDI-W-ADD10-C	Renewal SNS Support and Subscription OEM from FSC for 1 year for VDM2-Windows + VI-ENT + VC-FND for 10 add. desktop VMs														x			x				S26361-F2341-L396	212	
	VMware RN SNS 1yr for VI-FND-AK	Renewal SNS Support and Subscription OEM for VI Foundation Acceleration Kit 1 year Support and Subscription OEM														x				x			S26361-F2341-L397	424	
	VMware RN SNS 1yr for VI-STD-AK	Renewal SNS Support and Subscription OEM for VI Standard Acceleration Kit 1 year Support and Subscription OEM														x				x			S26361-F2341-L398	849	
	VMware RN SNS 1yr for VI-AK	Renewal SNS Support and Subscription OEM for VI Enterprise XL Acceleration Kit 1 year Support and Subscription OEM														x				x			S26361-F2341-L399	3291	
	VMware VI CD-ROM Media Kit	Virtual Infrastructure 3 Media Kit OEM Media Kit Only No License.														x	x	x	x				S26361-F2341-L300	62	
	VMware VMotion w/1yr SNS	VMotion for VMware VI-STD w/1yr SNS OEM for 2 sockets, additive licenses with 1 year SNS Support and Subscription. Includes VMotion. , Requires VMware Infrastructure Standard Edition.														x	x		x	x	x	x	S26361-F2341-L323	2145	
	VMware VMotion w/3yr SNS	VMotion for VMware VI-STD w/3yr SNS OEM for 2 sockets, additive licenses with 3 year SNS Support and Subscription. Includes VMotion. , Requires VMware Infrastructure Standard Edition.														x	x		x	x	x	x	S26361-F2341-L326	2912	
OS/Application-SW																									
	ARCserve r11.5 Media Kit	BrightStor ARCserve Backup r11.5 Media Kit, , 1 x BAB r11.5 CD f. Windows, 1 x BAB r11.5 CD f. Linux, 1 x BAB r11.5 Agent CD	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C732	20	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows-1 server pack-includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C10	1990	
	CA XOssoft WANSync FS Std. OS	CA XOssoft WANSync File Server Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C300	1672	
	CA XOssoft WANSync AS Std. OS	CA XOssoft WANSync Application Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C308	2548	
	CA XOssoft WANSyncHA FS Std. OS	CA XOssoft WANSyncHA File Server Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C400	2548	
	CA XOssoft WANSyncHA AS Std. OS	CA XOssoft WANSyncHA Application Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C408	3663	
	XOssoft r12 Replication FS Std. OS	XOssoft r12 Replication File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. , The product offers data replication for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition), , Content: 1x Media Kit and 1x License for one server., , More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_so_ft/Pages/default.aspx , , System Requirements: ----- -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_so_ft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C600	1247	
	XOssoft r12 HighAvailability FS Std. OS	XOssoft r12 High Availability File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition), , Content: 1x Media Kit and 1x License for one server., , More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_so_ft/Pages/default.aspx , , System Requirements: ----- -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_so_ft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C616	1900	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments
Accessories & services matrix	OS/Application-SW (Continued)																							
	CA ARCserve r12 Base for Windows	Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2000	631	
	UP CA ARCserve r12 Basis for Windows	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2000-U	473	
	1Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C400U1	158		
	3Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C400U3	474		
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 10 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C426	393	
	ARCserve r11.5 for Windows 2000/2003	Basic component for backup/restore of one or more servers. BrightStor ARCserve Backup r11.5 is for Windows 2000/2003 certified and released! ARCserve r11.5 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots. For every further Windows server will be needed a further ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C700	615	
	UP ARCserve r11.5 for Windows 2000/2003	ARCserve r11.5 for Windows Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C700-U	461	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																									
	ARCServe r11.5 for MS SBS Standard	BrightStor ARCServe Backup r11.5 for Microsoft Small Business Server Standard Edition (existing of basic, Exchange agent, Open File Agent, Volume Shadow Copy Service Agent and Share Point Portal Agent). Hardware and operating system dependent extract from the following link; , CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C750	393		
	ARCServe r11.5 for Linux	BrightStor ARCServe r11.5 for Linux! Basic component for backup/restore of one server or in consumption with clients of more servers, too. Hardware and operating system dependent extract from the following link; , CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C800	615	
	UP ARCServe r11.5 for Linux	ARCServe r11.5 for Linux Upgrade from ARCServe v9, r11.0 or r11.1 for Linux! Hardware and operating system dependent extract from the following link; , CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C800-U	461	
	1Yr Mnt ARCServe LX (Basis)	BrightStor ARCServe Backup for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C800U1	158		
	3Yr Mnt ARCServe LX (Basis)	BrightStor ARCServe Backup for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C800U3	473		
	BSRM for Windows incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) is a cross-platform data storage management solution that monitors, analyzes, schedules and automates networked storage resources across distributed and mainframe environments. Delivery of BrightStor Storage Resource Manager inclusive 1 Year CA Enterprise Maintenance. U15355-C900 is a prerequisite for all other BrightStor SRM products.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C900	2376		
	BrightStor SAN Manager incl 1yr Mnt	BrightStor SAN Manager is a business centric SAN Management solution, that simplifies monitoring and management of complex networked storage resources. With BrightStor SAN Manager you will cover, configure and administrate business centric complex SAN infrastructures. This BrightStor SAN Manager product includes 1 Year CA Enterprise Maintenance.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C920	4757		
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows-1 server pack-includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C11	2787		
	CA XOssoft WANSync FS Std. OS	CA XOssoft WANSync File Server Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C301	2340		
	CA XOssoft WANSync AS Std. OS	CA XOssoft WANSync Application Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C309	3567		
	CA XOssoft WANSyncHA FS Std. OS	CA XOssoft WANSyncHA File Server Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C401	3567		
	CA XOssoft WANSyncHA AS Std. OS	CA XOssoft WANSyncHA Application Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and database/email applications. Product includes: 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C409	5128		



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)	XOsoft r12 Replication FS Std. OS	XOsoft r12 Replication File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication for Windows File Servers. . It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/Default.aspx . System Requirements: ----- -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C601	1745	
	XOsoft r12 HighAvailability FS Std. OS	XOsoft r12 High Availability File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows File Servers. . It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/Default.aspx . System Requirements: ----- -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C617	2660	
	CA ARCserve r12 WIN Tape Library Option	CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! . CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! . Required for jukeboxes with more than one tape drive! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows). https://support.ca.com/frjportal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows). https://support.ca.com/frjportal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2001	810	
	UP CA ARCserve r12 WIN Tape Library Opt.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---. CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! . CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! . Required for jukeboxes with more than one tape drive! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows). https://support.ca.com/frjportal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows). https://support.ca.com/frjportal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2001-U	608	
	1Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C401U1	202		
	3Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C401U3	607		
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 100 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . CA Compatibility Matrix (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C427	2377	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments		
Accessories & services matrix																										
OS/Application-SW (Continued)																										
	ARCserve r11.5 WIN Tape Library Option	ARCserve r11.5 Tape Library Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Required for jukeboxes with several drives! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C701	790			
	UP ARCserve r11.5 Tape Library Option	ARCserve r11.5 for Windows Tape Library Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C701-U	592			
	ARCserve r11.5 for MS SBS Premium	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Premium Edition (existing of basic, Exchange agent, Open File agent, SQL agent, Volume Shadow Copy Service agent and Share Point Portal agent). Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C751	552			
	ARCserve r11.5 LX Tape Library Option	BrightStor ARCserve r11.5 for Linux Tape Library Option! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C801	790			
	UP ARCserve r11.5 LX Tape Library Option	ARCserve r11.5 for Linux Upgrade Tape Library Option from ARCserve v9, r11.0 or r11.1 Tape Library Option for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C801-U	592			
	1Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C801U1	202			
	3Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C801U3	608			
	BSRM Managed Srv Windows incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Windows inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C901	471			
	Proxy for Windows incl 1yr Mnt	BrightStor SAN Manager Proxy for Windows inclusive 1 Year CA Enterprise Maintenance! For each further monitoring Windows server!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C921	471			
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 10 server pack-includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C12	19905			
	CA XOssoft WANSync FS Ent. OS	CA XOssoft WANSync File Server Suite Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C302	2548			
	CA XOssoft WANSync AS Ent. OS	CA XOssoft WANSync Application Suite Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C310	3821			
	CA XOssoft WANSyncHA FS Ent. OS	CA XOssoft WANSyncHA File Server Suite Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C402	3663			



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																							
CA XOssoft WANSynCHA AS Ent. OS	CA XOssoft WANSynCHA Application Suite Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C410	5733	
XOssoft r12 Replication FS Ent. OS	XOssoft r12 Replication File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , The product offers data replication for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_so_ft/Pages/default.aspx , System Requirements: ----- ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_so_ft/compatibility/Pages/default.aspx		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C602	1900	
XOssoft r12 HighAvailability FS Ent. OS	XOssoft r12 High Availability File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_so_ft/Pages/default.aspx , System Requirements: ----- ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_so_ft/compatibility/Pages/default.aspx		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C618	2731	
CA ARCserve r12 WIN SAN Option	CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option. The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_0d1.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2002	1298	
UP CA ARCserve r12 WIN SAN Option	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option. The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_0d1.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2002-U	974	
1Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C402U1	263	
3Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C402U3	790	
1Yr Mnt ARCserve WIN LAPD 10 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 10 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C426U1	101	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments	
Accessories & services matrix																									
OS/Application-SW (Continued)																									
	ARCserve r11.5 WIN Optical Library Opt.	ARCserve r11.5 Optical Library Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C702	1028		
	UP ARCserve r11.5 Optical Library Option	ARCserve r11.5 for Windows Optical Library Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C702-U	771		
	1Yr Mnt ARCserve WIN SBS Standard	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Standard - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C750U1	101		
	ARCserve r11.5 LX NAS Option	BrightStor ARCserve r11.5 for Linux NDMP NAS Option! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C802	790		
	UP ARCserve r11.5 LX NAS Option	ARCserve r11.5 for Linux Upgrade NAS Option from ARCserve v9, r11.0 or r11.1 NAS Option for Linux! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C802-U	592		
	1Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C802U1	202		
	3Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C802U3	608		
	BSRM Opt MS Exchange incl. 1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft Exchange inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C902	948		
	Proxy for Linux incl 1yr Mnt	BrightStor SAN Manager Proxy for Linux inclusive 1 Year CA Enterprise Maintenance! For each further monitoring Linux server!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C13	471		
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 10 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C13	27867		
	CA XOssoft WANSync FS Ent. OS	CA XOssoft WANSync File Server Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More information at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C303	3567		
	CA XOssoft WANSync AS Ent. OS	CA XOssoft WANSync Application Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C311	5351		
	CA XOssoft WANSyncHA FS Ent. OS	CA XOssoft WANSyncHA File Server Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More information at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C403	5128		
	CA XOssoft WANSyncHA AS Ent. OS	CA XOssoft WANSyncHA Application Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and and database/email applications. Product includes 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C411	8025		



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																								
	XOsoft r12 Replication FS Ent. OS	XOsoft r12 Replication File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication for Windows File Servers. . It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/Pages/default.aspx . System Requirements: ----- ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C603	2660	
	XOsoft r12 HighAvailability FS Ent. OS	XOsoft r12 High Availability File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows File Servers. . It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/Pages/default.aspx . System Requirements: ----- ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C619	3823	
	CA ARCserve r12 WIN Disaster Recovery O.	CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/frjportal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/frjportal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2003	566	
	UP CA ARCserve r12 WIN Disaster Rec. Op.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.--- CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/frjportal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/frjportal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2003-U	425	
	1Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C403U1	325		
	3Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C403U3	974		
	3Yr Mnt ARCserve WIN LAPD 10 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 10 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C426U3	302		
	ARCserve r11.5 WIN SAN Option	ARCserve r11.5 Storage Area Network (SAN) Option for Windows; works with ARCserve r11.5 basic! Includes one Tape Library Option! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C703	1266	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																								
	UP ARCServe r11.5 SAN Option	ARCServe r11.5 for Windows Storage Area Network Option Upgrade from ARCServe v9, r11.0 or r11.1 for Windows!! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link: , CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C703-U	949	
	3Yr Mnt ARCServe WIN SBS Standard	BrightStor ARCServe Backup for Windows for Microsoft Small Business Server Standard - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C750U3	302	
	ARCServe r11.5 LX Oracle Agent	BrightStor ARCServe r11.5 for Linux Agent for Oracle! Hardware and operating system dependent extract from the following link: , CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C803	790	
	UP ARCServe r11.5 LX Oracle Agent	ARCServe r11.5 for Linux Upgrade Oracle Agent from ARCServe v9, r11.0 or r11.1 Oracle Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C803-U	592	
	1Yr Mnt ARCServe LX Oracle Agent	BrightStor ARCServe Backup for Linux Agent for Oracle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C803U1	202	
	3Yr Mnt ARCServe LX Oracle Agent	BrightStor ARCServe Backup for Linux Agent for Oracle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C803U3	608	
	BSRM Opt MS SQL Srv incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft SQL Server inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C903	948	
	Proxy for Solaris incl 1yr Mnt	BrightStor SAN Manager Proxy for Solaris inclusive 1 Year CA Enterprise Maintenance! For each further monitoring Solaris server!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C923	948	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 50 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C14	39810	
	CA XOssoft WANSync FS Cluster	CA XOssoft WANSync File Server Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C304	1592	
	CA XOssoft WANSync AS Cluster	CA XOssoft WANSync Application Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C312	2229	
	CA XOssoft WANSyncHA FS Cluster	CA XOssoft WANSyncHA File Server Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C404	2389	
	CA XOssoft WANSyncHA AS Cluster	CA XOssoft WANSyncHA Application Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C412	2867	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																									
	XOsoft r12 Replication FS Cluster	XOsoft r12 Replication File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance . . . The product offers data replication for Windows File Servers. . It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/Products/default.aspx . System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C604	1187		
	XOsoft r12 HighAvailability FS Cluster	XOsoft r12 High Availability File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance . . . The product offers data replication and high availability for Windows File Servers. . It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/Products/default.aspx . System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C620	1781		
	CA ARCserve r12 WIN NDMP NAS Option	CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! . CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2004	810		
	UP CA ARCserve r12 WIN NDMP NAS Option	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12--- . CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! . CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2004-U	608		
	1Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C404U1	325		
	3Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C404U3	974		
	1Yr Mnt ARCserve WIN LAPD 100 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 100 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C427U1	610		
	ARCserve r11.5 WIN Serverless BackupOpt	ARCserve r11.5 Serverless Backup Option for Windows; works with ARCserve r11.5 basic and ARCserve r11.5 SAN Option! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C704	1266		
	UP ARCserve r11.5 Serverless Backup Opt.	ARCserve r11.5 for Windows Serverless Backup Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C704-U	949		



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																								
	1Yr Mnt ARCServe WIN SBS Premium	BrightStor ARCServe Backup for Windows for Microsoft Small Business Server Premium - 1 year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C751U1	141	
	ARCServe r11.5 LX SQL Agent	BrightStor ARCServe r11.5 for Linux Agent for MySQL Hardware and operating system dependent extract from the following link, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C804	790	
	UP ARCServe r11.5 LX SQL Agent	ARCServe r11.5 for Linux Upgrade SQL Agent from ARCServe v9, r11.0 or r11.1 SQL Agent for Linux! Hardware and operating system dependent extract from the following link, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C804-U	592	
	1Yr Mnt ARCServe LX mySQL Agent	BrightStor ARCServe Backup for Linux Agent for MySQL - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C804U1	202	
	3Yr Mnt ARCServe LX mySQL Agent	BrightStor ARCServe Backup for Linux Agent for MySQL - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C804U3	608	
	BSRM Opt Oracle incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Oracle inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C904	948	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 50 server pack-includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C15	55733	
	CA XOssoft WANSync FS Cluster	CA XOssoft WANSync File Server Suite for Microsoft Cluster - inclusive 3 Years CA Enterprise Maintenance. Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C305	2229	
	CA XOssoft WANSync AS Cluster	CA XOssoft WANSync Application Suite for Microsoft Cluster - inclusive 3 Years CA Enterprise Maintenance. Offers data replication for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C313	3121	
	CA XOssoft WANSyncHA FS Cluster	CA XOssoft WANSyncHA File Server Suite for Microsoft Cluster - inclusive 3 Years CA Enterprise Maintenance., Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C405	3344	
	CA XOssoft WANSyncHA AS Cluster	CA XOssoft WANSyncHA Application Suite for Microsoft Cluster - inclusive 3 Years CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C413	4013	
	XOssoft r12 Replication FS Cluster	XOssoft r12 Replication File Server Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. The product offers data replication for Windows File Servers. It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/default.aspx , System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers. Software: Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit). A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C605	1662	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																							
	XOsoft r12 HighAvailability FS Cluster	XOsoft r12 High Availability File Server Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows File Servers. . It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., More product information at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/Pages/default.aspx , System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C621	2494	
	CA ARCserve r12 WIN Open Files Agent	CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/cdis/4536_12_cdi.html , CA Compatibility Matrix (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2005	648	
	UP CA ARCserve r12 WIN Open Files Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/cdis/4536_12_cdi.html , CA Compatibility Matrix (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2005-U	486	
	1Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support, Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C405U1	141		
	3Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C405U3	424		
	3Yr Mnt ARCserve WIN LAPD 100 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 100 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C427U3	1829		
	ARCserve r11.5 WIN Disaster Recovery Opt	ARCserve r11.5 Disaster Recovery Option for Windows: works with ARCserve r11.5 basic! Provides a fast and easy recovery of a downed server! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdi.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C705	552	
	UP ARCserve r11.5 Disaster Recovery Opt.	ARCserve r11.5 for Windows Disaster Recovery Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdi.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C705-U	413	
	3Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C751U3	424		



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments
Accessories & services matrix																						
OS/Application-SW (Continued)																						
	ARCserve r11.5 LX Apache Web Server Agt.	BrightStor ARCserve r11.5 for Linux Agent for Apache Web Server! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdfi.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C805	790	
	UP ARCserve r11.5 LX Apache Web Server	ARCserve r11.5 for Linux Upgrade Apache Web Server Agent from ARCserve v9, r11.0 or r11.1 Apache Web Server Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdfi.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C805-U	592	
	1Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C805U1	202		
	3Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C805U3	608		
	BSRM Managed Srv Linux incl.1Yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Linux inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C905	471		
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 200 server pack-includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C16	79619		
	CA XOssoft WANSync FS Virtual Machine	CA XOssoft WANSync File Server Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers and database/email applications. Product includes 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C306	1274		
	CA XOssoft WANSync AS Virtual Machine	CA XOssoft WANSync Application Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C314	1433		
	CA XOssoft WANSyncHA FS Virtual Machine	CA XOssoft WANSyncHA File Server Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C406	1592		
	CA XOssoft WANSyncHA Virtual Machine	CA XOssoft WANSyncHA Application Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C414	2389		
	XOssoft r12 Replication FS Virt. Machine	XOssoft r12 Replication File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance. , The product offers data replication for Windows File Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation)., Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_so_ft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_so_ft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C606	950		



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments
OS/Application-SW (Continued)	XOsoft r12 HighAvailability FS Virt. Ma.	XOsoft r12 High Availability File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows File Servers. . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation). Content: 1x Media Kit and 1x License for one server. . . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/Pages/default.aspx . . . System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C622	1187	
	CA ARCserve r12 WIN IBM Informix Agent	CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! , CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link: , CA Certified Device List (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2006	1055	
	UP CA ARCserve r12 WIN IBM Informix Ag.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! , CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link: , CA Certified Device List (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2006-U	791	
	1Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C406U1	202		
	3Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C406U3	607		
	ARCserve r11.5 WIN Image Option	ARCserve r11.5 Image Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: , CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C706	790	
	UP ARCserve r11.5 Image Option	ARCserve r11.5 for Windows Image Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: , CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C706-U	592	
	ARCserve r11.5 LX Client Agent for UNIX	BrightStor ARCserve r11.5 Client Agent for UNIX! Hardware and operating system dependent extract from the following link: , CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C806	313	
	UP ARCserve r11.5 LX Client Agent UNIX	ARCserve r11.5 for Linux Upgrade Client Agent for UNIX from ARCserve v9, r11.0 or r11.1 Client Agent for UNIX Hardware and operating system dependent extract from the following link: , CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C806-U	235	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)	1Yr Mnt ARCServe LX Client Agent UNIX	BrightStor ARCServe Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C806U1	80		
	3Yr Mnt ARCServe LX Client Agent UNIX	BrightStor ARCServe Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C806U3	241		
	BSRM Managed Srv NW incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for NetWare Inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C906	471		
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows -200 server pack-includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C17	111467		
	CA XOssoft WANSync FS Virtual Machine	CA XOssoft WANSync File Server Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at., http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C307	1783		
	CA XOssoft WANSync AS Virtual Machine	CA XOssoft WANSync Application Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at., http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C315	2006		
	CA XOssoft WANSyncHA FS Virtual Machine	CA XOssoft WANSyncHA File Server Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at., http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C407	2229		
	CA XOssoft WANSyncHA AS Virtual Machine	CA XOssoft WANSyncHA Application Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , Offers data replicationand high availability for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at., http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C415	3344		
	XOssoft r12 Replication FS Virt. Machine	XOssoft r12 Replication File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance. , The product offers data replication for Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o VMware Workstation), Content: 1x Media Kit and 1x License for one server., , More product informationen at., http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/Pages/default.aspx , System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. A complete list of all supported operating systems can be found at., http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C607	1330	
	XOssoft r12 HighAvailability FS Virt. Ma.	XOssoft r12 High Availability File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance. , The product offers data replication and high availabilityfor Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o VMware Workstation), Content: 1x Media Kit and 1x License for one server., , More product informationen at., http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/Pages/default.aspx , System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. A complete list of all supported operating systems can be found at., http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C623	1662	
	CA ARCServe r12 WIN MS Exchange Agent	CA ARCServe r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCServe Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link., CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2007	810	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments	
Accessories & services matrix																								
OS/Application-SW (Continued)																								
	UP CA ARCServe r12 WIN MS Exchange Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCServe Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdoccs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdoccs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2007-U	608	
	1Yr Mnt ARCServe WIN NAS Opt.	BrightStor ARCServe Backup for Windows NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C407U1	202	
	3Yr Mnt ARCServe WIN NAS Opt.	BrightStor ARCServe Backup for Windows NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C407U3	607	
	ARCServe r11.5 WIN NAS Option	ARCServe r11.5 Network Attached Storage (NAS) Option for Windows; works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Backups a NAS unit with NDMP on a locally connected tape library. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C707	790	
	UP ARCServe r11.5 NAS Option	ARCServe r11.5 for Windows NDMP Network Attached Storage (NAS) Option Upgrade from ARCServe v9, r11.0 or r11.1 for Windows!! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C707-U	592	
	ARCServe r11.5 LX Client Agent for Linux	BrightStor ARCServe r11.5 Client Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C807	198	
	UP ARCServe r11.5 LX Client Agent Linux	ARCServe r11.5 for Linux Upgrade Client Agent for Linux from ARCServe v9, r11.0 or r11.1 Client Agent for Linux Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C807-U	149	
	1Yr Mnt ARCServe LX Client Agent Linux	BrightStor ARCServe Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C807U1	51	
	3Yr Mnt ARCServe LX Client Agent Linux	BrightStor ARCServe Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C807U3	152	
	XOsoft r12 Replication APP Std. OS	XOsoft r12 Replication for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. , The product offers data replication for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition). , Supported Applications: MS Exchange 2000/2003/2005, MS SQL 2000/2005, Oracle 9/10 , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_so/ft/Pages/default.aspx , System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_so/ft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C608	1900	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows Application Servers. . It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition) . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9i/10 . . Content: 1x Media Kit and 1x License for one server. . . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/default.aspx . . System Requirements: . . . Hardware: PRIMERGY Server of Fujitsu Siemens Computers. Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C624	2731	
	CA ARCserve r12 WIN Lotus/Domino Agent	CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! . CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! . Hardware and operating system dependencies can be found at the following link: . CA Certified Device List (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2008	810	
	UP CA ARCserve r12 WIN Lotus/Domino Ag.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---. CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! . CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! . Hardware and operating system dependencies can be found at the following link: . CA Certified Device List (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2008-U	608	
	1Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C408U1	202		
	3Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C408U3	607		
	ARCserve r11.5 WIN Tape RAID Option	ARCserve r11.5 Tape RAID Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: . CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C708	790	
	UP ARCserve r11.5 Tape RAID Option	ARCserve r11.5 for Windows Tape RAID Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: . CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C708-U	592	
	ARCserve r11.5 LX Client Agent NetWare	BrightStor ARCserve r11.5 Client Agent for NetWare! Hardware and operating system dependent extract from the following link: . CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp . CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C808	313	
	UP ARCserve r11.5 LX Client Agent NetWare	ARCserve r11.5 for Linux Upgrade Client Agent for NetWare from ARCserve v9, r11.0 or r11.1 Client Agent for NetWare Hardware and operating system dependent extract from the following link: . CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp . CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C808-U	235	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																									
	1Yr Mnt ARCServe LX Client Agent NW	BrightStor ARCServe Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C808U1	80		
	3Yr Mnt ARCServe LX Client Agent NW	BrightStor ARCServe Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C808U3	241		
	XOsoft r12 Replication APP Std. OS	XOsoft r12 Replication for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication for Windows Application Servers. . It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition) . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10 . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/Pages/default.aspx . System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C609	2660		
	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 3 Years CA Enterprise Maintenance. . The product offers data replication and high availability for Windows Application Servers. . It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition) . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10 . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/Pages/default.aspx . System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C625	3823	
	CA ARCServe r12 WIN Sybase Agent	CA ARCServe r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! . CA ARCServe Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2009	1055		
	UP CA ARCServe r12 WIN Sybase Agent	---Upgrade from BAB r9.01, r1.1.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! . CA ARCServe Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2009-U	791		
	1Yr Mnt ARCServe WIN Open File Agent WIN	BrightStor ARCServe Backup for Windows Open File Agent on Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C409U1	162		
	3Yr Mnt ARCServe WIN Open File Agent WIN	BrightStor ARCServe Backup for Windows Open File Agent on Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C409U3	486		
	ARCServe r11.5 WIN Open File Agent WIN	ARCServe r11.5 Agent for Open Files on Windows; works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C709	631		



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																								
	UP ARCServe r11.5 Open File Agent	ARCServe r11.5 for Windows Open File Agent Upgrade from ARCServe v9, r11.0 or r11.1 for Windows!! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C709-U	473		
	ARCServe r11.5 Client Agent for Windows	BrightStor ARCServe r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C809	198		
	UP ARCServe r11.5 LX Client Agent/Windows	ARCServe r11.5 for Linux Upgrade Client Agent for Windows from ARCServe v9, r11.0 or r11.1 Client Agent for Windows Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C809-U	149		
	1Yr Mnt ARCServe LX Client Agent WIN	BrightStor ARCServe Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C809U1	51		
	3Yr Mnt ARCServe LX Client Agent WIN	BrightStor ARCServe Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C809U3	152		
	XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance... The product offers data replication for Windows Application Servers... It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)... Supported Applications: MS Exchange 2000/2003/2005, MS SQL 2000/2005, Oracle 9/10... Content: 1x Media Kit and 1x License for one server... More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/infodocs/basb115win/basb115win_cdl.asp , System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C610	2849	
	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance... The product offers data replication and high availability for Windows Application Servers... It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)... Supported Applications: MS Exchange 2000/2003/2005, MS SQL 2000/2005, Oracle 9/10... Content: 1x Media Kit and 1x License for one server... More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/infodocs/basb115win/basb115win_cdl.asp , System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C626	4275	
	CA ARCServe r12 WIN Oracle Agent	CA ARCServe r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! CA ARCServe Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2010	810	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)	UP CA ARCserve r12 WIN Oracle Agent	--Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link., CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2010-U	608		
	1Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C410U1	162		
	3Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C410U3	486		
	ARCserve r11.5 NetWare Open File Agent	ARCserve r11.5 Agent for Open Files on NetWare; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C710	631	
	UP ARCserve r11.5 Informix Agent	ARCserve r11.5 for Windows Informix Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C711-U	771	
	ARCserve r11.5 LX SAN Option	BrightStor ARCserve r11.5 für Linux Storage Area Network Option! Hardware and operating system dependent extract from the following link., CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C810	1266	
	UP ARCserve r11.5 LX SAN Option	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link., CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C810-U	949	
	1Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C810U1	325		
	3Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C810U3	974		
	XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication for Windows Application Servers. . . It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. . . Content: 1x Media Kit and 1x License for one server., . More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C611	3990	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																									
	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition) , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9i/10 , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/default.aspx , System Requirements: ----- , Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C627	5984	
	CA ARCserve r12 WIN MS SQL Agent	CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2011	810	
	UP CA ARCserve r12 WIN MS SQL Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2011-U	608	
	1Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C411U1	263		
	3Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C411U3	790		
	ARCserve r11.5 WIN Informix Agent	ARCserve r11.5 Agent for Informix for Windows; works with ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C711	1028	
	UP ARCserve r11.5 MS Exchange Agent	ARCserve r11.5 for Windows Exchange Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C712-U	592	
	ARCserve r11.5 LX SAN SecondarySrvBundle	BrightStor ARCserve r11.5 for Linux SAN Secondary Server Bundle! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C811	1266	
	UP ARCserve r11.5 LX SAN Sec. Srv.Bundle	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C811-U	949	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																									
	1Yr Mnt ARCServe LX SAN Sec.Srv.Bundle	BrightStor ARCServe Backup for Linux SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C811U1	325		
	3Yr Mnt ARCServe LX SAN Sec.Srv.Bundle	BrightStor ARCServe Backup for Linux SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C811U3	974		
	XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance... The product offers data replication for Windows Application Servers... It supports only Windows Clusters... Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10... Content: 1x Media Kit and 1x License for one server... More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/compatibility/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C612	1662		
	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance... The product offers data replication and high availability for Windows Application Servers... It supports only Windows Clusters... Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10... Content: 1x Media Kit and 1x License for one server... More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/compatibility/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C628	2137	
	CA ARCServe r12 WIN SAP/R3 Oracle Option	CA ARCServe r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client. CA ARCServe Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2012	1625		
	UP CA ARCServe r12 WIN SAP/R3 Oracle Op.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client. CA ARCServe Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2012-U	1218	
	1Yr Mnt ARCServe WIN Exchange Agent	BrightStor ARCServe Backup for Windows Exchange Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C412U1	202		
	3Yr Mnt ARCServe WIN Exchange Agent	BrightStor ARCServe Backup for Windows Exchange Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C412U3	607		



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments	
Accessories & services matrix																									
OS/Application-SW (Continued)																									
	ARCserve r11.5 WIN Exchange Agent	ARCserve r11.5 Agent for Microsoft Exchange for Windows; works with ARCserve r11.5 basic! Allows online databases or mailboxes on the Exchange Server to be selectively backed up or restored. BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C712	790		
	UP ARCserve r11.5 MS Exch.Premium Bundle	ARCserve r11.5 for Windows Exchange Premium Bundle Upgrade from ARCserve v8, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C713-U	949		
	ARCserve r11.5 LX Advantage IngresOption	BrightStor ARCserve r11.5 for Enterprise Option for Advantage Ingres for Linux! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C812	1028		
	1Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C812U1	263		
	3Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C812U3	791		
	XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , The product offers data replication for Windows Application Servers. , It supports only Windows Clusters. , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server. , More product informationen at; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/Products/default.aspx , System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , A complete list of all supported operating systems can be found at; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C613	2327	
	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Clusters. , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server. , More product informationen at; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/Products/default.aspx , System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , A complete list of all supported operating systems can be found at; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C629	2992	
	CA ARCserve r12 WIN Windows Client Agent	CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2013	204	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																							
UP CA ARCServe r12 WIN Windows Client Ag	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCServe Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link., CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrx.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2013-U	152	
1Yr Mnt ARCServe WIN Exchange Bundle	BrightStor ARCServe Backup for Windows Premium MS Exchange Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C413U1	325	
3Yr Mnt ARCServe WIN Exchange Bundle	BrightStor ARCServe Backup for Windows Premium MS Exchange Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C413U3	974	
ARCServe r11.5 WIN Exchange Prem.Bundle	ARCServe r11.5 MS Exchange Premium Bundle! Consisting of ARCServe r11.5 Exchange Agent and ARCServe r11.5 MS Exchange Premium Add-On! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrx.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C713	1266	
UP ARCServe r11.5 Lotus/Domino Agent	ARCServe r11.5 for Windows Agent for Lotus/Domino Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrx.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C715-U	592	
ARCServe r11.5 LX Disk Staging Option	BrightStor ARCServe r11.5 for Linux Disk Staging Option! Hardware and operating system dependent extract from the following link., CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrx.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C813	393	
XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication for Windows Application Servers. . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/default.aspx , System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C614	1068	
XOsoft r12 HighAvailability APP Virt. M.	XOsoft r12 High Availability for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows Application Servers. . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/default.aspx , System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_software/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C630	1781	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments		
OS/Application-SW (Continued)	CA ARCServe r12 WIN MS SBS Premium Edt.	CA ARCServe r12 MS SBS Premium Edition includes the following ARCServe r12 components: 1x Base, 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCServe Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint!). Hardware and operating system dependencies can be found at the following link.: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdis/4536_12_cdi.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2014	566		
	UP CA ARCServe r12 WIN MS SBS Premium E.	--Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12--., CA ARCServe r12 MS SBS Premium Edition includes the following ARCServe r12 components: 1x Base, 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCServe Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint!). Hardware and operating system dependencies can be found at the following link.: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdis/4536_12_cdi.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2014-U	425	
	1Yr Mnt ARCServe WIN Exchange Add On	BrightStor ARCServe Backup for Windows MS Exchange Premium Add-On - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year..!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C414U1	202		
	3Yr Mnt ARCServe WIN Exchange Add On	BrightStor ARCServe Backup for Windows MS Exchange Premium Add-On - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years..!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C414U3	607		
	ARCServe r11.5 WIN Exchange Prem.Add-On	ARCServe r11.5 MS Exchange Premium Add-On; works with ARCServe r11.5 basic and ARCServe r11.5 Exchange Agent! Allows the backup and restore on document section! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdi.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C714	790		
	UP ARCServe r11.5 Sybase Agent	ARCServe r11.5 for Windows Agent for Sybase Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released!. Hardware and operating system dependent extract from the following link.: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdi.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C716-U	771		
	ARCServe r11.5 LX Lotus / Domino Agent	BrightStor ARCServe r11.5 for Linux Agent for Lotus / Domino Hardware and operating system dependent extract from the following link.: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdi.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C814	790		
	XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , The product offers data replication for Windows Application Servers. It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_software/Products/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_software/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C615	1496		



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)	XOsoft r12 HighAvailability APP Virt. M.	XOsoft r12 High Availability for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows Application Servers. . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9i/10 . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_software/default.aspx . System Requirements: . . . Hardware: PRIMERGY Server of Fujitsu Siemens Computers. Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_software/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C631	2494	
	CA ARCserve r12 WIN SAN Sec. Srv. Bundle	CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: . 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2015	1298	
	UP CA ARCserve r12 WIN SAN Sec. Srv. Bnd	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---. CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: . 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2015-U	974	
	ARCserve r11.1 LX FlexFrame Agent	Allows the backup of one online SAP/Oracle database under linux and the archive of Redo-log files! Licensing is made pro SID! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp . CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C356	1844	
	1Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C415U1	202		
	3Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C415U3	607		
	ARCserve r11.5 WIN Lotus/Domino Agent	ARCserve r11.5 Agent for Lotus Notes for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C715	790	
	UP ARCserve r11.5 Oracle Agent	ARCserve r11.5 for Windows Agent for Oracle Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C717-U	592	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																								
CA ARCServe r12 WIN MS SBS Standard Edt.	CA ARCServe r12 MS SBS Standard Edition includes the following ARCServe r12 components: 1x Base, 1x Exchange Agent, 1x Open File Agent, 1x Sharepoint Agent, CA ARCServe Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint!). Hardware and operating system dependencies can be found at the following link, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdis/4536_12_cdi.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2016	403	
UP CA ARCServe r12 WIN MS SBS Stand. Edt	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 MS SBS Standard Edition includes the following ARCServe r12 components: 1x Base, 1x Exchange Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCServe Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint!). Hardware and operating system dependencies can be found at the following link, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdis/4536_12_cdi.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2016-U	302	
1Yr Mnt ARCServe WIN Sybase Agent	BrightStor ARCServe Backup for Windows Sybase Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C416U1	263	
3Yr Mnt ARCServe WIN Sybase Agent	BrightStor ARCServe Backup for Windows Sybase Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C416U3	790	
ARCServe r11.5 WIN Sybase Agent	ARCServe r11.5 Agent for Sybase for Windows; works with ARCServe r11.5 based! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdi.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C716	1028	
UP ARCServe r11.5 MS SQL Agent	ARCServe r11.5 for Windows Agent for SQL Upgrade from ARCServe v9, r11.0 or r11.1 for Windows!! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdi.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C718-U	592	
1 Yr Mnt. WANSyncHA Std Srv	1 Year CA Enterprise Maintenance Renewal for CA XOSoft WANSync HA Standard Server	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C40U1	543	
CA ARCServe r12 WIN DiskToDiskToTape Op.	CA ARCServe r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCServe r12 base!, CA ARCServe Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008!, Hardware and operating system dependencies can be found at the following link, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdis/4536_12_cdi.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2017	403	
UP CA ARCServe r12 WIN DiskToDiskToTape	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCServe r12 base!, CA ARCServe Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008!, Hardware and operating system dependencies can be found at the following link, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdis/4536_12_cdi.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2017-U	302	
1Yr Mnt ARCServe WIN Oracle Agent	BrightStor ARCServe Backup for Windows Oracle Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C417U1	202	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																									
	3Yr Mnt ARCServe WIN Oracle Agent	BrightStor ARCServe Backup for Windows Oracle Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C417U3	607		
	ARCServe r11.5 WIN Oracle Agent	ARCServe r11.5 Agent for Oracle for Windows; works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C717	790		
	UP ARCServe r11.5 Client Agent for UNIX	ARCServe r11.5 Client Agent for UNIX Upgrade from ARCServe v9, r11.0 or r11.1 for Windows!! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C720-U	235		
	CA ARCServe r12 WIN MS Sharepoint Agent	CA ARCServe r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client. CA ARCServe Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2018	810		
	UP CA ARCServe r12 WIN MS Sharepoint Ag.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client. CA ARCServe Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2018-U	608		
	1Yr Mnt ARCServe WIN SQL Agent	BrightStor ARCServe Backup for Windows SQL Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C418U1	202		
	3Yr Mnt ARCServe WIN SQL Agent	BrightStor ARCServe Backup for Windows SQL Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C418U3	607		
	ARCServe r11.5 WIN SQL Server Agent	ARCServe r11.5 Agent for Microsoft SQL for Windows; works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C718	790		
	UP ARCServe r11.5 Client Agent Linux	ARCServe r11.5 Client Agent for Linux Upgrade from ARCServe v9, r11.0 or r11.1 for Windows!! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C721-U	149		



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments
Accessories & services matrix	OS/Application-SW (Continued)																							
	CA ARCServe r12 WIN Enterprise Module	CA ARCServe r12 Enterprise Module for Windows can only be used in conjunction with CA ARCServe r12 base! , CA ARCServe Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdis/4536_12_cdi.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2019	3440	
	UP CA ARCServe r12 WIN Enterprise Module	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Enterprise Module for Windows can only be used in conjunction with CA ARCServe r12 base! , CA ARCServe Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdis/4536_12_cdi.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2019-U	3054	
	1Yr Mnt ARCServe WIN SAP R/3 Agent	BrightStor ARCServe Backup for Windows SAP R/3 Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C419U1	317		
	3Yr Mnt ARCServe WIN SAP R/3 Agent	BrightStor ARCServe Backup for Windows SAP R/3 Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C419U3	952		
	ARCServe r11.5 SAP R/3 Agent for Oracle	ARCServe r11.5 Agent for SAP R/3 for Oracle: works with ARCServe r11.5 base! BrightStor ARCServe r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdi.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C719	2123		
	UP ARCServe r11.5 Client Agent NetWare	ARCServe r11.5 Client Agent for NetWare Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdi.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C722-U	235		
	CA ARCServe r12 WIN MS DPM Agent	CA ARCServe r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client! , CA ARCServe Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdis/4536_12_cdi.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2020	810		
	UP CA ARCServe r12 WIN MS DPM Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client! , CA ARCServe Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdis/4536_12_cdi.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2020-U	608		
	1Yr Mnt ARCServe WIN Client Agent UNIX	BrightStor ARCServe Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C420U1	80			



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																									
Accessories & services matrix	3Yr Mnt ARCServe WIN Client Agent UNIX	BrightStor ARCServe Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C420U3	240		
	ARCServe r11.5 WIN Client Agent UNIX	ARCServe r11.5 Client Agent for UNIX; works with ARCServe r11.5 basic! Allows the backup of one further UNIX server! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C720	313		
	UP ARCServe r11.5 Client Agent Windows	ARCServe r11.5 Client Agent for Windows Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C723-U	149		
	CA ARCServe r12 WIN VSS-HW Snap. Option	CA ARCServe r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCServe r12 base! , CA ARCServe Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2021	4067		
	UP CA ARCServe r12 WIN VSS-HW Snap. Opt.	---Upgrade from BAB r8.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCServe r12 base! , CA ARCServe Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2021-U	3051		
	1Yr Mnt ARCServe WIN Client Agent Linux	BrightStor ARCServe Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C421U1	51		
	3Yr Mnt ARCServe WIN Client Agent Linux	BrightStor ARCServe Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C421U3	152		
	ARCServe r11.5 WIN Client Agent Linux	ARCServe r11.5 Client Agent for Linux; works with ARCServe r11.5 basic! Allows the backup of one further LINUX server! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.as.p	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C721	198	
	UP ARCServe r12 WIN Sngl Srv-Full Edt.	ARCServe r12 for Windows Upgrade from ARCServe Single Server Edition to ARCServe r12 for Windows Standard Edition. BrightStor ARCServe Backup r12 is for Windows 2000 / 2003 / 2008 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C780-U	461	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)	CA ARCserve r12 WIN VMware Agent	CA ARCserve r12 Agent f. VMware for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Agent f. VMware for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link.: CA Certified Device List (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2022	810	
	1Yr Mnt ARCserve WIN Client Agent Netware	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C422U1	80	
	3Yr Mnt ARCserve WIN Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C422U3	240	
	ARCserve r11.5 WIN Client Agent NetWare	ARCserve r11.5 Client Agent for NetWare; works with ARCserve r11.5 basic! Allows the backup of one further NetWare servers! Hardware and operating system dependent extract from the following link.: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.as.p	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C722	313	
	CA ARCserve r12 WIN Central Mngmt. Opt.	CA ARCserve r12 Central Management Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Central Management Option for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link.: CA Certified Device List (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rjportal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2023	1217	
	1Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C423U1	51	
	3Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C423U3	152	
	ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C723	198	
	1Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C424U1	80	
	3Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C424U3	240	
	ARCserve r11.5 WIN Client Agent MAC OS X	ARCserve r11.5 Client Agent for Mac OS X; works with ARCserve r11.5 basic! Allows the backup of one further Mac OS X servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C724	313	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																								
	1Yr Mnt ARCServe WIN SAN Sec.Srv.Bundle	BrightStor ARCServe Backup SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C428U1	325		
	3Yr Mnt ARCServe WIN SAN Sec.Srv.Bundle	BrightStor ARCServe Backup SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C428U3	974		
	ARCServe r11.5 WIN Special	ARCServe r11.5 Special! Consisting of ARCServe r11.5 basic and ARCServe r11.5 Disaster Recovery! Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C725	1167		
	1Yr Mnt ARCServe WIN CIt VSS SnapShot	BrightStor ARCServe Backup for Windows Client VSS Software Snap Shot - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C429U1	263		
	3Yr Mnt ARCServe WIN CIt VSS SnapShot	BrightStor ARCServe Backup for Windows Client VSS Software Snap Shot - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C429U3	790		
	ARCServe r11.5 WIN Secondary Srv Bundle	ARCServe r11.5 Secondary Server Bundle! Exists of ARCServe r11.5 basic license and ARCServe r11.5 SAN Option license! No media kit included! For further server which has access to the jukebox in a SAN! Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C726	1266	
	1Yr Mnt ARCServe WIN Enterprise Module	BrightStor ARCServe Backup for Windows Enterprise Module - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C430U1	763		
	3Yr Mnt ARCServe WIN Enterprise Modul	BrightStor ARCServe Backup for Windows Enterprise Module - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C430U3	2290		
	ARCServe r11.5 WIN CIt VSS SW Snap Shot	ARCServe r11.5 Client for VSS (Volume Shadow Copy Service) Snap Shot! The integration with Microsoft VSS-ability applications allows backups to a specific time. In this process can be saved snapshot copies, when the processes are activ and open datas are working. Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C727	1028	
	1Yr Mnt ARCServe WIN DiskStaging Option	BrightStor ARCServe Backup for Windows Disk Staging Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C431U1	101		
	3Yr Mnt ARCServe WIN DiskStaging Option	BrightStor ARCServe Backup for Windows Disk Staging Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C431U3	302		
	ARCServe r11.5 WIN Disk Staging Option	ARCServe r11.5 Disk Staging Option Shrinks backup time by allowing backup data to be staged to fast disk drives before it is automatically moved to tape. Restore requests are redirected to disks automatically, reducing recovery time. The whole operation is policy driven, reducing cost and management overhead. Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C728	393	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																									
	1Yr Mnt ARCServe WIN SharePnt Portal Agt	BrightStor ARCServe Backup for Windows Share Point Portal Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C432U1	202		
	3Yr Mnt ARCServe WIN SharePnt Portal Agt	BrightStor ARCServe Backup for Windows Share Point Portal Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C432U3	607		
	ARCServe r11.5 WIN Share Point Portal	ARCServe r11.5 für Windows Share Point Portal Agent With this agent Microsoft Share Point and all its components will be identify and efficiently backed up. Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdi.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C729	790		
	1Yr Mnt ARCServe WIN DPM Agent	BrightStor ARCServe Backup for Windows DPM Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C433U1	202		
	3Yr Mnt ARCServe WIN DPM Agent	BrightStor ARCServe Backup for Windows DPM Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C433U3	607		
	ARCServe r11.5 Enterprise Modul	ARCServe r11.5 Enterprise Module; works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdi.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C730	3349		
	1Yr Mnt ARCServe WIN Central Mgmt. Opt.	ARCServe Backup for Windows Central Management Option - 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C434U1	304		
	3Yr Mnt ARCServe WIN Central Mgmt. Opt.	ARCServe Backup for Windows Central Management Option - 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C434U3	913		
	ARCServe r11.5 WIN DPM Agent	ARCServe r11.5 for Windows DPM Agent; works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdi.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C731	790		
	1Yr Mnt ARCServe WIN VMware Agent	ARCServe Backup for Windows Agent f. VMware - , 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C435U1	202		
	3Yr Mnt ARCServe WIN VMware Agent	ARCServe Backup for Windows Agent f. VMware - , 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C435U3	608		
	1Yr Mnt ARCServe WIN Enterprise HW-VSS	ARCServe Backup for Windows Enterprise Option f. VSS Hardware Snapshots, - 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C436U1	958		
	3Yr Mnt ARCServe WIN Enterprise HW-VSS	ARCServe Backup for Windows Enterprise Option f. VSS Hardware Snapshots, - 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C436U3	2874		
UPS/Power supply																									
	APC-UPS COM Cable NOVELLNT.OS2	UPS control cable for Win-NT and OS/2, for 2nd+3rd server, grey	x	x	x	x	x				x	x	x	x	x	x	x	x				S26113-F231-L1	27		
	APC-UPS COM Cable extension	UPS control cable extension 5m, for connection to an APC-UPS COM-Interface	x								x	x	x	x	x	x	x					S26113-F233-L1	27		
	Power Supply Module 600W (hot plug)	for PS redundancy, incl. power cord									x	x			x	x						S26113-F453-L30	116		



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments	
UPS/Power supply (Continued)																									
	Power Supply Conversion Kit 600W	hot plug PS upgrade kit , incl. 2 PS modules										x										S26113-F453-L33	315		
	Power Supply Conversion Kit 600W	incl. 1hot plug PS Module											x									S26113-F453-L44	209		
	Power Supply Module 400W (hot plug)	for PS redundancy	x	x	x	x	x															S26113-F483-L11	116		
	Power Supply Upgrade 400W (hot plug)	for optional PS redundancy, incl. mounting kit and 1st power supply module	x	x	x	x	x															S26113-F483-L5	209	Phased out	
	Power Supply Upgrade 400W (hot plug)	for optional PS redundancy, incl. mounting kit cable and 1st power supply module	x	x	x	x	x															S26113-F483-L6	211		
	Power Supply Module 700W (hot plug)	for optional PS redundancy												x								S26113-F525-L10	86		
	Fan and PSU upgrade kit	conversion standard PSU into hot plug PSU and standard into redundant fans, incl. 1 hot plug PS module, fan kit and 1 redundant fan												x								S26113-F525-L11	302		
	Fan and PSU upgrade kit	conversion standard into hot plug PSU and standard into hot plug fans, incl.1 PS module, fan kit and 2 hot plug fans																				S26113-F525-L22	348		
	APC-UPS WEB Management Adapter	for APC-UPS (use one smart slot), SNMP WEB Management adapter, 10 / 100 Mbit autosecne	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26113-F80-L10	199		
	APC-UPS COM-Port extension	APC-UPS	x	x	x	x	x				x	x	x	x	x	x	x					S26113-F81-L1	74		
	Cable powercord rack, 4m	with Euro socket connector									x	x	x	x	x	x	x					T26139-Y1968-L10	12		
	Cable powercord (D...), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	T26139-Y1740-L10	12		
	Power cord 16A IEC320 C19->C20	with connector IEC320 C19->C20																				S26361-F3151-L300	24		
	Cable powercord (UK, IR), 1.8m, grey	suitable for UK, IR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	T26139-Y1744-L10	12		
	Power cord 16A IEC320 C19->CEE 7/7	with connector IEC320 C19->Schuko																				S26361-F3151-L100	24		
	Power cord 16A IEC320 C19->16A CEE Blue	with connector IEC320 C19->16A CEE (IEC309)																				S26361-F3151-L200	24		
Miscellaneous																									
	4 movable castors																					C26192-Y62-L6	20		
	Parallel Port Option Centrix	Kit with cable with 25 pin Centronics interface																				S26361-F2814-L58	16		
	Parallel Port Option Centrix	Cable with 25 pin Centronics interface											x	x								S26361-F2814-L8	16		
	PCIe Performance Adapter	combine 2pc. PCIe x4 to 1pc. PCIe x8																				S26361-F3273-L1	71		
	Redundant hot plug Fan Kit	6 Fans and mounting cage																				S26361-F2544-L4	121		
	Redundant hot plug Fan Kit	consists of two additional fans for fan redundancy																				S26361-F2544-L5	39		
	Redundant hot plug Fan Kit	consists of two additional fans for fan redundancy																				S26361-F2544-L6	39		
	Serial port option	Cable with 9 pin D-SUB interface																				S26361-F2574-L10	24		
	ParallelPort Option Centronics	Cable with 25 pin Centronics interface																				S26361-F2574-L8	15		
	Local Service Display Option Kit S2	LCD display with installation kit																				S26361-F2557-L104	66		
	ServerView Local Service Panel	Support for Customer Self Service (CSS)																				S26361-F2557-L201	22		
	ServerView Local Service Panel Kit	Support for Customer Self Service (CSS)																				S26361-F2557-L204	20		
Media																									
	DAT160 cleaning cartridge	DAT160 cleaning cartridge without label																				D:CL-DAT160-MX-01	18		
	DAT72 cleaning cartridge	DAT72 cleaning cartridge without label	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-DAT72-MX-01	5		
	LTO cleaning cartridge Fuji	Cleaning cartridge without label from Fuji for LTO drives	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-FJ-01	46		
	LTO cleaning cartridge Fuji with label	cleaning cartridge with label from Fuji for LTO drives	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-FJ-01L	46		
	LTO cleaning cartridge IBM	Cleaning cartridge without label from IBM for LTO drives	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-IB-01	43		
	LTO cleaning cartridge IBM with label	cleaning cartridge with label from IBM for LTO -drives	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-IB-01L	44		
	LTO cleaning cartridge Maxell	cleaning cartridge without label from Maxell for LTO drives	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-MX-01	43		
	LTO cleaning cartridge Maxell with label	cleaning cartridge with label from Maxell for LTO drives	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO2-MX-01L	44		
	LTO cleaning label	label for LTO cleaning cartridges																				D:CL-LTO-LAB	1		
	LTO cleaning cartridge Sony	Cleaning cartridge without label from Sony for LTO drives	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO-SY-01	44		
	LTO cleaning cartridge Sony with label	cleaning cartridge with label from Sony for LTO drives	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO-SY-01L	44		
	VXA cleaning label	Label for VXA cleaning cartridge	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-VXA2-LAB	1		
	VXA cleaning cartridge	VXA cleaning cartridge	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-VXA2-X-01	18		
	VXA cleaning cartridge with label	VXA cleaning cartridge	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-VXA2-X-01L	19		
	DAT160 data cartridge	DAT160 data cartridge without label																				D:CR-DAT160-MX-01	24		
	DAT72 data cartridge	DAT72 data cartridge without label	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-DAT72-MX-01	10		
	LTO 1 data cartridge Fuji	LTO-1 data cartridge without label from Fuji, 100 GB native capacity	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO1-FJ-01	26		
	LTO 1 data cartridge with label Fuji	LTO-1 data cartridge with label from Fuji, 100 GB native capacity	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO1-FJ-01L	27		
	LTO 1 data cartridge IBM	LTO-1 data cartridge without label from IBM, 100 GB native capacity	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO1-IB-01	22		
	LTO 1 data cartridge with label IBM	LTO-1 data cartridge with label from IBM, 100 GB native capacity	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO1-IB-01L	23		
	LTO 1 barcode label	label for LTO-1 data cartridges	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO1-LAB	1		
	LTO 1 data cartridge Maxell	LTO-1 data cartridge without label from Maxell, 100 GB native capacity	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO1-MX-01	22		
	LTO 1 data cartridge with label Maxell	LTO-1 data cartridge with label from Maxell, 100 GB native capacity	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO1-MX-01L	23		
	LTO 2 data cartridge Fuji	LTO-2 data cartridge without label from Fuji, 200 GB native capacity	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-FJ-01	21		
	LTO 2 data cartridge with label Fuji	LTO-2 data cartridge with label from Fuji, 200 GB native capacity	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-FJ-01L	21		
	LTO 2 data cartridge IBM	LTO-2 data cartridge without label from IBM, 200 GB native capacity	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-IB-01	20		
	LTO 2 data cartridge with label IBM	LTO 2 data cartridge with label from IBM, 200 GB native capacity	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-IB-01L	21		
	LTO 2 barcode label	label for LTO-2 data cartridges	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-LAB	1		
	LTO 2 data cartridge Maxell	LTO-2 data cartridge without label from Maxell, 200 GB native capacity	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-MX-01	23		
	LTO 2 data cartridge with label Maxell	LTO-2 data cartridge with label from Maxell, 200 GB native capacity	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO2-MX-01L	24		
	LTO 3 data cartridge Fuji	LTO-3 data cartridge without label from Fuji, 400 GB native capacity	x	x																		D:CR-LTO3-FJ-01	23		
	LTO 3 data cartridge with label	LTO-3 data cartridge with label from Fuji, 400 GB native capacity	x	x																		D:CR-LTO3-FJ-01L	32		
	LTO 3 WORM data cartridge	LTO-3 WORM data cartridge without label from Fuji, 400 GB native capacity. WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data	x	x																		D:CR-LTO3-FJ-01W	63		
	LTO3 WORM data cartridge with label Fuji	LTO-3 WORM data cartridge with label from Fuji, 400 GB native capacity. WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data	x	x																		D:CR-LTO3-FJ-01WL	58		
	LTO 3 data cartridge IBM	LTO-3 data cartridge without label from IBM, 400 GB native capacity	x	x																		D:CR-LTO3-IB-01	22		
	LTO 3 data cartridge with label IBM	LTO-3 data cartridge with label from IBM, 400 GB native capacity	x	x																		D:CR-LTO3-IB-01L	23		
	LTO 3 barcode label	label for LTO-3 data cartridges	x	x																		D:CR-LTO3-LAB	1		
	LTO 3 data cartridge Sony	LTO-3 data cartridge without label from Sony, 400 GB native capacity	x	x																		D:CR-LTO3-SY-01	22		
	LTO 3 data cartridge with label Sony	LTO-3 data cartridge with label from Sony, 400 GB native capacity	x	x																		D:CR-LTO3-SY-01L	23		
	VXA barcode label	Label for VXA data cartridge	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-VXA2-LAB	1		



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (€)	Comments
Media (Continued)																						
	VXA-2/320 data cartridge 40/80GB	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D-CR-VXA2-X10-01	19	
	VXA-2/320 data cartr. 40/80GB with label	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D-CR-VXA2-X10-01L	20	
	VXA-2/320 data cartridge 80/160GB	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D-CR-VXA2-X23-01	41	
	VXA-2/320 data cartr 80/160GB with label	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D-CR-VXA2-X23-01L	42	
	RDX Cartridge 160/320GB	RDX Cartridge 160GB uncompressed / 320GB compressed	x				x	x			x	x		x	x		x			S26361-F3857-L160	179	Deliverable from: 12/09/2008, Orderable from: 12/09/2008
	RDX Cartridge 320/640GB	RDX Cartridge 320GB uncompressed / 640GB compressed	x				x	x			x	x		x	x		x			S26361-F3857-L320	281	Deliverable from: 12/09/2008, Orderable from: 12/09/2008
	RDX Cartridge 80/160GB	RDX Cartridge 80GB uncompressed / 160GB compressed	x				x	x			x	x		x	x		x			S26361-F3857-L80	116	
	RDX Cartridge 120/240GB	RDX Cartridge 120GB uncompressed / 240GB compressed	x				x	x			x	x		x	x		x			S26361-F3857-L120	147	
Cables																						
	Console switch cable 2.5m	cable for keyboard, monitor and mouse	x	x	x				x	x			x				x			SNP-SY-F2293L11-P	35	Phased out
	Console switch cable 3.5m	cable for keyboard, monitor and mouse	x	x	x	x			x	x	x	x	x	x	x	x	x			SNP-SY-F2293L12-P	59	Phased out
Additional Software																						
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer: Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1	x	x	x	x			x	x	x		x	x			x			U11081-C157	12	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x	x			x	x	x		x	x			x			U11081-C171	893	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x	x			x	x	x		x	x			x			U11081-C177	446	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	x	x	x	x			x	x	x		x	x			x			U11081-C183	24	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x	x			x	x	x		x	x			x			U11081-C186	893	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x	x	x	x			x	x	x		x	x			x			U11081-C192	358	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	x	x	x	x			x	x	x		x	x			x			U11081-C199	12	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x	x	x	x			x	x	x		x	x			x			U11081-C201	24	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x	x			x	x	x		x	x			x			U11081-C202	972	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x	x	x			x	x	x		x	x			x			U11081-C203	1583	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	x	x			x	x	x		x	x			x			U11081-C204	3165	
	OPENFT-4 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x	x	x			x	x	x		x	x			x			U11081-C205	4748	
	OPENFT-5 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x	x	x			x	x	x		x	x			x			U11081-C206	6330	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x	x			x	x	x		x	x			x			U11081-C207	563	
	OPENFT-2-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x	x	x			x	x	x		x	x			x			U11081-C208	917	
	OPENFT-3-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	x	x			x	x	x		x	x			x			U11081-C209	1836	
	OPENFT-4-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x	x	x			x	x	x		x	x			x			U11081-C210	2753	
	OPENFT-5-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x	x	x			x	x	x		x	x			x			U11081-C211	3671	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x	x			x	x	x		x	x			x			U11081-C212	972	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	x	x			x	x	x		x	x			x			U11081-C213	1583	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	x	x			x	x	x		x	x			x			U11081-C214	3165	
	OPENFT-FTAM-4 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x	x	x			x	x	x		x	x			x			U11081-C215	4748	
	OPENFT-FTAM-5 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x	x	x			x	x	x		x	x			x			U11081-C216	6330	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x	x	x	x			x	x	x		x	x			x			U11081-C217	563	
	OPENFT-FTAM-2-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208	x	x	x	x			x	x	x		x	x			x			U11081-C218	917	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C209	x	x	x	x			x	x	x		x	x			x			U11081-C219	1836	
	OPENFT-FTAM-4-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C210	x	x	x	x			x	x	x		x	x			x			U11081-C220	2753	



Tower Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (£)	Comments
Additional Software (Continued)																								
	OPENFT-FTAM-5-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C211	x	x	x	x				x	x	x			x	x			x	x		U11081-C221	3671	
	OPENFT-FTP-1 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x	x				x	x	x			x	x			x	x		U11081-C222	397	
	OPENFT-FTP-2 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C203	x	x	x	x				x	x	x			x	x			x	x		U11081-C223	646	
	OPENFT-FTP-3 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	x	x				x	x	x			x	x			x	x		U11081-C224	1292	
	OPENFT-FTP-4 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x	x	x				x	x	x			x	x			x	x		U11081-C225	1938	
	OPENFT-FTP-5 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x	x	x				x	x	x			x	x			x	x		U11081-C226	2583	



Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (£)	Comments	
Professional Services																									
	PRIMERGY RX100 - RX600 Standard Implm.	System Implementation Service, Standard "PRIMERGY RX100, RX300, RX450, RX600 Implementation"	x	x	x	x				x	x	x	x		x	x	x		x	x	x	CPS:PR-INT-21021FX	480		
	Addit.PPIMERGY RX100-RX600 Stand.Impl.	System Implementation Service, Standard "PRIMERGY RX100, RX300, RX450, RX600 Implementation"; Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x				x	x	x	x		x	x	x		x	x	x	CPS:PR-INT-21022FX	240		
	PRIMERGY BX600 Standard Implementation	System Implementation Service, Standard "PRIMERGY BX600 Implementation" (up to 10 blades)	x	x	x	x				x	x	x	x		x	x	x		x	x	x	CPS:PR-INT-21023FX	1080		
	Additional PR. BX600 Standard Implement.	System Implementation Service, PRIMERGY BX600 Standard Implementation (up to 10 blades); Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x				x	x	x	x		x	x	x		x	x	x	CPS:PR-INT-21024FX	540		
	PRIMERGY RX800 Standard Implementation	System Implementation Service, PRIMERGY RX 800 Standard Implementation 1st SYSTEM	x	x	x	x				x	x	x	x		x	x	x		x	x	x	CPS:PR-INT-21025FX	960		
	Additional PR.RX800 Standard Implement.	System Implementation Service, PRIMERGY RX 800 Standard Implementation. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x				x	x	x	x		x	x	x		x	x	x	CPS:PR-INT-21026FX	480		
	PRIMERGY RX100-RX600 Advanced Implement.	System Implementation Service, PRIMERGY RX100, RX300,RX450 & RX600 Advanced Implementation'	x	x	x	x				x	x	x	x		x	x	x		x	x	x	CPS:PR-INT-21027FX	750		
	Addit.PRIMERGY RX100-RX600 Adv.Implement	System Implementation Service, PRIMERGY RX100, RX300,RX450 & RX600 Advanced Implementation. Additional systems AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x				x	x	x	x		x	x	x		x	x	x	CPS:PR-INT-21028FX	375		
	PRIMERGY BX600 Advanced Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation (including 1st blade)	x	x	x	x				x	x	x	x		x	x	x		x	x	x	CPS:PR-INT-21029FX	1440		
	Additional PR. BX600 Adv Implement.	System Implementation Service, PRIMERGY BX600 Advanced Implementation (including 1st blade). Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x				x	x	x	x		x	x	x		x	x	x	CPS:PR-INT-21030FX	720		
	PRIMERGY BX600 Blade Advanced Implement.	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITHOUT Remote Deploy Software 1st SYSTEM	x	x	x	x				x	x	x	x		x	x	x		x	x	x	CPS:PR-INT-21031FX	120		
	Add. PRIM. BX600 Blade Advanced Implem.	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITHOUT Remote Deploy Software. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x				x	x	x	x		x	x	x		x	x	x	CPS:PR-INT-21032FX	60		
	PRIM.X600 Blade Depl. Adv.Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITH Remote Deploy Software 1st SYSTEM	x	x	x	x				x	x	x	x		x	x	x		x	x	x	CPS:PR-INT-21033FX	60		
	Add.BX600 Blade Depl. Adv.Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITH Remote Deploy Software. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x				x	x	x	x		x	x	x		x	x	x	CPS:PR-INT-21034FX	30		
	PRIMERGY RX800 Advanced Implementation	System Implementation Service, PRIMERGY RX800 Advanced Implementation'	x	x	x	x				x	x	x	x		x	x	x		x	x	x	CPS:PR-INT-21035FX	1500		
	Additional PR. RX800 Advanced Implement.	System Implementation Service, PRIMERGY RX800 Advanced Implementation. Additional system AT SAME SITE AS 1st SYSTEM	x	x	x	x				x	x	x	x		x	x	x		x	x	x	CPS:PR-INT-21036FX	750		
Product related services																									
	SP 3y OS Svc.5x9	SP 3 years On-Site Service, 5x9	x	x	x	x	x	x		x												FSP:GB3S00000GBPA1	81		
	SP 4y OS Svc.NBD Rt.5x9	SP 4 years On-Site Service, next business day response, 5x9	x	x	x	x	x	x		x												FSP:GB4S20000GBPA1	84		
	SP 4y OS Svc.NBD Rt.5x9	SP 4 years On-Site Service, next business day response, 5x9									x	x	x									FSP:GB4S20000GBPA2	145		
	SP 4y OS Svc.NBD Rt.5x9	SP 4 years On-Site Service, next business day response, 5x9													x	x	x					FSP:GB4S20000GBPA3	171		
	SP 4y OS Svc.NBD Rt.5x9	SP 4 years On-Site Service, next business day response, 5x9																	x	x	x		FSP:GB4S20000GBPA6	463	
	SP 5y OS Svc.NBD Rt.5x9	SP 5 years On-Site Service, next business day response, 5x9	x	x	x	x	x	x		x													FSP:GB5S20000GBPA1	135	
	SP 5y OS Svc.NBD Rt.5x9	SP 5 years On-Site Service, next business day response, 5x9									x	x	x										FSP:GB5S20000GBPA2	235	



Tower Servers Services

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (£)	Comments	
Accessories & services matrix	Product related services (Continued)																								
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9													x	x	x					FSP:GB5S20000GBPA3	289		
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9																	x	x	x		FSP:GB5S20000GBPA6	823	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9	x	x	x	x	x	x		x													FSP:GD3S60000GBPA1	254	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9									x	x	x										FSP:GD3S60000GBPA2	228	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9													x	x	x						FSP:GD3S60000GBPA3	440	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9																	x	x	x		FSP:GD3S60000GBPA6	704	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9							x														FSP:GD3S60Z00GBPY1	191	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9												x									FSP:GD3S60Z00GBPY2	220	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9																		x			FSP:GD3S60Z00GBPY3	378	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24	x	x	x	x	x	x		x													FSP:GD3S63000GBPA1	323	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24									x	x	x										FSP:GD3S63000GBPA2	354	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24													x	x	x						FSP:GD3S63000GBPA3	671	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24																	x	x	x		FSP:GD3S63000GBPA6	1094	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24							x														FSP:GD3S63Z00GBPY1	281	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24												x									FSP:GD3S63Z00GBPY2	417	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24																		x			FSP:GD3S63Z00GBPY3	694	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved	x	x	x	x	x	x		x													FSP:GD3SG3000GBPA1	575	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved									x	x	x										FSP:GD3SG3000GBPA2	814	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved													x	x	x						FSP:GD3SG3000GBPA3	1527	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved																	x	x	x		FSP:GD3SG3000GBPA6	2161	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9	x	x	x	x	x	x		x													FSP:GD4S60000GBPA1	419	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9									x	x	x										FSP:GD4S60000GBPA2	595	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9													x	x	x						FSP:GD4S60000GBPA3	1033	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9																	x	x	x		FSP:GD4S60000GBPA6	1535	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9							x														FSP:GD4S60Z00GBPY1	277	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9													x								FSP:GD4S60Z00GBPY2	483	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9																		x			FSP:GD4S60Z00GBPY3	823	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24	x	x	x	x	x	x		x													FSP:GD4S63000GBPA1	552	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24									x	x	x										FSP:GD4S63000GBPA2	786	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24													x	x	x						FSP:GD4S63000GBPA3	1364	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24																	x	x	x		FSP:GD4S63000GBPA6	2026	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24							x														FSP:GD4S63Z00GBPY1	398	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24												x									FSP:GD4S63Z00GBPY2	551	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24																		x			FSP:GD4S63Z00GBPY3	1250	
	SP 4y OS Svc,8h Rec,7x24	SP 4 years On-Site Service, 8h recovery, 7x24, feasibility check reserved	x	x	x	x	x	x		x													FSP:GD4SG3000GBPA1	850	
	SP 4y OS Svc,8h Rec,7x24	SP 4 years On-Site Service, 8h recovery, 7x24, feasibility check reserved									x	x	x										FSP:GD4SG3000GBPA2	1210	
	SP 4y OS Svc,8h Rec,7x24	SP 4 years On-Site Service, 8h recovery, 7x24, feasibility check reserved													x	x	x						FSP:GD4SG3000GBPA3	2099	
	SP 4y OS Svc,8h Rec,7x24	SP 4 years On-Site Service, 8h recovery, 7x24, feasibility check reserved																	x	x	x		FSP:GD4SG3000GBPA6	3118	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9	x	x	x	x	x	x		x													FSP:GD5S60000GBPA1	584	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9									x	x	x										FSP:GD5S60000GBPA2	831	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9													x	x	x						FSP:GD5S60000GBPA3	1441	



Tower Servers Services

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (£)	Comments	
Product related services (Continued)																									
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9																				x x x	FSP-GD5S60000GBPA6	2141	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9						x															FSP-GD5S60200GBPY1	363	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9												x									FSP-GD5S60200GBPY2	746	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9																				x	FSP-GD5S60200GBPY3	1430	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24	x	x	x	x	x	x		x													FSP-GD5S63000GBPA1	751	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24									x	x	x										FSP-GD5S63000GBPA2	1069	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24													x	x	x						FSP-GD5S63000GBPA3	1855	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24																		x	x	x	FSP-GD5S63000GBPA6	2756	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24						x															FSP-GD5S63200GBPY1	516	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24												x									FSP-GD5S63200GBPY2	1082	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24																				x	FSP-GD5S63200GBPY3	1807	
	SP 5y OS Svc,8h Rec,7x24	SP 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved	x	x	x	x	x	x		x													FSP-GD5SG3000GBPA1	1123	
	SP 5y OS Svc,8h Rec,7x24	SP 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved									x	x	x										FSP-GD5SG3000GBPA2	1599	
	SP 5y OS Svc,8h Rec,7x24	SP 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved													x	x	x						FSP-GD5SG3000GBPA3	2774	
	SP 5y OS Svc,8h Rec,7x24	SP 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved																		x	x	x	FSP-GD5SG3000GBPA6	4121	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9	x	x	x	x	x	x		x													FSP-GE3S20200GBPA1	158	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9									x	x	x										FSP-GE3S20200GBPA2	132	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9													x	x	x						FSP-GE3S20200GBPA3	255	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9																		x	x	x	FSP-GE3S20200GBPA6	408	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9						x															FSP-GE3S20200GBPY1	167	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9												x									FSP-GE3S20200GBPY2	151	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9																				x	FSP-GE3S20200GBPY3	226	
	SP 4y OS Svc,NBD Rt,5x9	SP 4 years On-Site Service, next business day response, 5x9							x														FSP-GE4S20200GBPY1	244	
	SP 4y OS Svc,NBD Rt,5x9	SP 4 years On-Site Service, next business day response, 5x9												x									FSP-GE4S20200GBPY2	390	
	SP 4y OS Svc,NBD Rt,5x9	SP 4 years On-Site Service, next business day response, 5x9																				x	FSP-GE4S20200GBPY3	617	
	SP 5y OS Svc,5x9	SP 5 years On-Site Service, 5x9							x														FSP-GE5S00200GBPY1	160	
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9							x														FSP-GE5S20200GBPY1	170	
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9												x									FSP-GE5S20200GBPY2	498	
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9																				x	FSP-GE5S20200GBPY3	1008	
	TP 3y OS Svc,5x9	TP 3 years On-Site Service, 5x9	x	x	x	x	x	x		x													FSP-GN3S00000GBPA1	74	
	TP 4y OS Svc,5x9	TP 4 years On-Site Service, 5x9	x	x	x	x	x	x		x													FSP-GN4S00000GBPA1	111	
	TP 4y OS Svc,5x9	TP 4 years On-Site Service, 5x9									x	x	x										FSP-GN4S00000GBPA2	56	
	TP 4y OS Svc,5x9	TP 4 years On-Site Service, 5x9													x	x	x						FSP-GN4S00000GBPA3	82	
	TP 4y OS Svc,5x9	TP 4 years On-Site Service, 5x9																				x	FSP-GN4S00000GBPA6	181	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9	x	x	x	x	x	x		x													FSP-GN4S20000GBPA1	84	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9									x	x	x										FSP-GN4S20000GBPA2	145	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9													x	x	x						FSP-GN4S20000GBPA3	171	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9																				x	FSP-GN4S20000GBPA6	463	
	TP 5y OS Svc,5x9	TP 5 years On-Site Service, 5x9	x	x	x	x	x	x		x													FSP-GN5S00000GBPA1	147	
	TP 5y OS Svc,5x9	TP 5 years On-Site Service, 5x9									x	x	x										FSP-GN5S00000GBPA2	112	
	TP 5y OS Svc,5x9	TP 5 years On-Site Service, 5x9													x	x	x						FSP-GN5S00000GBPA3	163	
	TP 5y OS Svc,5x9	TP 5 years On-Site Service, 5x9																				x	FSP-GN5S00000GBPA6	362	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9	x	x	x	x	x	x		x													FSP-GN5S20000GBPA1	135	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9									x	x	x										FSP-GN5S20000GBPA2	235	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9													x	x	x						FSP-GN5S20000GBPA3	289	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9																				x	FSP-GN5S20000GBPA6	823	
	TP 3y OS Svc,NBD Rt,5x9	TP 3 years On-Site Service, next business day response, 5x9							x														FSP-GQ3S20200GBPY1	167	



Tower Servers Services

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code	End User Price (£)	Comments
Accessories & services matrix																								
Product related services (Continued)																								
	TP 3y OS Svc,NBD Rt,5x9	TP 3 years On-Site Service, next business day response, 5x9													x							FSP:GQ3S20Z00GBPYP2	151	
	TP 3y OS Svc,NBD Rt,5x9	TP 3 years On-Site Service, next business day response, 5x9															x					FSP:GQ3S20Z00GBPYP3	226	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9						x														FSP:GQ4S20Z00GBPYP1	244	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9												x								FSP:GQ4S20Z00GBPYP2	390	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9															x					FSP:GQ4S20Z00GBPYP3	617	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9						x														FSP:GQ5S20Z00GBPYP1	321	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9												x								FSP:GQ5S20Z00GBPYP2	498	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9																x				FSP:GQ5S20Z00GBPYP3	1008	



Positioning PRIMERGY Rack Servers



**PRIMERGY
RX200 S4**

Consolidation strategies for corporate applications in data center server farms with central deployment and control face a number of requirements. Even more important than the best performance per unit of height is ease of management for ongoing cost optimization and operational efficiency in the data center.



**PRIMERGY
RX300 S4**

PRIMERGY RX300 S4 rack server packs the capacity of a fully-featured departmental server into a rack design only 2 U in height. It is offering the breakthrough performance features of leading edge Dual- or Quad-Core Intel® Xeon® 5000 sequence CPUs embedded in a powerful design with an 8-port SAS controller and fast PCIe links and PCI-X busses. Freedom of choice for hard disk form factor between 2.5 and 3.5 inch.



**PRIMERGY
RX330 S1**

Corporate applications in data center server farms with central deployment and control demand increasing performance. The cost efficient PRIMERGY RX330 S1 extends the PRIMERGY Rack portfolio and focuses rather on standard than on full feature set in comparison to RX300. RX330 S1 is offering enough local storage capacity to be used as a stand-alone AMD Opteron Quad-Core based application server and for server farms in scale-out environments with medium needs for availability features and virtualization



**PRIMECENTER
SME**

The PRIMECENTER SME rack is the basis for mounting rack configurations with all Fujitsu Siemens Computers products, such as servers, operating devices and storage systems. Based on the industry standards DIN 41494 and IEC 297, the PRIMECENTER SME rack can also accommodate other products on the market that comply with these standards.



PRIMERGY RX100 S5

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

With technical evolutions like Quad-Core Intel® Xeon® Processor UP 3200/3300 series CPU, integrated SAS or SATA RAID 0, 1 data protection for up to 2x 3.5-inch "easy change" SATA or 2x 3.5-inch hot-plug SATA/SAS disks and 8 GB direct addressable memory the PRIMERGY RX100 S5 matches your business application requirements perfectly. It combines the benefits of cost-optimized SATA or SAS

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
PRIMERGY RX100 S5					
PY RX100S5a	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module, RMK optional; systemboard for processor and DDR2RAM PC2-6400 ub ECC; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 2x 1 GBit Ethernet LAN and 2-Port SATA controller onboard; 2 drive bays for 3.5" SATA HDs or optional 2 drive bays for hot plug 3.5" SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.		S26361-K1160-V101	289	
PY RX100S5i	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module, RMK optional; systemboard for processor and DDR2RAM PC2-6400 ub ECC; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 2x 1 GBit Ethernet LAN and SAS controller with 4 ports (IME included = RAID 1) onboard; 2 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.		S26361-K1160-V201	344	



PRIMERGY RX200 S4

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

PRIMERGY RX200 S4

Consolidation strategies for corporate applications in data center server farms with central deployment and control face a number of requirements. Even more important than the best performance per unit of height is ease of management for ongoing cost optimization and operational efficiency in the data center. And since the best things to manage are those that hardly ever fail. Therefore the new dual socket Xeon RX200 with its integrated fail-safe standards such as modular RAID, up to 4x hot-plug 2.5-inch SAS or 2x 3.5-inch SATA/SAS disks, mirrored or hot-spare memory support, all packed into a space-saving 1 U workhorse, provides you with enhanced quality of service for the management of your business applications.

In addition, you can relax as regards your decision on when and how to use the option of 64-bit computing or virtualization: RX200 S4 comes with the latest Dual- or Quad-Core Intel Xeon processor 5200/5400 series and up to 48 GB PC2-5300F fully buffered memory.

Model	Processor	Operating_Systems	Cabinet	Memory	Hard_Disk_Drives	CD_ROM	DVD_ROM	CD_RW_DVD	DVD_RW_DL_DVD_FAM	FDD	Tape_Drives	LAN	Mouse	Keyboards	SCSI_Controller	RAID_Controller	Power_Pack	RAID_Option	SAS_Controller	FC_Controller	System_Option	Miscellaneous	Cable	Graphics	Code	End User Price (£)	Comments
Special products																											
PRIMERGY RX200 S4																											
Xeon DP E5405 2.00 2x6M 1333			Rack	2x1GB	2x 3.5" HDD Option						2xGBit						Hot plug PSM					on board	VFY:R2004SH010GB		1059		

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
PRIMERGY RX200 S4					
PY RX200S4	Rack based server 19" (1U), BU without processor and RAM, incl. 1 hot plug power supply module, RMK optional, 6 redundant hot plug fans; dual systemboard for Xeon DP processors and FDBRAM PC2-5300F ECC; iRMC 2 onboard server management incl. graphics controller and 10/100Mbit Service LAN port; 2 Gbit Ethernet LAN and 2-Port SATA controller onboard; Modular 4 or 8-Port RAID controller optional; 2 drive bays for hot replace 3.5" SAS/SATA HDs or optional 4 bays for hot plug 2.5" SAS-HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.		S26361-K1167-V101	691	



PRIMERGY RX300 S4

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

PRIMERGY RX300 S4 rack server packs the capacity of a fully-featured departmental server into a rack design only 2 U in height. It is offering the breakthrough performance features of leading edge Dual- or Quad-Core Intel® Xeon® 5200/5400 series CPUs embedded in a powerful

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
PRIMERGY RX300 S4					
PY RX300S4 6x3.5		Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 4 hot plug fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and Fully Buffered DIMM FDB667 PC2-5300F ECC; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 6 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1151-V101	719	
PY RX300S4 6x2.5		Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 4 hot plug fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and Fully Buffered DIMM FDB667 PC2-5300F ECC; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 6 drive bays for hot plug 2.5" SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1151-V201	680	
PY RX300S4 12x2.5		Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 4 hot plug fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and Fully Buffered DIMM FDB667 PC2-5300F ECC; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 12 drive bays for hot plug 2.5" SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1151-V301	744	
PY RX300 S4-ESXi 3.5 Embedded		Dedicated System Virtualized by VMware Please select the ESX or VI license and support option of your choice., Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 4 hot plug fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and Fully Buffered DIMM FDB667 PC2-5300F ECC; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 6 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1151-V401	711	



PRIMERGY RX330S1

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Corporate applications in data center server farms with central deployment and control demand increasing performance. The cost-efficient PRIMERGY RX330 S1 extends the PRIMERGY RACK portfolio and focuses rather on standard than on full feature set in comparison to RX300. RX330 S1 is offering enough local storage capacity to be used as a stand-alone application server and for server farms in scale-out environments with medium needs for availability features and virtual-ization focus. With 2 Dual- or Quad-Core AMD Opteron™ processors of the 2000 series and up to 32 Gbytes DDR2-667 direct addressable memory the PRIMERGY RX330 S1 matches your business application requirements perfectly. Therefore the PRIMERGY RX330 S1 with up to 6 hot-plug SAS or SATA hard disks in combination with disk mirroring function, sufficient free PCI slots for heavy I/O requirements, a redundant power supply option, provides you with a budget saving platform.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
PRIMERGY RX330 S1					
PY RX330 S1		Rack mountable server 19" (2U) incl. 1 hot plug power supply module, RMK optional, 3 fans, dual systemboard for Opteron 2000 processors, DDR2 667 RAM PC2-5300 ECC, 2 SAS Backplanes for hot plug HDDs, iRMC server management and graphics controller onboard, dual channel GBit Ethernet LAN onboard, Fast-IDE controller (for 1xDVD) and SAS controller with 6 ports (IME included) onboard; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K1029-V201	687	
PY RX330 S1-ESXi 3.5 Embedded		Dedicated System Virtualized by VMware Please select the ESX or VI license and support option of your choice., Rack mountable server 19" (2U) incl. 1 hot plug power supply module, RMK optional, 3 fans, dual systemboard for Opteron 2000 processors, DDR2 667 RAM PC2-5300 ECC, 2 SAS Backplanes for hot plug HDDs, iRMC server management and graphics controller onboard, dual channel GBit Ethernet LAN onboard, Fast-IDE controller (for 1xDVD) and SAS controller with 6 ports (IME included) onboard; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K1029-V205	719	



PRIMERGY RX600 S3

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

PRIMERGY RX600 S3 - 4-Socket Dual-Core Intel® Xeon™ MP 7100 series based Rack Server - Scaled-up performance and assured quality of data center operation

Backend services such as databases and e-commerce business logic are the heartbeat of the business value chain; they deserve up-scaled performance and extreme robustness to guarantee the overall quality of IT operations.

With industry-standard operating systems, 4-socket building blocks with up to 8 cores have proven to be a very cost efficient platform for consolidating multiple smaller workloads onto fewer but more powerful servers, using the latest virtualization techniques. And as critical usage factors scale up, so do the requirements for platform resilience and advanced levels of continuous operation. New feature is the choice between up to 5x 3.5 inch (SCSI) or 8x 2.5 inch (SAS) hot-plug for disks.

RX600 S3 combines impressive 4-socket performance with up to 4 Dual-Core Intel® Xeon® 7100 series processors MP up to 16 MB 3rd level cache and hard ware based virtualization VT with exceptional internal capacity and data center-typical robustness and redundancy features into a space-optimized 4 U rack module that is designed to improve your IT production quality.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY RX600 S4							
PY RX600S4		Rack mountable server 19" (4U) incl. 2 hot plug power supply modules (redundant); hot plug fans (redundant); 4-way system board for Xeon MP Dual Core or Quad Core CPUs; 2x memory board for max. 16x FBD667 / PC2-5300F modules; 8 drive bays for hot plug 2.5" SAS HDs; iRMC S2 server management with graphics controller and 10/100Mbit Service LAN-port; 2x Dual-Port Ethernet Controller (= 4 GBit LAN Ports) WOL capable; SAS RAID Controller with 512MB on-board (supporting RAID level 0, 1, 5, 6, 10, 50, 60); LocalView LCD Display; ServerView Suite Software Package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K998-V200			2420	



PRIMERGY RX600 S4

Primergy RX600 S4 4-Socket, Dual- and Quad-Core Xeon MP based Rack Server (4U)

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Backend services such as databases and e-commerce business logic are the heartbeat of the business value chain; they deserve up-scaled performance and extreme robustness to guarantee the overall quality of IT operations. With industry-standard operating systems, 4-way building blocks have proven to be a very cost efficient platform for consolidating multiple smaller workloads onto fewer but more powerful servers, using the latest virtualization techniques. And as critical usage factors scale up, so do the requirements for platform resilience and advanced levels of continuous operation. The new introduced Quad-Core Xeon MP 7300 series brings tremendous performance and performance per Watt gains. RX600 S4 combines up to 4 Quad-Core Intel® Xeon® processors MP with exceptional internal capacity and data center-typical robustness and redundancy features into a space-optimized 4 U rack module that is designed to improve your IT production quality.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY RX600 S4	PY RX600S4	Rack mountable server 19" (4U) incl. 2 hot plug power supply modules (redundant); hot plug fans (redundant); 4-way system board for Xeon MP Dual Core or Quad Core CPUs; 2x memory board for max. 16x FBD667 / PC2-5300F modules; 8 drive bays for hot plug 2.5" SAS HDs; iRMC S2 server management with graphics controller and 10/100Mbit Service LAN-port; 2x Dual-Port Ethernet Controller (= 4 GBit LAN Ports) WOL capable; SAS RAID Controller with 512MB on-board (supporting RAID level 0, 1, 5, 6, 10, 50, 60); LocalView LCD Display; ServerView Suite Software Package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K998-V200			2420	



PRIMECENTER

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

PRIMECENTER - 19-inch rack system

19-inch rack technology for all Fujitsu Siemens rack components (PRIMERGY, PRIMEPOWER, storage products, BS2000) based on the 19-inch rack industry standard

PRIMECENTER Racks for each purpose. Flexible and stackable 12, 24, 38 and 46 horizontal units and the new PRIMECENTER LC (Liquid cooled) Rack. The universal scale-up infrastructure prerequisite for PRIMEPOWER, PRIMEQUEST, PRIMERGY, Fujitsu Siemens Computers storage systems and even most of all existing rackable servers. And - that's not all: often necessary components like uninterruptible power supplies, hubs, routers, (console-) switches and a LAN console are easily to be installed here;

this is supported also by the built-in optimal cable management, allowing cost saving serviceability of included components. The installation dimensions of the enclosure make the integration in existing IT environments easy. Thanks to their modular design, the racks can be expanded on-site. All four models are offering the same functionality - only with different sizings and different numbers of horizontal height units behind the secure front door.

New member of the PRIMECENTER family is the new low cost entry PRIMECENTER SME rack, a 42 U rack enclosure capable to host all Fujitsu Siemens servers as well as 3rd party systems at an extremely low price.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
PRIMERGY PRIMECENTER Rack					
	PRIMECENTER Rack 12 U, 1000 deep	19" rack (12U), stackable, basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting kit for stack fixing, mounting frame 1x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 670x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V101	1246	
	PRIMECENTER Rack 24 U, 1000 deep	19" rack (24U), stackable, basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 2x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1220x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V102	1362	
	PRIMECENTER Rack 38 U, 1000 deep	19" rack (38U), stackable, large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1825x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V103	1596	
	PRIMECENTER Rack 46 U, 1000 deep	19" rack (46U), large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 2220x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V104	1816	



PRIMECENTER

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY PRIMECENTER Rack (Continued)							
	PRIMECENTER Rack 24U, 1100mm deep	19" rack (24U), stackable, basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 2x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1220x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V212			1480	
	PRIMECENTER Rack 38HU, 1100mm deep	19" rack (38U), stackable, large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1825x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V213			1714	
	PRIMECENTER Rack 46U, 1100mm deep	19" rack (46U), large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 2220x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V214			1948	
	PCR LC-RACK 38U Byp CTRL	PRIMECENTER LC Rack 38U / 31U (31U useable for server), basic cabinet (1825 mm) to protection type IP52 with side panels, lockable front- and back-door. Including tilting protection; Liquid cooled via chilled water (connection to external water via "quick loock"); Mounting frame 1x 2U vertical; Circumferential cable management at the back, cable outlet to the top, below; Addition of several racks without accessory, no personal variation., Basic rack without power connection; refer to part H/I for further informations and order numbers (connection concepts)., HxWxD = 1825 x 700 x 1200 mm, Incl. heat exchanger, climate rear door with fans, rack monitoring system, smoke detector, temperature and humidity sensor, installation preparation, packing, , accessory pack including;. Server addition (var.installation material), manual German / English	S26361-K1022-V130			10011	
	PCR LC-RACK 38U-Byp CTRL-castor plinth	PRIMECENTER LC Rack 38U / 31U (31U useable for server), basic cabinet (1825 mm) to protection type IP52 with side panels, lockable front- and back-door. Including tilting protection; Liquid cooled via chilled water (connection to external water via "quick loock"); Mounting frame 1x 2U vertical; Circumferential cable management at the back, cable outlet to the top, below; Addition of several racks without accessory, no personal variation., Basic rack without power connection; refer to part H/I for further informations and order numbers (connection concepts)., HxWxD = 1825 x 700 x 1200 mm, Incl. heat exchanger, climate rear door with fans, rack monitoring system, smoke detector, temperature and humidity sensor, installation preparation, packing, , accessory pack including;. Server addition (var.installation material), manual German / English	S26361-K1022-V135			11299	



PRIMECENTER

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY PRIMECENTER Rack (Continued)							
	PCR LC-RACK 46U Byp CTRL	PRIMECENTER LC Rack 46U / 40U (40U useable for server), basic cabinet (2220 mm) to protection type IP52 with side panels, lockable front- and back-door. Including tilting protection; Liquid cooled via chilled water (connection to external water via "quick loock"); Mounting frame 2x 2U vertical; Circumferential cable management at the back, cable outlet to the top, below; Addition of several racks without accessory, no personal variation., Basic rack without power connection; refer to part H/I for further informations and order numbers (connection concepts)., HxWxD = 2220 x 700 x 1200 mm, Incl. heat exchanger, climate rear door with fans, rack monitoring system, smoke detector, temperature and humidity sensor, installation preparation, packing, , accessory pack including:, Server addition (var.installation material), manual German / English	S26361-K1022-V230			10128	
	PCR LC-RACK 46U-Byp CTRL-castor plinth	PRIMECENTER LC Rack 46U / 40U (40U useable for server), basic cabinet (2220 mm) to protection type IP52 with side panels, lockable front- and back-door. Including tilting protection; Liquid cooled via chilled water (connection to external water via "quick loock"); Mounting frame 2x 2U vertical; Circumferential cable management at the back, cable outlet to the top, below; Addition of several racks without accessory, no personal variation., Basic rack without power connection; refer to part H/I for further informations and order numbers (connection concepts)., HxWxD = 2220 x 700 x 1200 mm, Incl. heat exchanger, climate rear door with fans, rack monitoring system, smoke detector, temperature and humidity sensor, installation preparation, packing, , accessory pack including:, Server addition (var.installation material), manual German / English	S26361-K1022-V235			11416	



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX800 S4	Code	End User Price (€)	Comments	
Accessories & services matrix																					
Processor	16-way upgrade RX800 S2 / S3	3x 2.9m Scalability Cable																x x	S26361-F2861-L216	460	Phased out
	Itanium2 MP 1.5GHz 4MB 400MHz	heat sink, PDA function, 400MHz FSB																x	S26361-F3028-L154	2147	
	Itanium2 MP 1.6GHz 9MB 400MHz	heat sink, PDA function, 400MHz FSB																x	S26361-F3028-L169	7533	
	Itanium2 DP 1.6GHz 3MB 400MHz	heat sink, PDA function, 400MHz FSB																x	S26361-F3071-L263	1209	
	Itanium2 MP 1.6GHz 9MB 400MHz	heat sink, PDA function, 400MHz FSB																x	S26361-F3071-L269	7533	
	Xeon DP 3.0GHz 2MB 800MHz	heat sink, PDA function, 2MB SLC ECC, 800MHz FSB																x	S26361-F3099-L400	387	
	Xeon DP 3.2GHz 2MB 800MHz	heat sink, PDA function, 2MB SLC ECC, 800MHz FSB																x	S26361-F3099-L420	465	
	Xeon DP 3.6GHz 2MB 800MHz	heat sink, PDA function, 2MB SLC ECC, 800MHz FSB																x	S26361-F3099-L460	847	
	Xeon DP 3.8GHz 2MB 800MHz	heat sink, PDA function, 2MB SLC ECC, 800MHz FSB																x	S26361-F3099-L480	1031	
	Xeon DP 3.0GHz 2MB 800MHz	heat sink, PDA function, 2MB SLC ECC, 800MHz FSB																x	S26361-F3099-L500	387	
	Xeon DP 3.2GHz 2MB 800MHz	heat sink, PDA function, 2MB SLC ECC, 800MHz FSB																x	S26361-F3099-L520	465	
	Xeon DP 3.4GHz 2MB 800MHz	heat sink, PDA function, 2MB SLC ECC, 800MHz FSB																x	S26361-F3099-L540	621	
	Xeon DP 3.6GHz 2MB 800MHz	heat sink, PDA function, 2MB SLC ECC, 800MHz FSB																x	S26361-F3099-L560	847	
	Xeon DP 3.8GHz 2MB 800MHz	heat sink, PDA function, 2MB SLC ECC, 800MHz FSB																x	S26361-F3099-L580	1031	
	VRM for 3.4. CPU 3.xxGHz 1M 8MOS2	1x 9.1 VRM, 2x 10.2LD VRM																x	S26361-F3124-L100	136	
	VRM for 3.4. CPU 70xx / 3.xxGHz 1M	2x 10.2 VRM																x x	S26361-F3124-L200	101	
	Xeon MP 7040 3.00GHz 2x2MB 667MHz	Dual Core CPU with heat sink, 2x 2MB Second Level Cache, ECC, 667MHz FSB																x	S26361-F3124-L303	4098	
	CPU Xeon MP 7041 3.00GHz 2x2MB 800MHz	Dual Core CPU mit Kühlkörper, 2x 2MB Second Level Cache, ECC, 800MHz FSB																x	S26361-F3124-L304	4098	
	XEON MP 3.16GHz 1MB 667MHz	heat sink, 1MB Second Level Cache, 667MHz FSB																x x	S26361-F3124-L311	975	
	XEON MP 3.00GHz 8MB 667MHz	heat sink, 8MB Third Level Cache, 667MHz FSB																x	S26361-F3124-L364	2459	
	XEON MP 3.33GHz 8MB 667MHz	heat sink, 8MB Third Level Cache, 667MHz FSB																x	S26361-F3124-L368	4566	
	Xeon MP 7110M 2.60GHz 4MB 800MHz	Dual Core CPU with heat sink, 4MB TLC ECC, 800MHz FSB																x	S26361-F3124-L410	936	
	Xeon MP 7120M 3.00GHz 4MB 800MHz	Dual Core CPU with heat sink, 4MB TLC ECC, 800MHz FSB																x	S26361-F3124-L420	1249	
	Xeon MP 7130M 3.20GHz 8MB 800MHz	Dual Core CPU with heat sink, 8MB TLC ECC, 800MHz FSB																x	S26361-F3124-L430	1444	
	Xeon MP 7140M 3.30GHz 16MB 667MHz	Dual Core CPU with heat sink, 16MB TLC ECC, 667MHz FSB																x	S26361-F3124-L440	1952	
	VRM for 3.4. CPU 71xx	2x 10.2 VRM + 1x 9.0 VRM																x	S26361-F3124-L800	101	
	Opteron 246 2.0GHz 1MB	heat sink, 1MB SLC ECC protected																x	S26361-F3167-L246	214	
	Opteron 256 3.0GHz 1MB	heat sink, 1MB SLC ECC protected																x	S26361-F3167-L256	535	
	Opteron 265 1.8GHz 2x1MB	heat sink, Dual Core, 2x 1MB SLC ECC protected																x	S26361-F3167-L265	231	
	Opteron 270 2.0GHz 2x1MB	heat sink, Dual Core, 2x 1MB SLC ECC protected																x	S26361-F3167-L270	261	Phased out
	Opteron 280 2.4GHz 2x1MB	heat sink, Dual Core, 2x 1MB SLC ECC protected																x	S26361-F3167-L280	308	
	Opteron 285 2.6GHz 2x1MB	heat sink, Dual Core, 2x 1MB SLC ECC protected																x	S26361-F3167-L285	441	
	Xeon MP 7040 3.00GHz 2x2MB 667MHz	Dual Core CPU with heat sink, 2x 2MB Second Level Cache, ECC, 667MHz FSB																x	S26361-F3196-L304	4098	
	Xeon MP 7110M 2.50GHz 4MB 667MHz	Dual Core CPU with heat sink, 4MB TLC, ECC, 667MHz FSB																x	S26361-F3196-L410	859	
	Xeon MP 7120M 3.00GHz 4MB 667MHz	Dual Core CPU with heat sink, 4MB TLC, ECC, 667MHz FSB																x	S26361-F3196-L420	1171	
	Xeon MP 7130M 3.16GHz 8MB 667MHz	Dual Core CPU with heat sink, 8MB TLC, ECC, 667MHz FSB																x	S26361-F3196-L430	1444	
	Xeon MP 7140M 3.30GHz 16MB 667MHz	Dual Core CPU with heat sink, 16MB TLC, ECC, 667MHz FSB																x	S26361-F3196-L440	1952	
	Xeon MP 7150M 3.50GHz 16MB 667MHz	Dual Core CPU with heat sink, 16MB TLC, ECC, 667MHz FSB																x	S26361-F3196-L450	2654	
	Xeon DP E5310 1.60GHz 2x4MB 1066MHz	Xeon DP quad core, 1.60GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT, heatsink, PDA function																x	S26361-F3249-L160	276	
	Xeon DP E5320 1.86GHz 2x4MB 1066MHz	Xeon DP quad core, 1.86GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function																x	S26361-F3249-L186	312	
	Xeon DP E5335 2.00GHz 2x4MB 1333MHz	Xeon DP quad core, 2.00GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT, heatsink, PDA function																x	S26361-F3249-L200	387	
	Xeon DP E5345 2.33GHz 2x4MB 1333MHz	Xeon DP quad core, 2.33GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function																x	S26361-F3249-L233	519	
	Xeon DP X5355 2.66GHz 2x4MB 1333MHz	Xeon DP quad core, 2.66GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function																x	S26361-F3249-L266	785	
	Xeon DP X5365 3.00GHz 2x4MB 1333MHz	Xeon DP quad core, 3.00GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function																x	S26361-F3249-L300	1241	
	Xeon LV DP L5335 2.00GHz 2x4MB 1333MHz	Xeon Low Voltage DP quad core, 2.00GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function																x	S26361-F3249-L400	438	
	Xeon LV DP L5310 1.60GHz 2x4MB 1066MHz	Xeon Low Voltage DP quad core, 1.60GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function																x	S26361-F3249-L460	305	
	Xeon LV DP L5320 1.86GHz 2x4MB 1066MHz	Xeon Low Voltage DP quad core, 1.86GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function																x	S26361-F3249-L486	387	
	Xeon DP 2.8GHz 2x2MB 800MHz	Dual Core CPU with heatpipe + fan, PDA function, 2x2MB SLC ECC, 800MHz FSB																x	S26361-F3310-L480	1300	
	Xeon DP 5050 3.00GHz 2x2MB 667MHz	Xeon DP dual core, 3.00GHz, 2x2MB SLC ECC, 667MHz FSB, VT/HT/DBS, heat sink, PDA function																x	S26361-F3312-L300	252	
	Xeon DP 5060 3.20GHz 2x2MB 1066MHz	Xeon DP dual core, 3.20GHz, 2x2MB SLC ECC, 1066MHz FSB, VT/HT, heat sink, PDA function																x	S26361-F3312-L320	409	
	Xeon DP 5080 3.73GHz 2x2MB 1066MHz	Xeon DP dual core, 3.73GHz, 2x2MB SLC ECC, 1066MHz FSB, VT/HT/DBS, heat sink, PDA function																x	S26361-F3312-L373	995	
	Xeon DP 5050 3.00GHz 2x2MB 667MHz	Xeon DP dual core, 3.00GHz, 2x2MB SLC ECC, 667MHz FSB, VT/HT/DBS, heat sink, PDA function																x	S26361-F3314-L300	252	
	Xeon DP 5060 3.20GHz 2x2MB 1066MHz	Xeon DP dual core, 3.20GHz, 2x2MB SLC ECC, 1066MHz FSB, VT/HT, heat sink, PDA function																x	S26361-F3314-L320	409	
	Xeon DP 5080 3.73GHz 2x2MB 1066MHz	Xeon DP dual core, 3.73GHz, 2x2MB SLC ECC, 1066MHz FSB, VT/HT/DBS, heat sink, PDA function																x	S26361-F3314-L376	995	
	Xeon DP 5110 1.60GHz 4MB 1066MHz	Xeon DP dual core, 1.60GHz, 4MB shared SLC ECC, 1066MHz FSB, VT, heat sink, PDA function																x	S26361-F3322-L160	254	
	Xeon DP 5120 1.86GHz 4MB 1066MHz	Xeon DP dual core, 1.86GHz, 4MB shared SLC ECC, 1066MHz FSB, VT, heat sink, PDA function																x	S26361-F3322-L186	312	
	Xeon DP 5130 2.00GHz 4MB 1333MHz	Xeon DP dual core, 2.00GHz, 4MB shared SLC ECC, 1333MHz FSB, VT, heat sink, PDA function																x	S26361-F3322-L200	387	
	Xeon DP 5140 2.33GHz 4MB 1333MHz	Xeon DP dual core, 2.33GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heat sink, PDA function																x	S26361-F3322-L233	519	
	Xeon DP 5150 2.66GHz 4MB 1333MHz	Xeon DP dual core, 2.66GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heat sink, PDA function																x	S26361-F3322-L266	738	
	Xeon DP 5160 3.00GHz 4MB 1333MHz	Xeon DP dual core, 3.00GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heat sink, PDA function																x	S26361-F3322-L300	906	
	Xeon LV DP 5148 2.33GHz 4MB 1333MHz	Xeon Low Voltage DP dual core, 2.33GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heat sink, PDA function																x	S26361-F3322-L433	605	
	Xeon DP 5110 1.60GHz 4MB 1066MHz	Xeon DP dual core, 1.60GHz, 4MB shared SLC ECC, 1066MHz FSB, VT, heat sink, PDA function																x	S26361-F3323-L160	252	
	Xeon DP 5120 1.86GHz 4MB 1066MHz	Xeon DP dual core, 1.86GHz, 4MB shared SLC ECC, 1066MHz FSB, VT, heat sink, PDA function																x	S26361-F3323-L186	312	
	Xeon DP 5130 2.00GHz 4MB 1333MHz	Xeon DP dual core, 2.00GHz, 4MB shared SLC ECC, 1333MHz FSB, VT, heat sink, PDA function																x	S26361-F3323-L200	387	
	Xeon DP 5140 2.33GHz 4MB 1333MHz	Xeon DP dual core, 2.33GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heat sink, PDA function																x	S26361-F3323-L233	519	
	Xeon DP 5150 2.66GHz 4MB 1333MHz	Xeon DP dual core, 2.66GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heat sink, PDA function																x	S26361-F3323-L266	738	



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	Code	End User Price (€)	Comments	
Processor (Continued)																							
	Xeon DP 5160 3.00GHz 4MB 1333MHz	Xeon DP dual core, 3.00GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heat sink, PDA function								x											S26361-F3323-L300	906	
	Xeon LV DP 5148 2.33GHz 4MB 1333MHz	Xeon Low Voltage DP dual core, 2.33GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heat sink, PDA function								x											S26361-F3323-L433	605	
	Xeon DP E5310 1.60GHz 2x4MB 1066MHz	Xeon DP quad core, 1.60GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT, heatsink, PDA function									x										S26361-F3349-L160	276	
	Xeon DP E5320 1.86GHz 2x4MB 1066MHz	Xeon DP quad core, 1.86GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function									x										S26361-F3349-L186	312	
	Xeon DP E5335 2.00GHz 2x4MB 1333MHz	Xeon DP quad core, 2.00GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT, heatsink, PDA function									x										S26361-F3349-L200	387	
	Xeon DP E5345 2.33GHz 2x4MB 1333MHz	Xeon DP quad core, 2.33GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function									x										S26361-F3349-L233	519	
	Xeon DP X5355 2.66GHz 2x4MB 1333MHz	Xeon DP quad core, 2.66GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function									x										S26361-F3349-L266	785	
	Xeon DP X5365 3.00GHz 2x4MB 1333MHz	Xeon DP quad core, 3.00GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function									x										S26361-F3349-L300	1241	
	Xeon LV DP L5335 2.00GHz 2x4MB 1333MHz	Xeon Low Voltage DP quad core, 2.00GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function									x										S26361-F3349-L400	438	
	Xeon LV DP L5310 1.60GHz 2x4MB 1066MHz	Xeon Low Voltage DP quad core, 1.60GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function									x										S26361-F3349-L460	305	
	Xeon LV DP L5320 1.86GHz 2x4MB 1066MHz	Xeon Low Voltage DP quad core, 1.86GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function									x										S26361-F3349-L486	384	
	Opteron 2210 1.8GHz 2x1MB	Dual Core CPU with heat sink, 2x1MB SLC ECC protected																		x	S26361-F3448-L180	168	
	Opteron 2212 2.0GHz 2x1MB	Dual Core CPU with heat sink, 2x1MB SLC ECC protected																		x	S26361-F3448-L200	168	
	Opteron 2214 2.2GHz 2x1MB	Dual Core CPU with heat sink, 2x1MB SLC ECC protected																		x	S26361-F3448-L220	204	
	Opteron 2216 2.4GHz 2x1MB	Dual Core CPU with heat sink, 2x1MB SLC ECC protected																		x	S26361-F3448-L240	242	
	Opteron 2218 2.6GHz 2x1MB	Dual Core CPU with heat sink, 2x1MB SLC ECC protected																		x	S26361-F3448-L260	332	
	Opteron 2220 2.8GHz 2x1MB	Dual Core CPU with heat sink, 2x1MB SLC ECC protected																		x	S26361-F3448-L280	460	
	Opteron 2222 3.0GHz 2x1MB	Dual Core CPU with heat sink, 2x1MB SLC ECC protected																		x	S26361-F3448-L300	601	
	Xeon MP E7220 2.93GHz 2x4MB 1066MHz	Xeon MP Dual Core CPU (80W), 2.93GHz, 2x4MB SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function																			S26361-F3487-L220	1093	
	Xeon MP E7310 1.60GHz 2x2MB 1066MHz	Xeon MP Quad Core CPU (80W), 1.60GHz, 2x2MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function																		x	S26361-F3487-L310	820	
	Xeon MP E7330 2.40GHz 2x3MB 1066MHz	Xeon MP Quad Core CPU (80W), 2.40GHz, 2x3MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function																		x	S26361-F3487-L330	1288	
	Xeon MP X7350 2.93GHz 2x4MB 1066MHz	Xeon MP Quad Core CPU (130W), 2.93GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function																		x	S26361-F3487-L350	2068	
	Xeon MP E7430 2.13GHz 12MB 1066MHz	Xeon MP Quad Core CPU (90W), 2.13GHz, 12MB shared TLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function																		x	S26361-F3487-L430	1288	Orderable from: 15/09/2008
	Xeon MP E7450 2.40GHz 12MB 1066MHz	Xeon MP Hexa Core CPU (90W), 2.40GHz, 12MB shared TLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function																		x	S26361-F3487-L450	2068	Orderable from: 15/09/2008
	Opteron 2344 HE 1.7GHz 2MB	Quad Core CPU with heat sink, 2MB TLC ECC protected																		x	S26361-F3862-L170	195	
	Opteron 2346 HE 1.8GHz 2MB	Quad Core CPU with heat sink (55W), 2MB TLC ECC protected																		x	S26361-F3862-L180	226	
	Opteron 2347 HE 1.9GHz 2MB	Quad Core CPU with heat sink (55W), 2MB TLC ECC protected																		x	S26361-F3862-L190	324	
	Opteron 2352 2.1GHz 2MB	Quad Core CPU with heat sink (75W), 2MB TLC ECC protected																		x	S26361-F3862-L210	276	
	Opteron 2356 2.3GHz 2MB	Quad Core CPU with heat sink (75W), 2MB TLC ECC protected																		x	S26361-F3862-L230	589	
	Xeon LV DP 5148 2.33GHz 4MB 1333MHz	Xeon Low Voltage DP Dual Core CPU (40W), 2.33GHz, 4MB SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function									x										S26361-F3865-L433	605	
	Xeon LV DP L5335 2.00GHz 2x4MB 1333MHz	Xeon Low Voltage DP Quad Core CPU (50W), 2.00GHz, 2x4MB SLC ECC, 1333MHz FSB, VT, heatsink, PDA function									x										S26361-F3866-L400	438	
	Xeon LV DP L5310 1.60GHz 2x4MB 1066MHz	Xeon Low Voltage DP Quad Core CPU (50W), 1.60GHz, 2x4MB SLC ECC, 1066MHz FSB, VT, heatsink, PDA function									x										S26361-F3866-L460	305	
	Xeon LV DP 5148 2.33GHz 4MB 1333MHz	Low Voltage Dual Core CPU (40W)+ heatsink, 4MB SLC ECC protected, 1333MHz FSB, 64-bit / Intel® VT/DBS, PDA function																		x	S26361-F3867-L433	605	
	Xeon LV DP L5335 2.00GHz 2x4MB 1333MHz	Low Voltage Quad Core CPU (50W)+ heatsink, 2x4MB SLC ECC protected, 1333MHz FSB, 64-bit / Intel® VT, PDA function																		x	S26361-F3868-L400	456	
	Xeon LV DP L5310 1.60GHz 2x4MB 1066MHz	Low Voltage Quad Core CPU (50W)+ heatsink, 2x4MB SLC ECC protected, 1066MHz FSB, 64-bit / Intel® VT, PDA function																		x	S26361-F3868-L460	305	
	Xeon DP E5405 2.00 GHz 2x6MB 1333MHz	Xeon DP Quad Core CPU (80W), 2.00GHz, 2x6MB SLC ECC, 1333MHz FSB, VT, heatsink, PDA function																		x	S26361-F3880-L200	274	
	Xeon DP E5420 2.50 GHz 2x6MB 1333MHz	Xeon DP Quad Core CPU (80W), 2.50GHz, 2x6MB SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function																		x	S26361-F3880-L250	320	
	Xeon DP E5430 2.66 GHz 2x6MB 1333MHz	Xeon DP Quad Core CPU (80W), 2.66GHz, 2x6MB SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function																		x	S26361-F3880-L266	441	
	Xeon DP E5440 2.83 GHz 2x6MB 1333MHz	Xeon DP Quad Core CPU (80W), 2.83GHz, 2x6MB SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function																		x	S26361-F3880-L283	628	
	Xeon DP X5460 3.16 GHz 2x6MB 1333MHz	Xeon DP Quad Core CPU (120W), 3.16GHz, 2x6MB SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function																		x	S26361-F3880-L316	1054	
	Xeon LV DP L5410 2.33 GHz 2x6MB 1333MHz	Xeon Low Voltage DP Quad Core CPU (50W), 2.33GHz, 2x6MB SLC ECC, 1333MHz FSB, VT, heatpipe, PDA function																		x	S26361-F3880-L533	320	
	Xeon LV DP L5420 2.50 GHz 2x6MB 1333MHz	Xeon Low Voltage DP Quad Core CPU (50W), 2.50GHz, 2x6MB SLC ECC, 1333MHz FSB, VT, heatpipe, PDA function																		x	S26361-F3880-L550	374	
	Xeon DP E5205 1.86 GHz 6MB 1066MHz	Xeon DP Dual Core CPU (65W), 1.86GHz, 6MB SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function																		x	S26361-F3881-L186	199	
	Xeon DP X5260 3.33 GHz 6MB 1333MHz	Xeon DP Dual Core CPU (80W), 3.33GHz, 6MB SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function																		x	S26361-F3881-L333	773	
	Xeon LV DP L5240 3.00 GHz 6MB 1333MHz	Xeon Low Voltage DP Dual Core CPU (40W), 3.00GHz, 6MB SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function																		x	S26361-F3881-L500	608	
	Xeon DP E5405 2.00 GHz 2x6MB 1333MHz	Quad Core CPU (80W) with heatsink, 2x6MB SLC ECC protected, 1333MHz FSB, 64-bit / Intel® VT, PDA function																		x	S26361-F3882-L200	274	
	Xeon DP E5420 2.50 GHz 2x6MB 1333MHz	Quad Core CPU (80W) with heatsink, 2x6MB SLC ECC protected, 1333MHz FSB, 64-bit / Intel® VT/DBS, PDA function																		x	S26361-F3882-L250	384	
	Xeon DP E5430 2.66 GHz 2x6MB 1333MHz	Quad Core CPU (80W) with heatsink, 2x6MB SLC ECC protected, 1333MHz FSB, 64-bit / Intel® VT/DBS, PDA function																		x	S26361-F3882-L266	441	
	Xeon DP E5440 2.83 GHz 2x6MB 1333MHz	Quad Core CPU (80W) with heatsink, 2x6MB SLC ECC protected, 1333MHz FSB, 64-bit / Intel® VT/DBS, PDA function																		x	S26361-F3882-L283	628	
	Xeon DP X5460 3.16 GHz 2x6MB 1333MHz	Quad Core CPU (120W) with heatsink, 2x6MB SLC ECC protected, 1333MHz FSB, 64-bit / Intel® VT/DBS, PDA function																		x	S26361-F3882-L316	1054	
	Xeon LV DP L5410 2.33 GHz 2x6MB 1333MHz	Xeon Low Voltage DP Quad Core CPU (50W), 2.33GHz, 2x6MB SLC ECC, 1333MHz FSB, VT, heatpipe, PDA function																		x	S26361-F3882-L533	320	
	Xeon LV DP L5420 2.50 GHz 2x6MB 1333MHz	Xeon Low Voltage DP Quad Core CPU (50W), 2.50GHz, 2x6MB SLC ECC, 1333MHz FSB, VT, heatpipe, PDA function																		x	S26361-F3882-L550	374	
	Xeon DP E5205 1.86 GHz 6MB 1066MHz	Dual Core CPU (65W) with heatsink, 6MB SLC ECC protected, 1066MHz FSB, 64-bit / Intel® VT / DBS, PDA function																		x	S26361-F3883-L186	199	
	Xeon DP X5260 3.33 GHz 6MB 1333MHz	Dual Core CPU (80W) with heatsink, 6MB SLC ECC protected, 1333MHz FSB, 64-bit / Intel® VT / DBS, PDA function																		x	S26361-F3883-L333	773	



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	Code	End User Price (€)	Comments	
Processor (Continued)																						
	Xeon LV DP L5240 3.00 GHz 6MB 1333MHz	Low Voltage Dual Core CPU (40W) + heatsink, 6MB SLC ECC protected, 1333MHz FSB, 64-bit / Intel® VT/DSS, PDA function																		S26361-F3883-L500	608	
Memory																						
	4GB 2x2GB DDR266 PC2100 rg ECC	2 modules, lp, registered DDR 266MHz, Chipkill				x														S26361-F2762-L726	1124	Phased out
	4GB 2x2GB DDR266 PC2100 rg ECC	2 modules, lp, registered DDR 266MHz, Chipkill																		S26361-F2762-L826	1124	Phased out
	MEM 512MB DDR2-533 PC2-4200 ubECC (1mod)	1 module, unbuffered DDR2-533																		S26361-F3000-L513	20	
	MEM 1GB DDR2-533 PC2-4200 ub ECC (1mod)	1 module, unbuffered DDR2-533																		S26361-F3000-L514	42	
	MEM 2GB DDR2-533 PC2-4200 ub ECC (1Mod)	1 module, unbuffered DDR2-533																		S26361-F3000-L515	67	
	2GB 2x1GB DDR400 PC3200 ub ECC	2 modules 1GB each, unbuffered DDR 400MHz																		S26361-F3019-L524	352	Phased out
	8GB 4x2GB DDR266 PC2100 rg ECC	4 modules, registered DDR 266MHz																		S26361-F3031-L420	2245	Phased out
	8GB 4x2GB DDR266 PC2100 rg ECC	4 modules, registered DDR 266MHz																		S26361-F3070-L800	2245	Phased out
	2GB 2x1GB DDR2-400 PC2-3200 rg ECC	2 modules, registered DDR2 400MHz																		S26361-F3072-L522	136	
	4GB 2x2GB DDR2-400 PC2-3200 rg ECC	2 modules, registered DDR2 400MHz																		S26361-F3072-L523	294	
	2GB 2x1GB DDR2-400 PC2-3200 rg ECC	2 Module, registered DDR2 400MHz																		S26361-F3072-L622	136	
	4GB 2x2GB DDR2-400 PC2-3200 rg d ECC	2 Module, registered dual rank DDR2 400MHz																		S26361-F3072-L623	273	
	8GB 2x4GB DDR2-400 PC2-3200 rg d ECC	2 Module, registered dual rank DDR2 400MHz																		S26361-F3072-L624	800	
	Memory Board 4 DIMM Slots, hot plug able	4 DIMM Slots, hot plugable																		S26361-F3125-L130	118	
	Memory Board Kit RX600 S4	2 Memory Boards with 8 DIMM Slots each																		S26361-F3125-L440	172	
	MEM 1GB 2x512MB DDR400 PC3200 rg ECC	2 modules 512MB each, register DDR1 400MHz																		S26361-F3166-L521	153	
	MEM 2GB 2x1GB DDR400 PC3200 rg ECC	2 modules 1GB each, register DDR1 400MHz																		S26361-F3166-L522	305	
	MEM 4GB 2x2GB DDR400 PC3200 rg d ECC	2 modules 2GB each, register DDR1 400MHz																		S26361-F3166-L523	711	
	MEM 8GB 2x4GB DDR333 PC2700 rg d ECC	2 modules 4GB each, register dual rank DDR1 333MHz																		S26361-F3166-L524	3931	
	MEM 1GB 2x512MB FBD667 PC2-5300F ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																		S26361-F3230-L521	86	
	MEM 2GB 2x1GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																		S26361-F3230-L522	120	
	MEM 4GB 2x2GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																		S26361-F3230-L523	168	
	MEM 8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																		S26361-F3230-L524	438	
	Memory Board	for additional 3 DIMM pairs, necessary for mirroring																		S26361-F3263-L310	86	
	1GB 2x512MB FBD667 PC2-5300F ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																		S26361-F3263-L521	86	
	2GB 2x1GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																		S26361-F3263-L522	120	
	4GB 2x2GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																		S26361-F3263-L523	221	
	8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																		S26361-F3263-L524	716	
	2GB 2x1GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																		S26361-F3263-L622	101	
	4GB 2x2GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																		S26361-F3263-L623	168	
	8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																		S26361-F3263-L624	438	
	1GB 2x512MB DDR2-667 PC2-5300 rg ECC	2 modules, registered DDR2 667MHz with SDDC																		S26361-F3449-L511	86	
	2GB 2x1GB DDR2-667 PC2-5300 rg ECC	2 modules, registered DDR2 667MHz with SDDC																		S26361-F3449-L512	101	
	4GB 2x2GB DDR2-667 PC2-5300 rg d ECC	2 modules, registered DDR2 667MHz with SDDC																		S26361-F3449-L513	168	
	8GB 2x4GB DDR2-667 PC2-5300 rg d ECC	2 modules, registered DDR2 667MHz with SDDC																		S26361-F3449-L514	438	
	1GB DDR2-800 PC2-6400 ub d ECC 1 MODUL	1 modul, unbuffered DDR2 800MHz																		S26361-F3870-L514	42	
	2GB DDR2-800 PC2-6400 ub d ECC 1 MODUL	1 modul, unbuffered DDR2 800MHz																		S26361-F3870-L515	96	
	1GB 2x512MB DDR266 PC2100 rg ECC	2 modules, registered DDR 266MHz																		S26361-F2762-L524	254	Phased out
	2GB 2x1GB DDR266 PC2100 rg ECC	2 modules, registered DDR 266MHz																		S26361-F2762-L525	468	Phased out
	4GB 2x2GB DDR266 PC2100 rg ECC	2 modules, registered DDR 266MHz																		S26361-F2762-L526	1124	
	Memory Board RX800 S2 / S3	4 DIMM Slots, hot plugable																		S26361-F3125-L800	332	
	2GB 2x1GB DDR2-400 PC2-3200 rg ECC	2 Module, registered dual rank DDR2 400MHz																		S26361-F3072-L822	121	
	4GB 2x2GB DDR2-400 PC2-3200 rg d ECC	2 Module, registered dual rank DDR2 400MHz																		S26361-F3072-L823	222	
	8GB 2x4GB DDR2-400 PC2-3200 rg d ECC	2 Module, registered dual rank DDR2 400MHz																		S26361-F3072-L824	722	
Graphics																						
	PY VGA Card 128MB PCI-e	NVIDIA NVS 285 128MB PCI-e x1 graphic card																		S26361-F2748-L531	125	
	PY LP VGA Card 128MB PCI-e	NVIDIA NVS 285 128MB LP PCI-e x1 graphic card																		S26361-F2748-L631	125	
Removable Media Drives																						
	CD-RW/DVD slimline SATA	24x CD-R/RW/ROM, 6x DVD, incl. software, slimline 0.5" fitting height, anthracite																		S26361-F3268-L1	51	
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, incl. software, slimline 0.5" fitting height, anthracite																		S26361-F3269-L1	86	
	FDD USB (external)	external USB FDD, USB cable included																		S26391-F264-L226	26	
	MEMORYBIRD P 2GB	High Speed USB flash stick, Driverless use for Microsoft Windows operating systems, Plug and play, Bootable for LIFEBOOK Series and ESPRIMO PC, AMILO Pro, ESPRIMO Mobile, CELSIUS Mobile and PRIMERGY, Availability of various capacities for storage of miscellaneous data, up to 28 Mbit/s read-speed, write-speed up to 17 Mbit/s																		S26391-F6047-L102	40	
	External DVD Dual Slim Slot-In Drive	Easy connection via USB 2.0, Included AC-adaptor provides power support, Connection and disconnection without restarting, Slot-loading drive, Ultra slim design with the low weight of only 365 g, Read Speed: 8x DVD+R, 6x DVD+R DL, Write Speed: 8x DVD+RW, 8x DVD-RW, NERO Essentials Software, High quality and stability, Reliability of delivery, Low noise, Accessories for highly differentiated demands, Meets highest demands in terms of ergonomics and usability																		S26391-F7119-L100	85	
	Floppy Disk Drive 1.44MB slimline	Connector FFC 26pin, 0.5" fitting height																		S26361-F3059-L2	31	
	DVD-ROM ATAPI	ATAPI/IDE, 1.6" fitting height																		SNP-SY-F2234L1-A	31	
	CD-RW / DVD ATAPI slimline	CD-RW / DVD drive ATAPI/IDE 0.5" 24/24/24/8x, incl. SW, 0.5" fitting height, anthracite																		S26361-F3123-L1	67	
	DVD-RW DL/DVD-RAM ATAPI	DVDRW DL/DVD-RAM ATAPI 40/24/40x 16x/16 16x8, incl. Nero SW, 1.6" fitting height, anthracite																		S26361-F3148-L1	67	
	DVD-RW DL/DVD-RAM ATAPI slimline	DVDRW DL/DVD-RAM ATAPI 24/16/24x 8x/8 6/2.4, incl. Nero SW, slimline 0.5" fitting height, anthracite																		S26361-F3236-L1	98	Phased out
	Blu-ray Combo slimline SATA	2x BD-ROM, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0.5" fitting height, anthracite, incl. software																		S26361-F3531-L1	199	Deliverable from: 12/09/2008, Orderab
	RDX Drive USB 25MB/s 5.25" int	RDX Drive 80-160GB 25MB/s 5.25" intern., USB 2.0 Connector: USB "B" with USB cable, 1.6" fitting height, with description (G/US)																		S26361-F3857-L1	132	
	RDX Drive USB 25MB/s 3.5" int	RDX Drive 80-160GB 25MB/s 3.5" intern., USB 2.0 Connector: USB "B" with USB cable, 1.6" height, within tape cage 2 x 3.5", with specific USB cable																		S26361-F3857-L6	186	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	data transfer: 3MB/s, USB 2.0, 1.6" anthracite, within tape cage 2 x 3.5", with specific USB cable, with description (G/US), data and cleaning cartridge																		S26361-F3324-L6	424	
	Tape Kit DDS Gen5 36GB 3MB/s int.	LVD U2W SCSI Interface 68-pin, 1.6" fitting height, with description (G/US), data and cleaning cartridge																		S26361-F2848-L3	244	
	Tape Kit DDS Gen5 36GB 3MB/s for OBDP	LVD U2W SCSI Interface 68-pin, 1.6" fitting height, with description (G/US), data and cleaning cartridge, for One Button Disaster Recovery																		S26361-F2848-L31	382	
	Tape Kit VXA-320 160GB 12MB/s int.	LVD U160 SCSI Interface 68-pin, 1.6" fitting height, with description (G/US), data and cleaning cartridge																		S26361-F3224-L3	852	Phased out
	Tape Kit LTO2HH Ultrium 200GB 24MB/s int	U160 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge, without cable																		S26361-F3157-L3	681	
	Tape Drv LTO2HH Ultrium 200GB 24MB/s int	U160 SCSI Interface 68-pin, 1.6" fitting height, anthracite, Delivery includes no cartridges																		S26361-F3157-L30	600	
	Tape Kit LTO3HH Ultrium 400GB 60MB/s int	U320 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge																		S26361-F3459-L3	934	
Hard Disk Drives																						
	HDD U320 15k 300GB hot plug 1"	15.000 rpm with 1" frame, U320 SCSI																		S26361-F2764-L530	800	
	HDD U320 146GB 15k hot plug 3.5"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s																		S26361-F3121-L514	238	



Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Rack Servers Accessories

Category	Description	Details	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX800 S4	PRIMERGY RX1000 S2	Code	End User Price (€)	Comments
Fibre Channel (Continued)																					
	FC Ctrl 4GBit/s LPe1150 MMF LC LP	LPe1150 , 4GBit/s, 1-channel FC controller, PCIe x4, low profile, MMF LC interface				x	x			x	x								S26361-F3306-L201	531	
	FC Ctrl 2x4GBit/s LPe11002 MMF LC LP	LPe11002 , 4GBit/s, 2-channel FC controller, PCIe x4, low profile, MMF LC interface						x	x										S26361-F3306-L202	796	
	FC Ctrl 4GBit/s QLE2460 MMF LC	QLE2460 , 4GBit/s, 1 channel FC controller, PCIe x4, full height, MMF LC interface, This controller is in PRIMERGY server not certified for Microsoft Cluster.											x	x					S26361-F3483-L1	664	
	FC Ctrl 4GBit/s QLE2462 MMF LC	QLE2462 , 4GBit/s, 2 channel FC controller, PCIe x4, full height, MMF LC interface, This controller is in PRIMERGY server not certified for Microsoft Cluster.											x	x					S26361-F3483-L2	1022	
	FC Ctrl 4GBit/s QLE2460 MMF LC LP	QLE2460 , 4GBit/s, 1 channel FC controller, PCIe x4, low profile, MMF LC interface, This controller is in PRIMERGY server not certified for Microsoft Cluster.						x	x										S26361-F3483-L201	667	
	FC Ctrl 4GBit/s QLE2462 MMF LC LP	QLE2462 , 4GBit/s, 2 channel FC controller, PCIe x4, low profile, MMF LC interface, This controller is in PRIMERGY server not certified for Microsoft Cluster.						x	x										S26361-F3483-L202	1022	
	FC Ctrl 4GBit/s LPe1111 MMF LC LP	Emulex LPe1111 , 4GBit/s, 1 Channel FC Controller, PCIe x4 Low Profile, MMF LC-Interface											x						S26361-F3864-L201	387	Phased out
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber												x					S26361-F3961-L1	719	Orderable from: 15/09/2008
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber													x				S26361-F3961-L2	1108	Orderable from: 15/09/2008
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC LP	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 Low Profile SFF Interface for 50um Fiber							x				x						S26361-F3961-L201	719	Orderable from: 15/09/2008
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC LP	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 Low Profile SFF Interface for 50um Fiber							x				x						S26361-F3961-L202	1108	Orderable from: 15/09/2008
Communication/Network																					
	ISDN S0-Ctrl (2B+D) aktive BRI2M-2.0	Eicon Diva Server BRI-2M 2.0, WAN-Controller, digital/analog, ISDN & V.90, for Europe, incl. ISDN S0-cable	x	x						x	x								S26361-F1809-L2	636	Phased out
	X.25 Ctrl Dual X1 X21 Eicon S94 V2 (R)	WAN-Controller; incl. 2x X.21 DCE connection cable on X.25, Frame Relay and SNA network									x	x							S26361-F2610-L3	2186	
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu Ip	Intel Pro/1000MT Dual Port Server Adapt. with PCI-X bus, also for PCI64 and PCI32 10/100/1000TX, low profile PCI	x	x	x	x	x	x	x	x	x								S26361-F3011-L201	125	
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter				x			x	x	x	x					x	x	S26361-F3142-L1	58	
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter					x			x	x								S26361-F3142-L2	58	
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu Ip	Intel PRO 1000 GT Desktop Adapter, low profile	x	x	x	x	x	x	x	x									S26361-F3142-L201	58	
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu Ip	Intel PRO 1000 GT Desktop Adapter, low profile				x				x	x								S26361-F3142-L202	42	
	Eth Ctrl 2x1GBit PCIe PRO/1000P Cu	Intel PRO 1000P 2 Port Server Adapter										x	x						S26361-F3143-L1	148	
	Eth Ctrl 2x1GBit PCI-X PRO/1000GT Cu	Intel Pro 1000GT Dual Port Server Adapter								x	x			x					S26361-F3227-L2	125	
	Eth Ctrl 2x1GBit PCI-X PRO/1000GT Cu Ip	Intel Pro 1000GT Dual Port Server Adapter, low profile PCI	x	x		x				x	x								S26361-F3227-L202	125	
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu	Intel Pro 1000PT 2 Port Server Adapter										x	x	x					S26361-F3228-L1	159	
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu Ip	Intel Pro 1000PT 2 Port Server Adapter				x	x			x	x								S26361-F3228-L201	160	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu	Intel Pro 1000PT 1 Port Server Adapter										x							S26361-F3241-L1	55	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu Ip	Intel Pro 1000PT 1 Port Server Adapter	x	x		x				x	x								S26361-F3241-L201	55	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC	Intel Pro 1000PF 1 Port Server Adapter												x					S26361-F3242-L1	226	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC Ip	Intel Pro 1000PF 1 Port Server Adapter				x	x			x	x								S26361-F3242-L201	226	
	Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu	Intel Pro 1000PT Quad Port Server Adapter with full height bracket										x	x	x					S26361-F3462-L1	305	
	Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu Ip	Intel Pro 1000PT Quad Port Server Adapter with low profile bracket										x	x	x					S26361-F3462-L201	305	
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	Intel Pro 1000MT 2 Port Server Adapter	x			x				x	x	x	x	x	x	x	x		S26361-F3011-L1	125	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MT Cu	Intel PRO 1000 MT Server Adapter								x	x	x	x	x	x	x	x		S26361-F3053-L1	96	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MT Cu Ip	Intel Pro 1000 MT Server Adapter, low profile	x	x	x	x	x			x	x	x	x	x	x	x	x		S26361-F3053-L201	96	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MF LC	Intel PRO 1000 MF Server Adapter										x	x	x	x	x	x		S26361-F3054-L1	226	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MF LC Ip	Intel PRO 1000 MF Server Adapter, low profile	x	x	x	x	x			x	x	x	x	x	x	x	x		S26361-F3054-L201	226	
Rack-Infrastructure																					
	RMK CR additional to RMK TX/RX600	additional RMK for mounting of RX/TX600 in PY 19" 23/42HE Classic Racks										x							S26361-F1331-L200	55	
	RMK CR additional to RMK TX200/300 S2	additional RMK incl. cable guide for mounting of TX200/300S2 / RX300S2 in PY 19" 23/42HE Classic Racks											x						S26361-F1331-L300	93	
	RMK-F1_1-2U Server (new)	telescopic rail, full extraction with vario-carrier, pre-assembled with centre screw				x								x					S26361-F2735-L101	62	
	RMK-F1_RX600 S4	full extraction with vario-carrier, pre-assembled with centre screw																	S26361-F2735-L106	59	
	RMK-P_1-2U servers (new)	telescopic rail, partial extraction with vario-carrier, pre-assembled with centre screw				x								x					S26361-F2735-L110	35	
	Cable carrying plate DC-/PC-racks	additional tray for sidewise routing and filing of cable bulks for DC-, PC- racks																	S26361-F2735-L20	31	
	cage nut set, M5, 1-2.5mm	Content: 50 pieces	x	x		x				x	x	x	x	x					S26361-F2735-L500	39	
	Cable magnt. for 19" DC- PC- Rack	cable management for adding a server or storage subsystem from a 3rd party rack into the PRIMECENTER rack 2				x													S26361-F2735-L7	24	
	1 U cable arm, dragged	cable arm for PRIMERGY server, dragged for PRIMECENTER- and 3rd-party racks	x	x	x	x	x			x	x	x	x	x					S26361-F2735-L8	24	
	cable management arm for 3rd party racks	all-purpose for PY server in 3rd party a. classic racks	x																S26361-F2201-L20	39	
	RMK 19" CR RX200	complete RMK for mounting of RX200 in PY 19" 23/42HE Classic Racks	x			x													S26361-F2611-L20	116	
PRIMERGY-Software																					
	IRMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection				x						x							S26361-F1790-L240	234	
	IRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection				x													S26361-F1790-L241	232	
	VMware FND-AK w/1yr SNS DistributionOnly						x	x				x	x						S26361-F2341-L403	1838	
	VMware FND-AK w/3yr SNS DistributionOnly						x	x				x	x						S26361-F2341-L404	2495	
	VMware STD-AK w/1yr SNS DistributionOnly						x	x				x	x						S26361-F2341-L405	3679	
	VMware STD-AK w/3yr SNS DistributionOnly						x	x				x	x						S26361-F2341-L406	4995	
	VMware VI-AK w/1yr SNS DistributionOnly						x	x				x	x						S26361-F2341-L422	14261	
	VMware VI-AK w/3yr SNS DistributionOnly						x	x				x	x						S26361-F2341-L424	19362	
	Win Server 2008 Datacenter 2CPU AddProc	Windows Server 2008 Datacenter (2 CPU), ML, Includes: Hyper-V, unlimited Virtual Use Rights, no CALLs																	S26361-F2565-L130	2021	
	FlexFrame ControlNode SW with PCLRMS-Lic	FlexFrame ControlNode software, including, FlexFrame software for Application Nodes on PRIMERGY and PRIMECLUSTER software. 3rd Level Support for PRIMECLUSTER has to be ordered separtly											x	x					S26361-F2346-L321	4327	
	FlexFrame AN Lizenz 11PY RX300BX dual	*FlexFrame License for one PRIMERGY BX620S3. Additional it is mandatory to order 3rd Level support for each server!											x	x					S26361-F2346-L322	2374	
	FlexFrame AppNode License f. 1 PY RX600	FlexFrame License for one PRIMERGY RX600. , Additional it is mandatory to order 3rd Level support for each server!												x	x				S26361-F2346-L323	8349	
	RemoteView Service Board S2 LP	incl. cables and RV SW; for PRIMERGY RX100 S2, RX100 S3, RX200 S2, RX300 S2, RX300	x	x								x	x						S26361-F2425-L102	387	
	FlexFrame AppNode License f. 1 PY RX800	FlexFrame License for one PRIMERGY RX800. , Additional it is mandatory to order 3rd Level support for each server!																x	S26361-F2346-L324	16599	
	RemoteView Service Board S2 LP 3HU	incl. cables and RV SW; for PRIMERGY RX300 S2, TX200 S2, TX300 S2, TX150 S3, TX150 S4, RX/TX600 S2, RX220, RX/TX600 S3										x	x						S26361-F2425-L103	387	



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX400	PRIMERGY RX400 S2	PRIMERGY RX400 S3	PRIMERGY RX400 S4	PRIMERGY RX400 S5	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX800 S4	PRIMERGY RX800 S5	Code	End User Price (€)	Comments			
PRIMERGY-Software (Continued)	PRIMERGY MultiPath Linux/WinServ GB 3.x	Support of redundant Multipath between PRIMERGY and Disk Storage, for W2K, Windows2003 and LINUX, Full product, licence for 1 Server						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C197	684			
	FlexFrame AN L3Supp 3y f.1RX300BX dual	"FlexFrame 3rd Level Support for 3 years for BX620S3 (One 3rd-Level delivery unit (1 or 3 years) per server is mandatory)"																																S26361-F2346-L332	1498			
	PRIMERGY MultiPath MPIO WinServ GB 4.x	MultiPath based on Microsoft MPIO supporting multiple paths between server and subsystem; for Windows Server 2003						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C278	684			
	FlexFrame AppNode L3Supp 3y f.1 PY RX600	FlexFrame 3rd Level, Support for 3 years for RX600 (One 3rd-Level delivery unit (1 or 3 years) per server is mandatory)																																S26361-F2346-L333	5267			
	PRIMERGY DuplexDataManager GB 3.x	Advanced Edition, Software under W2K, Windows2003 and Linux, for disaster-tolerant PRIMERGY, configuration, includes MultiPath (1 License per Server)						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C196	2144			
	FlexFrame AppNode L3Supp 3y f.1 PY RX800	FlexFrame 3rd Level, Support for 3 years for RX800 (One 3rd-Level delivery unit (1 or 3 years) per server is mandatory)																																	S26361-F2346-L334	10690		
	PRIMERGY ServerView Suite subscription.	Subscription for 1 year, ca. 10 releases. The subscription is licensed only for PRIMERGY servers.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C176	168			
	RSB LP external power supply	incl. power cord (with Euro socket connector- and Euro plug)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2425-L305	31			
	RemoteDeploy 3.x Single license	Single license for operation of one client server (managed node) under RD 3.x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C262	108			
	RemoteDeploy V4.1 Software CD	Full version with license key for SW usage - no license.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C286	24			
	RemoteDeploy 4.x Single License	Single license for operation of one client server (managed node) under RD 4.x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C287	109			
	RemoteDeploy 4.1 Single Upgrade License	for upgrades of one 3.x single license to version 4.0 - no software!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C288	47			
	ServerView Suite, latest version	Latest ServerView Suite Edition - including Installation Manager	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C289	20			
	ServerView Deployment Manager V5	Software CD Full version, software only - no license	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C299	24			
	ServerView Deployment Mgr 5 Single Lic.	Single license for operation of one client server (managed node) - no software!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C300	109			
	ServerView Dept. Mgr. 5 Single Upgrade	for upgrades of one 4.x single license to version 5.0 - no software!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C301	47			
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual						x																										S26361-F2565-L140	16			
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual						x																											S26361-F2565-L141	74		
	Altiris Server Deployment Solution 6	Single license for operation of one client server (to be ordered for each system)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C251	140			
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual						x																											S26361-F2565-L142	16		
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual						x																											S26361-F2565-L143	74		
	Win Server 2008 TS CAL (5 Device)	(5 Device) Terminal Server Client License Pack for Microsoft Windows Server 2008 Standard, Enterprise und Datacenter, multilingual						x																											S26361-F2565-L144	261		
	Win Server 2008 TS CAL (5 User)	(5 User) Terminal Server Client License Pack for Microsoft Windows Server 2008 Standard, Enterprise und Datacenter, multilingual						x																												S26361-F2565-L145	261	
	Altiris Server Deployment AUP	Annual upgrade protection for Deployment Solution (to be ordered for each system)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C255	21			
	Altiris Premium Support Pack	1 year support package for Altiris	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C259	10831			
	Altiris 5 Incidents Support	5 support incidents for Altiris	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C260	1464			
	Altiris Server Management Suite - Level1	Single license for operation of one client server (to be ordered for each system)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C267	186		
	Altiris Server Management Suite - L1 AUP	Annual upgrade protection for Mangement Suite (to be ordered for each system)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C271	26		
	MS Device CAL for Win Server 2003, GB	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) GB	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L610	20		
	MS 1 Device CAL for Win Server 2003, D	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) D	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L611	20		
	MS 1 Device CAL for Win Server 2003, F	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) F	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L613	20		
	MS 5 Device CAL for Win Server 2003, GB	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) GB	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L650	74		
	MS 5 Device CAL for Win Server 2003, D	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) D	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L651	74		
	MS 5 Device CAL for Win Server 2003, I	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) I	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L652	74		
	MS 5 Device CAL for Win Server 2003, F	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) F	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L653	74		
	MS 5 Device CAL for Win Server 2003, E	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) E	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L654	74		
	MS 1 User CAL for Win Server 2003, GB	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) GB	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L620	20		
	MS 1 User CAL for Win Server 2003, D	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) D	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L621	20		
	MS 1 User CAL for Win Server 2003, I	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) I	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L622	20		
	MS 1 User CAL for Win Server 2003, F	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) F	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L623	20		
	MS 5 User CAL for Win Server 2003, GB	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) GB	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L660	74		
	MS 5 User CAL for Win Server 2003, D	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) D	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L661	74		
	MS 5 User CAL for Win Server 2003, I	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) I	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L662	74		
	MS 5 User CAL for Win Server 2003, F	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) F	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L663	74		



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX400	PRIMERGY RX400 S2	PRIMERGY RX400 S3	PRIMERGY RX400 S4	PRIMERGY RX400 S5	PRIMERGY RX600	Code	End User Price (€)	Comments		
PRIMERGY-Software (Continued)																												
	MS 5 User CAL for Win Server 2003, E	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) E	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L664	74			
	MS 5 Device TS-CAL Win Server 2003, GB	Microsoft Device Terminal Server Client License Pack for Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 Device TS-CAL Version, GB	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L670	242			
	MS 5 Device TS-CAL Win Server 2003, D	Microsoft Device Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 Device TS-CAL Version, D	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L671	242			
	MS 5 User TS-CAL Win Server 2003, GB	Microsoft User Terminal Server Client License Pack for Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 User TS-CAL Version, GB	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L680	242			
	MS 5 User TS-CAL Win Server 2003, D	Microsoft User Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 User TS-CAL Version, D	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L681	242			
	MS 5 Device CAL for Win SBS 2003	Microsoft Device Client License Pack for Windows Small Business Server 2003 products, Standard, Premium Edition, 32bit (5 Device CAL Version) multi-language CAL for GB, D, I, F, E													x	x								S26361-F2565-L690	254			
	MS 5 User CAL for Win SBS 2003	Microsoft User Client License Pack for Windows Small Business Server 2003 products, Standard, Premium Edition, 32bit (5 User CAL Version) multi-language CAL for GB, D, I, F, E													x	x								S26361-F2565-L691	254			
	SUSE Linux ES 9 x86 and x86_64 Media Kit	SUSE Linux Enterprise Server 9 for x86 and for AMD64 and Intel EM64T media kit	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2346-L109	67			
	SUSE Linux ES 32-CPU +1Y	SUSE Linux Enterprise Server for all platforms 1-Server up to 32-CPU sockets 1-Year subscription (renewal)	x	x				x	x	x				x	x	x								S26361-F2346-L111	182			
	SUSE Linux ES 1-CPU +1Y	SUSE Linux Enterprise Server for all platforms 1-Server with 1-CPU sockets 1-Year subscription (renewal)						x	x															S26361-F2346-L181	114			
	SUSE Linux ES 10 x86 and x86_64 Media	SUSE Linux Enterprise Server 10 for x86, AMD64 and Intel EM64T media kit	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2346-L192	67			
	ServerView Integration V2.0	ServerView Integration V2.0 CD and node license for HP OpenView NNM and Operations IBM NetView and ServerView Plus TECInventory	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15051-C108	78			
	Red Hat EL AP 5x9 I3 support +1Y	Red Hat Enterprise Linux AP for all platforms 5x9 level3 support 1-Server 1-Year renewal						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2346-L201	553			
	Red Hat EL 2-CPU 5x9 I3 support +1Y	Red Hat Enterprise Linux up to 2-CPU sockets for all platforms 5x9 level3 support 1-Server 1-Year renewal	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2346-L211	284			
	Red Hat EL 5 SRV x86 & x86_64 Media Kit	Red Hat Enterprise Linux ES 5 Server media kit for x86 & x86_64						x							x									S26361-F2346-L292	39			
	debian4you media kit	debian4you Media Kit (current version) for x86 and x86_64			x			x							x									S26361-F2346-L400	35			
	debian4you Basic Support 1Y	debian4you Basic (email) Support Subscription for x86 and x86_64 1-Server 1-Year			x			x							x									S26361-F2346-L411	153			
	debian4you Basic Support 3Y	debian4you Basic (email) Support Subscription for x86 and x86_64 1-Server 3-Years			x			x							x									S26361-F2346-L412	387			
	debian4you Standard Support 1Y	debian4you Standard (5x9) Support Subscription for x86 and x86_64 1-Server 1-Year			x			x							x									S26361-F2346-L415	387			
	debian4you Standard Support 3Y	debian4you Standard (5x9) Support Subscription for x86 and x86_64 1-Server 3-Years			x			x							x									S26361-F2346-L416	1093			
	debian4you Premium Support 1Y	debian4you Premium (7x24) Support Subscription for x86 and x86_64 1-Server 1-Year			x			x							x									S26361-F2346-L417	773			
	debian4you Premium Support 3Y	debian4you Premium (7x24) Support Subscription for x86 and x86_64 1-Server 3-Years			x			x							x									S26361-F2346-L418	1944			
	Win Server 2008 Standard ROK	Windows Server 2008 Standard ROK (1-4 CPU), ML. Only for distributors with ROK Agreement. Includes: Hyper-V, 1 Virtual Use Right, 5 CALs, 32-bit/x64, x86; 4 sockets, 4 GB RAM, x64; 4 sockets, 32 GB RAM, Languages: CZ,D,E,F,GB,HU,I,NL,PL,PT,RU,SE,TR, OEM DVD, license, manual						x							x									S26361-F2565-L110	375			
	Win Server 2003 R2, ROK SE SP2, GB	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW... Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L230	361			
	Win Server 2003 R2, ROK SE SP2, D	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW... Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L231	391			
	Win Server 2003 R2, ROK SE SP2, I	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW... Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L232	391			
	Win Server 2003 R2, ROK SE SP2, F	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW... Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L233	391			



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1000 S2	PRIMERGY RX1000 S3	Code	End User Price (€)	Comments
PRIMERGY-Software (Continued)	Win Server 2003 R2, ROK SE SP2, E	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L234	391	
	Win Server 2003 R2, ROK SE SP2, CZ	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L235	391	
	Win Server 2003 R2, ROK SE SP2, PL	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L236	391	
	Win Server 2003 R2, ROK SE SP2, RUS	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L237	391	
	Win Server 2003 R2, ROK SE x64 SP2, GB	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L270	382	
	Win Server 2003 R2, ROK SE x64 SP2, D	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L271	391	
	Win Server 2003 R2, ROK SE x64 SP2, I	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L272	391	
	Win Server 2003 R2, ROK SE x64 SP2, F	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L273	391	
	Win Server 2003 R2, ROK SE x64 SP2, E	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L274	391	
	Win SBS 2003 R2, ROK SE SP2, GB	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.										x	x	x					S26361-F2565-L250	222	



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1000	Code	End User Price (€)	Comments
PRIMERGY-Software (Continued)	Win SBS 2003 R2, ROK SE SP2, D	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.												x	x	x										S26361-F2565-L251	242		
	Win SBS 2003 R2, ROK SE SP2, I	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.												x	x	x											S26361-F2565-L252	242	
	Win SBS 2003 R2, ROK SE SP2, F	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.												x	x	x											S26361-F2565-L253	242	
	Win SBS 2003 R2, ROK SE SP2, E	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.												x	x	x											S26361-F2565-L254	242	
	Win SBS 2003 R2, ROK SE SP2, CZ	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.												x	x	x											S26361-F2565-L255	242	
	Win SBS 2003 R2, ROK PREMIUM SP2, GB	The Windows Small Business Server 2003 R2 ROK Premium Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.												x	x	x											S26361-F2565-L260	475	
	Win SBS 2003 R2, ROK PREMIUM SP2, D	The Windows Small Business Server 2003 R2 ROK Premium Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.												x	x	x											S26361-F2565-L261	511	
	Win SBS 2003 R2, ROK PREMIUM SP2, I	The Windows Small Business Server 2003 R2 ROK Premium Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.												x	x	x											S26361-F2565-L262	511	
	Win SRV03 R2 x64, DC 4 CPU unli. Virt HA	Microsoft® Windows Server® 2003 R2 x64 Datacenter Edition Unlimited Virtualization with High Availability Program (4 CPU) with Microsoft® User Client Access License Pack for Microsoft® Windows Server 2003 Products (1 User CAL Version)																								x	S26361-F2543-L110	6401	Phased out
	DC SW Update-Subscription, 4CPU-License,	Update Subscription for Microsoft® Windows Server® Datacenter with High Availability Program (4 CPU) 1 Month Subscription																								x	S26361-F2543-L111	140	Phased out
	VMware VI-FND w/1yr SNS	VMware Infrastructure 3 Foundation OEM License for 2 sockets, additive licenses with 1 year SNS Support and Subscription						x	x					x	x	x											S26361-F2341-L367	1108	
	VMware VI-FND w/1yr SNS DistributionOnly	VMware Infrastructure 3 Foundation OEM License for 2 sockets, additive licenses with 1 year SNS Support and Subscription						x	x					x	x	x											S26361-F2341-L368	835	
	VMware VI-FND w/3yr SNS	VMware Infrastructure 3 Foundation OEM License for 2 sockets, additive licenses with 3 year SNS Support and Subscription						x	x					x	x	x											S26361-F2341-L369	2038	
	VMware VI-FND w/3yr SNS DistributionOnly	VMware Infrastructure 3 Foundation OEM License for 2 sockets, additive licenses with 3 year SNS Support and Subscription						x	x					x	x	x											S26361-F2341-L370	1566	
	VMware VC-FND-C w/1yr SNS	VMware VirtualCenter Foundation Limited to 3 Vi3 ESX Nodes with 1 year Support and Subscription OEM						x	x					x	x	x											S26361-F2341-L380	1071	
	VMware VC-FND-C w/3yr SNS	VMware VirtualCenter Foundation Limited to 3 Vi3 ESX Nodes with 3 year Support and Subscription OEM						x	x					x	x	x											S26361-F2341-L381	1638	
	VMware VC-FND-UG-C w/1yr SNS	Upgrade VC Foundation to VCMs includes upgrade License to VCMs Upgrade VC-FND to VC-VMCS + 1 year SNS						x	x					x	x	x											S26361-F2341-L401	2158	
	VMware VC-FND-UG-C w/3yr SNS	Upgrade VC Foundation to VCMs includes upgrade License to VCMs Upgrade VC-FND to VC-VMCS + 3 year SNS						x	x					x	x	x											S26361-F2341-L402	2688	
	VMware VI-STD w/1yr SNS	Virtual Infrastructure 3 Standard OEM License for 2 sockets; additive licenses with 1 year SNS Support and Subscription.						x	x					x	x	x											S26361-F2341-L303	2338	



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	Code	End User Price (€)	Comments
PRIMERGY-Software (Continued)	VMware VI-STD w/3yr SNS	Virtual Infrastructure 3 Standard OEM License for 2 sockets; additve licenses with 3 year SNS Support and Subscription.						x	x					x	x								S26361-F2341-L304	3008	
	VMware VI-STD w/1yr SNS DistributionOnly	Virtual Infrastructure 3 Standard OEM License for 2 sockets; additve licenses with 1 year SNS Support and Subscription. Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.						x	x					x	x								S26361-F2341-L333	1838	
	VMware VI-STD w/3yr SNS DistributionOnly	Virtual Infrastructure 3 Standard OEM License for 2 sockets; additve licenses with 3 year SNS Support and Subscription. Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.						x	x					x	x								S26361-F2341-L334	2495	
	VMware VI-EE w/1yr SNS	Virtual Infrastructure 3 Enterprise OEM License for 2 sockets; additve licenses with 1 year SNS Support and Subscription.						x	x					x	x								S26361-F2341-L305	4488	
	VMware VI-EE w/3yr SNS	Virtual Infrastructure 3 Enterprise OEM License for 2 sockets; additve licenses with 3 year SNS Support and Subscription.						x	x					x	x								S26361-F2341-L306	5776	
	VMware VI-EE w/1yr SNS DistributionOnly	Virtual Infrastructure 3 Enterprise OEM License for 2 sockets; additve licenses with 1 year SNS Support and Subscription. Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.						x	x					x	x								S26361-F2341-L335	3528	
	VMware VI-EE w/3yr SNS DistributionOnly	Virtual Infrastructure 3 Enterprise OEM License for 2 sockets; additve licenses with 3 year SNS Support and Subscription. Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.						x	x					x	x								S26361-F2341-L336	4788	
	VMware VCMs w/1yr SNS	VirtualCenter Management Server 2 OEM License per VCMs application instance with 1 year SNS Support and Subscription.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2341-L321	3066	
	VMware VCMs w/3yr SNS	VirtualCenter Management Server 2 OEM License per VCMs application instance with 3 year SNS Support and Subscription.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2341-L322	4162	
	VMware VMS-VCMs-BUN-C	VMware VirtualCenter for VMware Server and Support Bundle. Includes one Activation Key for VMware VirtualCenter Management Server for VMware Server, three 2-CPU-agents, and two support incidents. Is designed and licensed for use exclusively with VMware Server. Requires VirtualCenter for VMware Server binaries download from VMware. Requires a Windows Server 2003 operating system.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2341-L327	956	
	VMware VI-FND-AK-C w/1yr SNS	VI Foundation Acceleration Kit includes VC FND and VI FND for 6 Sockets with 1 year Support and Subscription OEM						x	x					x	x								S26361-F2341-L382	2338	
	VMware VI-FND-AK-C w/3yr SNS	VI Foundation Acceleration Kit includes VC FND and VI FND for 6 Sockets with 3 year Support and Subscription OEM						x	x					x	x								S26361-F2341-L383	3013	
	VMware VI-STD-AK-C w/1yr SNS	VI Standard Acceleration Kit includes VC FND and VI STD for 4 Sockets with 1 year Support and Subscription OEM						x	x					x	x								S26361-F2341-L384	4680	
	VMware VI-STD-AK-C w/3yr SNS	VI Standard Acceleration Kit includes VC FND and VI STD for 4 Sockets with 3 year Support and Subscription OEM						x	x					x	x								S26361-F2341-L385	6022	
	VMware VI-FND-STD-UG w/1yr SNS	VI3 FND to Standard Upgrade OEM for 2 sockets, additve licenses with 1 year SNS Support and Subscription						x	x					x	x								S26361-F2341-L407	1238	
	VMware VI-FND-STD-UG w/3yr SNS	VI3 FND to Standard Upgrade OEM for 2 sockets, additve licenses with 3 year SNS Support and Subscription						x	x					x	x								S26361-F2341-L408	1355	
	VMware VI-FND-ENT-UG w/1yr SNS	VI3 FND to Enterprise Upgrade OEM for 2 sockets, additve licenses with 1 year SNS Support and Subscription						x	x					x	x								S26361-F2341-L409	3046	
	VMware VI-FND-ENT-UG w/3yr SNS	VI3 FND to Enterprise Upgrade OEM VI3 FND to Enterprise Upgrade OEM VI3 FND to Enterprise Upgrade OEM						x	x					x	x								S26361-F2341-L410	3945	
	VMware VI-AK w/1yr SNS	VI Enterprise XL Acceleration Kit includes VCMs and VI ENT for 8 Sockets with 1 year Support and Subscription OEM						x	x					x	x								S26361-F2341-L421	18118	
	VMware VI-AK w/3yr SNS	VI Enterprise XL Acceleration Kit includes VCMs and VI ENT for 8 Sockets with 3 year Support and Subscription OEM						x	x					x	x								S26361-F2341-L423	23312	
	VMware ESX 3i w/o SNS DistributionOnly	VMware ESX Server 3i Standalone OEM Server License for up to 2 sockets without Support and Subscription Option												x	x								S26361-F2341-L366	8	
	VMware ESX 3i w/1yr SNS DistributionOnly	VMware ESX Server 3i Standalone OEM Server License for up to 2 sockets with 1 year Support and Subscription Option												x	x								S26361-F2341-L371	307	
	VMware ESX3-FND-UG-C w/1yr SNS	Upgrade from ESXi 3.5 OEM to VI3 Foundation, License for 2 sockets with 1 year Support and Subscription OEM												x	x								S26361-F2341-L386	542	
	VMware ESX3-STD-UG-C w/1yr SNS	Upgrade from ESXi 3.5 OEM to VI3 Standard, License for 2 sockets with 1 year Support and Subscription OEM												x	x								S26361-F2341-L387	1733	
	VMware ESX3-ENT-UG-C w/1yr SNS	Upgrade from ESXi 3.5 OEM to VI3 Enterprise, License for 2 sockets with 1 year Support and Subscription OEM												x	x								S26361-F2341-L388	3661	
	VMware VI-STD-ENT-UG w/1yr SNS	VI3 Standard to Enterprise Upgrade OEM for 2 sockets, additve licenses with 1 year SNS Support and Subscription. Includes VSMP, VMFS, VMotion, HA, DRS, VCB.						x	x					x	x								S26361-F2341-L313	2148	
	VMware VI-STD-ENT-UG w/3yr SNS	VI3 Standard to Enterprise Upgrade OEM for 2 sockets, additve licenses with 3 year SNS Support and Subscription. Includes VSMP, VMFS, VMotion, HA, DRS, VCB.						x	x					x	x								S26361-F2341-L314	2916	
	VMware RN SNS 1yr for VI-STD	Renewal SNS Support and Subscription OEM from FSC for 1 year for 2 sockets for Virtual Infrastructure 3 Standard OEM						x	x					x	x								S26361-F2341-L351	424	
	VMware RN SNS 1yr for VI-EE	Renewal SNS Support and Subscription OEM from FSC for 1 year for 2 sockets for Virtual Infrastructure 3 Enterprise OEM						x	x					x	x								S26361-F2341-L352	813	
	VMware RN SSS 1yr for VCMs	Renewal SNS Support and Subscription OEM from FSC for 1 year for VirtualCenter Management Server 2 OEM					x	x	x					x	x								S26361-F2341-L353	707	
	VMware RN SSS 1yr for VI-MOT	Renewal SNS Support and Subscription OEM from FSC for 1 year for 2 sockets for VMotion for VI-STD OEM						x	x					x	x								S26361-F2341-L354	495	
	VMware RN SNS 1yr for VI-STD-ENT-UG	Price is per each 2sockets. Order 2x for a PRIMERGY RX600, TX600, BX630 Quad, and order 4x for an RX800, BX630 8-way.						x	x					x	x								S26361-F2341-L357	495	
	VMware RN SNS 1yr for VI-FND	Renewal SNS Support and Subscription OEM from FSC for 1 year for 2 sockets for VI-FND (OEM)						x	x					x	x								S26361-F2341-L358	366	
	VMware RN SNS 1yr for VDI-STD-100	Renewal SNS Support and Subscription from FSC for VDI-STD-100 OEM						x	x					x	x								S26361-F2341-L364	2479	
	VMware RN SNS 1yr for VDI-ENT-100	Renewal SNS Support and Subscription from FSC for VDI-ENT-100 OEM						x	x					x	x								S26361-F2341-L365	3895	
	VMware RN SNS 1yr for VDI-W-STR	Renewal SNS Support and Subscription OEM from FSC for 1 year for VDM2-Windows + VI-ENT + VC-FND for 10 desktop VMs						x	x					x	x								S26361-F2341-L394	212	
	VMware RN SNS 1yr for VDI-W-100	Renewal SNS Support and Subscription OEM from FSC for 1 year for VDM2-Windows + VI-ENT + VC-FND for 100 desktop VMs						x	x					x	x								S26361-F2341-L395	2125	
	VMware RN SNS 1yr for VDI-W-ADD10-C	Renewal SNS Support and Subscription OEM from FSC for 1 year for VDM2-Windows + VI-ENT + VC-FND for 10 add. desktop VMs						x	x					x	x								S26361-F2341-L396	212	
	VMware RN SNS 1yr for VI-FND-AK	Renewal SNS Support and Subscription OEM for VI Foundation Acceleration Kit 1 year Support and Subscription OEM						x	x					x	x								S26361-F2341-L397	424	
	VMware RN SNS 1yr for VI-STD-AK	Renewal SNS Support and Subscription OEM for VI Standard Acceleration Kit 1 year Support and Subscription OEM						x	x					x	x								S26361-F2341-L398	849	
	VMware RN SNS 1yr for VI-AK	Renewal SNS Support and Subscription OEM for VI Enterprise XL Acceleration Kit 1 year Support and Subscription OEM						x	x					x	x								S26361-F2341-L399	3291	
	VMware VI CD-ROM Media Kit	Virtual Infrastructure 3 Media Kit OEM Media Kit Only No License.						x	x					x	x								S26361-F2341-L300	62	



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX800 S4	PRIMERGY RX1600	Code	End User Price (€)	Comments	
PRIMERGY-Software (Continued)																						
	VMware VMotion w/1yr SNS	VMotion for VMware VI-STD w/1yr SNS OEM for 2 sockets, additive licenses with 1 year SNS Support and Subscription. Includes VMotion. , Requires VMware Infrastructure Standard Edition.						x	x	x	x	x	x	x	x	x	x	x	S26361-F2341-L323	2145		
	VMware VMotion w/3yr SNS	VMotion for VMware VI-STD w/3yr SNS OEM for 2 sockets, additive licenses with 3 year SNS Support and Subscription. Includes VMotion. , Requires VMware Infrastructure Standard Edition.						x	x	x	x								S26361-F2341-L326	2912		
OS/Application-SW																						
	CS-GATE V6.0 NR (PRIMEPOWER) EN	CS-GATE V6.0 Licence for PRIMEPOWER, international																	U12665-C31	3175		
	ARCserve r11.5 Media Kit	BrightStor ARCserve Backup r11.5 Media Kit, 1 x BAB r11.5 CD f. Windows, 1 x BAB r11.5 CD f. Linux, 1 x BAB r11.5 Agent CD	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C732	20		
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 1 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C10	1990		
	CA XOssoft WANSync FS Std. OS	CA XOssoft WANSync File Server Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C300	1672		
	CA XOssoft WANSync AS Std. OS	CA XOssoft WANSync Application Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C308	2548		
	CA XOssoft WANSyncHA FS Std. OS	CA XOssoft WANSyncHA File Server Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C400	2548		
	CA XOssoft WANSyncHA AS Std. OS	CA XOssoft WANSyncHA Application Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C408	3663		
	XOssoft r12 Replication FS Std. OS	XOssoft r12 Replication File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. , The product offers data replication for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition). , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C600	1247		
	XOssoft r12 HighAvailability FS Std. OS	XOssoft r12 High Availability File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition). , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C616	1900	
	CA ARCserve r12 Base for Windows	Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phddocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phddocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2000	631		
	UP CA ARCserve r12 Basis for Windows	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phddocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phddocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2000-U	473		
	1Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C400U1	158		
	3Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C400U3	474		



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S1	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX300 S8	PRIMERGY RX300 S9	PRIMERGY RX300 S10	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																														
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 10 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C426	393	
	ARCserve r11.5 for Windows 2000/2003	Basic component for backup/restore of one or more servers. BrightStor ARCserve Backup r11.5 is for Windows 2000/2003 certified and released! ARCserve r11.5 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots. For every further Windows server will be needed a further ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C700	615	
	UP ARCserve r11.5 for Windows 2000/2003	ARCserve r11.5 for Windows Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C700-U	461	
	ARCserve r11.5 for MS SBS Standard	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Standard Edition (existing of basic, Exchange agent, Open File Agent, Volume Shadow Copy Service Agent and Share Point Portal Agent). Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C750	393	
	ARCserve r11.5 for Linux	BrightStor ARCserve r11.5 for Linux! Basic component for backup/restore of one server or in consumption with clients of more servers, too. Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C800	615	
	UP ARCserve r11.5 for Linux	ARCserve r11.5 for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C800-U	461	
	1Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C800U1	158	
	3Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C800U3	473	
	BSRM for Windows incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) is a cross-platform data storage management solution that monitors, analyzes, schedules and automates networked storage resources across distributed and mainframe environments. Delivery of BrightStor Storage Resource Manager inclusive 1 Year CA Enterprise Maintenance. U15355-C900 is a prerequisite for all other BrightStor SRM products.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C900	2376	
	BrightStor SAN Manager incl 1yr Mnt	BrightStor SAN Manager is a business centric SAN Management solution, that simplifies monitoring and management of complex networked storage resources. With BrightStor SAN Manager you will cover, configure and administrate business centric complex SAN infrastructures. This BrightStor SAN Manager product includes 1 Year CA Enterprise Maintenance.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C920	4757	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 1 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C11	2787	
	CA XOssoft WANSync FS Std. OS	CA XOssoft WANSync File Server Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C301	2340	
	CA XOssoft WANSync AS Std. OS	CA XOssoft WANSync Application Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C309	3567	



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX900 S2	PRIMERGY RX900 S3	PRIMERGY RX900 S4	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																					
	CA XOssoft WANSynchA FS Std. OS	CA XOssoft WANSynchA File Server Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. . . Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server. . . More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C401	3567		
	CA XOssoft WANSynchA AS Std. OS	CA XOssoft WANSynchA Application Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. . . Offers data replication and high availability for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server. . . More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C409	5128		
	XOssoft r12 Replication FS Std. OS	XOssoft r12 Replication File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication for Windows File Servers. . . It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition). . . Content: 1x Media Kit and 1x License for one server. . . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . . System Requirements: . . . Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit). . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C601	1745		
	XOssoft r12 HighAvailability FS Std. OS	XOssoft r12 High Availability File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows File Servers. . . It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition). . . Content: 1x Media Kit and 1x License for one server. . . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . . System Requirements: . . . Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit). . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C617	2660	
	CA ARCserve r12 WIN Tape Library Option	CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base!. . . CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! . . . Required for jukeboxes with more than one tape drive! . . . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phddocs?filePath=0/4536/12/cds/4536_12_cdl.html . . . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phddocs?filePath=0/4536/12/4536_12_compatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2001	810		
	UP CA ARCserve r12 WIN Tape Library Opt.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---. . . CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base!. . . CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! . . . Required for jukeboxes with more than one tape drive! . . . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phddocs?filePath=0/4536/12/cds/4536_12_cdl.html . . . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phddocs?filePath=0/4536/12/4536_12_compatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2001-U	608		
	1Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C401U1	202		
	3Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C401U3	607		
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 100 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . . . CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C427	2377		
	ARCserve r11.5 WIN Tape Library Option	ARCserve r11.5 Tape Library Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Required for jukeboxes with several drives! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . . . CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C701	790		



Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Rack Servers Accessories

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX400	PRIMERGY RX400 S2	PRIMERGY RX400 S3	PRIMERGY RX400 S4	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX800 S4	PRIMERGY RX1000	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																															
	UP ARCServe r11.5 Tape Library Option	ARCServe r11.5 for Windows Tape Library Option Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C701-U	592	
	ARCServe r11.5 for MS SBS Premium	BrightStor ARCServe Backup r11.5 for Microsoft Small Business Server Premium Edition (existing of basic, Exchange agent, Open File agent, SQL agent, Volume Shadow Copy Service agent and Share Point Portal agent). Hardware and operating system dependent extract from the following link.: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C751	552	
	ARCServe r11.5 LX Tape Library Option	BrightStor ARCServe r11.5 for Linux Tape Library Option! Hardware and operating system dependent extract from the following link.: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C801	790	
	UP ARCServe r11.5 LX Tape Library Option	ARCServe r11.5 for Linux Upgrade Tape Library Option from ARCServe v9, r11.0 or r11.1 Tape Library Option for Linux! Hardware and operating system dependent extract from the following link.: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C801-U	592	
	1Yr Mnt ARCServe LX Tape Library Opt.	BrightStor ARCServe Backup for Linux Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C801U1	202	
	3Yr Mnt ARCServe LX Tape Library Opt.	BrightStor ARCServe Backup for Linux Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C801U3	608	
	BSRM Managed Srv Windows incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Windows inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C901	471	
	Proxy for Windows incl 1yr Mnt	BrightStor SAN Manager Proxy for Windows inclusive 1 Year CA Enterprise Maintenance! For each further monitoring Windows server!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C921	471	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 10 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C12	19905	
	CA XOssoft WANSync FS Ent. OS	CA XOssoft WANSync File Server Suite Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C302	2548	
	CA XOssoft WANSync AS Ent. OS	CA XOssoft WANSync Application Suite Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. Offers data replication for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C310	3821	
	CA XOssoft WANSyncHA FS Ent. OS	CA XOssoft WANSyncHA File Server Suite Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C402	3663	
	CA XOssoft WANSyncHA AS Ent. OS	CA XOssoft WANSyncHA Application Suite Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C410	5733	
	XOssoft r12 Replication FS Ent. OS	XOssoft r12 Replication File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. The product offers data replication for Windows File Servers. It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). Content: 1x Media Kit and 1x License for one server., More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx ; System Requirements: -----; Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C602	1900	



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX800 S4	PRIMERGY RX800 S5	Code	End User Price (€)	Comments
OS/Application-SW (Continued)	XOsoft r12 HighAvailability FS Ent. OS	XOsoft r12 High Availability File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , The product offers data replication and high availability for Windows File Servers. It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers. Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C618	2731	
	CA ARCserve r12 WIN SAN Option	CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option. The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2002	1298	
	UP CA ARCserve r12 WIN SAN Option	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12--- CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option. , The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2002-U	974	
	1Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C402U1	263	
	3Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C402U3	790	
	1Yr Mnt ARCserve WIN LAPD 10 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 10 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C426U1	101	
	ARCserve r11.5 WIN Optical Library Opt.	ARCserve r11.5 Optical Library Option for Windows; works with ARCserve r11.5 based! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cd.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C702	1028	
	UP ARCserve r11.5 Optical Library Option	ARCserve r11.5 for Windows Optical Library Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cd.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C702-U	771	
	1Yr Mnt ARCserve WIN SBS Standard	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Standard - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C750U1	101	
	ARCserve r11.5 LX NAS Option	BrightStor ARCserve r11.5 for Linux NDMP NAS Option! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cd.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C802	790	
	UP ARCserve r11.5 LX NAS Option	ARCserve r11.5 for Linux Upgrade NAS Option from ARCserve v9, r11.0 or r11.1 NAS Option for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cd.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C802-U	582	
	1Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C802U1	202	



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX800 S4	PRIMERGY RX1000 S2	PRIMERGY RX1000 S3	PRIMERGY RX1000 S4	Code	End User Price (€)	Comments		
OS/Application-SW (Continued)	3Yr Mnt ARCServe LX NDMP NAS Opt.	BrightStor ARCServe Backup for Linux NDMP NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C802U3	608		
	BSRM Opt MS Exchange incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft Exchange inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C902	948		
	Proxy for Linux incl 1yr Mnt	BrightStor SAN Manager Proxy for Linux inclusive 1 Year CA Enterprise Maintenance! For each further monitoring Linux server!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C922	471		
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 10 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C13	27867		
	CA XOssoft WANSync FS Ent. OS	CA XOssoft WANSync File Server Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More information at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C303	3567		
	CA XOssoft WANSync AS Ent. OS	CA XOssoft WANSync Application Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C311	5351		
	CA XOssoft WANSyncHA FS Ent. OS	CA XOssoft WANSyncHA File Server Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More information at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C403	5128		
	CA XOssoft WANSyncHA AS Ent. OS	CA XOssoft WANSyncHA Application Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C411	8025		
	XOssoft r12 Replication FS Ent. OS	XOssoft r12 Replication File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. Offers data replication and high availability for Windows File Servers. It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). Content: 1x Media Kit and 1x License for one server., More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C603	2660		
	XOssoft r12 HighAvailability FS Ent. OS	XOssoft r12 High Availability File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. Offers data replication and high availability for Windows File Servers. It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). Content: 1x Media Kit and 1x License for one server., More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C619	3823	
	CA ARCServe r12 WIN Disaster Recovery O.	CA ARCServe r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCServe r12 base! CA ARCServe Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2003	566		
	UP CA ARCServe r12 WIN Disaster Rec. Op.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12--- CA ARCServe r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCServe r12 base! CA ARCServe Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2003-U	425		
	1Yr Mnt ARCServe WIN SAN Opt.	BrightStor ARCServe Backup for Windows SAN Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C403U1	325		
	3Yr Mnt ARCServe WIN SAN Opt.	BrightStor ARCServe Backup for Windows SAN Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C403U3	974		



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX400	PRIMERGY RX400 S2	PRIMERGY RX400 S3	PRIMERGY RX400 S4	PRIMERGY RX400 S5	PRIMERGY RX500	PRIMERGY RX500 S2	PRIMERGY RX500 S3	PRIMERGY RX500 S4	PRIMERGY RX500 S5	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																														
	3Yr Mnt ARCServe WIN LAPD 10 User	BrightStor ARCServe Backup for Windows Laptops and Desktops 10 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C426U3	302	
	ARCServe r11.5 WIN SAN Option	ARCServe r11.5 Storage Area Network (SAN) Option for Windows; works with ARCServe r11.5 basic! Includes one Tape Library Option! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C703	1266	
	UP ARCServe r11.5 SAN Option	ARCServe r11.5 for Windows Storage Area Network Option Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C703-U	949	
	3Yr Mnt ARCServe WIN SBS Standard	BrightStor ARCServe Backup for Windows for Microsoft Small Business Server Standard - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C750U3	302	
	ARCServe r11.5 LX Oracle Agent	BrightStor ARCServe r11.5 for Linux Agent for Oracle! Hardware and operating system dependent extract from the following link, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C803	790	
	UP ARCServe r11.5 LX Oracle Agent	ARCServe r11.5 for Linux Upgrade Oracle Agent from ARCServe v9, r11.0 or r11.1 Oracle Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C803-U	592	
	1Yr Mnt ARCServe LX Oracle Agent	BrightStor ARCServe Backup for Linux Agent for Oracle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C803U1	202	
	3Yr Mnt ARCServe LX Oracle Agent	BrightStor ARCServe Backup for Linux Agent for Oracle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C803U3	608	
	BSRM Opt MS SQL Srv incl. 1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft SQL Server inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C903	948	
	Proxy for Solaris incl 1yr Mnt	BrightStor SAN Manager Proxy for Solaris inclusive 1 Year CA Enterprise Maintenance! For each further monitoring Solaris server!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C923	948	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows-50 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C14	39810	
	CA XOssoft WANSync FS Cluster	CA XOssoft WANSync File Server Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C304	1592	
	CA XOssoft WANSync AS Cluster	CA XOssoft WANSync Application Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. Offers data replication for Windows Servers and and database/email applications. Product includes 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C312	2229	
	CA XOssoft WANSyncHA FS Cluster	CA XOssoft WANSyncHA File Server Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C404	2389	
	CA XOssoft WANSyncHA AS Cluster	CA XOssoft WANSyncHA Application Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers and and database/email applications. Product includes 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C412	2867	
	XOssoft r12 Replication FS Cluster	XOssoft r12 Replication File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. The product offers data replication for Windows File Servers. It supports only Windows Clusters. Content: 1x Media Kit and 1x License for one server., More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software: Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit). A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C604	1187	



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX800 S4	PRIMERGY RX1000 S2	PRIMERGY RX1000 S3	PRIMERGY RX1000 S4	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																								
	XOsoft r12 HighAvailability FS Cluster	XOsoft r12 High Availability File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. . The product offers data replication and high availability for Windows File Servers. . It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . System Requirements: .----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers. Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit). . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C620	1781	
	CA ARCServe r12 WIN NDMP NAS Option	CA ARCServe r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCServe r12 base!. CA ARCServe Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008!. Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdis/4536_12_cdi.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2004	810	
	UP CA ARCServe r12 WIN NDMP NAS Option	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12--- CA ARCServe r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCServe r12 base!. CA ARCServe Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008!. Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdis/4536_12_cdi.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2004-U	608	
	1Yr Mnt ARCServe WIN Serverless Backup	BrightStor ARCServe Backup for Windows Serverless Backup Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C404U1	325	
	3Yr Mnt ARCServe WIN Serverless Backup	BrightStor ARCServe Backup for Windows Serverless Backup Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C404U3	974	
	1Yr Mnt ARCServe WIN LAPD 100 User	BrightStor ARCServe Backup for Windows Laptops and Desktops 100 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C427U1	610	
	ARCServe r11.5 WIN Serverless BackupOpt	ARCServe r11.5 Serverless Backup Option for Windows: works with ARCServe r11.5 basic and ARCServe r11.5 SAN Option! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdi.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C704	1266	
	UP ARCServe r11.5 Serverless Backup Opt.	ARCServe r11.5 for Windows Serverless Backup Option Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdi.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C704-U	949	
	1Yr Mnt ARCServe WIN SBS Premium	BrightStor ARCServe Backup for Windows for Microsoft Small Business Server Premium - 1 year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C751U1	141	
	ARCServe r11.5 LX SQL Agent	BrightStor ARCServe r11.5 for Linux Agent for MySQL! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdi.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C804	790	
	UP ARCServe r11.5 LX SQL Agent	ARCServe r11.5 for Linux Upgrade SQL Agent from ARCServe v9, r11.0 or r11.1 SQL Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdi.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C804-U	592	
	1Yr Mnt ARCServe LX mySQL Agent	BrightStor ARCServe Backup for Linux Agent for MySQL - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C804U1	202	
	3Yr Mnt ARCServe LX mySQL Agent	BrightStor ARCServe Backup for Linux Agent for MySQL - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C804U3	608	



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX900	PRIMERGY RX900 S2	PRIMERGY RX900 S3	PRIMERGY RX900 S4	Code	End User Price (€)	Comments			
OS/Application-SW (Continued)																												
	ARCserve r11.5 WIN Disaster Recovery Opt	ARCserve r11.5 Disaster Recovery Option for Windows; works with ARCserve r11.5 based! Provides a fast and easy recovery of a downed server! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cd.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C705	552				
	UP ARCserve r11.5 Disaster Recovery Opt.	ARCserve r11.5 for Windows Disaster Recovery Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cd.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C705-U	413				
	3Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C751U3	424				
	ARCserve r11.5 LX Apache Web Server Agt.	BrightStor ARCserve r11.5 for Linux Agent for Apache Web Server! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cd.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C805	790				
	UP ARCserve r11.5 LX Apache Web Server	ARCserve r11.5 for Linux Upgrade Apache Web Server Agent from ARCserve v9, r11.0 or r11.1 Apache Web Server Agent for Linux! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cd.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C805-U	592				
	1Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C805U1	202				
	3Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C805U3	608				
	BSRM Managed Srv Linux incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Linux inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C905	471				
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows-200 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C16	79619				
	CA XOssoft WANSync FS Virtual Machine	CA XOssoft WANSync File Server Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C306	1274				
	CA XOssoft WANSync AS Virtual Machine	CA XOssoft WANSync Application Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. Offers data replication for Windows Servers and and database/email applications. Product includes 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C314	1433				
	CA XOssoft WANSyncHA FS Virtual Machine	CA XOssoft WANSyncHA File Server Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C406	1592				
	CA XOssoft WANSyncHA Virtual Machine	CA XOssoft WANSyncHA Application Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers and and database/email applications. Product includes 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C414	2389				
	XOssoft r12 Replication FS Virt. Machine	XOssoft r12 Replication File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance. The product offers data replication for Windows File Servers. It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation), Content: 1x Media Kit and 1x License for one server., More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C606	950				



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX3000	PRIMERGY RX6000	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																							
	XOsoft r12 HighAvailability FS Virt. Ma.	XOsoft r12 High Availability File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows File Servers. . . It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation). Content: 1x Media Kit and 1x License for one server. . . More product informationen at: . http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx. . . System Requirements: . . . Hardware: PRIMERGY Server of Fujitsu Siemens Computers. Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. A complete list of all supported operating systems can be found at: . http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C622	1187	
	CA ARCserve r12 WIN IBM Informix Agent	CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! . CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! . Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), . https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cds/4536_12_cdl.html . , CA Compatibility Matrix (Windows), . https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2006	1055	
	UP CA ARCserve r12 WIN IBM Informix Ag.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12--- . CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! . CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! . Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), . https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cds/4536_12_cdl.html . , CA Compatibility Matrix (Windows), . https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2006-U	791	
	1Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C406U1	202	
	3Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C406U3	607	
	ARCserve r11.5 WIN Image Option	ARCserve r11.5 Image Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), . https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . , CA Compatibility Matrix (Windows), . https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C706	790	
	UP ARCserve r11.5 Image Option	ARCserve r11.5 for Windows Image Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), . https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . , CA Compatibility Matrix (Windows), . https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C706-U	592	
	ARCserve r11.5 LX Client Agent for UNIX	BrightStor ARCserve r11.5 Client Agent for UNIX! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), . https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp . , CA Compatibility Matrix (Linux), . https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C806	313	
	UP ARCserve r11.5 LX Client Agent UNIX	ARCserve r11.5 for Linux Upgrade Client Agent for UNIX from ARCserve v9, r11.0 or r11.1 Client Agent for UNIX Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), . https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp . , CA Compatibility Matrix (Linux), . https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C806-U	235	
	1Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C806U1	80	
	3Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C806U3	241	
	BSRM Managed Srv nw incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for NetWare inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C906	471	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows -200 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C17	####	



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX3000	PRIMERGY RX6000	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																												
	CA XOssoft WANSync FS Virtual Machine	CA XOssoft WANSync File Server Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server. . More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C307	1783		
	CA XOssoft WANSync AS Virtual Machine	CA XOssoft WANSync Application Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. Offers data replication for Windows Servers and and database/email applications. Product includes . 1x Media Kit and 1x License for one server. . More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C315	2006		
	CA XOssoft WANSyncHA FS Virtual Machine	CA XOssoft WANSyncHA File Server Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server. . More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C407	2229		
	CA XOssoft WANSyncHA AS Virtual Machine	CA XOssoft WANSyncHA Application Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers and and database/email applications. Product includes . 1x Media Kit and 1x License for one server. . More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C415	3344		
	XOssoft r12 Replication FS Virt. Machine	XOssoft r12 Replication File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance. . The product offers data replication for Windows File Servers. . It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation). Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C607	1330		
	XOssoft r12 HighAvailability FS Virt. Ma.	XOssoft r12 High Availability File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance. . The product offers data replication and high availability for Windows File Servers. . It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation). Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C623	1662		
	CA ARCserve r12 WIN MS Exchange Agent	CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! . CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows). https://support.ca.com/ir/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html . CA Compatibility Matrix (Windows). https://support.ca.com/ir/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2007	810		
	UP CA ARCserve r12 WIN MS Exchange Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---. CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! . CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows). https://support.ca.com/ir/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html . CA Compatibility Matrix (Windows). https://support.ca.com/ir/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2007-U	608		
	1Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C407U1	202		
	3Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C407U3	607		
	ARCserve r11.5 WIN NAS Option	ARCserve r11.5 Network Attached Storage (NAS) Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Backups a NAS unit with NDMP on a locally connected tape library. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cd.asp . CA Compatibility Matrix (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C707	790		



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX400 S2	PRIMERGY RX400 S3	PRIMERGY RX400 S4	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX800 S4	PRIMERGY RX1000 S2	PRIMERGY RX1000 S3	PRIMERGY RX1000 S4	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)	UP ARCServe r11.5 NAS Option	ARCServe r11.5 for Windows NDMP Network Attached Storage (NAS) Option Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C707-U	592	
	ARCServe r11.5 LX Client Agent for Linux	BrightStor ARCServe r11.5 Client Agent for Linux! Hardware and operating system dependent extract from the following link, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115lin-nux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C807	198	
	UP ARCServe r11.5 LX Client Agent Linux	ARCServe r11.5 for Linux Upgrade Client Agent for Linux from ARCServe v9, r11.0 or r11.1 Client Agent for Linux Hardware and operating system dependent extract from the following link, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115lin-nux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C807-U	149	
	1Yr Mnt ARCServe LX Client Agent Linux	BrightStor ARCServe Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C807U1	51	
	3Yr Mnt ARCServe LX Client Agent Linux	BrightStor ARCServe Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C807U3	152	
	XOsoft r12 Replication APP Std. OS	XOsoft r12 Replication for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance... The product offers data replication for Windows Application Servers... It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition)... Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10... Content: 1x Media Kit and 1x License for one server... More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software: Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit)... A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C608	1900	
	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance... The product offers data replication and high availability for Windows Application Servers... It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition)... Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10... Content: 1x Media Kit and 1x License for one server... More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software: Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit)... A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C624	2731	
	CA ARCServe r12 WIN Lotus/Domino Agent	CA ARCServe r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! CA ARCServe Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! Hardware and operating system dependencies can be found at the following link, CA Certified Device List (Windows), https://support.ca.com/ir/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/ir/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2008	810	
	UP CA ARCServe r12 WIN Lotus/Domino Ag.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12--- CA ARCServe r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! CA ARCServe Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! Hardware and operating system dependencies can be found at the following link, CA Certified Device List (Windows), https://support.ca.com/ir/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/ir/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2008-U	608	
	1Yr Mnt ARCServe WIN RAID Opt.	BrightStor ARCServe Backup for Windows RAID Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C408U1	202	
	3Yr Mnt ARCServe WIN RAID Opt.	BrightStor ARCServe Backup for Windows RAID Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C408U3	607	



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX300	PRIMERGY RX600	Code	End User Price (€)	Comments		
OS/Application-SW (Continued)	ARCserve r11.5 WIN Tape RAID Option	ARCserve r11.5 Tape RAID Option for Windows; works with ARCserve r11.5 based! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C708	790			
	UP ARCserve r11.5 Tape RAID Option	ARCserve r11.5 for Windows Tape RAID Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C708-U	592		
	ARCserve r11.5 LX Client Agent NetWare	BrightStor ARCserve r11.5 Client Agent for NetWare! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C808	313		
	UP ARCserve r11.5 LX Client AgentNetWare	ARCserve r11.5 for Linux Upgrade Client Agent for NetWare from ARCserve v9, r11.0 or r11.1 Client Agent for NetWare Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C808-U	235		
	1Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C808U1	80		
	3Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C808U3	241		
	XOsoft r12 Replication APP Std. OS	XOsoft r12 Replication for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance... The product offers data replication for Windows Application Servers... It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition)... Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10... Content: 1x Media Kit and 1x License for one server... More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software: Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit)... A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C609	2660		
	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 3 Years CA Enterprise Maintenance... The product offers data replication and high availability for Windows Application Servers... It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition)... Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10... Content: 1x Media Kit and 1x License for one server... More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software: Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit)... A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C625	3823	
	CA ARCserve r12 WIN Sybase Agent	CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2009	1055		
	UP CA ARCserve r12 WIN Sybase Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2009-U	791		



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX900	PRIMERGY RX900 S2	PRIMERGY RX900 S3	PRIMERGY RX900 S4	PRIMERGY RX900 S5	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																														
	1Yr Mnt ARCServe WIN Open File Agent WIN	BrightStor ARCServe Backup for Windows Open File Agent on Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C409U1	162	
	3Yr Mnt ARCServe WIN Open File Agent WIN	BrightStor ARCServe Backup for Windows Open File Agent on Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C409U3	486	
	ARCServe r11.5 WIN Open File Agent WIN	ARCServe r11.5 Agent for Open Files on Windows; works with ARCServe r11.5 base! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnect.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnect.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C709	631	
	UP ARCServe r11.5 Open File Agent	ARCServe r11.5 for Windows Open File Agent Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnect.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnect.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C709-U	473	
	ARCServe r11.5 Client Agent for Windows	BrightStor ARCServe r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnect.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnect.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C809	198	
	UP ARCServe r11.5 LX Client Agent/Windows	ARCServe r11.5 for Linux Upgrade Client Agent for Windows from ARCServe v9, r11.0 or r11.1 Client Agent for Windows Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnect.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnect.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C809-U	149	
	1Yr Mnt ARCServe LX Client Agent WIN	BrightStor ARCServe Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C809U1	51	
	3Yr Mnt ARCServe LX Client Agent WIN	BrightStor ARCServe Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C809U3	152	
	XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition) , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10 , , Content: 1x Media Kit and 1x License for one server. , , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , , System Requirements: , , Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C610	2849	
	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition) , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10 , , Content: 1x Media Kit and 1x License for one server. , , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , , System Requirements: , , Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C626	4275	
	CA ARCServe r12 WIN Oracle Agent	CA ARCServe r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCServe Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdis/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2010	810	



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX1000	PRIMERGY RX1000 S2	Code	End User Price (€)	Comments		
OS/Application-SW (Continued)																												
	UP CA ARCServe r12 WIN Oracle Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12 ---, CA ARCServe r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client , CA ARCServe Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003 , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2010-U	608		
	1Yr Mnt ARCServe WIN Open File Agent NW	BrightStor ARCServe Backup for Windows Open File Agent on NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C410U1	162		
	3Yr Mnt ARCServe WIN Open File Agent NW	BrightStor ARCServe Backup for Windows Open File Agent on NetWare - 3 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C410U3	486		
	ARCServe r11.5 NetWare Open File Agent	ARCServe r11.5 Agent for Open Files on NetWare, works with ARCServe r11.5 based! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C710	631		
	UP ARCServe r11.5 Informix Agent	ARCServe r11.5 for Windows Informix Agent Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C711-U	771		
	ARCServe r11.5 LX SAN Option	BrightStor ARCServe r11.5 für Linux Storage Area Network Option! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C810	1266		
	UP ARCServe r11.5 LX SAN Option	ARCServe r11.5 for Linux Upgrade SAN Option from ARCServe v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C810-U	949		
	1Yr Mnt ARCServe LX SAN Option	BrightStor ARCServe Backup for Linux Storage Area Network Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C810U1	325		
	3Yr Mnt ARCServe LX SAN Option	BrightStor ARCServe Backup for Linux Storage Area Network Option - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C810U3	974		
	XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , The product offers data replication for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition) , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10 , , Content: 1x Media Kit and 1x License for one server. , , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: , , Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C611	3990		
	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition) , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10 , , Content: 1x Media Kit and 1x License for one server. , , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: , , Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C627	5984		



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S2	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S1	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX3000	PRIMERGY RX1600	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																								
	CA ARCServe r12 WIN MS SQL Agent	CA ARCServe r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCServe Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2011	810	
	UP CA ARCServe r12 WIN MS SQL Agent	---Upgrade from BAB R9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12--- , CA ARCServe r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCServe Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2011-U	608	
	1Yr Mnt ARCServe WIN Informix Agent	BrightStor ARCServe Backup for Windows Informix Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C411U1	263	
	3Yr Mnt ARCServe WIN Informix Agent	BrightStor ARCServe Backup for Windows Informix Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C411U3	790	
	ARCServe r11.5 WIN Informix Agent	ARCServe r11.5 Agent for Informix for Windows; works with ARCServe r11.5 based! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C711	1028	
	UP ARCServe r11.5 MS Exchange Agent	ARCServe r11.5 for Windows Exchange Agent Upgrade from ARCServe v9, r11.0 or r11.1 for Windows!! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C712-U	592	
	ARCServe r11.5 LX SAN SecondarySrvBundle	BrightStor ARCServe r11.5 for Linux SAN Secondary Server Bundle! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C811	1266	
	UP ARCServe r11.5 LX SAN Sec. Srv.Bundle	ARCServe r11.5 for Linux Upgrade SAN Option from ARCServe v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C811-U	949	
	1Yr Mnt ARCServe LX SAN Sec.Srv.Bundle	BrightStor ARCServe Backup for Linux SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C811U1	325	
	3Yr Mnt ARCServe LX SAN Sec.Srv.Bundle	BrightStor ARCServe Backup for Linux SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C811U3	974	
	XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance... The product offers data replication for Windows Application Servers... It supports only Windows Clusters... Supported Applications: MS Exchange 2000/2003/2005, MS SQL 2000/2005, Oracle 9/10, Content: 1x Media Kit and 1x License for one server... More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software: Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C612	1662	



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX900 S2	PRIMERGY RX900 S3	PRIMERGY RX900 S4	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																					
	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. . The product offers data replication and high availability for Windows Application Servers. . It supports only Windows Clusters. . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . System Requirements: . Hardware: PRIMERGY Server of Fujitsu Siemens Computers. Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C628	2137	
	CA ARCServe r12 WIN SAP/R3 Oracle Option	CA ARCServe r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! . CA ARCServe Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2012	1625	
	UP CA ARCServe r12 WIN SAP/R3 Oracle Op.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---. CA ARCServe r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! . CA ARCServe Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2012-U	1218	
	1Yr Mnt ARCServe WIN Exchange Agent	BrightStor ARCServe Backup for Windows Exchange Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C412U1	202		
	3Yr Mnt ARCServe WIN Exchange Agent	BrightStor ARCServe Backup for Windows Exchange Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C412U3	607		
	ARCServe r11.5 WIN Exchange Agent	ARCServe r11.5 Agent for Microsoft Exchange for Windows; works with ARCServe r11.5 based! Allows online databases or mailboxes on the Exchange Server to be selectively backed up or restored. BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C712	790	
	UP ARCServe r11.5 MS Exch.Premium Bundle	ARCServe r11.5 for Windows Exchange Premium Bundle Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C713-U	949	
	ARCServe r11.5 LX Advantage IngresOption	BrightStor ARCServe r11.5 for Enterprise Option for Advantage Ingres for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp . CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C812	1028	
	1Yr Mnt ARCServe LX Advantage Ingres Opt	BrightStor ARCServe Backup for Enterprise Option for Advantage Ingres for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C812U1	263	
	3Yr Mnt ARCServe LX Advantage Ingres Opt	BrightStor ARCServe Backup for Enterprise Option for Advantage Ingres for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C812U3	791	
	XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. . The product offers data replication for Windows Application Servers. . It supports only Windows Clusters. . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . System Requirements: . Hardware: PRIMERGY Server of Fujitsu Siemens Computers. Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C613	2327	



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX900 S2	PRIMERGY RX900 S3	PRIMERGY RX900 S4	PRIMERGY RX900 S5	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows Application Servers. . It supports only Windows Clusters. . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . System Requirements: . . . Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C629	2992	
	CA ARCServe r12 WIN Windows Client Agent	CA ARCServe r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! . CA ARCServe Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2013	204	
	UP CA ARCServe r12 WIN Windows Client Ag	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12--- CA ARCServe r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! . CA ARCServe Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2013-U	152	
	1Yr Mnt ARCServe WIN Exchange Bundle	BrightStor ARCServe Backup for Windows Premium MS Exchange Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C413U1	325		
	3Yr Mnt ARCServe WIN Exchange Bundle	BrightStor ARCServe Backup for Windows Premium MS Exchange Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C413U3	974		
	ARCServe r11.5 WIN Exchange Prem.Bundle	ARCServe r11.5 MS Exchange Premium Bundle! Consisting of ARCServe r11.5 Exchange Agent and ARCServe r11.5 MS Exchange Premium Add-On! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnect.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . CA Compatibility Matrix (Windows), https://supportconnect.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C713	1266	
	UP ARCServe r11.5 Lotus/Domino Agent	ARCServe r11.5 for Windows Agent for Lotus/Domino Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnect.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . CA Compatibility Matrix (Windows), https://supportconnect.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C715-U	592	
	ARCServe r11.5 LX Disk Staging Option	BrightStor ARCServe r11.5 for Linux Disk Staging Option! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnect.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp . CA Compatibility Matrix (Linux), https://supportconnect.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C813	393	
	XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication for Windows Application Servers. . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . System Requirements: . . . Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C614	1068	



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX220	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S1	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1600	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																							
	XOsoft r12 HighAvailability APP Virt. M.	XOsoft r12 High Availability for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. . The product offers data replication and high availability for Windows Application Servers. . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C630	1781	
	CA ARCServe r12 WIN MS SBS Premium Edt.	CA ARCServe r12 MS SBS Premium Edition includes the following ARCServe r12 components: 1x Base. . 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent. CA ARCServe Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint!) . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2014	566	
	UP CA ARCServe r12 WIN MS SBS Premium E.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12--- CA ARCServe r12 MS SBS Premium Edition includes the following ARCServe r12 components: 1x Base. . 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent. CA ARCServe Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint!) . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2014-U	425	
	1Yr Mnt ARCServe WIN Exchange Add On	BrightStor ARCServe Backup for Windows MS Exchange Premium Add-On - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C414U1	202		
	3Yr Mnt ARCServe WIN Exchange Add On	BrightStor ARCServe Backup for Windows MS Exchange Premium Add-On - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C414U3	607		
	ARCServe r11.5 WIN Exchange Prem.Add-On	ARCServe r11.5 MS Exchange Premium Add-On; works with ARCServe r11.5 basic and ARCServe r11.5 Exchange Agent! Allows the backup and restore on document section! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C714	790	
	UP ARCServe r11.5 Sybase Agent	ARCServe r11.5 for Windows Agent for Sybase Upgrade from ARCServe v9. r11.0 or r11.1 for Windows!! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C716-U	771	
	ARCServe r11.5 LX Lotus / Domino Agent	BrightStor ARCServe r11.5 for Linux Agent for Lotus / Domino Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp . CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C814	790	
	XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. . The product offers data replication for Windows Application Servers. . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C615	1496	



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX1000 S2	PRIMERGY RX1000 S3	PRIMERGY RX1000 S4	PRIMERGY RX1000 S5	Code	End User Price (€)	Comments			
OS/Application-SW (Continued)																												
	XOsoft r12 HighAvailability APP Virt. M.	XOsoft r12 High Availability for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows Application Servers. . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . System Requirements: Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C631	2494		
	CA ARCserve r12 WIN SAN Sec. Srv. Bundle	CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: . 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2015	1298		
	UP CA ARCserve r12 WIN SAN Sec. Srv. Bnd	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---. CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: . 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2015-U	974		
	ARCserve r11.1 LX FlexFrame Agent	Allows the backup of one online SAP/Oracle database under linux and the archive of Redo-log files! Licensing is made pro SID! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_n_cd.asp . CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C356	1844		
	1Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C415U1	202			
	3Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C415U3	607			
	ARCserve r11.5 WIN Lotus/Domino Agent	ARCserve r11.5 Agent for Lotus Notes for Windows; works with ARCserve r11.5 based! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_n_cd.asp . CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-n-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C715	790		
	UP ARCserve r11.5 Oracle Agent	ARCserve r11.5 for Windows Agent for Oracle Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_n_cd.asp . CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-n-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C717-U	592		
	CA ARCserve r12 WIN MS SBS Standard Edt.	CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, . 1x Exchange Agent, 1x Open File Agent, . 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2016	403		
	UP CA ARCserve r12 WIN MS SBS Stand. Edt	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---. CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, . 1x Exchange Agent, 1x Open File Agent, . 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2016-U	302		



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX400	PRIMERGY RX400 S2	PRIMERGY RX400 S3	PRIMERGY RX400 S4	PRIMERGY RX400 S5	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	Code	End User Price (€)	Comments
OS/Application-SW (Continued)	1Yr Mnt ARCServe WIN Sybase Agent	BrightStor ARCServe Backup for Windows Sybase Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C416U1	263	
	3Yr Mnt ARCServe WIN Sybase Agent	BrightStor ARCServe Backup for Windows Sybase Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C416U3	790	
	ARCServe r11.5 WIN Sybase Agent	ARCServe r11.5 Agent for Sybase for Windows; works with ARCServe r11.5 base! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cd.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C716	1028	
	UP ARCServe r11.5 MS SQL Agent	ARCServe r11.5 for Windows Agent for SQL Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cd.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C718-U	592	
	1 Yr Mnt. WANSyncHA Std Srv	1 Year CA Enterprise Maintenance Renewal for CA XOSoft WANSync HA Standard Server	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C40U1	543	
	CA ARCServe r12 WIN DiskToDiskToTape Op.	CA ARCServe r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCServe r12 base! CA ARCServe Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2017	403	
	UP CA ARCServe r12 WIN DiskToDiskToTape	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCServe r12 base! CA ARCServe Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2017-U	302	
	1Yr Mnt ARCServe WIN Oracle Agent	BrightStor ARCServe Backup for Windows Oracle Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C417U1	202	
	3Yr Mnt ARCServe WIN Oracle Agent	BrightStor ARCServe Backup for Windows Oracle Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C417U3	607	
	ARCServe r11.5 WIN Oracle Agent	ARCServe r11.5 Agent for Oracle for Windows; works with ARCServe r11.5 base! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cd.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C717	790	
	UP ARCServe r11.5 Client Agent for UNIX	ARCServe r11.5 Client Agent for UNIX Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cd.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C720-U	235	
	CA ARCServe r12 WIN MS Sharepoint Agent	CA ARCServe r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client! CA ARCServe Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2018	810	
	UP CA ARCServe r12 WIN MS Sharepoint Ag.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client! CA ARCServe Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2018-U	608	



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX1000 S2	PRIMERGY RX1000 S3	PRIMERGY RX1000 S4	PRIMERGY RX1000 S5	Code	End User Price (€)	Comments		
OS/Application-SW (Continued)																											
	1Yr Mnt ARCServe WIN SQL Agent	BrightStor ARCServe Backup for Windows SQL Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C418U1	202		
	3Yr Mnt ARCServe WIN SQL Agent	BrightStor ARCServe Backup for Windows SQL Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C418U3	607		
	ARCServe r11.5 WIN SQL Server Agent	ARCServe r11.5 Agent for Microsoft SQL for Windows; works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cd.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C718	790			
	UP ARCServe r11.5 Client Agent Linux	ARCServe r11.5 Client Agent for Linux Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cd.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C721-U	149			
	CA ARCServe r12 WIN Enterprise Module	CA ARCServe r12 Enterprise Module for Windows can only be used in conjunction with CA ARCServe r12 base! CA ARCServe Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cds/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2019	3440			
	UP CA ARCServe r12 WIN Enterprise Module	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12--- CA ARCServe r12 Enterprise Module for Windows can only be used in conjunction with CA ARCServe r12 base! CA ARCServe Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cds/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2019-U	3054			
	1Yr Mnt ARCServe WIN SAP R/3 Agent	BrightStor ARCServe Backup for Windows SAP R/3 Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C419U1	317			
	3Yr Mnt ARCServe WIN SAP R/3 Agent	BrightStor ARCServe Backup for Windows SAP R/3 Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C419U3	952			
	ARCServe r11.5 SAP R/3 Agent for Oracle	ARCServe r11.5 Agent for SAP R/3 for Oracle; works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cd.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C719	2123			
	UP ARCServe r11.5 Client Agent NetWare	ARCServe r11.5 Client Agent for NetWare Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cd.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C722-U	235			
	CA ARCServe r12 WIN MS DPM Agent	CA ARCServe r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client! CA ARCServe Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cds/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2020	810			
	UP CA ARCServe r12 WIN MS DPM Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12--- CA ARCServe r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client! CA ARCServe Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cds/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2020-U	608			



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX1000 S2	PRIMERGY RX1000 S3	PRIMERGY RX1000 S4	PRIMERGY RX1000 S5	Code	End User Price (€)	Comments		
OS/Application-SW (Continued)																											
	1Yr Mnt ARCServe WIN Client Agent UNIX	BrightStor ARCServe Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C420U1	80		
	3Yr Mnt ARCServe WIN Client Agent UNIX	BrightStor ARCServe Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C420U3	240		
	ARCServe r11.5 WIN Client Agent UNIX	ARCServe r11.5 Client Agent for UNIX; works with ARCServe r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C720	313			
	UP ARCServe r11.5 Client Agent Windows	ARCServe r11.5 Client Agent for Windows Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C723-U	149			
	CA ARCServe r12 WIN VSS-HW Snap. Option	CA ARCServe r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCServe r12 base! CA ARCServe Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2021	4067			
	UP CA ARCServe r12 WIN VSS-HW Snap. Opt.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCServe r12 base! CA ARCServe Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2021-U	3051			
	1Yr Mnt ARCServe WIN Client Agent Linux	BrightStor ARCServe Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C421U1	51			
	3Yr Mnt ARCServe WIN Client Agent Linux	BrightStor ARCServe Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C421U3	152			
	ARCServe r11.5 WIN Client Agent Linux	ARCServe r11.5 Client Agent for Linux; works with ARCServe r11.5 basic! Allows the backup of one further LINUX servers! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.as.p	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C721	198			
	UP ARCServe r12 WIN Sngl Srv-Full Edt.	ARCServe r12 for Windows Upgrade from ARCServe Single Server Edition to ARCServe r12 for Windows Standard Edition. BrightStor ARCServe Backup r12 is for Windows 2000 / 2003 / 2008 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C760-U	461			
	CA ARCServe r12 WIN VMware Agent	CA ARCServe r12 Agent f. VMware for Windows can only be used in conjunction with CA ARCServe r12 base! CA ARCServe Backup r12 Agent f. VMware for Windows is certified and released for Windows 2003! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2022	810			
	1Yr Mnt ARCServe WIN Client AgentNetwork	BrightStor ARCServe Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C422U1	80			
	3Yr Mnt ARCServe WIN Client Agent NW	BrightStor ARCServe Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C422U3	240			



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX300	PRIMERGY RX600	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																								
	ARCserve r11.5 WIN Client Agent NetWare	ARCserve r11.5 Client Agent for NetWare; works with ARCserve r11.5 basic! Allows the backup of one further NetWare servers! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp , p	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C722	313		
	CA ARCserve r12 WIN Central Mngmt. Opt.	CA ARCserve r12 Central Management Option for Windows can only be used in conjunction with CA ARCserve r12 basic! CA ARCserve Backup r12 Central Management Option for Windows is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link.; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdl/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2023	1217		
	1Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C423U1	51		
	3Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C423U3	152		
	ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C723	198	
	1Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C424U1	80	
	3Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C424U3	240	
	ARCserve r11.5 WIN Client Agent MAC OS X	ARCserve r11.5 Client Agent for Mac OS X; works with ARCserve r11.5 basic! Allows the backup of one further Mac OS X servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C724	313	
	1Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C428U1	325	
	3Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C428U3	974	
	ARCserve r11.5 WIN Special	ARCserve r11.5 Special! Consisting of ARCserve r11.5 basic and ARCserve r11.5 Disaster Recovery! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C725	1167	
	1Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C429U1	263	
	3Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C429U3	790	
	ARCserve r11.5 WIN Secondary Srv Bundle	ARCserve r11.5 Secondary Server Bundle! Exists of ARCserve r11.5 basic license and ARCserve r11.5 SAN Option license! No media kit included! For further server which has access to the jukebox in a SAN! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C726	1266	



Rack Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX3000	PRIMERGY RX6000	Code	End User Price (€)	Comments		
OS/Application-SW (Continued)																													
	1Yr Mnt ARCServe WIN Enterprise Module	BrightStor ARCServe Backup for Windows Enterprise Module - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C430U1	763		
	3Yr Mnt ARCServe WIN Enterprise Modul	BrightStor ARCServe Backup for Windows Enterprise Module - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C430U3	2290		
	ARCServe r11.5 WIN Clt VSS SW Snap Shot	ARCServe r11.5 Client for VSS (Volume Shadow Copy Service) Snap Shot! The integration with Microsoft VSS-ability applications allows backups to a specific time. In this process can be saved snapshot copies, when the processes are active and open data are working. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C727	1028		
	1Yr Mnt ARCServe WIN DiskStaging Option	BrightStor ARCServe Backup for Windows Disk Staging Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C431U1	101		
	3Yr Mnt ARCServe WIN DiskStaging Option	BrightStor ARCServe Backup for Windows Disk Staging Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C431U3	302		
	ARCServe r11.5 WIN Disk Staging Option	ARCServe r11.5 Disk Staging Option Shrinks backup time by allowing backup data to be staged to fast disk drives before it is automatically moved to tape. Restore requests are redirected to disks automatically, reducing recovery time. The whole operation is policy driven, reducing cost and management overhead. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C728	393	
	1Yr Mnt ARCServe WIN SharePnt Portal Agt	BrightStor ARCServe Backup for Windows Share Point Portal Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C432U1	202		
	3Yr Mnt ARCServe WIN SharePnt Portal Agt	BrightStor ARCServe Backup for Windows Share Point Portal Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C432U3	607		
	ARCServe r11.5 WIN Share Point Portal	ARCServe r11.5 für Windows Share Point Portal Agent With this agent Microsoft Share Point and all its components will be identified and efficiently backed up. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C729	790	
	1Yr Mnt ARCServe WIN DPM Agent	BrightStor ARCServe Backup for Windows DPM Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C433U1	202		
	3Yr Mnt ARCServe WIN DPM Agent	BrightStor ARCServe Backup for Windows DPM Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C433U3	607		
	ARCServe r11.5 Enterprise Modul	ARCServe r11.5 Enterprise Module: works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C730	3349	
	1Yr Mnt ARCServe WIN Central Mgmt. Opt.	ARCServe Backup for Windows Central Management Option - 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C434U1	304		
	3Yr Mnt ARCServe WIN Central Mgmt. Opt.	ARCServe Backup for Windows Central Management Option - 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C434U3	913		
	ARCServe r11.5 WIN DPM Agent	ARCServe r11.5 für Windows DPM Agent: works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C731	790	



Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Rack Servers Accessories

Category	Description	Details	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX300 S1	PRIMERGY RX600 S1	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																								
	1Yr Mnt ARCserve WIN VMware Agent	ARCserve Backup for Windows Agent f. VMware -, 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C435U1	202		
	3Yr Mnt ARCserve WIN VMware Agent	ARCserve Backup for Windows Agent f. VMware -, 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C435U3	608		
	1Yr Mnt ARCserve WIN Enterprise HW-VSS	ARCserve Backup for Windows Enterprise Option f. VSS Hardware Snapshots, 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C436U1	958		
	3Yr Mnt ARCserve WIN Enterprise HW-VSS	ARCserve Backup for Windows Enterprise Option f. VSS Hardware Snapshots, 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C436U3	2874		
UPS/Power supply																								
	APC-UPS COM Cable NOVELL,NT,OS2	UPS control cable for Win-NT and OS/2, for 2nd+3rd server, grey	x	x	x																S26113-F231-L1	27		
	APC-UPS COM Cable extension	UPS control cable extension 5m, for connection to an APC-UPS COM-Interface	x	x	x																S26113-F233-L1	27		
	Power Supply Module 600W (hot plug)	for PS redundancy, incl. power cord																			S26113-F453-L30	116		
	Power Supply Module 600W (hot plug)	for PS redundancy improved successor for L30, incl Power cable rack																			S26113-F453-L40	118		
	Power Supply Upgrade 650W for RX200S3	for optional PS redundancy																			S26113-F509-L1	128		
	Power Supply Upgrade 650W for RX200S4	for optional PS redundancy incl. mounting kit																			S26113-F527-L1	147		
	Power Supply Module 700W (hot plug)	2nd PS hp for redundancy																			S26113-F529-L10	86		
	Power Supply Module 625W (hot plug)	for PS redundancy, incl. power cord																			S26113-F604-L1	118		
	APC-UPS WEB Management Adapter	for APC-UPS (use one smart slot), SNMP WEB Management adapter, 10 / 100 Mbit autosecure	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26113-F80-L10	199		
	APC-UPS COM-Port extension	APC-UPS	x	x	x																S26113-F81-L1	74		
	Cable powercord rack, 4m	with Euro socket connector	x	x	x																T26139-Y1968-L10	12		
Miscellaneous																								
	cable Parallelport Option Centronics	Cable with 25 pin Centronics interface																			S26361-F3120-L2	16		
	cable Serial port option	Cable for 2nd RS-232-C 9 pin interface																			S26361-F3120-L3	31		
	Fan upgrade kit hot-plug redundancy	Redundant hot plug fans option, incl. 4 fans, cage and electronics																			S26361-F2621-L4	58		
	Parallelport Option Centronics	Cable with 25 pin Centronics interface																			S26361-F2571-L8	15		
	Local Service Display Option Kit S2	LCD display with installation kit																			S26361-F2557-L104	66		
	ServerView Local Service Panel Kit	Support for Customer Self Service (CSS)																			S26361-F2557-L204	20		
Media																								
	DAT160 cleaning cartridge	DAT160 cleaning cartridge without label																				D.CL-DAT160-MX-01	18	
	DAT72 cleaning cartridge	DAT72 cleaning cartridge without label																				D.CL-DAT72-MX-01	5	
	LTO cleaning cartridge Fuji	Cleaning cartridge without label from Fuji for LTO drives																				D.CL-LTO2-FJ-01	46	
	LTO cleaning cartridge Fuji with label	cleaning cartridge with label from Fuji for LTO drives																				D.CL-LTO2-FJ-01L	46	
	LTO cleaning cartridge IBM	Cleaning cartridge without label from IBM for LTO drives																				D.CL-LTO2-IB-01	43	
	LTO cleaning cartridge IBM with label	cleaning cartridge with label from IBM for LTO -drives																				D.CL-LTO2-IB-01L	44	
	LTO cleaning cartridge Maxell	cleaning cartridge without label from Maxell for LTO drives																				D.CL-LTO2-MX-01	43	
	LTO cleaning cartridge Maxell with label	cleaning cartridge with label from Maxell for LTO drives																				D.CL-LTO2-MX-01L	44	
	LTO cleaning label	label for LTO cleaning cartridges																				D.CL-LTO-LAB	1	
	LTO cleaning cartridge Sony	Cleaning cartridge without label from Sony for LTO drives																				D.CL-LTO-SY-01	44	
	LTO cleaning cartridge Sony with label	cleaning cartridge with label from Sony for LTO drives																				D.CL-LTO-SY-01L	44	
	VXA cleaning label	Label for VXA cleaning cartridge																				D.CL-VXA2-LAB	1	
	VXA cleaning cartridge	VXA cleaning cartridge																				D.CL-VXA2-X-01	18	
	VXA cleaning cartridge with label	VXA cleaning cartridge																				D.CL-VXA2-X-01L	19	
	DAT160 data cartridge	DAT160 data cartridge without label																				D.CR-DAT160-MX-01	24	
	DAT72 data cartridge	DAT72 data cartridge without label																				D.CR-DAT72-MX-01	10	
	LTO 2 data cartridge Fuji	LTO-2 data cartridge without label from Fuji, 200 GB native capacity																				D.CR-LTO2-FJ-01	21	
	LTO 2 data cartridge with label Fuji	LTO-2 data cartridge with label from Fuji, 200 GB native capacity																				D.CR-LTO2-FJ-01L	21	
	LTO 2 data cartridge IBM	LTO-2 data cartridge without label from IBM, 200 GB native capacity																				D.CR-LTO2-IB-01	20	
	LTO 2 data cartridge with label IBM	LTO-2 data cartridge with label from IBM, 200 GB native capacity																				D.CR-LTO2-IB-01L	21	
	LTO 2 barcode label	label for LTO-2 data cartridges																				D.CR-LTO2-LAB	1	
	LTO 2 data cartridge Maxell	LTO-2 data cartridge without label from Maxell, 200 GB native capacity																				D.CR-LTO2-MX-01	23	
	LTO 2 data cartridge with label Maxell	LTO-2 data cartridge with label from Maxell, 200 GB native capacity																				D.CR-LTO2-MX-01L	24	
	LTO 3 data cartridge Fuji	LTO-3 data cartridge without label from Fuji, 400 GB native capacity																				D.CR-LTO3-FJ-01	23	
	LTO 3 data cartridge with label	LTO-3 data cartridge with label from Fuji, 400 GB native capacity																				D.CR-LTO3-FJ-01L	32	
	LTO 3 WORM data cartridge	LTO-3 WORM data cartridge without label from Fuji, 400 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data																				D.CR-LTO3-FJ-01W	63	
	LTO3 WORM data cartridge with label Fuji	LTO-3 WORM data cartridge with label from Fuji, 400 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data																				D.CR-LTO3-FJ-01WL	58	
	LTO 3 data cartridge IBM	LTO-3 data cartridge without label from IBM, 400 GB native capacity																				D.CR-LTO3-IB-01	22	
	LTO 3 data cartridge with label IBM	LTO-3 data cartridge with label from IBM, 400 GB native capacity																				D.CR-LTO3-IB-01L	23	
	LTO 3 barcode label	label for LTO-3 data cartridges																				D.CR-LTO3-LAB	1	
	LTO 3 data cartridge Sony	LTO-3 data cartridge without label from Sony, 400 GB native capacity																				D.CR-LTO3-SY-01	22	
	LTO 3 data cartridge with label Sony	LTO-3 data cartridge with label from Sony, 400 GB native capacity																				D.CR-LTO3-SY-01L	23	
	VXA barcode label	Label for VXA data cartridge																				D.CR-VXA2-LAB	1	
	VXA-2/320 data cartridge 40/80GB	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB																				D.CR-VXA2-X10-01	19	
	VXA-2/320 data carr. 40/80GB with label	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB																				D.CR-VXA2-X10-01L	20	
	VXA-2/320 data cartridge 80/160GB	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB																				D.CR-VXA2-X23-01	41	
	VXA-2/320 data carr 80/160GB with label	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB																				D.CR-VXA2-X23-01L	42	
	RDX Cartridge 160/320GB	RDX Cartridge 160GB uncompressed / 320GB compressed																				S26361-F3857-L160	179	Deliverable from: 12/09/2008, Orderable from: 19/09/2009
	RDX Cartridge 320/640GB	RDX Cartridge 320GB uncompressed / 640GB compressed																				S26361-F3857-L320	281	Deliverable from: 12/09/2008, Orderable from: 19/09/2009
	RDX Cartridge 80/160GB	RDX Cartridge 80GB uncompressed / 160GB compressed																				S26361-F3857-L80	116	
	RDX Cartridge 120/240GB	RDX Cartridge 120GB uncompressed / 240GB compressed																				S26361-F3857-L120	147	
Cables																								
	Console switch cable 2,5m	cable for keyboard, monitor and mouse	x	x																		SNP-SY-F2293L11-P	35	Phased out
	Console switch cable 3,5m	cable for keyboard, monitor and mouse	x	x																		SNP-SY-F2293L12-P	59	Phased out
Additional Software																								
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1	x	x																		U11081-C157	12	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x																		U11081-C171	893	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x																		U11081-C177	446	



Rack Servers Services

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX8300	PRIMERGY RX8600	Code	End User Price (€)	Comments
Professional Services																													
	PRIMERGY RX100 - RX600 Standard Impl.	System Implementation Service, Standard "PRIMERGY RX100, RX300, RX450, RX600 Implementation"	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	CPS:PR-INT-21021FX	480	
	Addit.PPIMERGY RX100-RX600 Stand.Impl.	System Implementation Service, Standard "PRIMERGY RX100, RX300, RX450, RX600 Implementation"; Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	CPS:PR-INT-21022FX	240	
	PRIMERGY BX600 Standard Implementation	System Implementation Service, Standard "PRIMERGY BX600 Implementation" (up to 10 blades)	x	x	x		x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	CPS:PR-INT-21023FX	1080		
	Additional PR. BX600 Standard Implement.	System Implementation Service, PRIMERGY BX600 Standard Implementation (up to 10 blades); Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x		x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	CPS:PR-INT-21024FX	540		
	PRIMERGY RX800 Standard Implementation	System Implementation Service, PRIMERGY RX 800 Standard Implementation 1st SYSTEM	x	x	x		x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	CPS:PR-INT-21025FX	960		
	Additional PR.RX800 Standard Implement.	System Implementation Service, PRIMERGY RX 800 Standard Implementation. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x		x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	CPS:PR-INT-21026FX	480		
	PRIMERGY RX100-RX600 Advanced Implement.	System Implementation Service, PRIMERGY RX100, RX300, RX450 & RX600 Advanced Implementation'	x	x	x		x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	CPS:PR-INT-21027FX	750		
	Addit.PRIMERGY RX100-RX600 Adv.Implement	System Implementation Service, PRIMERGY RX100, RX300, RX450 & RX600 Advanced Implementation. Additional systems AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x		x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	CPS:PR-INT-21028FX	375		
	PRIMERGY BX600 Advanced Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation (including 1st blade)	x	x	x		x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	CPS:PR-INT-21029FX	1440		
	Additional PR. BX600 Adv Implement.	System Implementation Service, PRIMERGY BX600 Advanced Implementation (including 1st blade). Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x		x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	CPS:PR-INT-21030FX	720		
	PRIMERGY BX600 Blade Advanced Implement.	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITHOUT Remote Deploy Software 1st SYSTEM	x	x	x		x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	CPS:PR-INT-21031FX	120		
	Add. PRIM. BX600 Blade Advanced Implem.	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITHOUT Remote Deploy Software. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x		x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	CPS:PR-INT-21032FX	60		
	PRIM.X600 Blade Depl. Adv.Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITH Remote Deploy Software 1st SYSTEM	x	x	x		x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	CPS:PR-INT-21033FX	60		
	Add.BX600 Blade Depl. Adv.Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITH Remote Deploy Software. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x		x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	CPS:PR-INT-21034FX	30		
	PRIMERGY RX800 Advanced Implementation	System Implementation Service, PRIMERGY RX800 Advanced Implementation'	x	x	x		x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	CPS:PR-INT-21035FX	1500		
	Additional PR. RX800 Advanced Implement.	System Implementation Service, PRIMERGY RX800 Advanced Implementation. Additional system AT SAME SITE AS 1st SYSTEM	x	x	x		x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	CPS:PR-INT-21036FX	750		
Product related services																													
	SP 3y OS Svc.5x9	SP 3 years On-Site Service, 5x9	x	x	x	x																				FSP:GB3S00000GBPR1	27		
	SP 4y OS Svc.NBD Rt.5x9	SP 4 years On-Site Service, next business day response, 5x9	x	x	x	x																				FSP:GB4S20000GBPR1	53		
	SP 4y OS Svc.NBD Rt.5x9	SP 4 years On-Site Service, next business day response, 5x9					x	x	x	x																FSP:GB4S20000GBPR2	108		
	SP 4y OS Svc.NBD Rt.5x9	SP 4 years On-Site Service, next business day response, 5x9										x	x	x												FSP:GB4S20000GBPR3	167		
	SP 4y OS Svc.NBD Rt.5x9	SP 4 years On-Site Service, next business day response, 5x9															x	x	x							FSP:GB4S20000GBPR6	463		
	SP 4y OS Svc.NBD Rt.5x9	SP 4 years On-Site Service, next business day response, 5x9																					x			FSP:GB4S20000GBPR7	493		
	SP 4y OS Svc.NBD Rt.5x9	SP 4 years On-Site Service, next business day response, 5x9																					x	x	x	FSP:GB4S20000GBPR8	444		
	SP 5y OS Svc.NBD Rt.5x9	SP 5 years On-Site Service, next business day response, 5x9	x	x	x	x																				FSP:GB5S20000GBPR1	82		
	SP 5y OS Svc.NBD Rt.5x9	SP 5 years On-Site Service, next business day response, 5x9					x	x	x	x																FSP:GB5S20000GBPR2	174		
	SP 5y OS Svc.NBD Rt.5x9	SP 5 years On-Site Service, next business day response, 5x9										x	x	x												FSP:GB5S20000GBPR3	271		
	SP 5y OS Svc.NBD Rt.5x9	SP 5 years On-Site Service, next business day response, 5x9																x	x	x						FSP:GB5S20000GBPR6	823		
	SP 5y OS Svc.NBD Rt.5x9	SP 5 years On-Site Service, next business day response, 5x9																							x	FSP:GB5S20000GBPR7	884		
	SP 5y OS Svc.NBD Rt.5x9	SP 5 years On-Site Service, next business day response, 5x9																					x	x	x	FSP:GB5S20000GBPR8	740		



Rack Servers Services

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1000	PRIMERGY RA1600	Code	End User Price (€)	Comments
Accessories & services matrix																													
Product related services (Continued)																													
	SP 5y OS Svc, 4h Rt, 5x9	SP 5 years On-Site Service, 4h response, 5x9						x	x	x		x															FSP.GD5S60000GBPR2	831	
	SP 5y OS Svc, 4h Rt, 5x9	SP 5 years On-Site Service, 4h response, 5x9											x	x	x												FSP.GD5S60000GBPR3	1441	
	SP 5y OS Svc, 4h Rt, 5x9	SP 5 years On-Site Service, 4h response, 5x9															x	x	x								FSP.GD5S60000GBPR6	2141	
	SP 5y OS Svc, 4h Rt, 5x9	SP 5 years On-Site Service, 4h response, 5x9																		x	x	x					FSP.GD5S60000GBPR8	3982	
	SP 5y OS Svc, 4h Rt, 5x9	SP 5 years On-Site Service, 4h response, 5x9					x																				FSP.GD5S60200GBPX1	668	
	SP 5y OS Svc, 4h Rt, 5x9	SP 5 years On-Site Service, 4h response, 5x9									x																FSP.GD5S60200GBPX2	589	
	SP 5y OS Svc, 4h Rt, 5x9	SP 5 years On-Site Service, 4h response, 5x9														x											FSP.GD5S60200GBPX3	738	
	SP 5y OS Svc, 4h Rt, 5x9	SP 5 years On-Site Service, 4h response, 5x9																		x							FSP.GD5S60200GBPX6	1290	
	SP 5y OS Svc, 4h Rt, 7x24	SP 5 years On-Site Service, 4h response, 7x24	x	x	x	x																					FSP.GD5S63000GBPR1	1069	
	SP 5y OS Svc, 4h Rt, 7x24	SP 5 years On-Site Service, 4h response, 7x24						x	x	x																	FSP.GD5S63000GBPR2	1069	
	SP 5y OS Svc, 4h Rt, 7x24	SP 5 years On-Site Service, 4h response, 7x24											x	x	x												FSP.GD5S63000GBPR3	1855	
	SP 5y OS Svc, 4h Rt, 7x24	SP 5 years On-Site Service, 4h response, 7x24																x	x	x							FSP.GD5S63000GBPR6	2756	
	SP 5y OS Svc, 4h Rt, 7x24	SP 5 years On-Site Service, 4h response, 7x24					x													x	x	x					FSP.GD5S63000GBPR8	5126	
	SP 5y OS Svc, 4h Rt, 7x24	SP 5 years On-Site Service, 4h response, 7x24					x																				FSP.GD5S63000GBPX1	909	
	SP 5y OS Svc, 4h Rt, 7x24	SP 5 years On-Site Service, 4h response, 7x24									x																FSP.GD5S63000GBPX2	822	
	SP 5y OS Svc, 4h Rt, 7x24	SP 5 years On-Site Service, 4h response, 7x24															x										FSP.GD5S63000GBPX3	943	
	SP 5y OS Svc, 4h Rt, 7x24	SP 5 years On-Site Service, 4h response, 7x24																		x							FSP.GD5S63000GBPX6	2286	
	SP 5y OS Svc, 8h Rec, 7x24	SP 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved	x	x	x	x																					FSP.GD5S63000GBPR1	1599	
	SP 5y OS Svc, 8h Rec, 7x24	SP 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved						x	x	x		x															FSP.GD5S63000GBPR2	1599	
	SP 5y OS Svc, 8h Rec, 7x24	SP 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved											x	x	x												FSP.GD5S63000GBPR3	2774	
	SP 5y OS Svc, 8h Rec, 7x24	SP 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved															x	x	x								FSP.GD5S63000GBPR6	4121	
	SP 5y OS Svc, 8h Rec, 7x24	SP 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved																		x	x	x					FSP.GD5S63000GBPR8	7664	
	SP 3y OS Svc, NBD Rt, 5x9	SP 3 years On-Site Service, next business day response, 5x9															x										FSP.GE3S20200GBPE1	271	
	SP 3y OS Svc, NBD Rt, 5x9	SP 3 years On-Site Service, next business day response, 5x9	x	x	x	x																					FSP.GE3S20200GBPR1	158	
	SP 3y OS Svc, NBD Rt, 5x9	SP 3 years On-Site Service, next business day response, 5x9					x	x	x			x															FSP.GE3S20200GBPR2	176	
	SP 3y OS Svc, NBD Rt, 5x9	SP 3 years On-Site Service, next business day response, 5x9											x	x	x												FSP.GE3S20200GBPR3	271	
	SP 3y OS Svc, NBD Rt, 5x9	SP 3 years On-Site Service, next business day response, 5x9															x	x	x								FSP.GE3S20200GBPR6	408	
	SP 3y OS Svc, NBD Rt, 5x9	SP 3 years On-Site Service, next business day response, 5x9																		x	x	x					FSP.GE3S20200GBPR8	494	
	SP 3y OS Svc, NBD Rt, 5x9	SP 3 years On-Site Service, next business day response, 5x9					x																				FSP.GE3S20200GBPX1	305	
	SP 3y OS Svc, NBD Rt, 5x9	SP 3 years On-Site Service, next business day response, 5x9									x																FSP.GE3S20200GBPX2	90	
	SP 3y OS Svc, NBD Rt, 5x9	SP 3 years On-Site Service, next business day response, 5x9																									FSP.GE3S20200GBPX3	126	
	SP 3y OS Svc, NBD Rt, 5x9	SP 3 years On-Site Service, next business day response, 5x9																			x						FSP.GE3S20200GBPX6	139	
	SP 4y OS Svc, NBD Rt, 5x9	SP 4 years On-Site Service, next business day response, 5x9					x																				FSP.GE4S20200GBPX1	445	
	SP 4y OS Svc, NBD Rt, 5x9	SP 4 years On-Site Service, next business day response, 5x9									x																FSP.GE4S20200GBPX2	294	
	SP 4y OS Svc, NBD Rt, 5x9	SP 4 years On-Site Service, next business day response, 5x9															x										FSP.GE4S20200GBPX3	375	
	SP 4y OS Svc, NBD Rt, 5x9	SP 4 years On-Site Service, next business day response, 5x9																			x						FSP.GE4S20200GBPX6	584	
	SP 5y OS Svc, NBD Rt, 5x9	SP 5 years On-Site Service, next business day response, 5x9					x																				FSP.GE5S20200GBPX1	586	
	SP 5y OS Svc, NBD Rt, 5x9	SP 5 years On-Site Service, next business day response, 5x9										x															FSP.GE5S20200GBPX2	498	
	SP 5y OS Svc, NBD Rt, 5x9	SP 5 years On-Site Service, next business day response, 5x9															x										FSP.GE5S20200GBPX3	625	
	SP 5y OS Svc, NBD Rt, 5x9	SP 5 years On-Site Service, next business day response, 5x9																				x					FSP.GE5S20200GBPX6	1012	
	TP 3y OS Svc, 5x9	TP 3 years On-Site Service, 5x9	x	x	x	x																					FSP.GN3S00200GBPR1	36	
	TP 4y OS Svc, 5x9	TP 4 years On-Site Service, 5x9	x	x	x	x																					FSP.GN4S00000GBPR1	52	
	TP 4y OS Svc, 5x9	TP 4 years On-Site Service, 5x9						x	x	x		x															FSP.GN4S00000GBPR2	51	
	TP 4y OS Svc, 5x9	TP 4 years On-Site Service, 5x9												x	x	x											FSP.GN4S00000GBPR3	62	
	TP 4y OS Svc, 5x9	TP 4 years On-Site Service, 5x9															x	x	x								FSP.GN4S00000GBPR6	192	
	TP 4y OS Svc, 5x9	TP 4 years On-Site Service, 5x9																							x		FSP.GN4S00000GBPR7	103	
	TP 4y OS Svc, 5x9	TP 4 years On-Site Service, 5x9																					x	x	x		FSP.GN4S00000GBPR8	292	
	TP 4y OS Svc, NBD Rt, 5x9	TP 4 years On-Site Service, next business day response, 5x9	x	x	x	x																					FSP.GN4S20000GBPR1	53	
	TP 4y OS Svc, NBD Rt, 5x9	TP 4 years On-Site Service, next business day response, 5x9						x	x	x		x															FSP.GN4S20000GBPR2	109	
	TP 4y OS Svc, NBD Rt, 5x9	TP 4 years On-Site Service, next business day response, 5x9											x	x	x												FSP.GN4S20000GBPR3	167	
	TP 4y OS Svc, NBD Rt, 5x9	TP 4 years On-Site Service, next business day response, 5x9																			x	x	x				FSP.GN4S20000GBPR6	463	




Rack Servers Services

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1000	PRIMERGY RX1600	Code	End User Price (£)	Comments	
Accessories & services matrix																														
Product related services (Continued)																														
	TP 4y OS Svc.NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9																										FSP:GN4S20000GBPR7	493	
	TP 4y OS Svc.NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9																					x	x				FSP:GN4S20000GBPR8	444	
	TP 5y OS Svc,5x9	TP 5 years On-Site Service, 5x9	x	x	x	x																						FSP:GN5S00000GBPR1	69	
	TP 5y OS Svc,5x9	TP 5 years On-Site Service, 5x9					x	x	x					x	x	x												FSP:GN5S00000GBPR2	103	
	TP 5y OS Svc,5x9	TP 5 years On-Site Service, 5x9																										FSP:GN5S00000GBPR3	125	
	TP 5y OS Svc,5x9	TP 5 years On-Site Service, 5x9																x	x	x								FSP:GN5S00000GBPR6	384	
	TP 5y OS Svc,5x9	TP 5 years On-Site Service, 5x9																							x			FSP:GN5S00000GBPR7	206	
	TP 5y OS Svc,5x9	TP 5 years On-Site Service, 5x9																						x	x			FSP:GN5S00000GBPR8	583	
	TP 5y OS Svc.NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9	x	x	x	x																						FSP:GN5S20000GBPR1	82	
	TP 5y OS Svc.NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9						x	x	x																		FSP:GN5S20000GBPR2	174	
	TP 5y OS Svc.NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9												x	x	x												FSP:GN5S20000GBPR3	271	
	TP 5y OS Svc.NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9																	x	x	x							FSP:GN5S20000GBPR6	823	
	TP 5y OS Svc.NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9																							x			FSP:GN5S20000GBPR7	884	
	TP 5y OS Svc.NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9																					x	x	x			FSP:GN5S20000GBPR8	740	
	TP 3y OS Svc.NBD Rt,5x9	TP 3 years On-Site Service, next business day response, 5x9					x																					FSP:GQ3S20Z00GBPX1	305	
	TP 3y OS Svc.NBD Rt,5x9	TP 3 years On-Site Service, next business day response, 5x9									x																	FSP:GQ3S20Z00GBPX2	90	
	TP 3y OS Svc.NBD Rt,5x9	TP 3 years On-Site Service, next business day response, 5x9																x										FSP:GQ3S20Z00GBPX3	126	
	TP 3y OS Svc.NBD Rt,5x9	TP 3 years On-Site Service, next business day response, 5x9																					x					FSP:GQ3S20Z00GBPX6	139	
	TP 4y OS Svc.NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9					x																					FSP:GQ4S20Z00GBPX1	445	
	TP 4y OS Svc.NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9									x																	FSP:GQ4S20Z00GBPX2	294	
	TP 4y OS Svc.NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9																x										FSP:GQ4S20Z00GBPX3	375	
	TP 4y OS Svc.NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9																					x					FSP:GQ4S20Z00GBPX6	584	
	TP 5y OS Svc.NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9					x																					FSP:GQ5S20Z00GBPX1	586	
	TP 5y OS Svc.NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9									x																	FSP:GQ5S20Z00GBPX2	498	
	TP 5y OS Svc.NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9																x										FSP:GQ5S20Z00GBPX3	625	
	TP 5y OS Svc.NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9																						x				FSP:GQ5S20Z00GBPX6	1012	



Positioning PRIMERGY Blade Servers



**PRIMERGY
BX600 S3**

The BX600 S3 offers performance today and scalability for tomorrow with 64-bit processor-technology by Intel and AMD and a chassis that support future technologies.

The broad range of processor configurations and flexible scaling options (2-socket/ 4-socket/ 8-socket with Quad-Core and Dual-Core) enables the PRIMERGY BX600 to meet nearly all requirements in typical datacenter applications. With the new virtual I/O feature set the BX600 S3 gets to the next level of data center flexibility and agility, supporting the demand for lowering the operational costs



**PRIMERGY
BladeFrame BF200**

With the PRIMERGY BladeFrame, Fujitsu Siemens Computers is extending its spectrum of dynamic data center solutions. Virtualization, automation and integration are the three core elements of Fujitsu Siemens Computers' TRIOLE™ strategy, which aims to make dynamic data centers a reality. Fujitsu Siemens Computers is the recognized market leader when it comes to providing today's pragmatic and practical solutions for dynamic data centers. Dynamic IT solutions provide our customers with markedly lower operating costs, reduced complexity and increased dynamic flexibility in the commercial use of their applications. PRIMERGY BladeFrame is a new type of dynamic enterprise server solution that creates a pool of virtualizable server nodes. What's new about this? BladeFrame disassociates the components that make up this pool – processors, networks and storage – and operates with virtually definable servers. The effect is to make the server hardware fundamentally independent of the operating system (Linux/Windows/Solaris) or application software. With BladeFrame you can map your business-critical enterprise applications onto a dynamically reacting operating environment.



**PRIMERGY
BladeFrame BF400 S2**



PRIMERGY BX600 S3

Data Sheets: <http://www.fujitsu-siemens.com/primergy>


Advanced Blade Ecosystem PRIMERGY BX600 S3

The PRIMERGY Blade Ecosystem is a perfect choice for today's datacenter solutions, where the key demand is a reliable and innovative platform for performance and connectivity. Blade Servers provide high performance and maximum redundancy with minimum rack space, power consumption and cabling effort. The Blade Ecosystem BX600 is designed for a broad range of application areas, from Web server or terminal server farms with lower performance demands all the way to high performance database or application server configurations. And if your business changes, PRIMERGY Blade Servers can grow easily in order to match new demands. They can even change their software configuration during operation if the load profiles vary. And they can be combined with all other rack-mounted devices without limits.

The PRIMERGY Advanced Blade Ecosystem BX600 is characterized by flexibility, allowing dynamic software reconfiguration and full control with a redundant single point of administration. The extensive software support for control, management and deployment minimizes administrative costs and frees you from time-consuming tasks to focus on your business. Our build-to-order process ensures that only fully built and pre-tested solutions are delivered to the customer, tailored to your requirements and ready to grow with your business needs.

Model	Description	Details	Code	End User Price (£)	Comments
Standard products					
PRIMERGY BX600 S3					
	PY BX600 S3 System Unit (MMB S2)	7U rack basic unit for 10 CPU-Blades incl. rack mounting kit, 2 Management-Blades MMB S2, fan, 2 power supply 2100W without power cords, 2 dummy server blades, 1 special cable for connection to USB-CD-ROM / FD drive and 1x VGA, 1 special cable for connection to PS/2 and 1x VGA, ServerView, -Start, RemoteView on CD.	S26361-K1156-V303	2829	Phased out
	PY BX600 S3 System Unit (MMB S3)	7U rack basic unit for 10 CPU-Blades incl. rack mounting kit, 2 Management-Blades MMB S3, fan, 2 power supply 2100W without power cords, 2 dummy server blades, 1 special cable for connection to USB-CD-ROM / FD drive and 1x VGA, 1 special cable for connection to PS/2 and 1x VGA, ServerView, -Start, RemoteView on CD.	S26361-K1156-V304	2829	

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
PRIMERGY BX600 S3					
	PY BX600 S3 System Unit (MMB S2)	7U rack basic unit for 10 CPU-Blades incl. rack mounting kit, 2 Management-Blades MMB S2, fan, 2 power supply 2100W with 2 power cords, dummy panels for all not plugged blade slots, 1 special cable for connection to KVM switch (2x PS/s, 1x VGA), 1 special cable for connection of released USB devices and monitor (2x USB, 1x VGA) to front side of the server blades, ServerView, -Start, RemoteView on CD.	S26361-K1156-V301	2829	Phased out



PRIMERGY BX600 S3

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
PRIMERGY BX600 S3 (Continued)					
	PY BX600 S3 System Unit (MMB S3)	7U rack basic unit for 10 CPU-Blades incl. rack mounting kit, 2 Management-Blades MMB S3, fan, 2 power supply 2100W with 2 power cords, dummy panels for all not plugged blade slots, 1 special cable for connection to KVM switch (2x PS/s, 1x VGA), 1 special cable for connection of released USB devices and monitor (2x USB, 1x VGA) to front side of the server blades, ServerView, -Start, RemoteView on CD.	S26361-K1156-V302	2829	
	PY BX600 S3 SVPAN FRAME incl. dKVM	PY BX600 S3 SVPAN FRAME incl. dKVM /BX600 DKVM/2xGBE PASSTHRU BLADE/ 2xGBE SWITCH 30/12/2xPSU 2100W HP/ , 7U rack basic unit for 8 CPU-Blades incl. rack mounting kit, , 4 power supplies 2100W with power cords, 2 switch blades, 2 GbE Pass Thru blades and a KVM module; ServerView, - Start, RemoteView on CD, , The Infrastructure for a ServerView PAN Manager on BX600 environment consists of, - a pre-configured System Unit BX600 S3 (7U) with , - two redundant Management Blades MMB S3, - two redundant Switch blades for internal fabric, - two redundant PassThru blades for LAN IO connectivity, - one standard KVM module, - in total four hot-plug PSU, - two redundant pre-configured Control Blades ("cBlades"), each with, - BX620 S4 blade with one E5430 CPU, 4GB memory,, - one 73GB Hard Disk for the PAN Manager software and as vertial CD drive, - one dual port 4Gbit/s FC Ctrl for FC IO on the front side, - one dual port GbE LAN IO Modul for LAN IO via the Pass-Thru on the rear side, - one external USB 2.0 DVD drive S26391-F7119-L100 for SW installation necessary	PAN:BX6FRAME_DKVM1	10188	Orderable from: 17/09/2008
	PY BX600 S3 SVPAN FRAME incl. sKVM	PY BX600 S3 SVPAN FRAME incl. sKVM /KVM MODULE/2xGBE PASSTHRU BLADE/ 2xGBE SWITCH 30/12/2xPSU 2100W HP/ , 7U rack basic unit for 8 server blades incl. rack mounting kit, , 4 power supplies 2100W with power cords, 2 switch blades, 2 GbE Pass Thru blades and a KVM module; ServerView, - Start, RemoteView on CD, , The Infrastructure for a ServerView PAN Manager on BX600 environment consists of, - a pre-configured System Unit BX600 S3 (7U) with , - two redundant Management Blades MMB S3, - two redundant Switch blades for internal fabric, - two redundant PassThru blades for LAN IO connectivity, - one standard KVM module, - in total four hot-plug PSU, - two redundant pre-configured Control Blades ("cBlades"), each with, - BX620 S4 blade with one E5430 CPU, 4GB memory,, - one 73GB Hard Disk for the PAN Manager software and as vertial CD drive, - one dual port 4Gbit/s FC Ctrl for FC IO on the front side, - one dual port GbE LAN IO Modul for LAN IO via the Pass-Thru on the rear side, - one optional, external USB 2.0 DVD drive (S26391-F7119-L100) for SW installation neces	PAN:BX6FRAME_SKVM1	9392	Orderable from: 17/09/2008



PRIMERGY BX630 S2

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

From standard one socket/one slot up to five times four socket/ten slot hot-plug Server Blade per chassis, with 64-bit AMD Opteron™ Dual-Core and Quad-Core processors the PRIMERGY BX630 S2 Server Blade provides a very broad range of processing configurations for nearly every data center application.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
PRIMERGY BLADE BX630 S2 Dual					
	PY BX630 S2 Dual Server Blade	Dual Socket Server Blade configurable with up to 2 Dual-Core AMD Opteron DP or MP processors for PRIMERGY BX600 (up to 10 server blades), DDR 667 PC-5300 registered ECC, 2x Dual GBit Ethernet LAN on-board, one I/O on-board slot can be optional occupied with 1x Dual FC or 1x Dual LAN - I/O module, SAS HDD controller onboard, 2 bays for 2.5" SAS HDD's (hot-plug), graphics controller (VGA) as part of the onboard Intelligent Remote Management Controller (iRMC), special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1131-V200	800	Phased out
	PY BX630 S2 Dual Server Blade QC	Dual Socket Server Blade configurable with up to 2 Quad-Core AMD Opteron DP or MP processors for PRIMERGY BX600 (up to 10 server blades), DDR 667 PC-5300 registered ECC, 2x GBit Dual Ethernet LAN on-board, one I/O on-board slot can be optional occupied with 1x Dual FC or 1x Dual LAN - I/O module, SAS HDD controller onboard, 2 bays for 2.5" SAS HDD's (hot-plug), graphics controller (VGA) as part of the onboard Intelligent Remote Management Controller (iRMC), special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1131-V204	800	
PRIMERGY BLADE BX630 S2 Quad					
	PY BX630 S2 Quad Server Blade	Quad Socket Server Blade configurable with 4 (not 1) Dual-Core AMD Opteron MP processors for PRIMERGY BX600 (up to 5 Quad server blades), DDR 667 PC-5300 registered ECC, 4x Dual GBit Ethernet LAN on-board, two I/O on-board slots can be optional occupied with 1-2x Dual FC or 1-2x Dual LAN - I/O module, 2x SAS HDD controller onboard, 4 bays for 2.5" SAS HDD's (hot-plug), graphics controller (VGA) as part of the onboard Intelligent Remote Management Controller (iRMC), special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1135-V400	1694	Phased out
	PY BX630 S2 Quad Server Blade QC	Quad Socket Server Blade configurable with 4 (not 1) Quad-Core AMD Opteron MP processors for PRIMERGY BX600 (up to 5 Quad server blades), DDR 667 PC-5300 registered ECC, 4x Dual GBit Ethernet LAN on-board, two I/O on-board slots can be optional occupied with 1-2x Dual FC or 1-2x Dual LAN - I/O module, 2x SAS HDD controller onboard, 4 bays for 2.5" SAS HDD's (hot-plug), graphics controller (VGA) as part of the onboard Intelligent Remote Management Controller (iRMC), special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1135-V404	1694	



PRIMERGY BX620 S4

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Up to ten Dual Socket Server Blades equipped with 1 to 2 64-bit Dual-Core Intel® Xeon® 5200 series processors with 6 Mbyte shared second level cache or 1 to 2 64-bit Quad-Core Intel® Xeon® Processor 5400 series with 2x 6 Mbyte shared second level cache these Server Blades are designed for an optimal performance/watt ratio.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
PRIMERGY BLADE BX620 S4					
PY BX620 S4 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for PRIMERGY BX600 S2 (max. 8 server blades not for slot 4 and 10) or BX600 S3 (max. 10 server blades), 4 bays for DDR2 667MHz Fully Buffered DIMM PC2-5300F ECC memory modules with SDDC, 3x 2-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD's, RAID1 support for HDD's, graphics controller ATI ES1000 16MB on-board.	S26361-K1157-V200		616	
PRIMERGY BLADE BX620 S4 cBlade					
PY BX620 S4 SVPAN cBlade/	PY BX620 S4 SVPAN cBlade/ XEON DP E5430/2x2X 1GB ECC/73GB 10K/ SAS/PCIE MODULE/GBE LAN I/O MODULE/ FC 2CH QLE2462 LP/SOC INST. IN SU/, CBlade use for BX600 system unit (PAN:xxx), Single Order Code, pre-configured BX620S4 dual server blade with , - 1x Xeon DP E5430 2.66GHz 2x6MB 1333MHz, - 2x 2GB FBD667 PC2-5300F d ECC Memory, - 1x HD SAS 3GB/s 73GB 10k hot plug 2.5", - 1x SAS/PCle Storage Modul, - 1x FC Ctrl 4Gbit/s QLE2462 MMF LC LP, - 1x GBE LAN I/O Modul (PCle)	PAN:BX620S4CBLADE1		2922	Orderable from: 17/09/2008



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX820 S2	PRIMERGY BLADE BX820 S3	PRIMERGY BLADE BX820 S4	PRIMERGY BLADE BX830 8-way DP	PRIMERGY BLADE BX830 Dual NP	PRIMERGY BLADE BX830 Quad	PRIMERGY BLADE BX830 S2 Dual	PRIMERGY BLADE BX830 S2 Quad	PRIMERGY BLADE BX860	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX800 S2	PRIMERGY BX800 S3	Code	End User Price (€)	Comments
Accessories & services matrix																				
Processor																				
	Xeon DP 3.6GHz 2MB 800MHz	heat sink, PDA function, 800MHz FSB		x														S26361-F2549-L316	847	
	Xeon DP 3.0GHz 2MB 800MHz	heat sink, PDA function, 800MHz FSB		x														S26361-F2549-L318	387	
	Xeon DP 3.4GHz 2MB 800MHz	heat sink, PDA function, 800MHz FSB		x														S26361-F2549-L320	621	
	Xeon DP 3.8GHz 2MB 800MHz	heat sink, PDA function, 800MHz FSB		x														S26361-F2549-L321	1031	
	Xeon DP 5050 3.00GHz 2x2MB 667MHz	Xeon DP dual core, 3.00GHz, 2x2MB SLC ECC, 667MHz FSB, VT/HT/DBS, heat sink, PDA function			x													S26361-F2549-L344	254	
	Xeon DP 5060 3.20GHz 2x2MB 1066MHz	Xeon DP dual core, 3.20GHz, 2x2MB SLC ECC, 1066MHz FSB, VT/HT, heat sink, PDA function				x												S26361-F2549-L345	409	
	Xeon DP 5080 3.73GHz 2x2MB 1066MHz	Xeon DP dual core, 3.73GHz, 2x2MB SLC ECC, 1066MHz FSB, VT/HT/DBS, heat sink, PDA function				x												S26361-F2549-L347	995	
	Opteron 246 2.0GHz 1MB	heat sink, 1MB SLC ECC protected						x										S26361-F3180-L246	214	
	Opteron 256 3.0GHz 1MB	heat sink, 1MB SLC ECC protected						x										S26361-F3180-L256	535	
	Opteron 265 1.8GHz 2x1MB	Dualcore, heat sink, 2x1MB SLC ECC protected					x											S26361-F3180-L265	231	
	Opteron 270 2.0GHz 2x1MB	Dualcore, heat sink, 2x1MB SLC ECC protected					x											S26361-F3180-L270	261	Phased out
	Opteron 280 2.4GHz 2x1MB	Dualcore, heat sink, 2x1MB SLC ECC protected					x											S26361-F3180-L280	308	
	Opteron 285 2.6GHz 2x1MB	Dualcore, heat sink, 2x1MB SLC ECC protected					x											S26361-F3180-L285	441	
	Opteron 275 HE 2.2GHz, 2x 1MB	Dualcore HE, heat sink, 2x1MB SLC ECC protected					x											S26361-F3180-L575	379	
	Opteron 2212 HE 2.0GHz 2x1MB	Dual Core CPU with heat sink (68W), 2x1MB SLC ECC protected							x	x								S26361-F3252-L220	192	
	Opteron 2218 HE 2.6GHz 2x1MB	Dual Core CPU with heat sink (68W), 2x1MB SLC ECC protected							x	x								S26361-F3252-L226	359	
	Opteron 8212 HE 2.0GHz 2x1MB	Dual Core CPU with heat sink (68W), 2x1MB SLC ECC protected							x	x								S26361-F3252-L820	527	
	Opteron 8218 HE 2.6GHz 2x1MB	Dual Core CPU with heat sink (68W), 2x1MB SLC ECC protected							x	x								S26361-F3252-L826	886	
	Opteron 2212 2.0GHz 2x1MB	Dual Core CPU with heat sink (95W), 2x1MB SLC ECC protected							x	x								S26361-F3253-L220	166	
	Opteron 2216 2.4GHz 2x1MB	Dual Core CPU with heat sink (95W), 2x1MB SLC ECC protected							x	x								S26361-F3253-L224	242	
	Opteron 2218 2.6GHz 2x1MB	Dual Core CPU with heat sink (95W), 2x1MB SLC ECC protected							x	x								S26361-F3253-L226	332	
	Opteron 2222 3.0GHz 2x1MB	Dual Core CPU with heat sink (95W), 2x1MB SLC ECC protected							x	x								S26361-F3253-L230	601	
	Opteron 8212 2.0GHz 2x1MB	Dual Core CPU with heat sink (95W), 2x1MB SLC ECC protected							x	x								S26361-F3253-L820	527	
	Opteron 8216 2.4GHz 2x1MB	Dual Core CPU with heat sink (95W), 2x1MB SLC ECC protected							x	x								S26361-F3253-L824	675	
	Opteron 8218 2.6GHz 2x1MB	Dual Core CPU with heat sink (95W), 2x1MB SLC ECC protected							x	x								S26361-F3253-L826	773	
	Opteron 8222 3.0GHz 2x1MB	Dual Core CPU with heat sink (95W), 2x1MB SLC ECC protected							x	x								S26361-F3253-L830	1354	
	Opteron 2344 HE 1.70GHz 2MB	Quad Core CPU with heat sink (55W), 2MB TLC ECC protected							x									S26361-F3260-L217	195	
	Opteron 2346 HE 1.8GHz 2MB	Quad Core CPU with heat sink (55W), 2MB TLC ECC protected							x									S26361-F3260-L218	226	
	Opteron 2347 HE 1.90GHz 2MB	Quad Core CPU with heat sink (55W), 2MB TLC ECC protected							x									S26361-F3260-L219	324	
	Opteron 8347 HE 1.90GHz 2MB	Quad Core CPU with heat sink (55W), 2MB TLC ECC protected							x	x								S26361-F3260-L819	975	
	Opteron 2350 2.0GHz 2MB	Quad Core CPU with heat sink (75W), 2MB TLC ECC protected							x									S26361-F3261-L220	226	
	Opteron 2352 2.1GHz 2MB	Quad Core CPU with heat sink (75W), 2MB TLC ECC protected							x									S26361-F3261-L221	276	
	Opteron 2354 2.2GHz 2MB	Quad Core CPU with heat sink (75W), 2MB TLC ECC protected							x									S26361-F3261-L222	394	
	Opteron 2356 2.3GHz 2MB	Quad Core CPU with heat sink (75W), 2MB TLC ECC protected							x									S26361-F3261-L223	589	
	Opteron 8350 2.0GHz 2MB	Quad Core CPU with heat sink (75W), 2MB TLC ECC protected							x	x								S26361-F3261-L820	975	
	Opteron 8354 2.2GHz 2MB	Quad Core CPU with heat sink (75W), 2MB TLC ECC protected							x	x								S26361-F3261-L822	1054	
	Opteron 8356 2.3GHz 2MB	Quad Core CPU with heat sink (75W), 2MB TLC ECC protected							x	x								S26361-F3261-L823	1347	
	Xeon DP 5110 1.60GHz 4MB 1066MHz	Xeon DP dual core, 1.60GHz, 4MB shared SLC ECC, 1066MHz FSB, VT, heat sink, PDA function			x	x												S26361-F3351-L160	254	
	Xeon DP 5130 2.00GHz 4MB 1333MHz	Xeon DP dual core, 2.00GHz, 4MB shared SLC ECC, 1333MHz FSB, VT, heat sink, PDA function			x	x												S26361-F3351-L200	387	
	Xeon DP 5140 2.33GHz 4MB 1333MHz	Xeon DP dual core, 2.33GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heat sink, PDA function				x	x											S26361-F3351-L233	519	
	Xeon LV DP 5148 2.33GHz 4MB 1333MHz	Xeon LV DP 5148 2.33GHz 4MB 1333MHz, low voltage dual core CPU, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heat sink, PDA function				x	x											S26361-F3351-L234	605	
	Xeon DP 5150 2.66GHz 4MB 1333MHz	Xeon DP dual core, 2.66GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heat sink, PDA function				x	x											S26361-F3351-L266	738	
	Xeon DP 5160 3.00GHz 4MB 1333MHz	Xeon DP dual core, 3.00GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heat sink, PDA function				x	x											S26361-F3351-L300	906	
	Xeon LV DP L5320 1.86GHz 2x4MB 1066MHz	Xeon Low Voltage DP quad core, 1.86GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function				x	x											S26361-F3452-L150	387	
	Xeon DP E5310 1.60GHz 2x4MB 1066MHz	Xeon DP quad core, 1.60GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT, heatsink, PDA function				x	x											S26361-F3452-L160	276	
	Xeon DP E5320 1.86GHz 2x4MB 1066MHz	Xeon DP quad core, 1.86GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function				x	x											S26361-F3452-L186	312	
	Xeon DP E5335 2.00GHz 2x4MB 1333MHz	Xeon DP quad core, 2.00GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT, heatsink, PDA function				x	x											S26361-F3452-L200	387	
	Xeon DP E5345 2.33GHz 2x4MB 1333MHz	Xeon DP quad core, 2.33GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function				x	x											S26361-F3452-L233	519	
	Xeon DP X5365 2.66GHz 2x4MB 1333MHz	Xeon DP quad core, 2.66GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function				x	x											S26361-F3452-L266	785	
	Xeon DP X5365 3.00GHz 2x4MB 1333MHz	Xeon DP Quad Core CPU (120W), 3.00GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function				x												S26361-F3452-L300	1241	
	Xeon LV DP L5335 2.00GHz 2x4MB 1333MHz	Xeon Low Voltage DP Quad Core CPU (50W), 2.00GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function				x												S26361-F3452-L400	460	
	Xeon LV DP L5310 1.60GHz 2x4MB 1066MHz	Xeon Low Voltage DP Quad Core CPU (50W), 1.60GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT, heatsink, PDA function				x												S26361-F3452-L460	305	
	Xeon DP E5405 2.00 GHz 2x6MB 1333MHz	Xeon DP Quad Core CPU (80W), 2.00GHz, 2x6MB shared SLC ECC, 1333MHz FSB, VT, heatsink, PDA function				x												S26361-F3875-L200	211	
	Xeon DP E5420 2.50 GHz 2x6MB 1333MHz	Xeon DP Quad Core CPU (80W), 2.50GHz, 2x6MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function				x												S26361-F3875-L250	320	
	Xeon DP E5430 2.66 GHz 2x6MB 1333MHz	Xeon DP Quad Core CPU (80W), 2.66GHz, 2x6MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function				x												S26361-F3875-L266	441	
	Xeon DP E5450 3.00 GHz 2x6MB 1333MHz	Xeon DP Quad Core CPU (80W), 3.00GHz, 2x6MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function				x												S26361-F3875-L300	827	
	Xeon DP X5460 3.16 GHz 2x6MB 1333MHz	Xeon DP quad core, 3.16GHz, 2x6MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function				x												S26361-F3875-L316	1054	
	Xeon DP E5205 1.86 GHz 6MB 1066MHz	Xeon DP Dual Core CPU (65W), 1.86GHz, 6MB SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function				x												S26361-F3876-L186	199	
	Xeon DP X5260 3.33 GHz 6MB 1333MHz	Xeon DP Dual Core CPU (80W), 3.33GHz, 6MB SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function				x												S26361-F3876-L333	773	
	Xeon LV DP 5148 2.33GHz 4MB 1333MHz	Xeon Low Voltage DP Dual Core CPU (40W), 2.33GHz, 4MB SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function				x												S26361-F3877-L433	605	
	Xeon LV DP L5410 2.33 GHz 2x6MB 1333MHz	Xeon Low Voltage DP Quad Core CPU (50W), 2.33GHz, 2x6MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function				x												S26361-F3878-L233	320	
	Xeon LV DP L5420 2.50 GHz 2x6MB 1333MHz	Xeon Low Voltage DP Quad Core CPU (50W), 2.50GHz, 2x6MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function				x												S26361-F3878-L250	374	
	Xeon LV DP L5240 3.00 GHz 6MB 1333MHz	Xeon Low Voltage DP Dual Core CPU (40W), 3.00GHz, 6MB SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function				x												S26361-F3879-L300	608	
Memory																				
	4GB 2x2GB DDR266 PC2100 rg ECC	2 modules, lp, registered DDR 266MHz, Chipkill			x													S26361-F2762-L826	1124	Phased out



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments		
Communication/Network (Continued)																						
	KVM module	Interfaces: external 1x special connector to connect the special cable (part of the BX600 System Unit delivery), which provides 2x PS/2 and 1x VGA.																x x x	S26361-F3113-L2	136		
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu Ip	Intel PRO 1000 GT Desktop Adapter, low profile		x															S26361-F3142-L201	58		
	PY BX600 GBE Switch Blade 10/6	Interfaces: external 6x RJ45 sockets, - please read configuration hints!																x x x	S26361-F3206-L6	956		
	PY BX600 GBE Switch Blade 10/6+2	Interfaces: external 6x RJ45 sockets, 1xCX4 socket, 1x slot for XFP module, - please read configuration hints!																x x	S26361-F3206-L8	1558		
	Eth Ctrl 2x1GBit PCI-X PRO/1000GT Cu	Intel Pro 1000GT Dual Port Server Adapter			x				x	x									S26361-F3227-L2	125		
	Eth Ctrl 2x1GBit PCI-X PRO/1000GT Cu Ip	Intel Pro 1000GT Dual Port Server Adapter, low profile PCI						x	x										S26361-F3227-L202	125		
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu Ip	Intel Pro 1000PT 2 Port Server Adapter						x	x										S26361-F3228-L201	160		
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu Ip	Intel Pro 1000PT 1 Port Server Adapter						x	x										S26361-F3241-L201	55		
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC Ip	Intel Pro 1000PF 1 Port Server Adapter						x	x										S26361-F3242-L201	226		
	BX600 digital KVM switch	Keyboard Video Mouse Switch, Interfaces: external 1x special connector to connect the special cable (part of the BX600 System Unit delivery), which provides 2x PS/2 and 1x VGA.																x x	S26361-F3113-L102	933		
	FC Pass-Thru Blade for BX600	Interfaces: external 10 ports for GBIC/SFP modules																x x x	S26361-F3024-L1	995		
	PY BX600 FC Pass-Thru Blade 4GB	Interfaces: external 10 ports for GBIC/SFP modules																x	S26361-F3024-L10	1073		
	PY BX600 4GB FC Switch 8/4 (SW4016)	Brocade SilkWorm 4016 incl. Lizenz for 12 Port with automatic assignment of active ports (DPOD = Dynamic Ports on Demand), Full Fabric and Access Gateway support, interfaces: 6 bays for SFP modules, supports internal 2GB/sec and external 4GB/sec Fibre Channel datarate, requires coercively the Fibre Channel mezzanine card BX600-FC22Q																x	S26361-F3144-L4	4645		
	PY BX600 4/4GB FC Switch 12port (SW4016)	Brocade SilkWorm 4016 incl. Lizenz for 12 Port with automatic assignment of active ports (DPOD = Dynamic Ports on Demand), Full Fabric and Access Gateway support, interfaces: 6 bays for SFP modules, supports internal and external 4GB/sec Fibre Channel datarate, requires coercively the Fibre Channel mezzanine card BX600-FC42E																x	S26361-F3144-L14	4254		
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	Intel Pro 1000MT 2 Port Server Adapter		x	x				x	x	x								S26361-F3011-L1	125		
	PY BX600 4/4GB FC Switch 16port (SW4016)	Brocade SilkWorm 4016 incl. Lizenz for 16 Port with automatic assignment of active ports (DPOD = Dynamic Ports on Demand), Full Fabric and Access Gateway support, interfaces: 6 bays for SFP modules, supports internal and external 4GB/sec Fibre Channel datarate, requires coercively the Fibre Channel mezzanine card BX600-FC42E																x	S26361-F3144-L16	5620		
	PY BX600 GBE Switch Blade 30/12	Interfaces: external 12x RJ45 sockets (1000 Base-T full duplex)- please read configuration hints!																x	S26361-F3467-L1	2182		
	BX600 GBE Intelligent Blade Panel 10/6	Interfaces: external 6x RJ45 sockets, - please read configuration hints!																x	S26361-F3860-L1	792		
	BX600 GBE Intelligent Blade Panel 30/12	Interfaces: external 6x RJ45 sockets, - please read configuration hints!																x	S26361-F3859-L1	1714		
Rack-Infrastructure																						
	Dummy Server Blade	Dummy CPU Blade																x x x	S26361-F3025-L1	27		
	cable management arm for 3rd party racks	all-purpose for PY server in 3rd party a. classic racks																x x x	S26361-F2201-L20	39		
PRIMERGY-Software																						
	IRMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection																	x x	S26361-F1790-L240	234	
	VMware FND-AK w/1yr SNS DistributionOnly						x			x	x								S26361-F2341-L403	1838		
	VMware FND-AK w/3yr SNS DistributionOnly						x			x	x								S26361-F2341-L404	2495		
	VMware STD-AK w/1yr SNS DistributionOnly						x			x	x								S26361-F2341-L405	3679		
	VMware STD-AK w/3yr SNS DistributionOnly						x			x	x								S26361-F2341-L406	4995		
	VMware VI-AK w/1yr SNS DistributionOnly						x			x	x								S26361-F2341-L422	14261		
	VMware VI-AK w/3yr SNS DistributionOnly						x			x	x								S26361-F2341-L424	19362		
	Win Server 2008 Datacenter 2CPU AddProc	Windows Server 2008 Datacenter (2 CPU), ML, Includes: Hyper-V, unlimited Virtual Use Rights, no CALs					x					x							S26361-F2565-L130	2021		
	SV Virtual-IO Manager Single License	License for operation of one BX Blade Server Chassis, service contract mandatory																x	U15000-C310	1795		
	ESCoD V3.0 Installation Package	ESCoD V3.0 Installation package		x	x	x													U24529-C50	1183		
	FlexFrame AN Lizenz f.1.PY RX300BX dual	"FlexFrame License for one PRIMERGY BX620S3. Additional it is mandatory to order 3rd Level support for each server!"					x	x											S26361-F2346-L322	2374		
	FlexFrame-AN-License f. 1 PY BX630 Quad	FlexFrame License for one PRIMERGY BX630Quad, . Additional it is mandatory to order 3rd Level support for each server!										x							S26361-F2346-L325	7103		
	PRIMERGY MultiPath Linux/WinServ GB 3.x	Support of redundant Multipath between PRIMERGY and Disk Storage, for W2K, Windows2003 and LINUX, Full product, license for 1 Server		x	x	x	x		x	x	x	x	x						U15000-C197	684		
	FlexFrame AN L3Supp 3y f.1RX300BX dual	"FlexFrame 3rd Level Support for 3 years for BX620S3 (One 3rd-Level delivery unit (1 or 3 years) per server is mandatory!)"		x	x	x			x	x									S26361-F2346-L332	1498		
	PRIMERGY MultiPath MPIO WinServ GB 4.x	MultiPath based on Microsoft MPIO supporting multiple paths between server and subsystem; for Windows Server 2003		x	x	x	x		x	x	x	x	x						U15000-C278	684		
	PRIMERGY DuplexDataManager GB 3.x	Advanced Edition, Software under W2K, Windows2003 and Linux, for disaster-tolerant PRIMERGY, configuration, includes MultiPath (1 License per Server)		x	x	x	x		x	x	x	x	x						U15000-C196	2144		
	FlexFrame-AN-L3Supply f.1 PY BX630Quad	FlexFrame 3rd Level, Support for 3 years for BX630Quad (One 3rd-Level delivery unit (1 or 3 years) per server is mandatory!)"										x							S26361-F2346-L335	4570		
	PRIMERGY Server/View Suite subscription.	Subscription for 1 year, ca. 10 releases, The subscription is licensed only for PRIMERGY servers.		x			x		x	x	x	x	x	x	x				U15000-C176	168		
	RemoteDeploy 3.x Single license	Single license for operation of one client server (managed node) under RD 3.x		x	x	x	x		x	x	x								U15000-C262	108		
	RemoteDeploy V4.1 Software CD	Full version with license key for SW usage - no license.		x	x	x	x		x	x	x								U15000-C286	24		
	RemoteDeploy 4.x Single License	Single license for operation of one client server (managed node) under RD 4.x		x	x	x	x		x	x	x	x	x						U15000-C287	109		
	RemoteDeploy 4.1 Single Upgrade License	for upgrades of one 3.x single license to version 4.0 - no software!		x	x	x	x		x	x	x								U15000-C288	47		
	Server/View Suite, latest version	Latest Server/View Suite Edition - including Installation Manager		x					x	x	x	x	x	x					U15000-C289	20		
	Server/View Deployment Manager V5	Software CD Full version, software only - no license		x	x	x	x		x	x	x								U15000-C299	24		
	Server/View Deployment Mgr 5 Single Lic.	Single license for operation of one client server (managed node) - no software!		x	x	x	x		x	x	x	x	x						U15000-C300	109		
	Server/View Dept. Mgr. 5 Single Upgrade	for upgrades of one 4.x single license to version 5.0 - no software!		x	x	x	x		x	x	x								U15000-C301	47		
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual							x				x						S26361-F2565-L140	16		
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual							x				x						S26361-F2565-L141	74		
	Altiris Server Deployment Solution 6	Single license for operation of one client server (to be ordered for each system)		x	x	x	x		x	x	x	x	x						U15000-C251	140		
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual							x				x						S26361-F2565-L142	16		
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual							x				x						S26361-F2565-L143	74		
	Win Server 2008 TS CAL (5 Device)	(5 Device) Terminal Server Client License Pack for Microsoft Windows Server 2008 Standard, Enterprise und Datacenter, multilingual							x				x						S26361-F2565-L144	261		
	Win Server 2008 TS CAL (5 User)	(5 User) Terminal Server Client License Pack for Microsoft Windows Server 2008 Standard, Enterprise und Datacenter, multilingual							x				x						S26361-F2565-L145	261		
	Altiris Server Deployment AUP	Annual upgrade protection for Deployment Solution (to be ordered for each system)		x	x	x	x		x	x	x	x	x						U15000-C255	21		
	Altiris Premium Support Pack	1 year support package for Altiris		x	x	x	x		x	x	x	x	x						U15000-C259	10831		
	Altiris 5 Incidents Support	5 support incidents for Altiris		x	x	x	x		x	x	x	x	x						U15000-C260	1464		
	Altiris Server Management Suite - Level1	Single license for operation of one client server (to be ordered for each system)		x	x	x	x		x	x	x	x	x						U15000-C267	186		



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments
PRIMERGY-Software (Continued)																					
	Altiris Server Management Suite - L1 AUP	Annual upgrade protection for Mangement Suite (to be ordered for each system)	x	x	x	x	x	x	x	x	x	x	x	x					U15000-C271	26	
	MS Device CAL for Win Server 2003, GB	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) GB	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2565-L610	20	
	MS 1 Device CAL for Win Server 2003, D	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) D	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2565-L611	20	
	MS 1 Device CAL for Win Server 2003, F	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) F	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2565-L613	20	
	MS 5 Device CAL for Win Server 2003, GB	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) GB	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2565-L650	74	
	MS 5 Device CAL for Win Server 2003, D	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) D	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2565-L651	74	
	MS 5 Device CAL for Win Server 2003, I	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) I	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2565-L652	74	
	MS 5 Device CAL for Win Server 2003, F	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) F	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2565-L653	74	
	MS 5 Device CAL for Win Server 2003, E	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) E	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2565-L654	74	
	MS 1 User CAL for Win Server 2003, GB	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) GB	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2565-L620	20	
	MS 1 User CAL for Win Server 2003, D	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) D	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2565-L621	20	
	MS 1 User CAL for Win Server 2003, I	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) I	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2565-L622	20	
	MS 1 User CAL for Win Server 2003, F	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) F	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2565-L623	20	
	MS 5 User CAL for Win Server 2003, GB	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) GB	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2565-L660	74	
	MS 5 User CAL for Win Server 2003, D	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) D	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2565-L661	74	
	MS 5 User CAL for Win Server 2003, I	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) I	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2565-L662	74	
	MS 5 User CAL for Win Server 2003, F	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) F	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2565-L663	74	
	MS 5 User CAL for Win Server 2003, E	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) E	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2565-L664	74	
	MS 5 Device TS-CAL Win Server 2003, GB	Microsoft Device Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 Device TS-CAL Version, GB	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2565-L670	242	
	MS 5 Device TS-CAL Win Server 2003, D	Microsoft Device Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 Device TS-CAL Version, D	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2565-L671	242	
	MS 5 User TS-CAL Win Server 2003, GB	Microsoft User Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 User TS-CAL Version, GB	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2565-L680	242	
	MS 5 User TS-CAL Win Server 2003, D	Microsoft User Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 User TS-CAL Version, D	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2565-L681	242	
	SUSE Linux ES 9 x86 and x86_64 Media Kit	SUSE Linux Enterprise Server 9 for x86 and for AMD64 and Intel EM64T media kit	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2346-L109	67	
	SUSE Linux ES 32-CPU +1Y	SUSE Linux Enterprise Server for all platforms 1-Server up to 32-CPU sockets 1-Year subscription (renewal)	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2346-L111	182	
	SUSE Linux ES BX600 +1Y	SUSE Linux Enterprise Server for all platforms BX600 System Unit 1-Year subscription (renewal)					x	x	x	x	x	x	x	x		x			S26361-F2346-L131	1131	
	SUSE Linux ES 10 x86 and x86_64 Media Server/View Integration V2.0	SUSE Linux Enterprise Server 10 for x86, AMD64 and Intel EM64T media kit	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2346-L192	67	
	Red Hat EL AP 5x9 I3 support +1Y	Red Hat Enterprise Linux AP for all platforms 5x9 level3 support 1-Server 1-Year renewal	x	x	x	x	x	x	x	x	x	x	x	x					U15051-C108	78	
	Red Hat EL 2-CPU 5x9 I3 support +1Y	Red Hat Enterprise Linux up to 2-CPU sockets for all platforms 5x9 level3 support 1-Server 1-Year renewal	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2346-L201	553	
	Red Hat EL 5 SRV x86 & x86_64 Media Kit	Red Hat Enterprise Linux ES 5 Server media kit for x86 & x86_64.					x	x	x	x	x	x	x	x					S26361-F2346-L211	284	
	Win Server 2008 Standard ROK	Windows Server 2008 Standard ROK (1-4 CPU), ML. Only for distributors with ROK Agreement. Includes: Hyper-V, 1 Virtual Use Right, 5 CALs, 32-bit/x64, x86, 4 sockets, 4 GB RAM, x64: 4 sockets, 32 GB RAM, Languages: CZ,D,E,F,GB,HU,I,NL,PL,PT,RU,SE,TR, OEM DVD, license, manual					x												S26361-F2346-L292	39	
	Win Server 2003 R2, ROK SE SP2, GB	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x														S26361-F2565-L110	375	
	Win Server 2003 R2, ROK SE SP2, D	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x														S26361-F2565-L230	361	
	Win Server 2003 R2, ROK SE SP2, I	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x														S26361-F2565-L231	391	
	Win Server 2003 R2, ROK SE SP2, I	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x	x	x														S26361-F2565-L232	391	



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments
PRIMERGY-Software (Continued)																				
Win Server 2003 R2, ROK SE SP2, F	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x			x	x	x	x	x						S26361-F2565-L233	391	
Win Server 2003 R2, ROK SE SP2, E	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.			x	x	x		x	x	x	x	x						S26361-F2565-L234	391	
Win Server 2003 R2, ROK SE SP2, CZ	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x			x	x	x	x	x						S26361-F2565-L235	391	
Win Server 2003 R2, ROK SE SP2, PL	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x			x	x	x	x	x						S26361-F2565-L236	391	
Win Server 2003 R2, ROK SE SP2, RUS	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x			x	x	x	x	x						S26361-F2565-L237	391	
Win Server 2003 R2, ROK SE x64 SP2, GB	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x			x	x	x	x	x						S26361-F2565-L270	382	
Win Server 2003 R2, ROK SE x64 SP2, D	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x			x	x	x	x	x						S26361-F2565-L271	391	
Win Server 2003 R2, ROK SE x64 SP2, I	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x			x	x	x	x	x						S26361-F2565-L272	391	
Win Server 2003 R2, ROK SE x64 SP2, F	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x			x	x	x	x	x						S26361-F2565-L273	391	
Win Server 2003 R2, ROK SE x64 SP2, E	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW. . Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep. . Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x			x	x	x	x	x						S26361-F2565-L274	391	
VMware VI-FND w/1yr SNS	VMware Infrastructure 3 Foundation OEM License for 2 sockets, additive licenses with 1 year SNS Support and Subscription						x				x	x						S26361-F2341-L367	1108	
VMware VI-FND w/1yr SNS DistributionOnly	VMware Infrastructure 3 Foundation OEM License for 2 sockets, additive licenses with 1 year SNS Support and Subscription						x				x	x						S26361-F2341-L368	835	
VMware VI-FND w/3yr SNS	VMware Infrastructure 3 Foundation OEM License for 2 sockets, additive licenses with 3 year SNS Support and Subscription						x				x	x						S26361-F2341-L369	2038	
VMware VI-FND w/3yr SNS DistributionOnly	VMware Infrastructure 3 Foundation OEM License for 2 sockets, additive licenses with 3 year SNS Support and Subscription						x				x	x						S26361-F2341-L370	1566	
VMware VC-FND-C w/1yr SNS	VMware VirtualCenter Foundation Limited to 3 V13 ESX Nodes with 1 year Support and Subscription OEM						x				x	x						S26361-F2341-L380	1071	
VMware VC-FND-C w/3yr SNS	VMware VirtualCenter Foundation Limited to 3 V13 ESX Nodes with 3 year Support and Subscription OEM						x				x	x						S26361-F2341-L381	1638	



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments
PRIMERGY-Software (Continued)																					
	VMware VC-FND-UG-C w/1yr SNS	Upgrade VC Foundation to VCMS includes upgrade License to VCMS Upgrade VC-FND to VC-VMCS + 1 year SNS					x	x	x	x	x								S26361-F2341-L401	2158	
	VMware VC-FND-UG-C w/3yr SNS	Upgrade VC Foundation to VCMS includes upgrade License to VCMS Upgrade VC-FND to VC-VMCS + 3 year SNS					x	x	x	x	x								S26361-F2341-L402	2688	
	VMware VI-STD w/1yr SNS	Virtual Infrastructure 3 Standard OEM License for 2 sockets; additive licenses with 1 year SNS Support and Subscription.					x				x	x							S26361-F2341-L303	2338	
	VMware VI-STD w/3yr SNS	Virtual Infrastructure 3 Standard OEM License for 2 sockets; additive licenses with 3 year SNS Support and Subscription.					x				x	x							S26361-F2341-L304	3008	
	VMware VI-STD w/1yr SNS DistributionOnly	Virtual Infrastructure 3 Standard OEM License for 2 sockets; additive licenses with 1 year SNS Support and Subscription., Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.					x					x	x						S26361-F2341-L333	1838	
	VMware VI-STD w/3yr SNS DistributionOnly	Virtual Infrastructure 3 Standard OEM License for 2 sockets; additive licenses with 3 year SNS Support and Subscription., Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.					x					x	x						S26361-F2341-L334	2495	
	VMware VI-EE w/1yr SNS	Virtual Infrastructure 3 Enterprise OEM License for 2 sockets; additive licenses with 1 year SNS Support and Subscription.					x				x	x							S26361-F2341-L305	4488	
	VMware VI-EE w/3yr SNS	Virtual Infrastructure 3 Enterprise OEM License for 2 sockets; additive licenses with 3 year SNS Support and Subscription.					x				x	x							S26361-F2341-L306	5776	
	VMware VI-EE w/1yr SNS DistributionOnly	Virtual Infrastructure 3 Enterprise OEM License for 2 sockets; additive licenses with 1 year SNS Support and Subscription., Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.					x					x	x						S26361-F2341-L335	3528	
	VMware VI-EE w/3yr SNS DistributionOnly	Virtual Infrastructure 3 Enterprise OEM License for 2 sockets; additive licenses with 3 year SNS Support and Subscription., Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.					x					x	x						S26361-F2341-L336	4788	
	VMware VCMS w/1yr SNS	VirtualCenter Management Server 2 OEM License per VCMS application instance with 1 year SNS Support and Subscription.		x	x	x	x	x	x	x	x	x	x						S26361-F2341-L321	3066	
	VMware VCMS w/3yr SNS	VirtualCenter Management Server 2 OEM License per VCMS application instance with 3 year SNS Support and Subscription.		x	x	x	x	x	x	x	x	x	x						S26361-F2341-L322	4162	
	VMware VMS-VCMS-BUN-C	VMware VirtualCenter for VMware Server and Support Bundle. Includes one Activation Key for VMware VirtualCenter Management Server for VMware Server, three 2-CPU-agents, and two support incidents. Is designed and licensed for use exclusively with VMware Server. Requires VirtualCenter for VMware Server binaries download from VMware. Requires a Windows Server 2003 operating system.		x	x	x	x	x	x	x	x	x	x						S26361-F2341-L327	956	
	VMware VI-FND-AK-C w/1yr SNS	VI Foundation Acceleration Kit includes VC FND and VI FND for 6 Sockets with 1 year Support and Subscription OEM					x				x	x							S26361-F2341-L382	2338	
	VMware VI-FND-AK-C w/3yr SNS	VI Foundation Acceleration Kit includes VC FND and VI FND for 6 Sockets with 3 year Support and Subscription OEM					x				x	x							S26361-F2341-L383	3013	
	VMware VI-STD-AK-C w/1yr SNS	VI Standard Acceleration Kit includes VC FND and VI STD for 4 Sockets with 1 year Support and Subscription OEM					x				x	x							S26361-F2341-L384	4680	
	VMware VI-STD-AK-C w/3yr SNS	VI Standard Acceleration Kit includes VC FND and VI STD for 4 Sockets with 3 year Support and Subscription OEM					x				x	x							S26361-F2341-L385	6022	
	VMware VI-FND-STD-UG w/1yr SNS	VI3 FND to Standard Upgrade OEM for 2 sockets, additive licenses with 1 year SNS Support and Subscription					x				x	x							S26361-F2341-L407	1238	
	VMware VI-FND-STD-UG w/3yr SNS	VI3 FND to Standard Upgrade OEM for 2 sockets, additive licenses with 3 year SNS Support and Subscription					x				x	x							S26361-F2341-L408	1355	
	VMware VI-FND-ENT-UG w/1yr SNS	VI3 FND to Enterprise Upgrade OEM for 2 sockets, additive licenses with 1 year SNS Support and Subscription					x				x	x							S26361-F2341-L409	3046	
	VMware VI-FND-ENT-UG w/3yr SNS	VI3 FND to Enterprise Upgrade OEM VI3 FND to Enterprise Upgrade OEM VI3 FND to Enterprise Upgrade OEM					x				x	x							S26361-F2341-L410	3945	
	VMware VI-AK w/1yr SNS	VI Enterprise XL Acceleration Kit includes VCMS and VI ENT for 8 Sockets with 1 year Support and Subscription OEM					x				x	x							S26361-F2341-L421	18118	
	VMware VI-AK w/3yr SNS	VI Enterprise XL Acceleration Kit includes VCMS and VI ENT for 8 Sockets with 3 year Support and Subscription OEM					x				x	x							S26361-F2341-L423	23312	
	VMware ESX 3i w/o SNS DistributionOnly	VMware ESX Server 3i Standalone OEM Server License for up to 2 sockets without Support and Subscription Option					x												S26361-F2341-L366	8	
	VMware ESX 3i w/1yr SNS DistributionOnly	VMware ESX Server 3i Standalone OEM Server License for up to 2 sockets with 1 year Support and Subscription Option					x												S26361-F2341-L371	307	
	VMware VI-STD-ENT-UG w/1yr SNS	VI3 Standard to Enterprise Upgrade OEM for 2 sockets, additive licenses with 1 year SNS Support and Subscription. Includes VSMP, VMFS, VMotion, HA, DRS, VCB.					x					x	x						S26361-F2341-L313	2148	
	VMware VI-STD-ENT-UG w/3yr SNS	VI3 Standard to Enterprise Upgrade OEM for 2 sockets, additive licenses with 3 year SNS Support and Subscription. Includes VSMP, VMFS, VMotion, HA, DRS, VCB.		x	x	x	x	x	x	x	x	x	x						S26361-F2341-L314	2916	
	VMware RN SNS 1yr for VI-STD	Renewal SNS Support and Subscription OEM from FSC for 1 year for 2 sockets for Virtual Infrastructure 3 Standard OEM		x	x	x	x	x	x	x	x	x							S26361-F2341-L351	424	
	VMware RN SNS 1yr for VI-EE	Renewal SNS Support and Subscription OEM from FSC for 1 year for 2 sockets for Virtual Infrastructure 3 Enterprise OEM		x	x	x	x	x	x	x	x	x							S26361-F2341-L352	813	
	VMware RN SSS 1yr for VCMS	Renewal SNS Support and Subscription OEM from FSC for 1 year for VirtualCenter Management Server 2 OEM		x	x	x	x	x	x	x	x	x							S26361-F2341-L353	707	
	VMware RN SSS 1yr for VI-VMOT	Renewal SNS Support and Subscription OEM from FSC for 1 year for 2 sockets for VMotion for VI-STD OEM		x	x	x	x	x	x	x	x	x							S26361-F2341-L354	495	
	VMware RN SNS 1yr for VI-STD-ENT-UG	Price is per each 2sockets. Order 2x for a PRIMERGY RX600, TX600, BX630 Quad, and order 4x for an RX800, BX630 8-way.					x	x	x	x	x	x							S26361-F2341-L357	495	
	VMware RN SNS 1yr for VI-FND	Renewal SNS Support and Subscription OEM from FSC for 1 year for 2 sockets for VI-FND (OEM)					x	x	x										S26361-F2341-L358	366	
	VMware RN SNS 1yr for VDI-STD-100	Renewal SNS Support and Subscription from FSC for VDI-STD-100 OEM		x	x	x	x	x	x	x	x	x							S26361-F2341-L364	2479	
	VMware RN SNS 1yr for VDI-ENT-100	Renewal SNS Support and Subscription from FSC for VDI-ENT-100 OEM		x	x	x	x	x	x	x	x	x							S26361-F2341-L365	3895	
	VMware RN SNS 1yr for VDI-W-STR	Renewal SNS Support and Subscription OEM from FSC for 1 year for VDM2-Windows + VI-ENT + VC-FND for 10 desktop VMs					x					x	x						S26361-F2341-L394	212	
	VMware RN SNS 1yr for VDI-W-100	Renewal SNS Support and Subscription OEM from FSC for 1 year for VDM2-Windows + VI-ENT + VC-FND for 100 desktop VMs					x					x	x						S26361-F2341-L395	2125	
	VMware RN SNS 1yr for VDI-W-ADD10-C	Renewal SNS Support and Subscription OEM from FSC for 1 year for VDM2-Windows + VI-ENT + VC-FND for 10 add. desktop VMs					x					x	x						S26361-F2341-L396	212	
	VMware RN SNS 1yr for VI-FND-AK	Renewal SNS Support and Subscription OEM for VI Foundation Acceleration Kit 1 year Support and Subscription OEM					x					x	x						S26361-F2341-L397	424	



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 8-way	PRIMERGY BLADE BX620 Dual DP	PRIMERGY BLADE BX620 Dual MP	PRIMERGY BLADE BX620 Quad	PRIMERGY BLADE BX620 S2 Quad	PRIMERGY BLADE BX620 S3 Quad	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments
PRIMERGY-Software (Continued)																				
	VMware RN SNS 1yr for VI-STD-AK	Renewal SNS Support and Subscription OEM for VI Standard Acceleration Kit 1 year Support and Subscription OEM					x					x	x					S26361-F2341-L398	849	
	VMware RN SNS 1yr for VI-AK	Renewal SNS Support and Subscription OEM for VI Enterprise XL Acceleration Kit 1 year Support and Subscription OEM						x				x	x					S26361-F2341-L399	3291	
	VMware VI CD-ROM Media Kit	Virtual Infrastructure 3 Media Kit OEM Media Kit Only No License.		x	x	x	x	x	x	x	x	x	x					S26361-F2341-L300	62	
	VMware VMotion w/1yr SNS	VMotion for VMware VI-STD w/1yr SNS OEM for 2 sockets, additive licenses with 1 year SNS Support and Subscription. Includes VMotion. , Requires VMware Infrastructure Standard Edition.		x	x	x	x	x	x	x	x	x	x					S26361-F2341-L323	2145	
	VMware VMotion w/3yr SNS	VMotion for VMware VI-STD w/3yr SNS OEM for 2 sockets, additive licenses with 3 year SNS Support and Subscription. Includes VMotion. , Requires VMware Infrastructure Standard Edition.		x	x	x	x	x	x	x	x	x	x					S26361-F2341-L326	2912	
OS/Application-SW																				
	ARCserve r11.5 Media Kit	BrightStor ARCserve Backup r11.5 Media Kit, 1 x BAB r11.5 CD f. Windows, 1 x BAB r11.5 CD f. Linux, 1 x BAB r11.5 Agent CD	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C732	20	
	CA XOSoft Enterprise Rewinder	XOSoft Enterprise Rewinder for Windows- 1 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C10	1990	
	CA XOSoft WANSync FS Std. OS	CA XOSoft WANSync File Server Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C300	1672	
	CA XOSoft WANSync AS Std. OS	CA XOSoft WANSync Application Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C308	2548	
	CA XOSoft WANSyncHA FS Std. OS	CA XOSoft WANSyncHA File Server Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C400	2548	
	CA XOSoft WANSyncHA AS Std. OS	CA XOSoft WANSyncHA Application Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C408	3663	
	XOSoft r12 Replication FS Std. OS	XOSoft r12 Replication File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. , The product offers data replication for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C600	1247	
	XOSoft r12 HighAvailability FS Std. OS	XOSoft r12 High Availability File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C616	1900	
	CA ARCserve r12 Base for Windows	Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymouss/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymouss/phpdocs?filePath=0/4536/12/4536_12_compma.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2000	631	
	UP CA ARCserve r12 Basis for Windows	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymouss/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymouss/phpdocs?filePath=0/4536/12/4536_12_compma.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2000-U	473	
	1Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support, Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C400U1	158	
	3Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support, Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C400U3	474	



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																					
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 10 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C426	393	
	ARCserve r11.5 for Windows 2000/2003	Basic component for backup/restore of one or more servers. BrightStor ARCserve Backup r11.5 is for Windows 2000/2003 certified and released! ARCserve r11.5 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots. For every further Windows server will be needed a further ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C700	615	
	UP ARCserve r11.5 for Windows 2000/2003	ARCserve r11.5 for Windows Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C700-U	461	
	ARCserve r11.5 for MS SBS Standard	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Standard Edition (existing of basic Exchange agent, Open File Agent, Volume Shadow Copy Service Agent and Share Point Portal Agent), Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C750	393	
	ARCserve r11.5 for Linux	BrightStor ARCserve r11.5 for Linux! Basic component for backup/restore of one server or in consumption with clients of more servers, too. Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C800	615	
	UP ARCserve r11.5 for Linux	ARCserve r11.5 for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C800-U	461	
	1Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C800U1	158	
	3Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C800U3	473	
	BSRM for Windows incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) is a cross-platform data storage management solution that monitors, analyzes, schedules and automates networked storage resources across distributed and mainframe environments. Delivery of BrightStor Storage Resource Manager inclusive 1 Year CA Enterprise Maintenance. U15355-C900 is a prerequisite for all other BrightStor SRM products.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C900	2376	
	BrightStor SAN Manager incl 1yr Mnt	BrightStor SAN Manager is a business centric SAN Management solution, that simplifies monitoring and management of complex networked storage resources. With BrightStor SAN Manager you will cover, configure and administrate business centric complex SAN infrastructures. This BrightStor SAN Manager product includes 1 Year CA Enterprise Maintenance.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C920	4757	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 1 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C11	2787	
	CA XOssoft WANSync FS Std. OS	CA XOssoft WANSync File Server Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C301	2340	
	CA XOssoft WANSync AS Std. OS	CA XOssoft WANSync Application Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers and databases/email applications. Product includes , 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C309	3567	
	CA XOssoft WANSyncHA FS Std. OS	CA XOssoft WANSyncHA File Server Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C401	3567	
	CA XOssoft WANSyncHA AS Std. OS	CA XOssoft WANSyncHA Application Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C409	5128	



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX660	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)	XOsoft r12 Replication FS Std. OS	XOsoft r12 Replication File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication for Windows File Servers. . It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server. . . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: . . . Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C601	1745	
	XOsoft r12 HighAvailability FS Std. OS	XOsoft r12 High Availability File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows File Servers. . It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server. . . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: . . . Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C617	2660	
	CA ARCserve r12 WIN Tape Library Option	CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! . CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! . Required for jukeboxes with more than one tape drive! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymouss/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymouss/phpdocs?filePath=0/4536/12/4536_12_compma trix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2001	810	
	UP CA ARCserve r12 WIN Tape Library Opt.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---. CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! . CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! . Required for jukeboxes with more than one tape drive! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymouss/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymouss/phpdocs?filePath=0/4536/12/4536_12_compma trix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2001-U	608	
	1Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C401U1	202	
	3Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C401U3	607	
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 100 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C427	2377	
	ARCserve r11.5 WIN Tape Library Option	ARCserve r11.5 Tape Library Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Required for jukeboxes with several drives! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C701	790	
	UP ARCserve r11.5 Tape Library Option	ARCserve r11.5 for Windows Tape Library Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C701-U	592	
	ARCserve r11.5 for MS SBS Premium	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Premium Edition (existing of basic, Exchange agent, Open File agent, SQL agent, Volume Shadow Copy Service agent and Share Point Portal agent). Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C751	552	



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)	ARCserve r11.5 LX Tape Library Option	BrightStor ARCserve r11.5 for Linux Tape Library Option! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C801	790		
	UP ARCserve r11.5 LX Tape Library Option	ARCserve r11.5 for Linux Upgrade Tape Library Option from ARCserve v9, r11.0 or r11.1 Tape Library Option for Linux! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C801-U	592		
	1Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C801U1	202		
	3Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C801U3	608		
	BSRM Managed Srv Windows incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Windows inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C901	471		
	Proxy for Windows incl 1yr Mnt	BrightStor SAN Manager Proxy for Windows inclusive 1 Year CA Enterprise Maintenance! For each further monitoring Windows server!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C921	471		
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 10 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C12	19905		
	CA XOssoft WANSync FS Ent. OS	CA XOssoft WANSync File Server Suite Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C302	2548		
	CA XOssoft WANSync AS Ent. OS	CA XOssoft WANSync Application Suite Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C310	3821		
	CA XOssoft WANSyncHA FS Ent. OS	CA XOssoft WANSyncHA File Server Suite Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C402	3663		
	CA XOssoft WANSyncHA AS Ent. OS	CA XOssoft WANSyncHA Application Suite Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C410	5733		
	XOssoft r12 Replication FS Ent. OS	XOssoft r12 Replication File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , The product offers data replication for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition), Content: 1x Media Kit and 1x License for one server., , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements:, -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C602	1900		
	XOssoft r12 HighAvailability FS Ent. OS	XOssoft r12 High Availability File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition), Content: 1x Media Kit and 1x License for one server., , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements:, -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C618	2731	
	CA ARCserve r12 WIN SAN Option	CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option. The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compma trix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2002	1298		



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments
Accessories & services matrix																				
OS/Application-SW (Continued)																				
UP CA ARCServe r12 WIN SAN Option	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---. CA ARCServe r12 SAN Option for Windows can only be used in conjunction with CA ARCServe r12 base! The Centralized Management Option is mandatory when using the SAN Option. The SAN Option includes one Tape Library Option license. CA ARCServe Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/frjportal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/frjportal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compma.html		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2002-U	974	
1Yr Mnt ARCServe WIN Optical Library Opt	BrightStor ARCServe Backup for Windows Optical Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C402U1	263	
3Yr Mnt ARCServe WIN Optical Library Opt	BrightStor ARCServe Backup for Windows Optical Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C402U3	790	
1Yr Mnt ARCServe WIN LAPD 10 User	BrightStor ARCServe Backup for Windows Laptops and Desktops 10 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C426U1	101	
ARCServe r11.5 WIN Optical Library Opt.	ARCServe r11.5 Optical Library Option for Windows; works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C702	1028	
UP ARCServe r11.5 Optical Library Option	ARCServe r11.5 for Windows Optical Library Option Upgrade from ARCServe v9, r11.0 or r11.1 for Windows!! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C702-U	771	
1Yr Mnt ARCServe WIN SBS Standard	BrightStor ARCServe Backup for Windows for Microsoft Small Business Server Standard - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C750U1	101	
ARCServe r11.5 LX NAS Option	BrightStor ARCServe r11.5 for Linux NDMP NAS Option! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C802	790	
UP ARCServe r11.5 LX NAS Option	ARCServe r11.5 for Linux Upgrade NAS Option from ARCServe v9, r11.0 or r11.1 NAS Option for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C802-U	592	
1Yr Mnt ARCServe LX NDMP NAS Opt.	BrightStor ARCServe Backup for Linux NDMP NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C802U1	202	
3Yr Mnt ARCServe LX NDMP NAS Opt.	BrightStor ARCServe Backup for Linux NDMP NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C802U3	608	
BSRM Opt MS Exchange incl.1Yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft Exchange inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C902	948	
Proxy for Linux incl 1Yr Mnt	BrightStor SAN Manager Proxy for Linux inclusive 1 Year CA Enterprise Maintenance! For each further monitoring Linux server!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C922	471	
CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 10 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C13	27867	
CA XOssoft WANSync FS Ent. OS	CA XOssoft WANSync File Server Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers and database/email applications. Product includes: 1x Media Kit and 1x License for one server. , More information at: http://extranet.fujitsu-siemens.com/wansync		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C303	3567	
CA XOssoft WANSync AS Ent. OS	CA XOssoft WANSync Application Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers and database/email applications. Product includes: 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C311	5351	
CA XOssoft WANSyncHA FS Ent. OS	CA XOssoft WANSyncHA File Server Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More information at: http://extranet.fujitsu-siemens.com/wansync		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C403	5128	
CA XOssoft WANSyncHA AS Ent. OS	CA XOssoft WANSyncHA Application Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and database/email applications. Product includes: 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C411	8025	



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																				
XOsoft r12 Replication FS Ent. OS	XOsoft r12 Replication File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication for Windows File Servers. . It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition).. Content: 1x Media Kit and 1x License for one server. . . More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x			x	x	x	x			x	x	x		U15260-C603	2660	
XOsoft r12 HighAvailability FS Ent. OS	XOsoft r12 High Availability File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows File Servers. . It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition).. Content: 1x Media Kit and 1x License for one server. . . More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x			x	x	x	x			x	x	x		U15260-C619	3823	
CA ARCserve r12 WIN Disaster Recovery O.	CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/virj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows), https://support.ca.com/virj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compma.html	x	x	x	x			x	x	x	x			x	x	x		U15355-C2003	566	
UP CA ARCserve r12 WIN Disaster Rec. Op.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/virj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows), https://support.ca.com/virj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compma.html	x	x	x	x			x	x	x	x			x	x	x		U15355-C2003-U	425	
1Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year..!	x	x	x	x			x	x	x	x			x	x	x		U15355-C403U1	325	
3Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years..!	x	x	x	x			x	x	x	x			x	x	x		U15355-C403U3	974	
3Yr Mnt ARCserve WIN LAPD 10 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 10 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years..!	x	x	x	x			x	x	x	x			x	x	x		U15355-C426U3	302	
ARCserve r11.5 WIN SAN Option	ARCserve r11.5 Storage Area Network (SAN) Option for Windows; works with ARCserve r11.5 based! Includes one Tape Library Option! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x			x	x	x	x			x	x	x		U15355-C703	1266	
UP ARCserve r11.5 SAN Option	ARCserve r11.5 for Windows Storage Area Network Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x			x	x	x	x			x	x	x		U15355-C703-U	949	
3Yr Mnt ARCserve WIN SBS Standard	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Standard - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years..!	x	x	x	x			x	x	x	x			x	x	x		U15355-C750U3	302	
ARCserve r11.5 LX Oracle Agent	BrightStor ARCserve r11.5 for Linux Agent for Oracle! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp . CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x			x	x	x	x			x	x	x		U15355-C803	790	
UP ARCserve r11.5 LX Oracle Agent	ARCserve r11.5 for Linux Upgrade Oracle Agent from ARCserve v9, r11.0 or r11.1 Oracle Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp . CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x			x	x	x	x			x	x	x		U15355-C803-U	592	



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																				
	1Yr Mnt ARCServe LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C803U1	202	
	3Yr Mnt ARCServe LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C803U3	608	
	BSRM Opt MS SQL Srv incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft SQL Server inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C903	948	
	Proxy for Solaris incl 1yr Mnt	BrightStor SAN Manager Proxy for Solaris inclusive 1 Year CA Enterprise Maintenance! For each further monitoring Solaris server!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C923	948	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 50 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C14	39810	
	CA XOssoft WANSync FS Cluster	CA XOssoft WANSync File Server Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C304	1592	
	CA XOssoft WANSync AS Cluster	CA XOssoft WANSync Application Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C312	2229	
	CA XOssoft WANSyncHA FS Cluster	CA XOssoft WANSyncHA File Server Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C404	2389	
	CA XOssoft WANSyncHA AS Cluster	CA XOssoft WANSyncHA Application Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C412	2867	
	XOssoft r12 Replication FS Cluster	XOssoft r12 Replication File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , The product offers data replication for Windows File Servers. , It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C604	1187	
	XOssoft r12 HighAvailability FS Cluster	XOssoft r12 High Availability File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C620	1781	
	CA ARCServe r12 WIN NDMP NAS Option	CA ARCServe r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCServe r12 base! , CA ARCServe Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2004	810	
	UP CA ARCServe r12 WIN NDMP NAS Option	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCServe r12 base! , CA ARCServe Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2004-U	608	
	1Yr Mnt ARCServe WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C404U1	325	
	3Yr Mnt ARCServe WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C404U3	974	
	1Yr Mnt ARCServe WIN LAPD 100 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 100 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C427U1	610	



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																					
	ARCserve r11.5 WIN Serverless BackupOpt	ARCserve r11.5 Serverless Backup Option for Windows; works with ARCserve r11.5 basic and ARCserve r11.5 SAN Option! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C704	1266		
	UP ARCserve r11.5 Serverless Backup Opt.	ARCserve r11.5 for Windows Serverless Backup Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C704-U	949		
	1Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 1 year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C751U1	141		
	ARCserve r11.5 LX SQL Agent	BrightStor ARCserve r11.5 for Linux Agent for MySQL! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C804	790		
	UP ARCserve r11.5 LX SQL Agent	ARCserve r11.5 for Linux Upgrade SQL Agent from ARCserve v9, r11.0 or r11.1 SQL Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C804-U	592		
	1Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C804U1	202		
	3Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C804U3	608		
	BSRM Opt Oracle incl. 1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Oracle inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C904	948		
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 50 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C15	55733		
	CA XOssoft WANSync FS Cluster	CA XOssoft WANSync File Server Suite forMicrosoft Cluster - inclusive 3 Years CA Enterprise Maintenance. Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server. . . More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C305	2229		
	CA XOssoft WANSync AS Cluster	CA XOssoft WANSync Application Suite for Microsoft Cluster - inclusive 3 Years CA Enterprise Maintenance. Offers data replication for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server. . . More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C313	3121		
	CA XOssoft WANSyncHA FS Cluster	CA XOssoft WANSyncHA File Server Suite forMicrosoft Cluster - inclusive 3 Years CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server. . . More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C405	3344		
	CA XOssoft WANSyncHA AS Cluster	CA XOssoft WANSyncHA Application Suite for Microsoft Cluster - inclusive 3 Years CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server. . . More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C413	4013		
	XOssoft r12 Replication FS Cluster	XOssoft r12 Replication File Server Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication for Windows File Servers. . It supports only Windows Clusters. . Content: 1x Media Kit and 1x License for one server. . . More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: . . . Hardware: PRIMERGY Server of Fujitsu Siemens Computers. Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C605	1662		
	XOssoft r12 HighAvailability FS Cluster	XOssoft r12 High Availability File Server Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows File Servers. . It supports only Windows Clusters. . Content: 1x Media Kit and 1x License for one server. . . More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: . . . Hardware: PRIMERGY Server of Fujitsu Siemens Computers. Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C621	2494	



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																				
CA ARCServe r12 WIN Open Files Agent	CA ARCServe r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCServe r12 base or a Windows Client Agent! . CA ARCServe Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! . Hardware and operating system dependencies can be found at the following link, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compma trix.html		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2005	648	
UP CA ARCServe r12 WIN Open Files Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---. CA ARCServe r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCServe r12 base or a Windows Client Agent! . CA ARCServe Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! . Hardware and operating system dependencies can be found at the following link, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compma trix.html		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2005-U	486	
1Yr Mnt ARCServe WIN Disaster Recovery	BrightStor ARCServe Backup for Windows Disaster Recovery Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C405U1	141	
3Yr Mnt ARCServe WIN Disaster Recovery	BrightStor ARCServe Backup for Windows Disaster Recovery Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C405U3	424	
3Yr Mnt ARCServe WIN LAPD 100 User	BrightStor ARCServe Backup for Windows Laptops and Desktops 100 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C427U3	1829	
ARCServe r11.5 WIN Disaster Recovery Opt	ARCServe r11.5 Disaster Recovery Option for Windows; works with ARCServe r11.5 basic! Provides a fast and easy recovery of a downed server! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C705	552	
UP ARCServe r11.5 Disaster Recovery Opt.	ARCServe r11.5 for Windows Disaster Recovery Option Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C705-U	413	
3Yr Mnt ARCServe WIN SBS Premium	BrightStor ARCServe Backup for Windows for Microsoft Small Business Server Premium - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C751U3	424	
ARCServe r11.5 LX Apache Web Server Agt.	BrightStor ARCServe r11.5 for Linux Agent for Apache Web Server! Hardware and operating system dependent extract from the following link, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C805	790	
UP ARCServe r11.5 LX Apache Web Server	ARCServe r11.5 for Linux Upgrade Apache Web Server Agent from ARCServe v9, r11.0 or r11.1 Apache Web Server Agent for Linux! Hardware and operating system dependent extract from the following link, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C805-U	592	
1Yr Mnt ARCServe LX Apache Agent	BrightStor ARCServe Backup for Linux Agent for Apache Web Server - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C805U1	202	
3Yr Mnt ARCServe LX Apache Agent	BrightStor ARCServe Backup for Linux Agent for Apache Web Server - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C805U3	608	
BSRM Managed Srv Linux incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Linux inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C905	471	
CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 200 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C16	79619	
CA XOssoft WANSync FS Virtual Machine	CA XOssoft WANSync File Server Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C306	1274	
CA XOssoft WANSync AS Virtual Machine	CA XOssoft WANSync Application Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C314	1433	



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																					
CA XOssoft WANSynchHA FS Virtual Machine	CA XOssoft WANSynchHA File Server Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server. More information at: http://extranet.fujitsu-siemens.com/wansync		x	x	x	x		x	x	x			x	x	x			U15260-C406	1592		
CA XOssoft WANSynchHA Virtual Machine	CA XOssoft WANSynchHA Application Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers and database/email applications. Product includes 1x Media Kit and 1x License for one server. More information at: http://extranet.fujitsu-siemens.com/wansync		x	x	x	x		x	x	x			x	x	x			U15260-C414	2389		
XOssoft r12 Replication FS Virt. Machine	XOssoft r12 Replication File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance. The product offers data replication for Windows File Servers. It supports only Windows operating systems in virtual machines (e.g. ESX Server or VMware Workstation). Content: 1x Media Kit and 1x License for one server. More product information at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software: Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x	x	x		x	x	x			x	x	x			U15260-C606	950		
XOssoft r12 HighAvailability FS Virt. Ma.	XOssoft r12 High Availability File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance. The product offers data replication and high availability for Windows File Servers. It supports only Windows operating systems in virtual machines (e.g. ESX Server or VMware Workstation). Content: 1x Media Kit and 1x License for one server. More product information at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software: Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x	x	x		x	x	x			x	x	x			U15260-C622	1187		
CA ARCserve r12 WIN IBM Informix Agent	CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client. CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003. Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows). https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows). https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x	x	x	x	x	x	x			x	x	x			U15355-C2006	1055		
UP CA ARCserve r12 WIN IBM Informix Ag.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client. CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003. Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows). https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows). https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x	x	x	x	x	x	x			x	x	x			U15355-C2006-U	791		
1Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect. CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year..!		x	x	x	x	x	x	x	x			x	x	x			U15355-C406U1	202		
3Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect. CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years..!		x	x	x	x	x	x	x	x			x	x	x			U15355-C406U3	607		
ARCserve r11.5 WIN Image Option	ARCserve r11.5 Image Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . CA Compatibility Matrix (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x			x	x	x			U15355-C706	790		
UP ARCserve r11.5 Image Option	ARCserve r11.5 for Windows Image Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . CA Compatibility Matrix (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x			x	x	x			U15355-C706-U	592		
ARCserve r11.5 LX Client Agent for UNIX	BrightStor ARCserve r11.5 Client Agent for UNIX! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux). https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp . CA Compatibility Matrix (Linux). https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x			x	x	x			U15355-C806	313		
UP ARCserve r11.5 LX Client Agent UNIX	ARCserve r11.5 for Linux Upgrade Client Agent for UNIX from ARCserve v9, r11.0 or r11.1 Client Agent for UNIX! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux). https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp . CA Compatibility Matrix (Linux). https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x			x	x	x			U15355-C806-U	235		



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																					
	1Yr Mnt ARCServe LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year..!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C806U1	80		
	3Yr Mnt ARCServe LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year..!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C806U3	241		
	BSRM Managed Srv NW incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for NetWare inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C906	471		
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows <200 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C17	11467		
	CA XOssoft WANSync FS Virtual Machine	CA XOssoft WANSync File Server Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance . Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C307	1783		
	CA XOssoft WANSync AS Virtual Machine	CA XOssoft WANSync Application Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance . Offers data replication for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C315	2006		
	CA XOssoft WANSyncHA FS Virtual Machine	CA XOssoft WANSyncHA File Server Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance . Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C407	2229		
	CA XOssoft WANSyncHA AS Virtual Machine	CA XOssoft WANSyncHA Application Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance . Offers data replication and high availability for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C415	3344		
	XOssoft r12 Replication FS Virt. Machine	XOssoft r12 Replication File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance. . The product offers data replication for Windows File Servers. . It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation), Content: 1x Media Kit and 1x License for one server., More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C607	1330		
	XOssoft r12 HighAvailability FS Virt. Ma.	XOssoft r12 High Availability File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance. . The product offers data replication and high availability for Windows File Servers. . It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation), Content: 1x Media Kit and 1x License for one server., More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C623	1662	
	CA ARCServe r12 WIN MS Exchange Agent	CA ARCServe r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCServe Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2007	810		
	UP CA ARCServe r12 WIN MS Exchange Age	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCServe Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2007-U	608		
	1Yr Mnt ARCServe WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year..!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C407U1	202		
	3Yr Mnt ARCServe WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years..!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C407U3	607		



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																				
	ARCserve r11.5 WIN NAS Option	ARCserve r11.5 Network Attached Storage (NAS) Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Backups a NAS unit with NDMP on a locally connected tape library. Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C707	790	
	UP ARCserve r11.5 NAS Option	ARCserve r11.5 for Windows NDMP Network Attached Storage (NAS) Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C707-U	592	
	ARCserve r11.5 LX Client Agent for Linux	BrightStor ARCserve r11.5 Client Agent for Linux! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C807	198		
	UP ARCserve r11.5 LX Client Agent Linux	ARCserve r11.5 for Linux Upgrade Client Agent for Linux from ARCserve v9, r11.0 or r11.1 Client Agent for Linux Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C807-U	149		
	1Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect; CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C807U1	51		
	3Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect; CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C807U3	152		
	XOsoft r12 Replication APP Std. OS	XOsoft r12 Replication for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication for Windows Application Servers. . It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition) . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9i/10, . Content: 1x Media Kit and 1x License for one server. . . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , . System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C608	1900		
	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows Application Servers. . It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition) . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9i/10, . Content: 1x Media Kit and 1x License for one server. . . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , . System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C624	2731		
	CA ARCserve r12 WIN Lotus/Domino Agent	CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compma trix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2008	810		
	UP CA ARCserve r12 WIN Lotus/Domino Ag.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compma trix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2008-U	608		
	1Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect; CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C408U1	202		



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																				
	3Yr Mnt ARCServe WIN RAID Opt.	BrightStor ARCServe Backup for Windows RAID Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C408U3	607	
	ARCServe r11.5 WIN Tape RAID Option	ARCServe r11.5 Tape RAID Option for Windows; works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows); https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows); https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C708	790	
	UP ARCServe r11.5 Tape RAID Option	ARCServe r11.5 for Windows Tape RAID Option Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows); https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows); https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C708-U	592	
	ARCServe r11.5 LX Client Agent NetWare	BrightStor ARCServe r11.5 Client Agent for NetWare! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux); https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux); https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C808	313	
	UP ARCServe r11.5 LX Client AgentNetWare	ARCServe r11.5 for Linux Upgrade Client Agent for NetWare from ARCServe v9, r11.0 or r11.1 Client Agent for NetWare! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux); https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux); https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C808-U	235	
	1Yr Mnt ARCServe LX Client Agent NW	BrightStor ARCServe Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C808U1	80	
	3Yr Mnt ARCServe LX Client Agent NW	BrightStor ARCServe Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C808U3	241	
	XOsoft r12 Replication APP Std. OS	XOsoft r12 Replication for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. , The product offers data replication for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition) , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10 , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C609	2660	
	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 3 Years CA Enterprise Maintenance. , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition) , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10 , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C625	3823	
	CA ARCServe r12 WIN Sybase Agent	CA ARCServe r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCServe Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows); https://support.ca.com/irj/portal/anonymouss/phpdocs?filePath=0/4536/12/cdl/4536_12_cdl.html , CA Compatibility Matrix (Windows); https://support.ca.com/irj/portal/anonymouss/phpdocs?filePath=0/4536/12/4536_12_compma trx.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2009	1055	
	UP CA ARCServe r12 WIN Sybase Agent	---Upgrade from BAB #9 01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCServe Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows); https://support.ca.com/irj/portal/anonymouss/phpdocs?filePath=0/4536/12/cdl/4536_12_cdl.html , CA Compatibility Matrix (Windows); https://support.ca.com/irj/portal/anonymouss/phpdocs?filePath=0/4536/12/4536_12_compma trx.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2009-U	791	
	1Yr Mnt ARCServe WIN Open File Agent WIN	BrightStor ARCServe Backup for Windows Open File Agent on Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C409U1	162	



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																					
	3Yr Mnt ARCServe WIN Open File Agent WIN	BrightStor ARCServe Backup for Windows Open File Agent on Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C409U3	486		
	ARCServe r11.5 WIN Open File Agent WIN	ARCServe r11.5 Agent for Open Files on Windows; works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C709	631		
	UP ARCServe r11.5 Open File Agent	ARCServe r11.5 for Windows Open File Agent Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C709-U	473		
	ARCServe r11.5 Client Agent for Windows	BrightStor ARCServe r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux). https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux). https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C809	198		
	UP ARCServe r11.5 LX Client Agent/Windows	ARCServe r11.5 for Linux Upgrade Client Agent for Windows from ARCServe v9, r11.0 or r11.1 Client Agent for Windows Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux). https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux). https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C809-U	149		
	1Yr Mnt ARCServe LX Client Agent WIN	BrightStor ARCServe Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C809U1	51		
	3Yr Mnt ARCServe LX Client Agent WIN	BrightStor ARCServe Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C809U3	152		
	XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , The product offers data replication for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements; -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C610	2849		
	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements; -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C626	4275		
	CA ARCServe r12 WIN Oracle Agent	CA ARCServe r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCServe Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows). https://support.ca.com/irj/portal/anonymouss/phpdocs?filePath=0/4536/12/cdis/4536_12_cdl.html , CA Compatibility Matrix (Windows). https://support.ca.com/irj/portal/anonymouss/phpdocs?filePath=0/4536/12/4536_12_compma trx.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2010	810		
	UP CA ARCServe r12 WIN Oracle Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCServe Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows). https://support.ca.com/irj/portal/anonymouss/phpdocs?filePath=0/4536/12/cdis/4536_12_cdl.html , CA Compatibility Matrix (Windows). https://support.ca.com/irj/portal/anonymouss/phpdocs?filePath=0/4536/12/4536_12_compma trx.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2010-U	608		
	1Yr Mnt ARCServe WIN Open File Agent NW	BrightStor ARCServe Backup for Windows Open File Agent on NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C410U1	162		



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																					
3Yr Mnt ARCServe WIN Open File Agent NW	BrightStor ARCServe Backup for Windows Open File Agent on NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C410U3	486		
ARCServe r11.5 NetWare Open File Agent	ARCServe r11.5 Agent for Open Files on NetWare; works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C710	631		
UP ARCServe r11.5 Informix Agent	ARCServe r11.5 for Windows Informix Agent Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C711-U	771		
ARCServe r11.5 LX SAN Option	BrightStor ARCServe r11.5 für Linux Storage Area Network Option! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux). https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux). https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C810	1266		
UP ARCServe r11.5 LX SAN Option	ARCServe r11.5 for Linux Upgrade SAN Option from ARCServe v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux). https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux). https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C810-U	949		
1Yr Mnt ARCServe LX SAN Option	BrightStor ARCServe Backup for Linux Storage Area Network Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C810U1	325		
3Yr Mnt ARCServe LX SAN Option	BrightStor ARCServe Backup for Linux Storage Area Network Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C810U3	974		
XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , The product offers data replication for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition), , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10 , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edit. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C611	3990		
XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition), , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10 , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edit. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C627	5984		
CA ARCServe r12 WIN MS SQL Agent	CA ARCServe r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! CA ARCServe Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows). https://support.ca.com/irj/portal/anonymouss/iphdocs?filePath=0/4536/12/cdl/4536_12_cdl.html , CA Compatibility Matrix (Windows). https://support.ca.com/irj/portal/anonymouss/iphdocs?filePath=0/4536/12/4536_12_compma trix.html		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2011	810		
UP CA ARCServe r12 WIN MS SQL Agent	---Upgrade from BAB #9 01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! CA ARCServe Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows). https://support.ca.com/irj/portal/anonymouss/iphdocs?filePath=0/4536/12/cdl/4536_12_cdl.html , CA Compatibility Matrix (Windows). https://support.ca.com/irj/portal/anonymouss/iphdocs?filePath=0/4536/12/4536_12_compma trix.html		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2011-U	608		
1Yr Mnt ARCServe WIN Informix Agent	BrightStor ARCServe Backup for Windows Informix Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C411U1	263		



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																					
3Yr Mnt ARCServe WIN Informix Agent	BrightStor ARCServe Backup for Windows Informix Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C411U3	790		
ARCServe r11.5 WIN Informix Agent	ARCServe r11.5 Agent for Informix for Windows; works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C711	1028		
UP ARCServe r11.5 MS Exchange Agent	ARCServe r11.5 for Windows Exchange Agent Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C712-U	592		
ARCServe r11.5 LX SAN SecondarySrvBundle	BrightStor ARCServe r11.5 for Linux SAN Secondary Server Bundle! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux). https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux). https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C811	1266		
UP ARCServe r11.5 LX SAN Sec. Srv.Bundle	ARCServe r11.5 for Linux Upgrade SAN Option from ARCServe v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux). https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux). https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C811-U	949		
1Yr Mnt ARCServe LX SAN Sec.Srv.Bundle	BrightStor ARCServe Backup for Linux SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C811U1	325		
3Yr Mnt ARCServe LX SAN Sec.Srv.Bundle	BrightStor ARCServe Backup for Linux SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C811U3	974		
XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication for Windows Application Servers. . It supports only Windows Clusters. . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . System Requirements: . . . Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C612	1662		
XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows Application Servers. . It supports only Windows Clusters. . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . System Requirements: . . . Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C628	2137		
CA ARCServe r12 WIN SAP/R3 Oracle Option	CA ARCServe r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! CA ARCServe Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows). https://support.ca.com/rij/portal/anonymos/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows). https://support.ca.com/rij/portal/anonymos/phpdocs?filePath=0/4536/12/4536_12_compma trx.html		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2012	1625		
UP CA ARCServe r12 WIN SAP/R3 Oracle Option	Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12. . . CA ARCServe r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! CA ARCServe Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows). https://support.ca.com/rij/portal/anonymos/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows). https://support.ca.com/rij/portal/anonymos/phpdocs?filePath=0/4536/12/4536_12_compma trx.html		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2012-U	1218		
1Yr Mnt ARCServe WIN Exchange Agent	BrightStor ARCServe Backup for Windows Exchange Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C412U1	202		



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments
OS/Application-SW (Continued)	3Yr Mnt ARCServe WIN Exchange Agent	BrightStor ARCServe Backup for Windows Exchange Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C412U3	607	
	ARCServe r11.5 WIN Exchange Agent	ARCServe r11.5 Agent for Microsoft Exchange for Windows; works with ARCServe r11.5 basic! Allows online databases or mailboxes on the Exchange Server to be selectively backed up or restored. BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C712	790	
	UP ARCServe r11.5 MS Exch.Premium Bundl	ARCServe r11.5 for Windows Exchange Premium Bundle Upgrade from ARCServe v9, r11.0 or r11.1 for Windows!! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C713-U	949	
	ARCServe r11.5 LX Advantage IngresOption	BrightStor ARCServe r11.5 for Enterprise Option for Advantage Ingres for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C812	1028	
	1Yr Mnt ARCServe LX Advantage Ingres Opt	BrightStor ARCServe Backup for Enterprise Option for Advantage Ingres for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C812U1	263	
	3Yr Mnt ARCServe LX Advantage Ingres Opt	BrightStor ARCServe Backup for Enterprise Option for Advantage Ingres for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C812U3	791	
	XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance... The product offers data replication for Windows Application Servers... It supports only Windows Clusters... Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9i10... Content: 1x Media Kit and 1x License for one server... More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C613	2327	
	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance... The product offers data replication and high availability for Windows Application Servers... It supports only Windows Clusters... Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9i10... Content: 1x Media Kit and 1x License for one server... More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C629	2992	
	CA ARCServe r12 WIN Windows Client Agent	CA ARCServe r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! CA ARCServe Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compma.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2013	204	
	UP CA ARCServe r12 WIN Windows Client Ag	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! CA ARCServe Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compma.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2013-U	152	
	1Yr Mnt ARCServe WIN Exchange Bundle	BrightStor ARCServe Backup for Windows Premium MS Exchange Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C413U1	325	
	3Yr Mnt ARCServe WIN Exchange Bundle	BrightStor ARCServe Backup for Windows Premium MS Exchange Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C413U3	974	



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																					
	ARCserve r11.5 WIN Exchange Prem.Bundle	ARCserve r11.5 MS Exchange Premium Bundle! Consisting of ARCserve r11.5 Exchange Agent and ARCserve r11.5 MS Exchange Premium Add-On! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C713	1266	
	UP ARCserve r11.5 Lotus/Domino Agent	ARCserve r11.5 for Windows Agent for Lotus/Domino Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C715-U	592	
	ARCserve r11.5 LX Disk Staging Option	BrightStor ARCserve r11.5 for Linux Disk Staging Option! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C813	393		
	XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication for Windows Application Servers. . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10 . . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C614	1068		
	XOsoft r12 HighAvailability APP Virt. M.	XOsoft r12 High Availability for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows Application Servers. . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10 . . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C630	1781		
	CA ARCserve r12 WIN MS SBS Premium Edt	CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent, CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! . Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compma trix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2014	566		
	UP CA ARCserve r12 WIN MS SBS Premium	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---. CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent, CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! . Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compma trix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2014-U	425		
	1Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C414U1	202			
	3Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C414U3	607			
	ARCserve r11.5 WIN Exchange Prem.Add-On	ARCserve r11.5 MS Exchange Premium Add-On; works with ARCserve r11.5 basic and ARCserve r11.5 Exchange Agent! Allows the backup and restore on document section! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C714	790		



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																				
UP ARCServe r11.5 Sybase Agent	ARCServe r11.5 for Windows Agent for Sybase Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C716-U	771	
ARCServe r11.5 LX Lotus / Domino Agent	BrightStor ARCServe r11.5 for Linux Agent for Lotus / Domino Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C814	790	
XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance... The product offers data replication for Windows Application Servers... It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation)... Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10... Content: 1x Media Kit and 1x License for one server... More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines... A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C615	1496	
XOsoft r12 HighAvailability APP Virt. M.	XOsoft r12 High Availability for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance... The product offers data replication and high availability for Windows Application Servers... It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation)... Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10... Content: 1x Media Kit and 1x License for one server... More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines... A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C631	2494	
CA ARCServe r12 WIN SAN Sec. Srv. Bundle	CA ARCServe r12 SAN Secondary Server Bundle includes the following ARCServe r12 components: 1x Base, 1x SAN Option, CA ARCServe Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compma trix.html		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2015	1298	
UP CA ARCServe r12 WIN SAN Sec. Srv. Bnk	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 SAN Secondary Server Bundle includes the following ARCServe r12 components: 1x Base, 1x SAN Option, CA ARCServe Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compma trix.html		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2015-U	974	
ARCServe r11.1 LX FlexFrame Agent	Allows the backup of one online SAP/Oracle database under linux and the archive of Redo-log files! Licensing is made pro SID! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C356	1844	
1Yr Mnt ARCServe WIN Lotus/Domino Agent	BrightStor ARCServe Backup for Windows Lotus/Domino Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C415U1	202	
3Yr Mnt ARCServe WIN Lotus/Domino Agent	BrightStor ARCServe Backup for Windows Lotus/Domino Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C415U3	607	
ARCServe r11.5 WIN Lotus/Domino Agent	ARCServe r11.5 Agent for Lotus Notes for Windows: works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C715	790	



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																			
UP	ARCserve r11.5 Oracle Agent	ARCserve r11.5 for Windows Agent for Oracle Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C717-U	592	
CA	ARCserve r12 WIN MS SBS Standard Edition	CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, 1x Exchange Agent, 1x Open File Agent, 1x Sharepoint Agent, CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)!, Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compma trix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2016	403	
UP	CA ARCserve r12 WIN MS SBS Stand. Edition	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, 1x Exchange Agent, 1x Open File Agent, 1x Sharepoint Agent, CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)!, Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compma trix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2016-U	302	
1Yr	Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C416U1	263	
3Yr	Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C416U3	790	
	ARCserve r11.5 WIN Sybase Agent	ARCserve r11.5 Agent for Sybase for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C716	1028	
UP	ARCserve r11.5 MS SQL Agent	ARCserve r11.5 for Windows Agent for SQL Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C718-U	592	
1 Yr	Mnt. WANSyncHA Std Srv	1 Year CA Enterprise Maintenance Renewal for CA XOsft WANSync HA Standard Server	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C40U1	543	
CA	ARCserve r12 WIN DiskToDiskToTape Option	CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compma trix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2017	403	
UP	CA ARCserve r12 WIN DiskToDiskToTape Option	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compma trix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2017-U	302	
1Yr	Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C417U1	202	
3Yr	Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C417U3	607	
	ARCserve r11.5 WIN Oracle Agent	ARCserve r11.5 Agent for Oracle for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C717	790	



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																					
UP ARCServe r11.5 Client Agent for UNIX	ARCServe r11.5 Client Agent for UNIX Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C720-U	235		
CA ARCServe r12 WIN MS Sharepoint Agent	CA ARCServe r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client! CA ARCServe Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2018	810		
UP CA ARCServe r12 WIN MS Sharepoint Ag	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client! CA ARCServe Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2018-U	608		
1Yr Mnt ARCServe WIN SQL Agent	BrightStor ARCServe Backup for Windows SQL Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C418U1	202		
3Yr Mnt ARCServe WIN SQL Agent	BrightStor ARCServe Backup for Windows SQL Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C418U3	607		
ARCServe r11.5 WIN SQL Server Agent	ARCServe r11.5 Agent for Microsoft SQL for Windows; works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C718	790		
UP ARCServe r11.5 Client Agent Linux	ARCServe r11.5 Client Agent for Linux Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C721-U	149		
CA ARCServe r12 WIN Enterprise Module	CA ARCServe r12 Enterprise Module for Windows can only be used in conjunction with CA ARCServe r12 base! CA ARCServe Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2019	3440		
UP CA ARCServe r12 WIN Enterprise Module	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Enterprise Module for Windows can only be used in conjunction with CA ARCServe r12 base! CA ARCServe Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2019-U	3054		
1Yr Mnt ARCServe WIN SAP R/3 Agent	BrightStor ARCServe Backup for Windows SAP R/3 Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C419U1	317		
3Yr Mnt ARCServe WIN SAP R/3 Agent	BrightStor ARCServe Backup for Windows SAP R/3 Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C419U3	952		
ARCServe r11.5 SAP R/3 Agent for Oracle	ARCServe r11.5 Agent for SAP R/3 for Oracle; works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C719	2123		



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments
OS/Application-SW (Continued)	UP ARCServe r11.5 Client Agent NetWare	ARCServe r11.5 Client Agent for NetWare Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C722-U	235	
	CA ARCServe r12 WIN MS DPM Agent	CA ARCServe r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client!. CA ARCServe Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows). https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows). https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compma trix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2020	810	
	UP CA ARCServe r12 WIN MS DPM Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client!. CA ARCServe Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows). https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows). https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compma trix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2020-U	608	
	1Yr Mnt ARCServe WIN Client Agent UNIX	BrightStor ARCServe Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C420U1	80		
	3Yr Mnt ARCServe WIN Client Agent UNIX	BrightStor ARCServe Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C420U3	240		
	ARCServe r11.5 WIN Client Agent UNIX	ARCServe r11.5 Client Agent for UNIX; works with ARCServe r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C720	313		
	UP ARCServe r11.5 Client Agent Windows	ARCServe r11.5 Client Agent for Windows Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C723-U	149		
	CA ARCServe r12 WIN VSS-HW Snap. Option	CA ARCServe r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCServe r12 base! , CA ARCServe Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows). https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows). https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compma trix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2021	4067		
	UP CA ARCServe r12 WIN VSS-HW Snap. Option	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCServe r12 base! , CA ARCServe Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows). https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows). https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compma trix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2021-U	3051		
	1Yr Mnt ARCServe WIN Client Agent Linux	BrightStor ARCServe Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C421U1	51		
	3Yr Mnt ARCServe WIN Client Agent Linux	BrightStor ARCServe Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C421U3	152		
	ARCServe r11.5 WIN Client Agent Linux	ARCServe r11.5 Client Agent for Linux; works with ARCServe r11.5 basic! Allows the backup of one further LINUX servers! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.as.p	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C721	198		



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																					
UP	ARCserve r12 WIN Sngl Srv-Full Edit.	ARCserve r12 for Windows Upgrade from ARCserve Single Server Edition to ARCserve r12 for Windows Standard Edition. BrightStor ARCserve Backup r12 is for Windows 2000 / 2003 / 2008 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C780-U	461		
CA	ARCserve r12 WIN VMware Agent	CA ARCserve r12 Agent f. VMware for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Agent f. VMware for Windows is certified and released for Windows 2003! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2022	810		
1Yr	Mnt ARCserve WIN Client Agent NetWare	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C422U1	80		
3Yr	Mnt ARCserve WIN Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C422U3	240		
	ARCserve r11.5 WIN Client Agent NetWare	ARCserve r11.5 Client Agent for NetWare: works with ARCserve r11.5 basic! Allows the backup of one further NetWare servers! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectv.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectv.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.as.p	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C722	313		
CA	ARCserve r12 WIN Central Mngmt. Opt.	CA ARCserve r12 Central Management Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Central Management Option for Windows is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C2023	1217		
1Yr	Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C423U1	51		
3Yr	Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C423U3	152		
	ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers: works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectv.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectv.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C723	198		
1Yr	Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C424U1	80		
3Yr	Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C424U3	240		
	ARCserve r11.5 WIN Client Agent MAC OS X	ARCserve r11.5 Client Agent for Mac OS X; works with ARCserve r11.5 basic! Allows the backup of one further Mac OS X servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectv.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectv.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C724	313		
1Yr	Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C428U1	325		
3Yr	Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C428U3	974		
	ARCserve r11.5 WIN Special	ARCserve r11.5 Special! Consisting of ARCserve r11.5 basic and ARCserve r11.5 Disaster Recovery! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectv.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectv.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C725	1167		



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																			
	1Yr Mnt ARCServe WIN Clt VSS SnapShot	BrightStor ARCServe Backup for Windows Client VSS Software Snap Shot - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x		x	x	x		U15355-C429U1	263	
	3Yr Mnt ARCServe WIN Clt VSS SnapShot	BrightStor ARCServe Backup for Windows Client VSS Software Snap Shot - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x		x	x	x		U15355-C429U3	790	
	ARCServe r11.5 WIN Secondary Srv Bundle	ARCServe r11.5 Secondary Server Bundle! Exists of ARCServe r11.5 basic license and ARCServe r11.5 SAN Option license! No media kit included! For further server which has access to the jukebox in a SAN! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x		x	x	x		U15355-C726	1266	
	1Yr Mnt ARCServe WIN Enterprise Module	BrightStor ARCServe Backup for Windows Enterprise Module - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x		x	x	x		U15355-C430U1	763	
	3Yr Mnt ARCServe WIN Enterprise Modul	BrightStor ARCServe Backup for Windows Enterprise Module - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x		x	x	x		U15355-C430U3	2290	
	ARCServe r11.5 WIN Clt VSS SW Snap Shot	ARCServe r11.5 Client for VSS (Volume Shadow Copy Service) Snap Shot! The integration with Microsoft VSS-ability applications allows backups to a specific time. In this process can be saved snapshot copies, when the processes are active and open data are working. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x		x	x	x		U15355-C727	1028	
	1Yr Mnt ARCServe WIN DiskStaging Option	BrightStor ARCServe Backup for Windows Disk Staging Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x		x	x	x		U15355-C431U1	101	
	3Yr Mnt ARCServe WIN DiskStaging Option	BrightStor ARCServe Backup for Windows Disk Staging Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x		x	x	x		U15355-C431U3	302	
	ARCServe r11.5 WIN Disk Staging Option	ARCServe r11.5 Disk Staging Option Shrinks backup time by allowing backup data to be staged to fast disk drives before it is automatically moved to tape. Restore requests are redirected to disks automatically, reducing recovery time. The whole operation is policy driven, reducing cost and management overhead. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x		x	x	x		U15355-C728	393	
	1Yr Mnt ARCServe WIN SharePnt Portal Agt	BrightStor ARCServe Backup for Windows Share Point Portal Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x		x	x	x		U15355-C432U1	202	
	3Yr Mnt ARCServe WIN SharePnt Portal Agt	BrightStor ARCServe Backup for Windows Share Point Portal Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x		x	x	x		U15355-C432U3	607	
	ARCServe r11.5 WIN Share Point Portal	ARCServe r11.5 für Windows Share Point Portal Agent With this agent Microsoft Share Point and all its components will be identify and efficiently backed up. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x		x	x	x		U15355-C729	790	
	1Yr Mnt ARCServe WIN DPM Agent	BrightStor ARCServe Backup for Windows DPM Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x		x	x	x		U15355-C433U1	202	
	3Yr Mnt ARCServe WIN DPM Agent	BrightStor ARCServe Backup for Windows DPM Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x		x	x	x		U15355-C433U3	607	
	ARCServe r11.5 Enterprise Modul	ARCServe r11.5 Enterprise Module; works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x		x	x	x		U15355-C730	3349	
	1Yr Mnt ARCServe WIN Central Mgmt. Opt.	ARCServe Backup for Windows Central Management Option - 1 Year CA Enterprise Maintenance, Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x		x	x	x		U15355-C434U1	304	
	3Yr Mnt ARCServe WIN Central Mgmt. Opt.	ARCServe Backup for Windows Central Management Option - 3 Years CA Enterprise Maintenance, Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x		x	x	x		U15355-C434U3	913	



Blade Servers Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																					
	ARCServe r11.5 WIN DPM Agent	ARCServe r11.5 for Windows DPM Agent; works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x			U15355-C731	790	
	1Yr Mnt ARCServe WIN VMware Agent	ARCServe Backup for Windows Agent f. VMware - , 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x			U15355-C435U1	202	
	3Yr Mnt ARCServe WIN VMware Agent	ARCServe Backup for Windows Agent f. VMware - , 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x			U15355-C435U3	608	
	1Yr Mnt ARCServe WIN Enterprise HW-VSS	ARCServe Backup for Windows Enterprise Option f. VSS Hardware Snapshots, - 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x			U15355-C436U1	958	
	3Yr Mnt ARCServe WIN Enterprise HW-VSS	ARCServe Backup for Windows Enterprise Option f. VSS Hardware Snapshots, - 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x			U15355-C436U3	2874	
UPS/Power supply																					
	Power Supply Modul 2100W (hot-plug)	for PS redundancy (3/4. PSU), with power cord																	S26113-F603-L1	449	
	Cable powercord rack, 4m	with Euro socket connector													x				T26139-Y1968-L10	12	
	Power cord 16A IEC320 C19->C20	with connector IEC320 C19->C20																	S26361-F3151-L300	24	
	Power cord 16A IEC320 C19->CEE 7/7	with connector IEC320 C19->Schuko																	S26361-F3151-L100	24	
	Power cord 16A IEC320 C19->16A CEE Blue	with connector IEC320 C19->16A CEE (IEC309)																	S26361-F3151-L200	24	
Miscellaneous																					
	PY BX600 2GB FC Switch Licence (FF)	Full-Fabric licence for SW3014 VL2 variant																	S26361-F3144-L32	1421	
	PY BX600 4GB FC Switch Lizenz (FWATCH)	Software Upgrade Lizenz (Fabric Watch) for SW4016																	S26361-F3144-L45	776	
	PY BX600 4GB FC Switch Port Upgrade	Port Upgrade Lizenz for Brocade Silkworm 4016 and SW4016-D4 from 12 to 16 Ports																	S26361-F3144-L46	1132	
	PY BX600 4GB FC Switch Licence (TRUNK)	Software Upgrade Licence (Trunking) for Brocade Silkworm 4016																	S26361-F3144-L47	906	
	PY BX600 4GB FC Switch Lizenz (EFABRIC)	Software Upgrade Lizenz Extended Fabric for SW4016																	S26361-F3144-L48	1015	
	PY BX600 4GB FC Switch Lizenz (APERFM)	Lizenz Advanced Performance Monitoring for SW4016																	S26361-F3144-L49	1015	
	4_WAY_KIT_BX630S2	conversation 2x Dual Blade to 1x Quad Blade for existing BX630 S2 Dual Server Blades										x							S26361-F3458-L1	118	
FC/IP-Infrastructure																					
	Cisco SFP Multi Mode (MMF) 1GBE	SFP MMF for BX600 Cisco Switch uplink ports																	S26361-F3024-L101	465	
	Cisco SFP Copper Module RJ45 1GB	SFP RJ45 for BX600 Cisco Switch uplink ports																	S26361-F3024-L102	371	
	SFP multi-mode 4G module (MMF)	Short-Wavelength SFP Transceiver																	S26361-F3024-L4	74	
	XFP multi-mode module 10GBASE-SR	for BX600 GBE Switch with 10GB ports																	S26361-F3206-L10	660	
	Infiniband cable 10GBASE-CX4, 10m	for BX600 GBE Switch with 10GB ports																	S26361-F3206-L15	153	
	X2 Copper Connection Module	MID-PAK for 10GBE Switch Blade X2-10GBASE-CX4																	S26361-F3309-L15	246	
	X2 Fiber Optic Connection Module	MID-PAK for 10GBE Switch Blade X2-10GBASE-SR																	S26361-F3309-L20	898	
Cables																					
	Console switch cable 2,5m	cable for keyboard, monitor and mouse																	SNP-SY-F2293L11-P	35	Phased out
	Console switch cable 3,5m	cable for keyboard, monitor and mouse																	SNP-SY-F2293L12-P	59	Phased out



Blade Servers Services

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (£)	Comments
Accessories & services matrix																					
Professional Services																					
	PRIMERGY RX100 - RX600 Standard Implem.	System Implementation Service, Standard "PRIMERGY RX100, RX300, RX450, RX600 Implementation"	x	x	x	x			x	x	x	x		x	x	x	x		CPS:PR-INT-21021FX	480	
	Addit.PPIMERGY RX100-RX600 Stand.Impl.	System Implementation Service, Standard "PRIMERGY RX100, RX300, RX450, RX600 Implementation"; Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x			x	x	x	x		x	x	x	x		CPS:PR-INT-21022FX	240	
	PRIMERGY BX600 Standard Implementation	System Implementation Service, Standard "PRIMERGY BX600 Implementation" (up to 10 blades)	x	x	x	x			x	x	x	x		x	x	x	x		CPS:PR-INT-21023FX	1080	
	Additional PR. BX600 Standard Implement.	System Implementation Service, PRIMERGY BX600 Standard Implementation (up to 10 blades); Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x			x	x	x	x		x	x	x	x		CPS:PR-INT-21024FX	540	
	PRIMERGY RX800 Standard Implementation	System Implementation Service, PRIMERGY RX 800 Standard Implementation 1st SYSTEM	x	x	x	x			x	x	x	x		x	x	x	x		CPS:PR-INT-21025FX	960	
	Additional PR.RX800 Standard Implement.	System Implementation Service, PRIMERGY RX 800 Standard Implementation. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x			x	x	x	x		x	x	x	x		CPS:PR-INT-21026FX	480	
	PRIMERGY RX100-RX600 Advanced Implement.	System Implementation Service, PRIMERGY RX100, RX300, RX450 & RX600 Advanced Implementation'	x	x	x	x			x	x	x	x		x	x	x	x		CPS:PR-INT-21027FX	750	
	Addit.PRIMERGY RX100-RX600 Adv.Implement	System Implementation Service, PRIMERGY RX100, RX300, RX450 & RX600 Advanced Implementation. Additional systems AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x			x	x	x	x		x	x	x	x		CPS:PR-INT-21028FX	375	
	PRIMERGY BX600 Advanced Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation (including 1st blade)	x	x	x	x			x	x	x	x		x	x	x	x		CPS:PR-INT-21029FX	1440	
	Additional PR. BX600 Adv Implement.	System Implementation Service, PRIMERGY BX600 Advanced Implementation (including 1st blade). Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x			x	x	x	x		x	x	x	x		CPS:PR-INT-21030FX	720	
	PRIMERGY BX600 Blade Advanced Implement.	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITHOUT Remote Deploy Software 1st SYSTEM	x	x	x	x			x	x	x	x		x	x	x	x		CPS:PR-INT-21031FX	120	
	Add. PRIM. BX600 Blade Advanced Implem.	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITHOUT Remote Deploy Software. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x			x	x	x	x		x	x	x	x		CPS:PR-INT-21032FX	60	
	PRIM.X600 Blade Depl. Adv.Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITH Remote Deploy Software 1st SYSTEM	x	x	x	x			x	x	x	x		x	x	x	x		CPS:PR-INT-21033FX	60	
	Add.BX600 Blade Depl. Adv.Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITH Remote Deploy Software. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x			x	x	x	x		x	x	x	x		CPS:PR-INT-21034FX	30	
	PRIMERGY RX800 Advanced Implementation	System Implementation Service, PRIMERGY RX800 Advanced Implementation'	x	x	x	x			x	x	x	x		x	x	x	x		CPS:PR-INT-21035FX	1500	
	Additional PR. RX800 Advanced Implement.	System Implementation Service, PRIMERGY RX800 Advanced Implementation. Additional system AT SAME SITE AS 1st SYSTEM	x	x	x	x			x	x	x	x		x	x	x	x		CPS:PR-INT-21036FX	750	
Product related services																					
	SP 4y OS Svc,NBD R1,5x9	SP 4 years On-Site Service, next business day response, 5x9														x	x	x	FSP:GB4S20000GBP66	192	



Blade Servers Services

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments
Product related services (Continued)																						
	SP 4y OS Svc,NBD Rt,5x9	SP 4 years On-Site Service, next business day response, 5x9	x	x	x	x	x													FSP:GB4S20000GPPB7	107	
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9															x	x	x	FSP:GB5S20000GPPB6	322	
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9	x	x	x	x	x													FSP:GB5S20000GPPB7	175	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9															x	x	x	FSP:GD3S60000GPPB6	311	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9	x	x	x	x	x													FSP:GD3S60000GPPB7	155	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9	x																	FSP:GD3S60000GBSBL	165	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9															x			FSP:GD3S60000GBSBX	276	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24															x	x	x	FSP:GD3S63000GPPB6	449	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24	x	x	x	x	x													FSP:GD3S63000GPPB7	225	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24	x																	FSP:GD3S63000GBSBL	255	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24															x			FSP:GD3S63000GBSBX	387	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved															x	x	x	FSP:GD3SG3000GPPB6	489	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved	x	x	x	x	x													FSP:GD3SG3000GPPB7	453	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved	x																	FSP:GD3SG3000GBSBL	453	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved															x			FSP:GD3SG3000GBSBX	489	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9															x	x	x	FSP:GD4S60000GPPB6	456	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9	x	x	x	x	x													FSP:GD4S60000GPPB7	273	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9	x																	FSP:GD4S60000GBSBL	273	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9															x			FSP:GD4S60000GBSBX	456	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24															x	x	x	FSP:GD4S63000GPPB6	605	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24	x	x	x	x	x													FSP:GD4S63000GPPB7	398	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24	x																	FSP:GD4S63000GBSBL	398	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24															x			FSP:GD4S63000GBSBX	605	
	SP 4y OS Svc,8h Rec,7x24	SP 4 years On-Site Service, 8h recovery, 7x24, feasibility check reserved															x	x	x	FSP:GD4SG3000GPPB6	721	
	SP 4y OS Svc,8h Rec,7x24	SP 4 years On-Site Service, 8h recovery, 7x24, feasibility check reserved	x	x	x	x	x													FSP:GD4SG3000GPPB7	668	
	SP 4y OS Svc,8h Rec,7x24	SP 4 years On-Site Service, 8h recovery, 7x24, feasibility check reserved	x																	FSP:GD4SG3000GBSBL	668	
	SP 4y OS Svc,8h Rec,7x24	SP 4 years On-Site Service, 8h recovery, 7x24, feasibility check reserved															x			FSP:GD4SG3000GBSBX	721	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9															x	x	x	FSP:GD5S60000GPPB6	637	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9	x	x	x	x	x													FSP:GD5S60000GPPB7	381	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9	x																	FSP:GD5S60000GBSBL	381	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9															x			FSP:GD5S60000GBSBX	637	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24															x	x	x	FSP:GD5S63000GPPB6	822	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24	x	x	x	x	x													FSP:GD5S63000GPPB7	542	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24	x																	FSP:GD5S63000GBSBL	542	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24															x			FSP:GD5S63000GBSBX	822	
	SP 5y OS Svc,8h Rec,7x24	SP 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved															x	x	x	FSP:GD5SG3000GPPB6	952	



Blade Servers Services

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX620 S4 cBlade	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX630 S2 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code	End User Price (€)	Comments
Product related services (Continued)																						
	SP 5y OS Svc,8h Rec,7x24	SP 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved	x	x	x	x	x													FSP:GD5SG3000GBP7	882	
	SP 5y OS Svc,8h Rec,7x24	SP 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved	x																	FSP:GD5SG3000GBSBL	882	
	SP 5y OS Svc,8h Rec,7x24	SP 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved														x				FSP:GD5SG3000GBSBX	952	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9								x	x		x							FSP:GE3S20Z00GBP61	90	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9											x	x						FSP:GE3S20Z00GBP62	90	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9							x											FSP:GE3S20Z00GBP63	90	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9															x	x	x	FSP:GE3S20Z00GBP66	164	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9	x	x	x	x	x													FSP:GE3S20Z00GBP7	90	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9														x				FSP:GE3S20Z00GBP8	90	
	TP 4y OS Svc,5x9	TP 4 years On-Site Service, 5x9								x	x		x							FSP:GN4S00000GBP61	31	
	TP 4y OS Svc,5x9	TP 4 years On-Site Service, 5x9										x		x						FSP:GN4S00000GBP62	67	
	TP 4y OS Svc,5x9	TP 4 years On-Site Service, 5x9							x											FSP:GN4S00000GBP63	207	
	TP 4y OS Svc,5x9	TP 4 years On-Site Service, 5x9																		FSP:GN4S00000GBP66	110	
	TP 4y OS Svc,5x9	TP 4 years On-Site Service, 5x9	x	x	x	x	x													FSP:GN4S00000GBP7	48	
	TP 4y OS Svc,5x9	TP 4 years On-Site Service, 5x9												x						FSP:GN4S00000GBP8	48	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9															x	x	x	FSP:GN4S20000GBP6	192	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9	x	x	x	x	x													FSP:GN4S20000GBP7	107	
	TP 5y OS Svc,5x9	TP 5 years On-Site Service, 5x9								x	x		x							FSP:GN5S00000GBP61	61	
	TP 5y OS Svc,5x9	TP 5 years On-Site Service, 5x9										x		x						FSP:GN5S00000GBP62	135	
	TP 5y OS Svc,5x9	TP 5 years On-Site Service, 5x9							x											FSP:GN5S00000GBP63	415	
	TP 5y OS Svc,5x9	TP 5 years On-Site Service, 5x9																		FSP:GN5S00000GBP66	219	
	TP 5y OS Svc,5x9	TP 5 years On-Site Service, 5x9	x	x	x	x	x													FSP:GN5S00000GBP7	96	
	TP 5y OS Svc,5x9	TP 5 years On-Site Service, 5x9													x					FSP:GN5S00000GBP8	97	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9															x	x	x	FSP:GN5S20000GBP6	322	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9	x	x	x	x	x													FSP:GN5S20000GBP7	175	



Positioning PRIMERGY Storage



**PRIMERGY
SX10**

The PRIMERGY SX10 is a flexible and economical component for all rack families like PRIMECENTER, PRIMERGY DataCenter racks and third-party products. Providing up to four bays for backup devices the SX10 can be used to simultaneously connect an individual backup medium with up to four servers. It fits perfectly with rack-based server farms where applications are consolidated on a few powerful Servers. The PRIMERGY SX10 is the best choice for eliminating storage and backup constraints.



PRIMERGY SX10

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

PRIMERGY SX10 - Storage subsystem for backup devices

The PRIMERGY SX10 supports the concept of consolidating data backup facilities in a 19-inch rack environment. This is an answer to the data centers' growing needs for storage capacity for archives and backup. Shared data backup facilities offer numerous advantages, for example in cluster configurations.

The PRIMERGY SX10 is a server-oriented storage subsystem that enables you to install backup drives in a separate 19-inch housing with 3 height units. In that case one

server can use up to 2 backup devices (1 SCSI channel, 1 server, 1 or 2 devices). Integrating the optional upgrade to 4 SCSI channels up to 4 servers can be connected, each using 1 of the max. 4 backup devices (1 SCSI channel, 1 server, max. 1 device). This subsystem can be integrated into any of the currently available racks, such as the PRIMERGY DataCenter, PRIMECENTER, and third-party rack products. The PRIMERGY SX10 is a global product that is also used by PRIMEPOWER servers.

Model	Description	Details	Code		End User Price (£)	Comments
Base unit configurations						
PRIMERGY SX10						
	PY SX10 2-CHANNEL U160	19" rack mountable basic unit (3U) for connection of 2 servers incl. mounting kit and 1x power supply module; 4x 1.6" or 2x 3.2" bays only for 5.25" backup devices incl. terminator; 2 seperat SCSI channels	S26361-K866-V100		621	Phased out



PRIMERGY SX30

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

PRIMERGY SX30 - Storage Subsystem

The PRIMERGY SX30 storage subsystem is a passive, directly connectable system for data storage and for extending the hard disk capacity of connected PRIMERGY servers. With up to 14 hard disks and Ultra320 SCSI technology, the PRIMERGY SX30 offers a maximum total capacity of more than 4 Tbyte. Whereas the maximum internal hard disk capacity of a server is soon exhausted, depending on the model, the external PRIMERGY SX30 storage subsystem can grow gradually in line with business needs. The rack variant with three 3 height units (U) is the right choice for 19-inch rack infrastructures where small dimensions are one of the requirements. The tower variant can extend the existing storage capacities of servers, for example in office environments.

The tower and rack variants of the PRIMERGY SX30 storage subsystem come in two types: with two independent SCSI busses with 7 hard disks each, or with all 14 hard disks on one SCSI bus. In addition, a special variant of the type with two SCSI busses can be ordered for use as a cluster subsystem. This can then also be used for previously delivered systems (with 2 SCSI busses) with the aid of a conversion kit. Cluster capability is enabled through the use of dual node SCSI modules. In conjunction with Microsoft Windows 2000 Advanced Server, Windows 2003 Enterprise Edition or with the Linux Enterprise Editions of Red Hat and

SUSE, two PRIMERGY servers can then each be operated via a 2-channel RAID controller on one 2-channel PRIMERGY SX30 subsystem.

Many active components in the PRIMERGY SX30 storage subsystem, such as hot-plug hard disks, hot-plug fans and hot-plug power supply modules, can be replaced online.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
PRIMERGY SX30					
	PY SX30 1-Channel Rack U320	19" rack mountable storage expansion unit (3U) incl. 1x hot plug power supply module; expansion unit for 14 hot replace LVD SCSI HD; incl. 2 SCSI input modules; hot replace fan (N+1 redundant), 2 power cords.	S26361-K638-V240	1089	Phased out
	PY SX30 2-Channel Rack U320	19" rack mountable storage expansion unit (3U) incl. 1x hot plug power supply module; expansion unit for 2x7 hot replace LVD SCSI HD; incl. 2 SCSI input modules; hot replace fan (N+1 redundant), 2 power cords.	SNP:SY-K638V210-P	1152	Phased out
	PY SX30 2-Channel Cluster Rack U320	19" rack mountable storage expansion unit (3U) incl. 2x hot plug power supply module; expansion unit for 14 hot replace LVD U320-SCSI HD; incl. 2 x dual-SCSI input modules U320; hot replace fan (N+1 redundant).	S26361-K638-V250	1616	Phased out



PRIMERGY SX650

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

To extend the internal storage capacity of a PRIMERGY BX620 S4 Dual Socket Server Blade, the PRIMERGY SX650 Storage Blade can be used.

With this product the internal storage capacity of a BX620 S4 can be extended by up to 730 Gbyte. The Storage Blade SX650 occupies one additional Server Blade slot within the PRIMERGY BX600 S3 System Unit, positioned at the right side of an adjacent BX620 S4 Server Blade. The 5 hard disk drives of the SX650 are driven by a high functional SAS/RAID controller with 512 Mbyte cache and BBU. This controller (HBA) installed in the BX620 S4 provides the RAID levels 0, 1, 5 and 6. The connection to the SX650 is realized via one corresponding SAS cable which is dedicated for this configuration pair.

Model	Description	Details	Code	Partner Price (£)	Trade Guide Price (£)	End User Price (£)	Comments
Base unit configurations							
FibreCAT SX60 Expansion							
	Expansion Shelf FibreCAT SX60	FibreCAT SX60 Expansion Shelf incl. , 1x I/O Module, 1x Cascading Cable,, 2x redundant Power Supplies with 2.5m power cords, , 12 SATA HDD bays, , 2 bays for I/O Module,, RAIL-Kit to install into a Rack.	D:FCSX60-EXPN	1385	1458	1841	



Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
Accessories & services matrix							
Removable Media Drives							
	Tape Kit DDS Gen5 36GB 3MB/s int.	LVD U2W SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge	x		S26361-F2848-L3	244	
	Tape Kit DDS Gen5 36GB 3MB/s for OBDR	LVD U2W SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge, for One Button Disaster Recovery	x		S26361-F2848-L31	382	
	Tape Kit VXA-320 160GB 12MB/s int.	LVD U160 SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge	x		S26361-F3224-L3	852	Phased out
	Tape Kit Entry LTO Ultr 100GB 16MB/s int	U160 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge	x		S26361-F3460-L3	816	
	Tape Kit LTO2HH Ultrium 200GB 24MB/s int	U160 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge, without cable	x		S26361-F3157-L3	681	
	Tape Drv LTO2HH Ultrium 200GB 24MB/s int	U160 SCSI Interface 68-pin, 1.6" fitting height, anthracite, Delivery includes no cartridges	x		S26361-F3157-L30	600	
	Tape Kit LTO3HH Ultrium 400GB 60MB/s int	U320 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge	x		S26361-F3459-L3	934	
	Tape Kit LTO3 Ultrium 400GB 80MB/s int.	U160 SCSI Interface 68-pin, 3.2" fitting height, anthracite, with data and cleaning cartridge	x		S26361-F3158-L3	1815	
Hard Disk Drives							
	HDD U320 15k 300GB hot plug 1"	15.000 rpm with 1" frame, U320 SCSI	x		S26361-F2764-L530	800	
	HDD U320 73GB 15k hot plug 3.5"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s	x		S26361-F3121-L573	184	
Rack-Infrastructure							
	RMK 10 D/P/3rd P Racks sliding rails	1 pair sliding rails depth 710-815mm incl. adapter angle, cable management and 2 powercords	x		S26361-F2734-L20	114	
	RMK 10 CR sliding rails	1 pair of sliding rails / 2 holders / 1 cable carrier	x		SNP-SY-F1331L102-P	74	
	cable management arm for 3rd party racks	all-purpose for PY server in 3rd party a. classic racks	x		S26361-F2201-L20	39	
PRIMERGY-Software							
	PRIMERGY ServerView Suite subscription.	Subscription for 1 year, ca. 10 releases, The subscription is licensed only for PRIMERGY servers.	x	x	U15000-C176	168	
	ServerView Suite, latest version	Latest ServerView Suite Edition - including Installation Manager	x	x	U15000-C289	20	
OS/Application-SW							
	ARCserve r11.5 Media Kit	BrightStor ARCserve Backup r11.5 Media Kit, , 1 x BAB r11.5 CD f. Windows, 1 x BAB r11.5 CD f. Linux, 1 x BAB r11.5 Agent CD	x	x	U15355-C732	20	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 1 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	U15260-C10	1990	
	CA XOssoft WANSync FS Std. OS	CA XOssoft WANSync File Server Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C300	1672	
	CA XOssoft WANSync AS Std. OS	CA XOssoft WANSync Application Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C308	2548	
	CA XOssoft WANSyncHA FS Std. OS	CA XOssoft WANSyncHA File Server Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C400	2548	
	CA XOssoft WANSyncHA AS Std. OS	CA XOssoft WANSyncHA Application Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C408	3663	
	XOssoft r12 Replication FS Std. OS	XOssoft r12 Replication File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition), Content: 1x Media Kit and 1x License for one server., , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements, -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C600	1247	
	XOssoft r12 HighAvailability FS Std. OS	XOssoft r12 High Availability File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. , . The product offers data replication and high availability for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition), Content: 1x Media Kit and 1x License for one server., , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements, -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C616	1900	
	CA ARCserve r12 Base for Windows	Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2000	631	



PRIMERGY Storage Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
Accessories & services matrix							
OS/Application-SW (Continued)							
	UP CA ARCserve r12 Basis for Windows	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_cmpmatrix.html	x	x	U15355-C2000-U	473	
	1Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C400U1	158	
	3Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C400U3	474	
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 10 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C426	393	
	ARCserve r11.5 for Windows 2000/2003	Basic component for backup/restore of one or more servers. BrightStor ARCserve Backup r11.5 is for Windows 2000/2003 certified and released! ARCserve r11.5 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots. For every further Windows server will be needed a further ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C700	615	
	UP ARCserve r11.5 for Windows 2000/2003	ARCserve r11.5 for Windows Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C700-U	461	
	ARCserve r11.5 for MS SBS Standard	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Standard Edition (existing of basic, Exchange agent, Open File Agent, Volume Shadow Copy Service Agent and Share Point Portal Agent). Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C750	393	
	ARCserve r11.5 for Linux	BrightStor ARCserve r11.5 for Linux! Basic component for backup/restore of one server or in consumption with clients of more servers, too. Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C800	615	
	UP ARCserve r11.5 for Linux	ARCserve r11.5 for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C800-U	461	
	1Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C800U1	158	
	3Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C800U3	473	
	BSRM for Windows incl. 1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) is a cross-platform data storage management solution that monitors, analyzes, schedules and automates networked storage resources across distributed and mainframe environments. Delivery of BrightStor Storage Resource Manager inclusive 1 Year CA Enterprise Maintenance. U15355-C900 is a prerequisite for all other BrightStor SRM products.	x	x	U15355-C900	2376	



PRIMERGY Storage Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
Accessories & services matrix							
OS/Application-SW (Continued)							
	BrightStor SAN Manager incl 1yr Mnt	BrightStor SAN Manager is a business centric SAN Management solution, that simplifies monitoring and management of complex networked storage resources. With BrightStor SAN Manager you will cover, configure and administrate business centric complex SAN infrastructures. This BrightStor SAN Manager product includes 1 Year CA Enterprise Maintenance.	x	x	U15355-C920	4757	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 1 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	U15260-C11	2787	
	CA XOssoft WANSync FS Std. OS	CA XOssoft WANSync File Server Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C301	2340	
	CA XOssoft WANSync AS Std. OS	CA XOssoft WANSync Application Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C309	3567	
	CA XOssoft WANSyncHA FS Std. OS	CA XOssoft WANSyncHA File Server Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C401	3567	
	CA XOssoft WANSyncHA AS Std. OS	CA XOssoft WANSyncHA Application Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C409	5128	
	XOssoft r12 Replication FS Std. OS	XOssoft r12 Replication File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. , The product offers data replication for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition), Content: 1x Media Kit and 1x License for one server., More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C601	1745	
	XOssoft r12 HighAvailability FS Std. OS	XOssoft r12 High Availability File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition), Content: 1x Media Kit and 1x License for one server., More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C617	2660	
	CA ARCserve r12 WIN Tape Library Option	CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2001	810	
	UP CA ARCserve r12 WIN Tape Library Opt.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2001-U	608	
	1Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C401U1	202	
	3Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C401U3	607	



PRIMERGY Storage Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
Accessories & services matrix							
OS/Application-SW (Continued)							
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 100 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C427	2377	
	ARCserve r11.5 WIN Tape Library Option	ARCserve r11.5 Tape Library Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Required for jukeboxes with several drives! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C701	790	
	UP ARCserve r11.5 Tape Library Option	ARCserve r11.5 for Windows Tape Library Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C701-U	592	
	ARCserve r11.5 for MS SBS Premium	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Premium Edition (existing of basic, Exchange agent, Open File agent, SQL agent, Volume Shadow Copy Service agent and Share Point Portal agent). Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C751	552	
	ARCserve r11.5 LX Tape Library Option	BrightStor ARCserve r11.5 for Linux Tape Library Option! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C801	790	
	UP ARCserve r11.5 LX Tape Library Option	ARCserve r11.5 for Linux Upgrade Tape Library Option from ARCserve v9, r11.0 or r11.1 Tape Library Option for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C801-U	592	
	1Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C801U1	202	
	3Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C801U3	608	
	BSRM Managed Srv Windows incl. 1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Windows inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	U15355-C901	471	
	Proxy for Windows incl 1yr Mnt	BrightStor SAN Manager Proxy for Windows inclusive 1 Year CA Enterprise Maintenance! For each further monitoring Windows server!	x	x	U15355-C921	471	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 10 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	U15260-C12	19905	
	CA XOssoft WANSync FS Ent. OS	CA XOssoft WANSync File Server Suite Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. . Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server. . More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C302	2548	
	CA XOssoft WANSync AS Ent. OS	CA XOssoft WANSync Application Suite Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. . Offers data replication for Windows Servers and database/email applications. Product includes . 1x Media Kit and 1x License for one server. . More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C310	3821	
	CA XOssoft WANSyncHA FS Ent. OS	CA XOssoft WANSyncHA File Server Suite Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. . Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server. . More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C402	3663	
	CA XOssoft WANSyncHA AS Ent. OS	CA XOssoft WANSyncHA Application Suite Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. . Offers data replication and high availability for Windows Servers and database/email applications. Product includes . 1x Media Kit and 1x License for one server. . More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C410	5733	



PRIMERGY Storage Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
Accessories & services matrix							
OS/Application-SW (Continued)							
	XOsoft r12 Replication FS Ent. OS	XOsoft r12 Replication File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication for Windows File Servers. . . It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). . . Content: 1x Media Kit and 1x License for one server. . . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: . . . Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C602	1900	
	XOsoft r12 HighAvailability FS Ent. OS	XOsoft r12 High Availability File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows File Servers. . . It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). . . Content: 1x Media Kit and 1x License for one server. . . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: . . . Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C618	2731	
	CA ARCserve r12 WIN SAN Option	CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option. The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2002	1298	
	UP CA ARCserve r12 WIN SAN Option	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---. CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option. The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2002-U	974	
	1Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C402U1	263	
	3Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C402U3	790	
	1Yr Mnt ARCserve WIN LAPD 10 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 10 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C426U1	101	
	ARCserve r11.5 WIN Optical Library Opt.	ARCserve r11.5 Optical Library Option for Windows: works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C702	1028	
	UP ARCserve r11.5 Optical Library Option	ARCserve r11.5 for Windows Optical Library Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C702-U	771	
	1Yr Mnt ARCserve WIN SBS Standard	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Standard - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C750U1	101	
	ARCserve r11.5 LX NAS Option	BrightStor ARCserve r11.5 for Linux NDMP NAS Option! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C802	790	



PRIMERGY Storage Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
Accessories & services matrix							
OS/Application-SW (Continued)							
	UP ARCserve r11.5 LX NAS Option	ARCserve r11.5 for Linux Upgrade NAS Option from ARCserve v9, r11.0 or r11.1 NAS Option for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C802-U	592	
	1Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C802U1	202	
	3Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C802U3	608	
	BSRM Opt MS Exchange incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft Exchange inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	U15355-C902	948	
	Proxy for Linux incl 1yr Mnt	BrightStor SAN Manager Proxy for Linux inclusive 1 Year CA Enterprise Maintenance! For each further monitoring Linux server!	x	x	U15355-C922	471	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 10 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	U15260-C13	27867	
	CA XOssoft WANSync FS Ent. OS	CA XOssoft WANSync File Server Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More information at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C303	3567	
	CA XOssoft WANSync AS Ent. OS	CA XOssoft WANSync Application Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C311	5351	
	CA XOssoft WANSyncHA FS Ent. OS	CA XOssoft WANSyncHA File Server Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More information at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C403	5128	
	CA XOssoft WANSyncHA AS Ent. OS	CA XOssoft WANSyncHA Application Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C411	8025	
	XOssoft r12 Replication FS Ent. OS	XOssoft r12 Replication File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , The product offers data replication for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C603	2660	
	XOssoft r12 HighAvailability FS Ent. OS	XOssoft r12 High Availability File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C619	3823	
	CA ARCserve r12 WIN Disaster Recovery O.	CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2003	566	
	UP CA ARCserve r12 WIN Disaster Rec. Op.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2003-U	425	
	1Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C403U1	325	



PRIMERGY Storage Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
Accessories & services matrix							
OS/Application-SW (Continued)							
	3Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years..!	x	x	U15355-C403U3	974	
	3Yr Mnt ARCserve WIN LAPD 10 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 10 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years..!	x	x	U15355-C426U3	302	
	ARCserve r11.5 WIN SAN Option	ARCserve r11.5 Storage Area Network (SAN) Option for Windows; works with ARCserve r11.5 basic! Includes one Tape Library Option! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows) https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C703	1266	
	UP ARCserve r11.5 SAN Option	ARCserve r11.5 for Windows Storage Area Network Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows) https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C703-U	949	
	3Yr Mnt ARCserve WIN SBS Standard	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Standard - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years..!	x	x	U15355-C750U3	302	
	ARCserve r11.5 LX Oracle Agent	BrightStor ARCserve r11.5 for Linux Agent for Oracle! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C803	790	
	UP ARCserve r11.5 LX Oracle Agent	ARCserve r11.5 for Linux Upgrade Oracle Agent from ARCserve v9, r11.0 or r11.1 Oracle Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C803-U	592	
	1Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year..!	x	x	U15355-C803U1	202	
	3Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year..!	x	x	U15355-C803U3	608	
	BSRM Opt MS SQL Srv incl. 1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft SQL Server inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	U15355-C903	948	
	Proxy for Solaris incl 1yr Mnt	BrightStor SAN Manager Proxy for Solaris inclusive 1 Year CA Enterprise Maintenance! For each further monitoring Solaris server!	x	x	U15355-C923	948	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 50 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	U15260-C14	39810	
	CA XOssoft WANSync FS Cluster	CA XOssoft WANSync File Server Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C304	1592	
	CA XOssoft WANSync AS Cluster	CA XOssoft WANSync Application Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C312	2229	
	CA XOssoft WANSyncHA FS Cluster	CA XOssoft WANSyncHA File Server Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C404	2389	
	CA XOssoft WANSyncHA AS Cluster	CA XOssoft WANSyncHA Application Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C412	2867	
	XOssoft r12 Replication FS Cluster	XOssoft r12 Replication File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. - It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C604	1187	



PRIMERGY Storage Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
Accessories & services matrix							
OS/Application-SW (Continued)							
	XOsoft r12 HighAvailability FS Cluster	XOsoft r12 High Availability File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows File Servers. . It supports only Windows Clusters. Content: 1x Media Kit and 1x License for one server. . . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements, . . . Hardware: PRIMERGY Server of Fujitsu Siemens Computers. Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C620	1781	
	CA ARCserve r12 WIN NDMP NAS Option	CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2004	810	
	UP CA ARCserve r12 WIN NDMP NAS Option	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---. CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2004-U	608	
	1Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C404U1	325	
	3Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C404U3	974	
	1Yr Mnt ARCserve WIN LAPD 100 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 100 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C427U1	610	
	ARCserve r11.5 WIN Serverless BackupOpt	ARCserve r11.5 Serverless Backup Option for Windows; works with ARCserve r11.5 basic and ARCserve r11.5 SAN Option! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C704	1266	
	UP ARCserve r11.5 Serverless Backup Opt.	ARCserve r11.5 for Windows Serverless Backup Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C704-U	949	
	1Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 1 year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C751U1	141	
	ARCserve r11.5 LX SQL Agent	BrightStor ARCserve r11.5 for Linux Agent for MySQL! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C804	790	
	UP ARCserve r11.5 LX SQL Agent	ARCserve r11.5 for Linux Upgrade SQL Agent from ARCserve v9, r11.0 or r11.1 SQL Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C804-U	592	
	1Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C804U1	202	
	3Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C804U3	608	
	BSRM Opt Oracle incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Oracle inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	U15355-C904	948	



PRIMERGY Storage Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
Accessories & services matrix							
OS/Application-SW (Continued)							
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 50 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	U15260-C15	55733	
	CA XOssoft WANSync FS Cluster	CA XOssoft WANSync File Server Suite for Microsoft Cluster - inclusive 3 Years CA Enterprise Maintenance., Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., . More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C305	2229	
	CA XOssoft WANSync AS Cluster	CA XOssoft WANSync Application Suite for Microsoft Cluster - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., . More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C313	3121	
	CA XOssoft WANSyncHA FS Cluster	CA XOssoft WANSyncHA File Server Suite for Microsoft Cluster - inclusive 3 Years CA Enterprise Maintenance., Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., . More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C405	3344	
	CA XOssoft WANSyncHA AS Cluster	CA XOssoft WANSyncHA Application Suite for Microsoft Cluster - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., . More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C413	4013	
	XOssoft r12 Replication FS Cluster	XOssoft r12 Replication File Server Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication for Windows File Servers. . It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , . System Requirements:, -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C605	1662	
	XOssoft r12 HighAvailability FS Cluster	XOssoft r12 High Availability File Server Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows File Servers. . It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , . System Requirements:, -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C621	2494	
	CA ARCserve r12 WIN Open Files Agent	CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent!, CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2005	648	
	UP CA ARCserve r12 WIN Open Files Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2005-U	486	
	1Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C405U1	141	
	3Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C405U3	424	
	3Yr Mnt ARCserve WIN LAPD 100 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 100 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C427U3	1829	
	ARCserve r11.5 WIN Disaster Recovery Opt	ARCserve r11.5 Disaster Recovery Option for Windows; works with ARCserve r11.5 basic! Provides a fast and easy recovery of a downed server! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C705	552	
	UP ARCserve r11.5 Disaster Recovery Opt.	ARCserve r11.5 for Windows Disaster Recovery Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C705-U	413	



PRIMERGY Storage Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
Accessories & services matrix							
OS/Application-SW (Continued)							
	3Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C751U3	424	
	ARCserve r11.5 LX Apache Web Server Agt.	BrightStor ARCserve r11.5 for Linux Agent for Apache Web Server! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C805	790	
	UP ARCserve r11.5 LX Apache Web Server	ARCserve r11.5 for Linux Upgrade Apache Web Server Agent from ARCserve v9, r11.0 or r11.1 Apache Web Server Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C805-U	592	
	1Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C805U1	202	
	3Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C805U3	608	
	BSRM Managed Srv Linux incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Linux inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	U15355-C905	471	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 200 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	U15260-C16	79619	
	CA XOssoft WANSync FS Virtual Machine	CA XOssoft WANSync File Server Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C306	1274	
	CA XOssoft WANSync AS Virtual Machine	CA XOssoft WANSync Application Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C314	1433	
	CA XOssoft WANSyncHA FS Virtual Machine	CA XOssoft WANSyncHA File Server Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C406	1592	
	CA XOssoft WANSyncHA Virtual Machine	CA XOssoft WANSyncHA Application Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C414	2389	
	XOssoft r12 Replication FS Virt. Machine	XOssoft r12 Replication File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation), Content: 1x Media Kit and 1x License for one server., , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C606	950	
	XOssoft r12 HighAvailability FS Virt. Ma.	XOssoft r12 High Availability File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availabilityfor Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation), Content: 1x Media Kit and 1x License for one server., , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C622	1187	
	CA ARCserve r12 WIN IBM Informix Agent	CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! , CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2006	1055	



PRIMERGY Storage Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
Accessories & services matrix							
OS/Application-SW (Continued)							
	UP CA ARCserve r12 WIN IBM Informix Ag.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! , CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2006-U	791	
	1Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C406U1	202	
	3Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C406U3	607	
	ARCserve r11.5 WIN Image Option	ARCserve r11.5 Image Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C706	790	
	UP ARCserve r11.5 Image Option	ARCserve r11.5 for Windows Image Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C706-U	592	
	ARCserve r11.5 LX Client Agent for UNIX	BrightStor ARCserve r11.5 Client Agent for UNIX!!Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C806	313	
	UP ARCserve r11.5 LX Client Agent UNIX	ARCserve r11.5 for Linux Upgrade Client Agent for UNIX from ARCserve v9, r11.0 or r11.1 Client Agent for UNIX Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C806-U	235	
	1Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C806U1	80	
	3Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C806U3	241	
	BSRM Managed Srv NW incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for NetWare inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	U15355-C906	471	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows -200 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x	U15260-C17	111467	
	CA XOssoft WANSync FS Virtual Machine	CA XOssoft WANSync File Server Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at; http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C307	1783	
	CA XOssoft WANSync AS Virtual Machine	CA XOssoft WANSync Application Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at; http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C315	2006	
	CA XOssoft WANSyncHA FS Virtual Machine	CA XOssoft WANSyncHA File Server Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at; http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C407	2229	
	CA XOssoft WANSyncHA AS Virtual Machine	CA XOssoft WANSyncHA Application Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , Offers data replicationand high availability for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at; http://extranet.fujitsu-siemens.com/wansync	x	x	U15260-C415	3344	



PRIMERGY Storage Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
Accessories & services matrix							
OS/Application-SW (Continued)							
	XOsoft r12 Replication FS Virt. Machine	XOsoft r12 Replication File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation)., Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: , , Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C607	1330	
	XOsoft r12 HighAvailability FS Virt. Ma.	XOsoft r12 High Availability File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availabilityfor Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation)., Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: , , Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C623	1662	
	CA ARCserve r12 WIN MS Exchange Agent	CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: , CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2007	810	
	UP CA ARCserve r12 WIN MS Exchange Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: , CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2007-U	608	
	1Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C407U1	202	
	3Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C407U3	607	
	ARCserve r11.5 WIN NAS Option	ARCserve r11.5 Network Attached Storage (NAS) Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Backups a NAS unit with NDMP on a locally connected tape library. Hardware and operating system dependent extract from the following link: , CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C707	790	
	UP ARCserve r11.5 NAS Option	ARCserve r11.5 for Windows NDMP Network Attached Storage (NAS) Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! , Hardware and operating system dependent extract from the following link: , CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C707-U	592	
	ARCserve r11.5 LX Client Agent for Linux	BrightStor ARCserve r11.5 Client Agent for Linux! Hardware and operating system dependent extract from the following link: , CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C807	198	
	UP ARCserve r11.5 LX Client Agent Linux	ARCserve r11.5 for Linux Upgrade Client Agent for Linux from ARCserve v9, r11.0 or r11.1 Client Agent for Linux Hardware and operating system dependent extract from the following link: , CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C807-U	149	
	1Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C807U1	51	



PRIMERGY Storage Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
OS/Application-SW (Continued)							
Accessories & services matrix	3Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C807U3	152	
	XOsoft r12 Replication APP Std. OS	XOsoft r12 Replication for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition), , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10 , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C608	1900	
	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition), , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10 , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C624	2731	
	CA ARCserve r12 WIN Lotus/Domino Agent	CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link: , CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2008	810	
	UP CA ARCserve r12 WIN Lotus/Domino Ag.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link: , CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2008-U	608	
	1Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C408U1	202	
	3Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C408U3	607	
	ARCserve r11.5 WIN Tape RAID Option	ARCserve r11.5 Tape RAID Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link: , CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C708	790	
	UP ARCserve r11.5 Tape RAID Option	ARCserve r11.5 for Windows Tape RAID Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released, Hardware and operating system dependent extract from the following link: , CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C708-U	592	
	ARCserve r11.5 LX Client Agent NetWare	BrightStor ARCserve r11.5 Client Agent for NetWare! Hardware and operating system dependent extract from the following link: , CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C808	313	
	UP ARCserve r11.5 LX Client AgentNetWare	ARCserve r11.5 for Linux Upgrade Client Agent for NetWare from ARCserve v9, r11.0 or r11.1 Client Agent for NetWare Hardware and operating system dependent extract from the following link: , CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C808-U	235	



PRIMERGY Storage Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
Accessories & services matrix							
OS/Application-SW (Continued)							
	1Yr Mnt ARCServe LX Client Agent NW	BrightStor ARCServe Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C808U1	80	
	3Yr Mnt ARCServe LX Client Agent NW	BrightStor ARCServe Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C808U3	241	
	XOsoft r12 Replication APP Std. OS	XOsoft r12 Replication for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. , The product offers data replication for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition). , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C609	2660	
	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 3 Years CA Enterprise Maintenance. , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition). , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C625	3823	
	CA ARCServe r12 WIN Sybase Agent	CA ARCServe r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCServe Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows) https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2009	1055	
	UP CA ARCServe r12 WIN Sybase Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCServe Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows). https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2009-U	791	
	1Yr Mnt ARCServe WIN Open File Agent WIN	BrightStor ARCServe Backup for Windows Open File Agent on Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C409U1	162	
	3Yr Mnt ARCServe WIN Open File Agent WIN	BrightStor ARCServe Backup for Windows Open File Agent on Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C409U3	486	
	ARCServe r11.5 WIN Open File Agent WIN	ARCServe r11.5 Agent for Open Files on Windows; works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows) https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C709	631	
	UP ARCServe r11.5 Open File Agent	ARCServe r11.5 for Windows Open File Agent Upgrade from ARCServe v9, r11.0 or r11.1 for Windows!! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C709-U	473	
	ARCServe r11.5 Client Agent for Windows	BrightStor ARCServe r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux). https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C809	198	



PRIMERGY Storage Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
Accessories & services matrix							
OS/Application-SW (Continued)							
	UP ARCServe r11.5 LX Client Agent Windows	ARCServe r11.5 for Linux Upgrade Client Agent for Windows from ARCServe v9, r11.0 or r11.1 Client Agent for Windows Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C809-U	149	
	1Yr Mnt ARCServe LX Client Agent WIN	BrightStor ARCServe Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C809U1	51	
	3Yr Mnt ARCServe LX Client Agent WIN	BrightStor ARCServe Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C809U3	152	
	XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance... , The product offers data replication for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition), , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9i/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C610	2849	
	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance... , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition), , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9i/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C626	4275	
	CA ARCServe r12 WIN Oracle Agent	CA ARCServe r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCServe Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2010	810	
	UP CA ARCServe r12 WIN Oracle Agent	--Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12.--, CA ARCServe r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCServe Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2010-U	608	
	1Yr Mnt ARCServe WIN Open File Agent NW	BrightStor ARCServe Backup for Windows Open File Agent on NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C410U1	162	
	3Yr Mnt ARCServe WIN Open File Agent NW	BrightStor ARCServe Backup for Windows Open File Agent on NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C410U3	486	
	ARCServe r11.5 NetWare Open File Agent	ARCServe r11.5 Agent for Open Files on NetWare; works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C710	631	
	UP ARCServe r11.5 Informix Agent	ARCServe r11.5 for Windows Informix Agent Upgrade from ARCServe v9, r11.0 or r11.1 for Windows!! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C711-U	771	



PRIMERGY Storage Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
Accessories & services matrix							
OS/Application-SW (Continued)							
	ARCserve r11.5 LX SAN Option	BrightStor ARCserve r11.5 für Linux Storage Area Network Option! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C810	1266	
	UP ARCserve r11.5 LX SAN Option	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C810-U	949	
	1Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C810U1	325	
	3Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C810U3	974	
	XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication for Windows Application Servers. . It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C611	3990	
	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows Application Servers. . It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C627	5984	
	CA ARCserve r12 WIN MS SQL Agent	CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! . CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2011	810	
	UP CA ARCserve r12 WIN MS SQL Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---. CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! . CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2011-U	608	
	1Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C411U1	263	
	3Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C411U3	790	
	ARCserve r11.5 WIN Informix Agent	ARCserve r11.5 Agent for Informix for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C711	1028	



PRIMERGY Storage Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
Accessories & services matrix							
OS/Application-SW (Continued)							
	UP ARCServe r11.5 MS Exchange Agent	ARCServe r11.5 for Windows Exchange Agent Upgrade from ARCServe v9, r11.0 or r11.1 for Windows!! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C712-U	592	
	ARCServe r11.5 LX SAN SecondarySrvBundle	BrightStor ARCServe r11.5 for Linux SAN Secondary Server Bundle! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C811	1266	
	UP ARCServe r11.5 LX SAN Sec. Srv.Bundle	ARCServe r11.5 for Linux Upgrade SAN Option from ARCServe v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C811-U	949	
	1Yr Mnt ARCServe LX SAN Sec.Srv.Bundle	BrightStor ARCServe Backup for Linux SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C811U1	325	
	3Yr Mnt ARCServe LX SAN Sec.Srv.Bundle	BrightStor ARCServe Backup for Linux SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C811U3	974	
	XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Clusters. , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C612	1662	
	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Clusters. , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C628	2137	
	CA ARCServe r12 WIN SAP/R3 Oracle Option	CA ARCServe r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! , CA ARCServe Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2012	1625	
	UP CA ARCServe r12 WIN SAP/R3 Oracle Op.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! , CA ARCServe Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2012-U	1218	
	1Yr Mnt ARCServe WIN Exchange Agent	BrightStor ARCServe Backup for Windows Exchange Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C412U1	202	
	3Yr Mnt ARCServe WIN Exchange Agent	BrightStor ARCServe Backup for Windows Exchange Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C412U3	607	



PRIMERGY Storage Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
Accessories & services matrix							
OS/Application-SW (Continued)							
	ARCserve r11.5 WIN Exchange Agent	ARCserve r11.5 Agent for Microsoft Exchange for Windows; works with ARCserve r11.5 basic! Allows online databases or mailboxes on the Exchange Server to be selectively backed up or restored. BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C712	790	
	UP ARCserve r11.5 MS Exch.Premium Bundle	ARCserve r11.5 for Windows Exchange Premium Bundle Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C713-U	949	
	ARCserve r11.5 LX Advantage IngresOption	BrightStor ARCserve r11.5 for Enterprise Option for Advantage Ingres for Linux! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C812	1028	
	1Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C812U1	263	
	3Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C812U3	791	
	XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication for Windows Application Servers. . . It supports only Windows Clusters. . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9i/10. . . Content: 1x Media Kit and 1x License for one server. . . More product informationen at; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements; -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) . . . A complete list of all supported operating systems can be found at; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C613	2327	
	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows Application Servers. . . It supports only Windows Clusters. . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9i/10. . . Content: 1x Media Kit and 1x License for one server. . . More product informationen at; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements; -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) . . . A complete list of all supported operating systems can be found at; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C629	2992	
	CA ARCserve r12 WIN Windows Client Agent	CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2013	204	
	UP CA ARCserve r12 WIN Windows Client Ag	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2013-U	152	
	1Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C413U1	325	
	3Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Downlod software and patches; Upgrade protection for 3 years...!	x	x	U15355-C413U3	974	



PRIMERGY Storage Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
Accessories & services matrix							
OS/Application-SW (Continued)							
	ARCserve r11.5 WIN Exchange Prem.Bundle	ARCserve r11.5 MS Exchange Premium Bundle! Consisting of ARCserve r11.5 Exchange Agent and ARCserve r11.5 MS Exchange Premium Add-On! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C713	1266	
	UP ARCserve r11.5 Lotus/Domino Agent	ARCserve r11.5 for Windows Agent for Lotus/Domino Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C715-U	592	
	ARCserve r11.5 LX Disk Staging Option	BrightStor ARCserve r11.5 for Linux Disk Staging Option! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C813	393	
	XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) . , . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. , Content: 1x Media Kit and 1x License for one server. , , More product informationen at; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements; -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. , A complete list of all supported operating systems can be found at; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C614	1068	
	XOsoft r12 HighAvailability APP Virt. M.	XOsoft r12 High Availability for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) . , . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. , Content: 1x Media Kit and 1x License for one server. , , More product informationen at; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements; -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. , A complete list of all supported operating systems can be found at; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C630	1781	
	CA ARCserve r12 WIN MS SBS Premium Edt.	CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base. , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent. , CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2014	566	
	UP CA ARCserve r12 WIN MS SBS Premium E.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base. , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2014-U	425	
	1Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C414U1	202	
	3Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C414U3	607	
	ARCserve r11.5 WIN Exchange Prem.Add-On	ARCserve r11.5 MS Exchange Premium Add-On; works with ARCserve r11.5 basic and ARCserve r11.5 Exchange Agent! Allows the backup and restore on document section! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C714	790	



PRIMERGY Storage Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
Accessories & services matrix							
OS/Application-SW (Continued)							
	UP ARCserve r11.5 Sybase Agent	ARCserve r11.5 for Windows Agent for Sybase Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C716-U	771	
	ARCserve r11.5 LX Lotus / Domino Agent	BrightStor ARCserve r11.5 for Linux Agent for Lotus / Domino Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C814	790	
	XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication for Windows Application Servers. . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, . Content: 1x Media Kit and 1x License for one server. . . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements, . . . Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C615	1496	
	XOsoft r12 HighAvailability APP Virt. M.	XOsoft r12 High Availability for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows Application Servers. . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, . Content: 1x Media Kit and 1x License for one server. . . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements, . . . Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x	U15260-C631	2494	
	CA ARCserve r12 WIN SAN Sec. Srv. Bundle	CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: . 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2015	1298	
	UP CA ARCserve r12 WIN SAN Sec. Srv. Bnd	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---. CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: . 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2015-U	974	
	ARCserve r11.1 LX FlexFrame Agent	Allows the backup of one online SAP/Oracle database under linux and the archive of Redo-log files! Licensing is made pro SID! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C356	1844	
	1Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C415U1	202	
	3Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C415U3	607	
	ARCserve r11.5 WIN Lotus/Domino Agent	ARCserve r11.5 Agent for Lotus Notes for Windows: works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C715	790	



PRIMERGY Storage Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
Accessories & services matrix							
OS/Application-SW (Continued)							
	UP ARCServe r11.5 Oracle Agent	ARCServe r11.5 for Windows Agent for Oracle Upgrade from ARCServe v9, r11.0 or r11.1 for Windows!! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C717-U	592	
	CA ARCServe r12 WIN MS SBS Standard Ed.	CA ARCServe r12 MS SBS Standard Edition includes the following ARCServe r12 components: 1x Base, 1x Exchange Agent, 1x Open File Agent, 1x Sharepoint Agent, CA ARCServe Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint!), Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2016	403	
	UP CA ARCServe r12 WIN MS SBS Stand. Ed.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 MS SBS Standard Edition includes the following ARCServe r12 components: 1x Base, 1x Exchange Agent, 1x Open File Agent, 1x Sharepoint Agent, CA ARCServe Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint!), Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2016-U	302	
	1Yr Mnt ARCServe WIN Sybase Agent	BrightStor ARCServe Backup for Windows Sybase Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C416U1	263	
	3Yr Mnt ARCServe WIN Sybase Agent	BrightStor ARCServe Backup for Windows Sybase Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C416U3	790	
	ARCServe r11.5 WIN Sybase Agent	ARCServe r11.5 Agent for Sybase for Windows; works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C716	1028	
	UP ARCServe r11.5 MS SQL Agent	ARCServe r11.5 for Windows Agent for SQL Upgrade from ARCServe v9, r11.0 or r11.1 for Windows!! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C718-U	592	
	1 Yr Mnt. WANSyncHA Std Srv	1 Year CA Enterprise Maintenance Renewal for CA XOSoft WANSync HA Standard Server	x	x	U15260-C40U1	543	
	CA ARCServe r12 WIN DiskToDiskToTape Op.	CA ARCServe r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCServe r12 base!, CA ARCServe Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2017	403	
	UP CA ARCServe r12 WIN DiskToDiskToTape	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCServe r12 base!, CA ARCServe Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2017-U	302	
	1Yr Mnt ARCServe WIN Oracle Agent	BrightStor ARCServe Backup for Windows Oracle Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C417U1	202	
	3Yr Mnt ARCServe WIN Oracle Agent	BrightStor ARCServe Backup for Windows Oracle Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C417U3	607	



PRIMERGY Storage Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
Accessories & services matrix							
OS/Application-SW (Continued)							
	ARCserve r11.5 WIN Oracle Agent	ARCserve r11.5 Agent for Oracle for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C717	790	
	UP ARCserve r11.5 Client Agent for UNIX	ARCserve r11.5 Client Agent for UNIX Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C720-U	235	
	CA ARCserve r12 WIN MS Sharepoint Agent	CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client! CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymouss/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymouss/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2018	810	
	UP CA ARCserve r12 WIN MS Sharepoint Ag.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---; CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client! CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymouss/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymouss/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2018-U	608	
	1Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C418U1	202	
	3Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C418U3	607	
	ARCserve r11.5 WIN SQL Server Agent	ARCserve r11.5 Agent for Microsoft SQL for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C718	790	
	UP ARCserve r11.5 Client Agent Linux	ARCserve r11.5 Client Agent for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C721-U	149	
	CA ARCserve r12 WIN Enterprise Module	CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymouss/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymouss/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2019	3440	
	UP CA ARCserve r12 WIN Enterprise Module	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---; CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymouss/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymouss/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2019-U	3054	
	1Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C419U1	317	
	3Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C419U3	952	



PRIMERGY Storage Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
Accessories & services matrix							
OS/Application-SW (Continued)							
	ARCserve r11.5 SAP R/3 Agent for Oracle	ARCserve r11.5 Agent for SAP R/3 for Oracle; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C719	2123	
	UP ARCserve r11.5 Client Agent NetWare	ARCserve r11.5 Client Agent for NetWare Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C722-U	235	
	CA ARCserve r12 WIN MS DPM Agent	CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client! CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2020	810	
	UP CA ARCserve r12 WIN MS DPM Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client! CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2020-U	608	
	1Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C420U1	80	
	3Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C420U3	240	
	ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C720	313	
	UP ARCserve r11.5 Client Agent Windows	ARCserve r11.5 Client Agent for Windows Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C723-U	149	
	CA ARCserve r12 WIN VSS-HW Snap. Option	CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2021	4067	
	UP CA ARCserve r12 WIN VSS-HW Snap. Opt.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2021-U	3051	
	1Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C421U1	51	
	3Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C421U3	152	



PRIMERGY Storage Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
Accessories & services matrix							
OS/Application-SW (Continued)							
	ARCserve r11.5 WIN Client Agent Linux	ARCserve r11.5 Client Agent for Linux; works with ARCserve r11.5 basic! Allows the backup of one further LINUX servers! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.as.p	x	x	U15355-C721	198	
	UP ARCserve r12 WIN Sngl Srv-Full Edt.	ARCserve r12 for Windows Upgrade from ARCserve Single Server Edition to ARCserve r12 for Windows Standard Edition. BrightStor ARCserve Backup r12 is for Windows 2000 / 2003 / 2008 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C780-U	461	
	CA ARCserve r12 WIN VMware Agent	CA ARCserve r12 Agent f. VMware for Windows can only be used in conjunction with CA ARCserve r12 base! CA ARCserve Backup r12 Agent f. VMware for Windows is certified and released for Windows 2003! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2022	810	
	1Yr Mnt ARCserve WIN Client AgentNetwork	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C422U1	80	
	3Yr Mnt ARCserve WIN Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C422U3	240	
	ARCserve r11.5 WIN Client Agent NetWare	ARCserve r11.5 Client Agent for NetWare; works with ARCserve r11.5 basic! Allows the backup of one further NetWare servers! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.as.p	x	x	U15355-C722	313	
	CA ARCserve r12 WIN Central Mngmt. Opt.	CA ARCserve r12 Central Management Option for Windows can only be used in conjunction with CA ARCserve r12 base! CA ARCserve Backup r12 Central Management Option for Windows is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x	U15355-C2023	1217	
	1Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C423U1	51	
	3Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C423U3	152	
	ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C723	198	
	1Yr Mnt ARCserve WIN Cit Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C424U1	80	
	3Yr Mnt ARCserve WIN Cit Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C424U3	240	
	ARCserve r11.5 WIN Client Agent MAC OS X	ARCserve r11.5 Client Agent for Mac OS X; works with ARCserve r11.5 basic! Allows the backup of one further Mac OS X servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C724	313	
	1Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C428U1	325	



PRIMERGY Storage Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
Accessories & services matrix							
OS/Application-SW (Continued)							
	3Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C428U3	974	
	ARCserve r11.5 WIN Special	ARCserve r11.5 Special! Consisting of ARCserve r11.5 basic and ARCserve r11.5 Disaster Recovery! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C725	1167	
	1Yr Mnt ARCserve WIN CIt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C429U1	263	
	3Yr Mnt ARCserve WIN CIt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C429U3	790	
	ARCserve r11.5 WIN Secondary Srv Bundle	ARCserve r11.5 Secondary Server Bundle! Exists of ARCserve r11.5 basic license and ARCserve r11.5 SAN Option license! No media kit included! For further server which has access to the jukebox in a SAN! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C726	1266	
	1Yr Mnt ARCserve WIN Enterprise Module	BrightStor ARCserve Backup for Windows Enterprise Module - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C430U1	763	
	3Yr Mnt ARCserve WIN Enterprise Modul	BrightStor ARCserve Backup for Windows Enterprise Module - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C430U3	2290	
	ARCserve r11.5 WIN CIt VSS SW Snap Shot	ARCserve r11.5 Client for VSS (Volume Shadow Copy Service) Snap Shot! The integration with Microsoft VSS-ability applications allows backups to a specific time. In this process can be saved snapshot copies, when the processes are active and open data are working. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C727	1028	
	1Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C431U1	101	
	3Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C431U3	302	
	ARCserve r11.5 WIN Disk Staging Option	ARCserve r11.5 Disk Staging Option Shrinks backup time by allowing backup data to be staged to fast disk drives before it is automatically moved to tape. Restore requests are redirected to disks automatically, reducing recovery time. The whole operation is policy driven, reducing cost and management overhead. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C728	393	
	1Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C432U1	202	
	3Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C432U3	607	
	ARCserve r11.5 WIN Share Point Portal	ARCserve r11.5 für Windows Share Point Portal Agent With this agent Microsoft Share Point and all its components will be identified and efficiently backed up. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C729	790	
	1Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C433U1	202	
	3Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C433U3	607	



PRIMERGY Storage Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
Accessories & services matrix							
OS/Application-SW (Continued)							
	ARCserve r11.5 Enterprise Modul	ARCserve r11.5 Enterprise Module; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C730	3349	
	1Yr Mnt ARCserve WIN Central Mgmt. Opt.	ARCserve Backup for Windows Central Management Option - 1 Year CA Enterprise Maintenance., Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C434U1	304	
	3Yr Mnt ARCserve WIN Central Mgmt. Opt.	ARCserve Backup for Windows Central Management Option - 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C434U3	913	
	ARCserve r11.5 WIN DPM Agent	ARCserve r11.5 for Windows DPM Agent; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C731	790	
	1Yr Mnt ARCserve WIN VMware Agent	ARCserve Backup for Windows Agent f. VMware - , 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C435U1	202	
	3Yr Mnt ARCserve WIN VMware Agent	ARCserve Backup for Windows Agent f. VMware - , 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C435U3	608	
	1Yr Mnt ARCserve WIN Enterprise HW-VSS	ARCserve Backup for Windows Enterprise Option f. VSS Hardware Snapshots, - 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C436U1	958	
	3Yr Mnt ARCserve WIN Enterprise HW-VSS	ARCserve Backup for Windows Enterprise Option f. VSS Hardware Snapshots, - 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C436U3	2874	
UPS/Power supply							
	Power supply module 500W (hot plug)	for PS redundancy with larger system configuration		x	SNP-PS-F598L1-P	148	
	Cable powercord rack, 4m	with Euro socket connector	x	x	T26139-Y1968-L10	12	
	sliding rails UPS for classic rack	for installation in 19" rack for USP, etc.		x	SNP-SY-F1331L51-P	51	
	Cable powercord (D...), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR		x	T26139-Y1740-L10	12	
	Cable powercord (UK, IR), 1.8m, grey	suitable for UK, IR		x	T26139-Y1744-L10	12	
Miscellaneous							
	SCSI input modul U320 (dual node)	To upgrade a SX30 to a SX30 U320 passive cluster variation		x	S26361-F2360-L2	289	
	Upgrade kit Prim. SX10 to 4 channel U160	Upgrade PRIMERGY SX10 from 2 channel U160 up to 4 channel U160		x	S26361-F2746-L40	86	Phased out
Media							
	DAT72 cleaning cartridge	DAT72 cleaning cartridge without label		x	D:CL-DAT72-MX-01	5	
	LTO cleaning cartridge Fuji	Cleaning cartridge without label from Fuji for LTO drives		x	D:CL-LTO2-F-J-01	46	
	LTO cleaning cartridge Fuji with label	cleaning cartridge with label from Fuji for LTO drives		x	D:CL-LTO2-F-J-01L	46	
	LTO cleaning cartridge IBM	Cleaning cartridge without label from IBM for LTO drives		x	D:CL-LTO2-IB-01	43	
	LTO cleaning cartridge IBM with label	cleaning cartridge with label from IBM for LTO -drives		x	D:CL-LTO2-IB-01L	44	
	LTO cleaning cartridge Maxell	cleaning cartridge without label from Maxell for LTO drives		x	D:CL-LTO2-MX-01	43	
	LTO cleaning cartridge Maxell with label	cleaning cartridge with label from Maxell for LTO drives		x	D:CL-LTO2-MX-01L	44	
	LTO cleaning label	label for LTO cleaning cartridges		x	D:CL-LTO-LAB	1	
	LTO cleaning cartridge Sony	Cleaning cartridge without label from Sony for LTO drives		x	D:CL-LTO-SY-01	44	
	LTO cleaning cartridge Sony with label	cleaning cartridge with label from Sony for LTO drives		x	D:CL-LTO-SY-01L	44	
	VXA cleaning label	Label for VXA cleaning cartridge		x	D:CL-VXA2-LAB	1	
	VXA cleaning cartridge	VXA cleaning cartridge		x	D:CL-VXA2-X-01	18	
	VXA cleaning cartridge with label	VXA cleaning cartridge		x	D:CL-VXA2-X-01L	19	
	DAT72 data cartridge	DAT72 data cartridge without label		x	D:CR-DAT72-MX-01	10	
	LTO 1 data cartridge Fuji	LTO-1 data cartridge without label from Fuji, 100 GB native capacity		x	D:CR-LTO1-F-J-01	26	
	LTO 1 data cartridge with label Fuji	LTO-1 data cartridge with label from Fuji, 100 GB native capacity		x	D:CR-LTO1-F-J-01L	27	
	LTO 1 data cartridge IBM	LTO-1 data cartridge without label from IBM, 100 GB native capacity		x	D:CR-LTO1-IB-01	22	
	LTO 1 data cartridge with label IBM	LTO-1 data cartridge with label from IBM, 100 GB native capacity		x	D:CR-LTO1-IB-01L	23	
	LTO 1 barcode label	label for LTO-1 data cartridges		x	D:CR-LTO1-LAB	1	
	LTO 1 data cartridge Maxell	LTO-1 data cartridge without label from Maxell, 100 GB native capacity		x	D:CR-LTO1-MX-01	22	
	LTO 1 data cartridge with label Maxell	LTO-1 data cartridge with label from Maxell, 100 GB native capacity		x	D:CR-LTO1-MX-01L	23	
	LTO 2 data cartridge Fuji	LTO-2 data cartridge without label from Fuji, 200 GB native capacity		x	D:CR-LTO2-F-J-01	21	
	LTO 2 data cartridge with label Fuji	LTO-2 data cartridge with label from Fuji, 200 GB native capacity		x	D:CR-LTO2-F-J-01L	21	
	LTO 2 data cartridge IBM	LTO-2 data cartridge without label from IBM, 200 GB native capacity		x	D:CR-LTO2-IB-01	20	
	LTO 2 data cartridge with label IBM	LTO-2 data cartridge with label from IBM, 200 GB native capacity		x	D:CR-LTO2-IB-01L	21	
	LTO 2 barcode label	label for LTO-2 data cartridges		x	D:CR-LTO2-LAB	1	
	LTO 2 data cartridge Maxell	LTO-2 data cartridge without label from Maxell, 200 GB native capacity		x	D:CR-LTO2-MX-01	23	
	LTO 2 data cartridge with label Maxell	LTO-2 data cartridge with label from Maxell, 200 GB native capacity		x	D:CR-LTO2-MX-01L	24	
	LTO 3 data cartridge Fuji	LTO-3 data cartridge without label from Fuji, 400 GB native capacity		x	D:CR-LTO3-F-J-01	23	
	LTO 3 data cartridge with label	LTO-3 data cartridge with label from Fuji, 400 GB native capacity		x	D:CR-LTO3-F-J-01L	32	
	LTO 3 WORM data cartridge	LTO-3 WORM data cartridge without label from Fuji, 400 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data		x	D:CR-LTO3-FJ-01W	63	
	LTO3 WORM data cartridge with label Fuji	LTO-3 WORM data cartridge with label from Fuji, 400 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data		x	D:CR-LTO3-FJ-01WL	58	
	LTO 3 data cartridge IBM	LTO-3 data cartridge without label from IBM, 400 GB native capacity		x	D:CR-LTO3-IB-01	22	
	LTO 3 data cartridge with label IBM	LTO-3 data cartridge with label from IBM, 400 GB native capacity		x	D:CR-LTO3-IB-01L	23	
	LTO 3 barcode label	label for LTO-3 data cartridges		x	D:CR-LTO3-LAB	1	
	LTO 3 data cartridge Sony	LTO-3 data cartridge without label from Sony, 400 GB native capacity		x	D:CR-LTO3-SY-01	22	
	LTO 3 data cartridge with label Sony	LTO-3 data cartridge with label from Sony, 400 GB native capacity		x	D:CR-LTO3-SY-01L	23	
	VXA barcode label	Label for VXA data cartridge		x	D:CR-VXA2-LAB	1	



PRIMERGY Storage Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (€)	Comments
Accessories & services matrix							
Media (Continued)							
	VXA-2/320 data cartridge 40/80GB	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB	x		D:CR-VXA2-X10-01	19	
	VXA-2/320 data cartr. 40/80GB with label	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB	x		D:CR-VXA2-X10-01L	20	
	VXA-2/320 data cartridge 80/160GB	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB	x		D:CR-VXA2-X23-01	41	
	VXA-2/320 data cartr 80/160GB with label	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB	x		D:CR-VXA2-X23-01L	42	
Cables							
	SCSI cable HD68(S)-HD68(S) 1.5m	HD68(S)-HD68(S) with screw connection, 1.5m	x		S26361-F2400-L15	89	
	SCSI cable HD68(S)-HD68(S) 5.0m	HD68(S)-HD68(S) with screw connection, 5m	x		S26361-F2400-L50	118	
	SCSI cable UHD68(S)-HD68(S) 1.8m	UHD68(S)-HD68(S) with screw connection	x		SNP-SY-F1947L18-P	89	
	SCSI cable UHD68(S)-HD68(S) 5m	UHD68(S)-HD68(S) with screw connection	x		SNP-SY-F1947L50-P	118	
	SCSI cable UHD68(S)-UHD68(S) 2m	UHD68(S)-UHD68(S) with screw connection	x		SNP-SY-F2365L20-P	89	
	SCSI cable UHD68(S)-UHD68(S) 5m	UHD68(S)-UHD68(S) with screw connection	x		SNP-SY-F2365L50-P	118	
Additional Software							
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1	x	x	U11081-C157	12	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	U11081-C171	893	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	U11081-C177	446	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	x	x	U11081-C183	24	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	U11081-C186	893	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x	x	U11081-C192	358	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	x	x	U11081-C199	12	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x	x	U11081-C201	24	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	U11081-C202	972	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x	U11081-C203	1583	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	U11081-C204	3165	
	OPENFT-4 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x	U11081-C205	4748	
	OPENFT-5 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x	U11081-C206	6330	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	U11081-C207	563	
	OPENFT-2-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x	U11081-C208	917	
	OPENFT-3-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	U11081-C209	1836	
	OPENFT-4-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x	U11081-C210	2753	
	OPENFT-5-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x	U11081-C211	3671	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	U11081-C212	972	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	U11081-C213	1583	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	U11081-C214	3165	
	OPENFT-FTAM-4 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x	U11081-C215	4748	
	OPENFT-FTAM-5 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x	U11081-C216	6330	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x	x	U11081-C217	563	
	OPENFT-FTAM-2-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208	x	x	U11081-C218	917	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C209	x	x	U11081-C219	1836	
	OPENFT-FTAM-4-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C210	x	x	U11081-C220	2753	
	OPENFT-FTAM-5-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C211	x	x	U11081-C221	3671	
	OPENFT-FTP-1 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	U11081-C222	397	
	OPENFT-FTP-2 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	U11081-C223	646	
	OPENFT-FTP-3 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	U11081-C224	1292	
	OPENFT-FTP-4 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x	U11081-C225	1938	
	OPENFT-FTP-5 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x	U11081-C226	2583	



PRIMERGY Storage Services

Data Sheets: <http://www.fujitsu-siemens.com/primergy>

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code	End User Price (£)	Comments
Accessories & services matrix							
Product related services							
	SP 4y OS Svc,NBD Rt,5x9	SP 4 years On-Site Service, next business day response, 5x9	x		FSP:GB4S20000GBPS1	56	
	SP 4y OS Svc,NBD Rt,5x9	SP 4 years On-Site Service, next business day response, 5x9		x	FSP:GB4S20000GBPS2	119	
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9	x		FSP:GB5S20000GBPS1	90	
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9		x	FSP:GB5S20000GBPS2	170	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9	x		FSP:GD3S60000GBPS1	826	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9		x	FSP:GD3S60000GBPS2	826	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24	x		FSP:GD3S63000GBPS1	958	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24		x	FSP:GD3S63000GBPS2	958	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved	x		FSP:GD3SG3000GBPS1	1308	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved		x	FSP:GD3SG3000GBPS2	1308	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9	x		FSP:GD4S60000GBPS1	1366	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9		x	FSP:GD4S60000GBPS2	1366	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24	x		FSP:GD4S63000GBPS1	1497	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24		x	FSP:GD4S63000GBPS2	1497	
	SP 4y OS Svc,8h Rec,7x24	SP 4 years On-Site Service, 8h recovery, 7x24, feasibility check reserved	x		FSP:GD4SG3000GBPS1	1928	
	SP 4y OS Svc,8h Rec,7x24	SP 4 years On-Site Service, 8h recovery, 7x24, feasibility check reserved		x	FSP:GD4SG3000GBPS2	1928	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9	x		FSP:GD5S60000GBPS1	1906	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9		x	FSP:GD5S60000GBPS2	1906	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24	x		FSP:GD5S63000GBPS1	2036	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24		x	FSP:GD5S63000GBPS2	2036	
	SP 5y OS Svc,8h Rec,7x24	SP 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved	x		FSP:GD5SG3000GBPS1	2548	
	SP 5y OS Svc,8h Rec,7x24	SP 5 years On-Site Service, 8h recovery, 7x24, feasibility check reserved		x	FSP:GD5SG3000GBPS2	2548	
	TP 4y OS Svc,5x9	TP 4 years On-Site Service, 5x9	x		FSP:GN4S00000GBPS1	84	
	TP 4y OS Svc,5x9	TP 4 years On-Site Service, 5x9		x	FSP:GN4S00000GBPS2	63	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9	x		FSP:GN4S20000GBPS1	56	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9		x	FSP:GN4S20000GBPS2	119	
	TP 5y OS Svc,5x9	TP 5 years On-Site Service, 5x9	x		FSP:GN5S00000GBPS1	168	
	TP 5y OS Svc,5x9	TP 5 years On-Site Service, 5x9		x	FSP:GN5S00000GBPS2	125	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9	x		FSP:GN5S20000GBPS1	90	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9		x	FSP:GN5S20000GBPS2	170	



Positioning SPARC Enterprise Servers



**SPARC Enterprise
T1000**

The entry model T1000 incorporates the UltraSPARC T1 processor. This processor delivers with its 8 cores up to 32 simultaneous execution threads and 32 GB of memory. The SPARC® Enterprise T1000 model also offers 1 free PCI-E slots, 4 integrated Gigabit Ethernet interfaces and 1 SATA disk bay.



**SPARC Enterprise
T2000**

The entry model T2000 also incorporates the UltraSPARC T1 processor. This processor delivers with its 8 cores up to 32 simultaneous execution threads and 64 GB of memory. The SPARC® Enterprise T2000 also offers 5 free PCI-E slots (3x PCI-E and 2x PCI-X), 4 integrated Gigabit Ethernet interfaces and 4 SAS disk bay.



**SPARC Enterprise
M4000**

The midrange model M4000 scales up to 4 SPARC64VI dual core sockets thus having up to 8 cores, and supports Memory Chipkill and memory mirroring. Furthermore, the model M4000 include built-in features such as Dynamic System Domains, eXtended system boards, and Dynamic Reconfiguration.



**SPARC Enterprise
M5000**

Compared to the model M4000 the M5000 scales up to 8 SPARC64VI dual core sockets thus having up to 16 cores, with the same mission-critical features.



**SPARC Enterprise
M8000**

The high end model SES M8000 scales up to 16 SPARC64VI dual core sockets thus having up to 32 cores. With symmetric multiprocessing (SMP) scalability from one to 16 processors, memory subsystems as large as 512 GB, and high-throughput I/O architectures. Furthermore, the model M8000 includes built-in features such as Dynamic System Domains, eXtended system boards, and Dynamic Reconfiguration.



**SPARC Enterprise
M9000**

Like the model M8000 the SPARC® Enterprise Servers M9000 models address the mid-range and high-end processing requirements of mission-critical IT projects. There are two different floorstand models, the SES M9000-32 with 32 sockets and SES M9000-64 with 64 sockets



SPARC Enterprise Server T5120

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

The Entry model T5120 incorporates the UltraSPARC T2 processor with 1.2 GHz (4 or 8 cores) and enhanced 4 MB L2 cache. This processor delivers with its 8 cores up to 64 simultaneous execution threads and 64 GB of fully buffered memory (16 DIMM slots). The T5120 model also offers 4 hot-plug SAS disk drive bays and 3 free PCIe slots in addition to the two 10 GbE and four GbE on-chip network interfaces. 1 Floating Point Unit per core and 1 integrated Crypto Unit per core are further improvements.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
SPARC Enterprise Server T5120					
T5120:4core,1.2Ghz,No-MEM,Disk,PSU,DVD	T5120:4core,1.2Ghz,No-MEM,Disk,PSU,DVD	T5120:4core,1.2Ghz,No-MEM,Disk,PSU,DVD	SECAA111S	3950	
T5120:6core,1.2Ghz,No-MEM,Disk,PSU,DVD	T5120:6core,1.2Ghz,No-MEM,Disk,PSU,DVD	T5120:6core,1.2Ghz,No-MEM,Disk,PSU,DVD	SECAB111S	5850	
T5120:8core,1.2Ghz,No-MEM,Disk,PSU,DVD	T5120:8core,1.2Ghz,No-MEM,Disk,PSU,DVD	T5120:8core,1.2Ghz,No-MEM,Disk,PSU,DVD	SECAC111S	10300	
T5120:8core,1.4Ghz,No-MEM,Disk,PSU,DVD	T5120:8core,1.4Ghz,No-MEM,Disk,PSU,DVD	T5120:8core,1.4Ghz,No-MEM,Disk,PSU,DVD	SECAF111S	13300	
T5120:1.2GHz, 4core, 4GB Mem, 2x146GB	Fujitsu Siemens SPARC Enterprise T5120 Server, 4 Core 1.2GHz UltraSPARC T2 processor, 4GB FBDIMM memory (4x 1GB), 2x 146GB 10K RPM SAS disk drives, 1 DVD+/-RW, 4x 10/100/1000 Ethernet ports, 1 serial port, 4x USB ports, 1 dedicated PCI-E low profile slot, 2x PCI-E low profile or XAUI (10GB Ethernet) slots, 2 (1+1) 650W power supply units, Solaris 10 Operating System software pre-installed.		SECPAAF1S	5000	
T5120:1.2GHz, 8core, 16GB Mem, 2x146GB	Fujitsu Siemens SPARC Enterprise T5120 Server, 8 Core 1.2GHz UltraSPARC T2 processor, 16GB FBDIMM memory (8x 2GB), 2x 146GB 10K RPM SAS disk drives, 1 DVD+/-RW, 4x 10/100/1000 Ethernet ports, 1 serial port, 4x USB ports, 1 dedicated PCI-E low profile slot, 2x PCI-E low profile or XAUI (10GB Ethernet) slots, 2 (1+1) 650W power supply units, Solaris 10 Operating System software pre-installed.		SECPCEF1S	12200	
T5120:1.2GHz, 8core, 32GB Mem, 2x146GB	Fujitsu Siemens SPARC Enterprise T5120 Server, 8 Core 1.2GHz UltraSPARC T2 processor, 32GB FBDIMM memory (16x 2GB), 2x 146GB 10K RPM SAS disk drives, 1 DVD+/-RW, 4x 10/100/1000 Ethernet ports, 1 serial port, 4x USB ports, 1 dedicated PCI-E low profile slot, 2x PCI-E low profile or XAUI (10GB Ethernet) slots, 2 (1+1) 650W power supply units, Solaris 10 Operating System software pre-installed.		SECPFFF1S	13000	
T5120 PTO 6co 1.2GHz 16GB 2x146GB 2xPSU	Fujitsu Siemens SPARC Enterprise T5120 Server with basic ports 4x 10/100/1000 Ethernet ports, 1 serial port, 4x USB ports, 1 dedicated PCI-E low profile slot, 2x PCI-E low profile or XAUI (10GB Ethernet) slots		T5120-GR20	9659	



SPARC Enterprise Server T5140

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

SPARC® Enterprise Model T5140

The model T5140 is the first model in the T5xxx line incorporating 2 UltraSPARC T2 Plus processors with 1.2 GHz (each with 2x4, 2x6 or 2x8 cores). Each of the cores can issue up to 8 threads simultaneously, in total up to 128 threads – delivered in a compact 1RU form factor. The T5140 model also offers up to 64 GB memory (16 DIMM slots), 4 hot-plug disk bays and 3 free PCIe slots in addition to the two 10 GbE plus two 1 GbE onboard network interfaces. The Solaris 10 Operating System and the logical domain feature are preinstalled and provide a highly flexible, efficient and secure application environment. Standard RAS features include redundant power supplies and fans, core offlining, extended ECC protection and the Integrated Lights Out Management (ILOM) tool to enable the server to be integrated and managed within industry-standard management frameworks.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
SPARC Enterprise Server T5140					
T5140:1.2Ghz,2x4core,No-MEM,Disk,PSU,DVD	FSC SPARC Enterprise T5140 Server, 2 * 4 Core 1.2GHz UltraSPARC T2 Plus processors	SETAA141S		6750	
T5140:1.2Ghz,2x6core,No-MEM,Disk,PSU,DVD	FSC SPARC Enterprise T5140 Server, 2 * 6 Core 1.2GHz UltraSPARC T2 Plus processors	SETAB141S		7300	
T5140:1.2Ghz,2x8core,No-MEM,Disk,PSU,DVD	FSC SPARC Enterprise T5140 Server, 2 * 8 Core 1.2GHz UltraSPARC T2 Plus processors	SETAC141S		13600	
T5140:1.2GHz, 2x4core, 8GB Mem, 2x146GB	FSC SPARC Enterprise T5140 Server, 2 * 4 Core 1.2GHz UltraSPARC T2 Plus processors, 8GB FBDIMM memory (8 * 1GB), 4 disk capacity, 2 * 146GB 10K RPM SAS disks, 1 DVD+/-RW, 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 1 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAU1 (10GB Ethernet) slots, 2 (N+1) power supplies, Solaris 10 System software pre-installed	SETPAAE1S		8300	
T5140:1.2GHz, 2x6core, 16GB Mem, 2x146GB	FSC SPARC Enterprise T5140 Server, 2 * 6 Core 1.2GHz UltraSPARC T2 Plus processors, 16GB FBDIMM memory (8 * 2GB), 4 disk capacity, 2 * 146GB 10K RPM SAS disks, 1 DVD+/-RW, 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 1 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAU1 (10GB Ethernet) slots, 2 (N+1) power supplies, Solaris 10 System software pre-installed	SETPBGE1S		9400	
T5140:1.2GHz, 2x8core, 32GB Mem, 2x146GB	FSC SPARC Enterprise T5140 Server, 2 * 8 Core 1.2GHz UltraSPARC T2 Plus processors, 32GB FBDIMM memory (16 * 2GB), 4 disk capacity, 2 * 146GB 10K RPM SAS disks, 1 DVD+/-RW, 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 1 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAU1 (10GB Ethernet) slots, 2 (N+1) power supplies, Solaris 10 System software pre-installed	SETPCJE1S		16600	
T5140:1.2GHz, 2x8core, 64GB Mem, 2x146GB	FSC SPARC Enterprise T5140 Server, 2 * 8 Core 1.2GHz UltraSPARC T2 Plus processors, 64GB FBDIMM memory (16 * 4GB), 4 disk capacity, 2 * 146GB 10K RPM SAS disks, 1 DVD+/-RW, 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 1 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAU1 (10GB Ethernet) slots, 2 (N+1) power supplies, Solaris 10 System software pre-installed	SETPCPE1S		21900	



SPARC Enterprise Server T5220

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

The Entry model T5220 incorporates the UltraSPARC T2 processor with 1.2 GHz (4 or 8 cores) or 1.4 GHz (8 cores) and enhanced 4 MB L2 cache. This processor delivers with its 8 cores up to 64 simultaneous execution threads and 64 GB of fully buffered memory (16 DIMM slots). The T5220 model also offers 8 hot-plug SAS disk drive bays and 6 free PCIe slots in addition to the two 10 GbE and four GbE on-chip network interfaces. 1 Floating Point Unit per core and 1 integrated Crypto Unit per core are further improvements.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
SPARC Enterprise Server T5220					
T5220:4core,1.2Ghz,No-MEM,Disk,PSU,DVD	T5220:4core,1.2Ghz,No-MEM,Disk,PSU,DVD	T5220:4core,1.2Ghz,No-MEM,Disk,PSU,DVD	SEDAA121S	4975	
T5220:6core,1.2Ghz,No-MEM,Disk,PSU,DVD	T5220:6core,1.2Ghz,No-MEM,Disk,PSU,DVD	T5220:6core,1.2Ghz,No-MEM,Disk,PSU,DVD	SEDAB121S	6500	
T5220:8core,1.2Ghz,No-MEM,Disk,PSU,DVD	T5220:8core,1.2Ghz,No-MEM,Disk,PSU,DVD	T5220:8core,1.2Ghz,No-MEM,Disk,PSU,DVD	SEDAC121S	10900	
T5220:8core,1.4Ghz,No-MEM,Disk,PSU,DVD	T5220:8core,1.4Ghz,No-MEM,Disk,PSU,DVD	T5220:8core,1.4Ghz,No-MEM,Disk,PSU,DVD	SEDAF121S	13900	
T5220:1.2GHz, 4core, 4GB Mem, 2x146GB	Fujitsu Siemens SPARC Enterprise T5220 Server, 4 Core 1.2GHz UltraSPARC T2 processor, 4GB FBDIMM memory (4x 1GB), 2x 146GB 10K RPM SAS disk drives, 1 DVD+/-RW, 4x 10/100/1000 Ethernet ports, 1x serial port, 4x USB ports, 4 dedicated PCI-E low profile slots, 2x PCI-E low profile or XAUI (10GB Ethernet) slots, 2 (1+1) 750W power supply units, Solaris 10 Operating System software pre-installed.	Fujitsu Siemens SPARC Enterprise T5220 Server, 4 Core 1.2GHz UltraSPARC T2 processor, 4GB FBDIMM memory (4x 1GB), 2x 146GB 10K RPM SAS disk drives, 1 DVD+/-RW, 4x 10/100/1000 Ethernet ports, 1x serial port, 4x USB ports, 4 dedicated PCI-E low profile slots, 2x PCI-E low profile or XAUI (10GB Ethernet) slots, 2 (1+1) 750W power supply units, Solaris 10 Operating System software pre-installed.	SEDPAAF1S	6100	
T5220:1.2GHz, 8core, 32GB Mem, 2x146GB	Fujitsu Siemens SPARC Enterprise T5220 Server, 8 Core 1.2GHz UltraSPARC T2 processor, 32GB FBDIMM memory (16x 2GB), 2x 146GB 10K RPM SAS disk drives, 1 DVD+/-RW, 4x 10/100/1000 Ethernet ports, 1x serial port, 4x USB ports, 4 dedicated PCI-E low profile slots, 2x PCI-E low profile or XAUI (10GB Ethernet) slots, 2 (1+1) 750W power supply units, Solaris 10 Operating System software pre-installed.	Fujitsu Siemens SPARC Enterprise T5220 Server, 8 Core 1.2GHz UltraSPARC T2 processor, 32GB FBDIMM memory (16x 2GB), 2x 146GB 10K RPM SAS disk drives, 1 DVD+/-RW, 4x 10/100/1000 Ethernet ports, 1x serial port, 4x USB ports, 4 dedicated PCI-E low profile slots, 2x PCI-E low profile or XAUI (10GB Ethernet) slots, 2 (1+1) 750W power supply units, Solaris 10 Operating System software pre-installed.	SEDPFFF1S	13600	
T5220:1.4GHz, 8core, 64GB Mem, 2x146GB	Fujitsu Siemens SPARC Enterprise T5220 Server, 8 Core 1.4GHz UltraSPARC T2 processor, 64GB FBDIMM memory (16x 4GB), 2x 146GB 10K RPM SAS disk drives, 1 DVD+/-RW, 4x 10/100/1000 Ethernet ports, 1x serial port, 4x USB ports, 4 dedicated PCI-E low profile slots, 2x PCI-E low profile or XAUI (10GB Ethernet) slots, 2 (1+1) 750W power supply units, Solaris 10 Operating System software pre-installed.	Fujitsu Siemens SPARC Enterprise T5220 Server, 8 Core 1.4GHz UltraSPARC T2 processor, 64GB FBDIMM memory (16x 4GB), 2x 146GB 10K RPM SAS disk drives, 1 DVD+/-RW, 4x 10/100/1000 Ethernet ports, 1x serial port, 4x USB ports, 4 dedicated PCI-E low profile slots, 2x PCI-E low profile or XAUI (10GB Ethernet) slots, 2 (1+1) 750W power supply units, Solaris 10 Operating System software pre-installed.	SEDPFJF1S	21900	
T5220 PTO 4co 1.2GHz 32GB 2x146GB 2xPSU	T5220 ATO 4co 1.2GHz 32GB 2x146GB 2xPSU	T5220 ATO 4co 1.2GHz 32GB 2x146GB 2xPSU	T5220-CL03-04-PI01	8738	
T5220 PTO 6co 1.2GHz 32GB 2x146GB 2xPSU	T5220 ATO 6co 1.2GHz 32GB 2x146GB 2xPSU	T5220 ATO 6co 1.2GHz 32GB 2x146GB 2xPSU	T5220-CL05-06-PI01	10405	
T5220 PTO 6co 1.2GHz 64GB 4x146GB 2xPSU	Fujitsu Siemens SPARC Enterprise T5220 Server with basic ports 4x 10/100/1000 Ethernet ports, 1x serial port, 4x USB ports, 4 dedicated PCI-E low profile slots, 2x PCI-E low profile or XAUI (10GB Ethernet) slots	Fujitsu Siemens SPARC Enterprise T5220 Server with basic ports 4x 10/100/1000 Ethernet ports, 1x serial port, 4x USB ports, 4 dedicated PCI-E low profile slots, 2x PCI-E low profile or XAUI (10GB Ethernet) slots	T5220-CL07-PI01	16659	
T5220 PTO 8co 1.2GHz 64GB 4x146GB 2xPSU	Fujitsu Siemens SPARC Enterprise T5220 Server with basic ports 4x 10/100/1000 Ethernet ports, 1x serial port, 4x USB ports, 4 dedicated PCI-E low profile slots, 2x PCI-E low profile or XAUI (10GB Ethernet) slots	Fujitsu Siemens SPARC Enterprise T5220 Server with basic ports 4x 10/100/1000 Ethernet ports, 1x serial port, 4x USB ports, 4 dedicated PCI-E low profile slots, 2x PCI-E low profile or XAUI (10GB Ethernet) slots	T5220-CL08-PI01	21817	
T5220 PTO 6co 1.2GHz 16GB 2x146GB 2xPSU	Fujitsu Siemens SPARC Enterprise T5220 Server with basic ports 4x 10/100/1000 Ethernet ports, 1x serial port, 4x USB ports, 4 dedicated PCI-E low profile slots, 2x PCI-E low profile or XAUI (10GB Ethernet) slots	Fujitsu Siemens SPARC Enterprise T5220 Server with basic ports 4x 10/100/1000 Ethernet ports, 1x serial port, 4x USB ports, 4 dedicated PCI-E low profile slots, 2x PCI-E low profile or XAUI (10GB Ethernet) slots	T5220-GR20	10294	



SPARC Enterprise Server T5240

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

SPARC® Enterprise Model T5240

The model T5240 is the first model in the T5xxx line incorporating 2 UltraSPARC T2 Plus processors with 1.2 GHz (each with 2x4, 2x6 or 2x8 cores). Each of the cores can issue up to 8 threads simultaneously, in total up to 128 threads. The T5240 model also offers – in a compact 2 RU form factor - up to 128 GB memory (32 DIMM slots), 16 hot-plug disk bays and 6 free PCIe slots in addition to the two 10 GbE plus two 1 GbE onboard network interfaces. The Solaris 10 Operating System and the logical domain feature are preinstalled and provide a highly flexible, efficient and secure application environment. Standard RAS features include redundant power supplies and fans, core offlining, extended ECC protection and the Integrated Lights Out Management (ILOM) tool to enable the server to be integrated and managed within industry-standard management frameworks.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
SPARC Enterprise Server T5240					
T5240:1.2Ghz,2x4core,No-MEM,Disk,PSU,DVD	T5240:1.2Ghz,2x4core,No-MEM,Disk,PSU,DVD	SEUAA141S		7900	
T5240:1.2Ghz,2x6core,No-MEM,Disk,PSU,DVD	T5240:1.2Ghz,2x6core,No-MEM,Disk,PSU,DVD	SEUAB141S		8450	
T5240:1.2Ghz,2x8core,No-MEM,Disk,PSU,DVD	T5240:1.2Ghz,2x8core,No-MEM,Disk,PSU,DVD	SEUAC141S		14800	
T5240:1.4Ghz,2x8core,No-MEM,Disk,PSU,DVD	T5240:1.4Ghz,2x8core,No-MEM,Disk,PSU,DVD	SEUAD141S		19950	
T5240:1.2GHz, 2x6core, 8GB Mem, 2x146GB	FSC SPARC Enterprise T5240 Server, 2 * 6 Core 1.2GHz UltraSPARC T2 Plus processors, 8GB FBDIMM memory (8 * 1GB), 8 disk capacity, 2 * 146GB 10K RPM SAS disks, 1 DVD+/-RW, 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 4 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAU1 (10GB Ethernet) slots, 2 (N+1) power supplies, Solaris 10 System software pre-installed	SEUPBAE1S		10000	
T5240:1.2GHz, 2x8core, 32GB Mem, 2x146GB	FSC SPARC Enterprise T5240 Server, 2 * 8 Core 1.2GHz UltraSPARC T2 Plus processors, 32GB FBDIMM memory (16 * 2GB), 8 disk capacity, 2 * 146GB 10K RPM SAS disks, 1 DVD+/-RW, 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 4 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAU1 (10GB Ethernet) slots, 2 (N+1) power supplies, Solaris 10 System software pre-installed	SEUPCJE1S		17800	
T5240:1.2GHz, 2x8core, 64GB Mem, 2x146GB	FSC SPARC Enterprise T5240 Server, 2 * 8 Core 1.2GHz UltraSPARC T2 Plus processors, 64GB FBDIMM memory (16 * 4GB), 8 disk capacity, 2 * 146GB 10K RPM SAS disks, 1 DVD+/-RW, 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 4 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAU1 (10GB Ethernet) slots, 2 (N+1) power supplies, Solaris 10 System software pre-installed	SEUPCPE1S		26190	
T5240:1.2GHz, 2x8core, 64GB Mem, 2x146GB	FSC SPARC Enterprise T5240 Server, 2 * 8 Core 1.2GHz UltraSPARC T2 Plus processors, 64GB FBDIMM memory (16 * 4GB), 16 disk capacity, 2 * 146GB 10K RPM SAS disks, 1 DVD+/-RW, 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 4 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAU1 (10GB Ethernet) slots, 2 (N+1) power supplies, Solaris 10 System software pre-installed, Requires high-line power input (200-240V).	SEUPCPE2S		23300	
T5240:1.4GHz, 2x8core, 64GB Mem, 2x146GB	FSC SPARC Enterprise T5240 Server, 2 * 8 Core 1.4GHz UltraSPARC T2 Plus processors, 64GB FBDIMM memory (16 * 4GB), 8 disk capacity, 2 * 146GB 10K RPM SAS disks, 1 DVD+/-RW, 4 - 10/100/1000 Ethernet ports, 1 serial port, 4 USB ports, 4 dedicated PCI-E low profile slot, 2 PCI-E low profile or XAU1 (10GB Ethernet) slots, 2 (N+1) power supplies, Solaris 10 System software pre-installed, Requires high-line power input (200-240V).	SEUPDPE1S		28300	



SPARC Enterprise Server T1000

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

As organizations move from the organization age to the age of network computing, they must deliver new services to growing user bases with the request to reduce operational costs.

The new Fujitsu Siemens Computers SPARC® Enterprise servers T1000 and T2000 are setting new standards in the market for throughput computing, energy efficiency and compute density, providing the ideal platform for web services. SPARC® Enterprise servers are proven UNIX based computers based on the latest and most performant and reliable SPARC multi-core processor architecture and running the worldwide number 1 UNIX operating environment Solaris. These models are supported from Solaris 10 and future versions.

This SPARC® Enterprise servers T Model Family will become the new standard for network computing, mission critical service levels and IT production continuity demands that data centers are looking for.

SPARC® Enterprise servers Entry Model T1000

The Entry Model SE T1000 incorporates the UltraSPARC T1 processor. This processor delivers with its 8 cores up to 32 simultaneous execution threads and 32 GB of memory. The SE T1000 model also offers 1 free PCI-E slots, 4 integrated Gigabit Ethernet interfaces and 1 SATA or 2 SAS disk bays. The Solaris 10 Operating System is preinstalled and provides a highly flexible, efficient and secure application environment. Standard RAS features include advanced lights out manager (ALOM) and supports extended ECC protection. SE T1000 servers are intended for multithread capable workloads, where throughput, space and optimized power consumption are primary purchasing drivers and where the highest processor and core performance are less important.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
SPARC Enterprise Server T1000					
T1000:1.0GHz, 6core, 4GB Mem, 1x160GB	FSC SPARC Enterprise T1000 Server, 6 core, 1.0GHz UltraSPARC T1 processor, 4GB DDR2 memory (4 * 1GB DIMMs), 160 SATA hard disk drive, 1 power supply, 4 10/100/1000 Mb/s Ethernet ports, 1 serial port, 1 PCI-E slot, Solaris 10 System software pre-installed.		SEAPBDF1S	1746	
T1000:1.0GHz, 6core, 8GB Mem, 1x160GB	1.0GHz, 6core, 8GB Mem, SATAx1, The SPARC Enterprise T1000 server comes with the following components:, The UltraSPARC® T1 multicore processor with six or eight cores, Up to 32 GB of DDR2 SDRAM memory in 8 available memory slots, Four on-board Gigabit Ethernet ports, One PCI-E (Express) slot , Up to one SATA disk drive		SEAPBEF1S	1800	
T1000:1.0GHz, 8core, 4GB Mem, 1x160GB	FSC SPARC Enterprise T1000 Server, 8 core, 1.0GHz UltraSPARC T1 processor, 4GB DDR2 memory (4 * 1GB DIMMs), 160GB 3.5" 7.2K rpm SATA hard disk drive, 1 power supply, 4 - 10/100/1000 Mb/s Ethernet ports, 1 serial port, 1 PCI-E slot, Solaris 10 System software pre-installed.		SEAPCDF1S	2937	
T1000:1.0GHz, 8core, 8GB Mem, 2x73GB	1.0GHz, 8core, 8GB Mem, SASx2, The SPARC Enterprise T1000 server comes with the following components:, The UltraSPARC® T1 multicore processor with six or eight cores, Up to 32 GB of DDR2 SDRAM memory in 8 available memory slots, Four on-board Gigabit Ethernet ports, One PCI-E (Express) slot , Up to one SATA disk drive		SEAPCEC1S	2750	
T1000:1.0GHz, 8core, 16GB Mem, 2x73GB	1.0GHz, 8core, 16GB Mem, SASx2, The SPARC Enterprise T1000 server comes with the following components:, The UltraSPARC® T1 multicore processor with six or eight cores, Up to 32 GB of DDR2 SDRAM memory in 8 available memory slots, Four on-board Gigabit Ethernet ports, One PCI-E (Express) slot , Up to one SATA disk drive		SEAPCHC1S	3100	



SPARC Enterprise Server T2000

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

As organizations move from the organization age to the age of network computing, they must deliver new services to growing user bases with the request to reduce operational costs.

The new Fujitsu Siemens Computers SPARC® Enterprise servers T1000 and T2000 are setting new standards in the market for throughput computing, energy efficiency and compute density, providing the ideal platform for web ser-vices. SPARC® Enterprise servers are proven UNIX based computers based on the latest and most performant and reliable SPARC multi-core processor architecture and running the worldwide number 1 UNIX operating environment Solaris. These models are supported from Solaris 10 and future versions.

This SPARC® Enterprise servers T Model Family will become the new standard for network computing, mission critical service levels and IT production continuity demands that data centers are looking for.

SPARC® Enterprise servers Entry Model T2000

The Entry Model SE T2000 also incorporates the Ultra-SPARC T1 processor. With its 8 cores, this processor delivers up to 32 simultaneous execution threads and 64 GB of memory. The SE T2000 model also offers 5 free PCI-E slots (3x PCI-E and 2x PCI-X), 4 integrated Gigabit Ethernet interfaces and 4 SAS disk bay. The Solaris 10 Operating System is preinstalled. Standard RAS features include advanced lights out manager (ALOM) and supports extended ECC protection, hot-pluggable disk drives and redundant, hot-swappable power supplies. SE T2000 servers are intended for multithread capable workloads, where throughput, space and optimized power consumption are primary purchasing drivers

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
SPARC Enterprise Server T2000					
T2000:1.0GHz, 4core, 8GB Mem, 2x73GB	FSC SPARC Enterprise T2000 Server, 4 core 1.0GHz UltraSPARC T1 processor, 8GB DDR2 memory (8 * 1GB DIMMs), 2 * 73GB 2.5" 10K rpm SAS hard disk drives, 1 DVD-RO/CD-RW slimline drive, 2 (N+1) power supplies, 4 10/100/1000 ethernet ports, 1 serial port, 3 PCI-E slots, 2 PCI-X slots, Solaris 10 System software pre-installed.	SEBPAEC1S		4444	
T2000:1.0GHz, 8core, 8GB Mem, 2x73GB	FSC SPARC Enterprise T2000 Server, 8 core 1.0GHz UltraSPARC T1 processor, 8GB DDR2 memory (8 * 1GB DIMMs), 2 * 73GB 2.5" 10K rpm SAS hard disk drives, 1 DVD-RO/CD-RW slimline drive, 2 (N+1) power supplies, 4 10/100/1000 ethernet ports, 1 serial port, 3 PCI-E slots, 2 PCI-X slots, Solaris 10 System software pre-installed.	SEBPCEC1S		6032	
T2000:1.2GHz, 8core, 16GB Mem, 2x73GB	1.2GHz, 8core, 16GB Mem, SASx2, Up to 64 GB of DDR2 SDRAM memory in 16 available memory slots, Four on-board Gigabit Ethernet ports, Three PCI-E (Express) slots, Two PCI-X slots, Up to four SAS disk drives, redundant power supply units (two in total)	SEBPFFC1S		9400	
T2000:1.2GHz, 8core, 32GB Mem, 2x73GB	1.2GHz, 8core, 32GB Mem, SASx2, Up to 64 GB of DDR2 SDRAM memory in 16 available memory slots, Four on-board Gigabit Ethernet ports, Three PCI-E (Express) slots, Two PCI-X slots, Up to four SAS disk drives, redundant power supply units (two in total)	SEBPFJC1S		11300	
T2000:1.2GHz, 8core, 64GB Mem, 2x73GB	8 core 1.2 / 64GB (16 x 4GB) / 2 x 73GB SAS / , Up to 64 GB of DDR2 SDRAM memory in 16 available memory slots, Four on-board Gigabit Ethernet ports, Three PCI-E (Express) slots, Two PCI-X slots, Up to four SAS disk drives, redundant power supply units (two in total)	SEBPFMC1S		19100	
T2000:1.4GHz, 8core, 64GB Mem, 2x73GB	8 core 1.4 / 64GB (16 x 4GB) / 2 x 73GB SAS / , Up to 64 GB of DDR2 SDRAM memory in 16 available memory slots, Four on-board Gigabit Ethernet ports, Three PCI-E (Express) slots, Two PCI-X slots, Up to four SAS disk drives, redundant power supply units (two in total)	SEBPJMC1S		25500	



SPARC Enterprise Server M4000

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Cost cutting, robustness and flexibility are the requirements now demanded of rack servers for medium-sized and large enterprises. The new Fujitsu Siemens Computers SPARC® Enterprise M4000 and M5000 systems fulfill these requirements. The world's most widespread UNIX operating system, Solaris™, is used. The central Fujitsu Siemens Computers Enterprise ServerView Suite management functions ensure a reduction in the need to rectify errors and the costs this entails, as well as remote access anytime, anywhere. Thanks to the servers' unique flexibility in adapting to changing priorities, excess and unused resources are a thing of the past. IT organizations thus have more powerful and resilient infrastructures, optimized hardware utilization and consequently lower costs and risk. The SPARC® Enterprise M4000 and M5000 systems are therefore the preferred UNIX platforms for a medium-sized company.

SPARC® Enterprise M4000

The rack-based SPARC® Enterprise server M4000 is a highly reliable, enterprise-grade, vertically-scalable system that addresses the mid-range processing requirements of mission-critical IT projects. The mid-range model SE M4000 scales up to 4 SPARC64™ VI Dual-Core CPUs, thus having up to 8 cores, and supports extended ECC protection and memory mirroring. Furthermore, the model SE M4000 includes built-in features such as Dynamic System Domains, extended system boards, and Dynamic Reconfiguration, bringing mainframe-class sophisticated resource control to an open systems computing platform. Massive computing power, a resilient system architecture, flexible resource control features, and the advanced capabilities of the Solaris 10 OE combine in SPARC® Enterprise server M4000 to provide organizations a best-in-class midrange enterprise platform.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
SPARC Enterprise Server M4000					
M4000 2.1GHz 2P64GB 2x146GB 1xI/O tray	M4000 CPU-,MEM-,Disk- less 1xI/O tray	M4000 2.1GHz 2P64GB 2x146GB 1xI/O tray	M4000-GR20	61897	
M4000 CPU-,MEM-,Disk- less 1xI/O tray		Fujitsu-Siemens Computer SPARC Enterprise M4000 server. Includes M4000 system, 1 I/O tray	SEESY11S	1473	
M4000 CoD 2.1GHz 4P, 1xI/O tray		Fujitsu-Siemens Computer SPARC Enterprise M4000 server. FF1 COD (Capacity On Demand) system, 4 2.1GHz cpus (2 2x2.1GHz CPU Modules), 2 PSU, 1 I/O tray, , MEM + Disk-less	SEEBB11S	2897	
M4000 CoD 2.4GHz 4P, 1xI/O tray		Fujitsu-Siemens Computer SPARC Enterprise M4000 server. FF1 COD (Capacity On Demand) system, 4 x 2.4 GHz cpus (2 2x2.4 GHz CPU Modules), 2 PSU, 1 I/O tray, , MEM + Disk-less	SEEBE11S	10000	
M4000 2.1GHz 2P16GB 2x73GB 1xI/O tray		Fujitsu-Siemens Computer SPARC Enterprise M4000 server. Includes M4000 system, 2 2.1GHz cpus (1 2x2.1GHz CPU Module), 16GB system memory (2 ea. 8GB memory boards), 2 73GB HDD, 2 PSU, 1 I/O tray	SEEPAAA1S	21700	
M4000 2.1GHz 2P32GB 2x73GB 1xI/O tray		Fujitsu-Siemens Computer SPARC Enterprise M4000 server. Includes M4000 system, 2 2.1GHz cpus (1 2x2.1GHz CPU Module), 32GB system memory (2 ea. 16GB memory boards), 2 73GB HDD, 2 PSU, 1 I/O tray	SEEPACA1S	31000	
M4000 2.1GHz 4P16GB 2x73GB 1xI/O tray		Fujitsu-Siemens Computer SPARC Enterprise M4000 server. Includes M4000 system, 4 2.1GHz cpus (2 2x2.1GHz CPU Modules), 16GB system memory (2 ea. 8GB memory boards), 2 73GB HDD, 2 PSU, 1 I/O tray	SEEPBAA1S	32200	
M4000 2.1GHz 4P32GB 2x73GB 1xI/O tray		Fujitsu-Siemens Computer SPARC Enterprise M4000 server. Includes M4000 system, 4 2.1GHz cpus (2 2x2.1GHz CPU Modules), 32GB system memory (2 ea. 16GB memory boards), 2 73GB HDD, 2 PSU, 1 I/O tray	SEEPBCA1S	41400	
M4000 2.1GHz 4P64GB 2x73GB 1xI/O tray		Fujitsu-Siemens Computer SPARC Enterprise M4000 server. Includes M4000 system, 4 2.1GHz cpus (2 2x2.1GHz CPU Modules), 64GB system memory (4 ea. 16GB memory boards), 2 73GB HDD, 2 PSU, 1 I/O tray	SEEPBDA1S	60000	
M4000 2.4GHz 2P32GB 2x146GB 1xI/O tray		FSC SPARC Enterprise M4000 server. Includes 2*2.4GHz SPARC64 VII four-core Processors (1 CPU boards with 2 *CPUS each & 5MB on-chip L2 cache), and 32GB system memory on (2 memory modules with 8 * 2GB DDR2 DIMMs), 2 * 146GB SAS hard disks, 1 DVD-ROM, 2*GB ethernet ports, 1 I/O tray with 4 PCI-E and 1 PCI-X slots, 2 power supplies (110V or 220V with N+N redundancy).	SEEPDCB1S	34300	



SPARC Enterprise Server M4000

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
SPARC Enterprise Server M4000 (Continued)					
M4000	2.4GHz 4P16GB 2x146GB 1xI/O tray	FSC SPARC Enterprise M4000 server. Includes 4*2.4GHz SPARC64 VII four-core Processors (2 CPU boards with 2 *CPUS each & 5MB on-chip L2 cache), and 16GB system memory on (2 memory modules with 8 * 1GB DDR2 DIMMs), 2 * 146GB SAS hard disks, 1 DVD-ROM, 2*GB ethernet ports, 1 I/O tray with 4 PCI-E and 1 PCI-X slots, 2 power supplies (110V or 220V with N+N redundancy).	SEEPEAB1S	38500	
M4000	2.4GHz 4P32GB 2x146GB 1xI/O tray	FSC SPARC Enterprise M4000 server. Includes 4*2.4GHz SPARC64 VII four-core Processors (2 CPU boards with 2 *CPUS each & 5MB on-chip L2 cache), and 32GB system memory on (2 memory modules with 8 * 2GB DDR2 DIMMs), 2 * 146GB SAS hard disks, 1 DVD-ROM, 2*GB ethernet ports, 1 I/O tray with 4 PCI-E and 1 PCI-X slots, 2 power supplies (110V or 220V with N+N redundancy).	SEEPECB1S	47800	
M4CoD	2.1GHz 4P64GB 2x73GB 1xI/O tray	Fujitsu-Siemens Computer SPARC Enterprise M4000 server. FF1 COD (Capacity On Demand) system, 4 2.1GHz cpus (2 2x2.1GHz CPU Modules), 64GB system memory (4 ea. 16GB memory boards), 2 73GB HDD, 2 PSU, 1 I/O tray	SEERBDA1S	45556	



SPARC Enterprise Server M5000

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Cost cutting, robustness and flexibility are the requirements now demanded of rack servers for medium-sized and large enterprises.

The new Fujitsu Siemens Computers SPARC® Enterprise M4000 and M5000 systems fulfill these requirements. The world's most widespread UNIX operating system, Solaris™, is used. The central Fujitsu Siemens Computers Enterprise ServerView Suite management functions ensure a reduction in the need to rectify errors and the costs this entails, as well as remote access anytime, anywhere. Thanks to the servers' unique flexibility in adapting to changing priorities, excess and unused resources are a thing of the past. IT organizations thus have more powerful and resilient infrastructures, optimized hardware utilization and consequently lower costs and risk. The SPARC® Enterprise M4000 and M5000 systems are therefore the preferred UNIX platforms for a medium-sized company.

SPARC® Enterprise Server M5000

The rack based SPARC® Enterprise server M5000 is a highly reliable, enterprise-grade, vertically-scalable system that address the mid-range processing requirements of mission-critical IT projects. The midrange model SE M5000 scales up to 8 SPARC64™ VI Dual-Core CPUs thus having up to 16 cores, and supports extended ECC protection and memory mirroring. Furthermore, the model SE M5000 includes built-in features such as Dynamic System Domains, extended system boards, and Dynamic Reconfiguration, bringing mainframe-class sophisticated resource control to an open systems computing platform. Massive computing power, a resilient system architecture, flexible resource control features, and the advanced capabilities of the Solaris 10 OE combine in SPARC® Enterprise server M5000 to provide organizations a best-in-class midrange enterprise platform. The SPARC® Enterprise Server M5000 is the key to lowering your TCO and decreasing IT complexity by precisely addressing your individual needs and saving unnecessary headroom costs from the very start.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
SPARC Enterprise Server M5000					
M5000 PTO 4P2.15GHz 64GB 4x146GB 2xTray	M5000 ATO 6P2.15GHz 64GB 4x146GB 2xTray	M5000-CL08-PI02		87167	
M5000 PTO 6P2.15GHz 64GB 4x146GB 2xTray	M5000 ATO 6P2.15GHz 64GB 4x146GB 2xTray	M5000-CL09-PI01		93675	
M5000 PTO 6P2.15GHz 96GB 4x146GB 2xTray	M5000 ATO 6P2.15GHz 96GB 4x146GB 2xTray	M5000-CL10-PI01		114787	
M5000 PTO 8P2.15GHz 96GB 4x146GB 2xTray	M5000 ATO 8P2.15GHz 96GB 4x146GB 2xTray	M5000-CL11-12-PI01		126691	
M5000 PTO 8P2.4GHz 128GB 4x146GB 2xTray	M5000 ATO 8P2.4GHz 128GB 4x146GB 2xTray	M5000-CL13-PI02		172881	
M5000 2.1GHz 2P64GB 2x146GB 1xI/O tray	M5000 2.1GHz 2P64GB 2x146GB 1xI/O tray	M5000-GR20		72175	
M5000 CPU-,MEM-,Disk- less 1xI/O tray	Fujitsu-Siemens Computer SPARC Enterprise M5000 server. Includes M5000 system, 1 I/O tray	SEFASY11S		10571	
M5000 CoD 2.1GHz 8P, 1xI/O tray	Fujitsu-Siemens Computer SPARC Enterprise M5000 server. Includes M5000 system, 8 2.1GHz cpus (4 2x2.1GHz CPU Modules), 4 PSU, 1 I/O tray	SEFBC111S		14127	
M5000 CoD 2.4GHz 8P, 1xI/O tray	FSC SPARC Enterprise M5000 server. Includes 8*2.4GHz SPARC64 VII four-core Processors (4 CPU boards with 2 *CPUS each & 5MB on-chip L2 cache), 1 x I/O tray with 4 PCI E and 1 PCI-X slots, 4 power supplies (110V or 220V with N+N redundancy).	SEFBF111S		28413	
M5000 2.1GHz 2P16GB 2x73GB 1xI/O tray	Fujitsu-Siemens Computer SPARC Enterprise M5000 server. Includes M5000 system, 2 2.1GHz cpus (1 2x2.1GHz CPU Modules), 16GB system memory (2 ea. 8GB memory boards), 2 73GB HDD, 4 PSU, 1 I/O tray	SEFPAAA1S		30700	
M5000 2.1GHz 4P16GB 2x73GB 1xI/O tray	Fujitsu-Siemens Computer SPARC Enterprise M5000 server. Includes M5000 system, 4 2.1GHz cpus (2 2x2.1GHz CPU Modules), 16GB system memory (2 ea. 8GB memory boards), 2 73GB HDD, 4 PSU, 1 I/O tray	SEFPBAA1S		41100	
M5000 2.1GHz 4P32GB 2x73GB 1xI/O tray	Fujitsu-Siemens Computer SPARC Enterprise M5000 server. Includes M5000 system, 4 2.1GHz cpus (2 2x2.1GHz CPU Modules), 32GB system memory (2 ea. 16GB memory boards), 2 73GB HDD, 4 PSU, 1 I/O tray	SEFPBCA1S		50500	
M5000 2.1GHz 8P32GB 2x73GB 1xI/O tray	Fujitsu-Siemens Computer SPARC Enterprise M5000 server. Includes M5000 system, 8 2.1GHz cpus (4 2x2.1GHz CPU Modules), 32GB system memory (4 ea. 8GB memory boards), 2 73GB HDD, 4 PSU, 1 I/O tray	SEFPCBA1S		71400	
M5000 2.1GHz 8P64GB 4x73GB 2xI/O tray	Fujitsu-Siemens Computer SPARC Enterprise M5000 server. Includes M5000 system, 8 2.1GHz cpus (4 2x2.1GHz CPU Modules), 64GB system memory (4 ea. 16GB memory boards), 4 73GB HDD, 4 PSU, 2 I/O tray	SEFPCDB1S		92500	



SPARC Enterprise Server M5000

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
SPARC Enterprise Server M5000 (Continued)					
M5000	2.4GHz 4P16GB 2x146GB 1xI/O tray	FSC SPARC Enterprise M5000 server. Includes 4*2.4GHz SPARC64 VII four-core Processors (2 CPU boards with 2 *CPUS each & 5MB on-chip L2 cache), and 16GB system memory (2 memory modules with 8 * 1GB DDR2 DIMMs), 2 * 146GB SAS hard disks, 1 DVD-ROM, 2*GB ethernet ports, 1 I/O tray with 4 PCI-E and 1 PCI-X slots, 4 power supplies (110V or 220V with N+N redundancy).	SEFPEAC1S	47500	
M5000	2.4GHz 4P32GB 2x146GB 1xI/O tray	FSC SPARC Enterprise M5000 server. Includes 4*2.4GHz SPARC64 VII four-core Processors (2 CPU boards with 2 *CPUS each & 5MB on-chip L2 cache), and 32GB system memory (2 memory modules with 8 * 2GB DDR2 DIMMs), 2 * 146GB SAS hard disks, 1 DVD-ROM, 2*GB ethernet ports, 1 I/O tray with 4 PCI-E and 1 PCI-X slots, 4 power supplies (110V or 220V with N+N redundancy).	SEFPECC1S	56800	
M5000	2.4GHz 8P32GB 2x146GB 1xI/O tray	FSC SPARC Enterprise M5000 server. Includes 8*2.4GHz SPARC64 VII four-core Processors (4 CPU boards with 2 *CPUS each & 5MB on-chip L2 cache), and 32GB system memory (4 memory modules with 8 * 1GB DDR2 DIMMs), 2 * 146GB SAS hard disks, 1 DVD-ROM, 2*GB ethernet ports, 1 I/O tray with 4 PCI-E and 1 PCI-X slots, 4 power supplies (110V or 220V with N+N redundancy).	SEFPFBC1S	84000	
M5000	2.4GHz 8P64GB 4x146GB 2xI/O tray	FSC SPARC Enterprise M5000 server. Includes 8*2.4GHz SPARC64 VII four-core Processors (4 CPU boards with 2 *CPUS each & 5MB on-chip L2 cache), and 64GB system memory (4 memory modules with 8 * 2GB DDR2 DIMMs), 4 * 146GB SAS hard disks, 1 DVD-ROM, 4*GB ethernet ports, 2 I/O trays with 4 PCI-E and 1 PCI-X slots, 4 power supplies (110V or 220V with N+N redundancy).	SEFPFDD1S	105200	
M5CoD	2.1GHz 8P64GB 4x73GB 2xI/O tray	Fujitsu-Siemens Computer SPARC Enterprise M5000 server. FF2 COD (Capacity On Demand) system, 8 2.1GHz cpus (4 2x2.1GHz CPU Modules), 64GB system memory (4 ea. 16GB memory boards), 4 73GB HDD, 4 PSU, 2 I/O tray	SEFRCDB1S	59762	



SPARC Enterprise Server M8000

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

High availability, performance, robustness and flexibility are now demanded more than ever at data centers. Yet they also require the appropriate solution. Servers with the powerful generation of SPARC64 TM processor technology in conjunction with Solaris 10 are now available to meet these standards.

The SPARC64 TM based models of the high-end SPARC® Enterprise M8000 and M9000 systems are persuasive platforms. They have been developed to deliver maximum availability in conjunction with the very best performance and a broad range of applications. Your IT business processes are always available at any time with the Fujitsu Siemens Computers SPARC® Enterprise family. This sophisticated SPARC64 TM - based server generation sets new standards in terms of performance, quality and functionality. The world's most used UNIX operating system, Solaris™, is deployed. Thanks to the servers' unique flexibility in adapting to changing priorities, unused and unsuitable resources are a thing of the past. IT organizations thus have more powerful and resilient infrastructures, optimized hardware utilization and consequently lower costs.

SPARC® Enterprise M8000

The SPARC® Enterprise Server M8000 is a highly reliable, enterprise-grade, vertically-scalable systems that addresses the high-end processing requirements of mission-critical IT projects. The high-end model SPARC® Enterprise M8000 scales up to 16 SPARC64TM VI Dual-Core CPUs thus having up to 32 cores. With symmetric multiprocessing (SMP) scalability from two to 16 processors, memory subsystems as large as 512 GB, and high-throughput I/O architectures, SPARC® Enterprise servers easily perform the heavy lifting required by workloads such as global enterprise resource planning (ERP), intensive data mining, and complex database transactions. Furthermore, high-end SPARC® Enterprise servers include built-in features such as Dynamic System Domains, eXtended system boards, and Dynamic Reconfiguration, bringing mainframe-class sophisticated resource control to an open systems compute platform.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
SPARC Enterprise Server M8000					
	M8000 base f. 4CMU/IOU 1ph1pwr f	M8000 server cabinet with redundant power supplies & fans, 1-phase, single power feed, ready for dual feed option , AC Section 1-ph (ACS_A), Common components for M8000, Converters (DDC_A) 2x , Power Supply Unit (PSU) 9x , PSU backplane (PSUBPA) 1x , PSU backplane (PSUBPB) 1x , Service processor (XSCFU_B) 2x , DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , TAPE Motherboard (TAPEMB) 1x , Operator Panel (OPNL)	SEGASY11S	37700	
	M8000 base f. 4CMU/IOU 3ph2pwr f del	M8000 server cabinet with redundant power supplies & fans, 3-phase, dual feed DELTA wiring , AC Section 3-ph (ACS_D) , AC Section DELTA (ACSTPH_A) , Power expansion cabinet, , Common components for M8000, Converters (DDC_A) 2x , Power Supply Unit (PSU) 9x , PSU backplane (PSUBPA) 1x , PSU backplane (PSUBPB) 1x , Service processor (XSCFU_B) 2x , DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , TAPE Motherboard (TAPEMB) 1x , Operator Panel (OPNL)	SEGASY21S	68600	
	M8000 base f. 4CMU/IOU 3ph2pwr star	M8000 server cabinet with redundant power supplies & fans, 3-phase, dual feed STAR wiring , AC Section 3-ph (ACS_D) , AC Section Star (ACSTPH_B) , Power expansion cabinet, , Common components for M8000, Converters (DDC_A) 2x , Power Supply Unit (PSU) 9x , PSU backplane (PSUBPA) 1x , PSU backplane (PSUBPB) 1x , Service processor (XSCFU_B) 2x , DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , TAPE Motherboard (TAPEMB) 1x , Operator Panel (OPNL)	SEGASY31S	68600	



SPARC Enterprise Server M9000

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

High availability, performance, robustness and flexibility are now demanded more than ever at data centers. Yet they also require the appropriate solution. Servers with the powerful generation of SPARC64™ processor technology in conjunction with Solaris 10 are now available to meet these standards.

The SPARC64™ based models of the high-end SPARC® Enterprise M8000 and M9000 systems are persuasive platforms. They have been developed to deliver maximum availability in conjunction with the very best performance and a broad range of applications. Your IT business processes are always available at any time with the Fujitsu Siemens Computers SPARC® Enterprise family. This sophisticated SPARC64™ - based server generation sets new standards in terms of performance, quality and functionality. The world's most used UNIX operating system, Solaris™, is deployed. Thanks to the servers' unique flexibility in adapting to changing priorities, unused and unsuitable resources are a thing of the past. IT organizations thus have more powerful and resilient infrastructures, optimized hardware utilization and consequently lower costs.

SPARC® Enterprise M9000

The SPARC® Enterprise Servers M9000 models are highly reliable, enterprise-grade, vertically-scalable systems that address the high-end processing requirements of mission-critical IT projects. There are two different models, the SPARC® Enterprise M9000-32 with up to 32 CPUs and SPARC® Enterprise M9000-64 with expansion cabinet for up to 64 CPUs. With symmetric multiprocessing (SMP) scalability from two to 64 processors, memory subsystems as large as 2 TB, and high-throughput I/O architectures, SPARC® Enterprise servers easily perform the heavy lifting required by workloads such as global enterprise resource planning (ERP), intensive data mining, and complex database transactions. Furthermore, high-end SPARC® Enterprise servers include built-in features such as Dynamic System Domains, eXtended system boards, and

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
SPARC Enterprise Server M9000					
M9000/32 EC f. 8CMU/IOU 1ph1pwrf	M9000 server EXPANSION cabinet with redundant power supplies & fans, 1-phase, single power feed, ready for dual feed option. AC Section 1-ph (ACS_B), , Common components for all M9000/M9000/64 EXPANSION cabinets , , Backplane (BP_B) 1x , Crossbar Unit (XBU_B) 8x, Clock Control Unit (CLKU_B) 2x, Power Supply Unit (PSU) 15x, PSU backplane (PSUBPA) 3x, Air movers (FAN-A) 16x, FAN Backplane (FANBP_A) 1x, FAN Backplane (FANBP_B) 1x , Service processor (XSCFU_C) 2x, DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , Operator Panel (OPNL) 1x , Sensor Unit (SNSU) 1x , Switch Backplane (SWBP) 1x , Cable set to connect BASE with XP frame , CLKU_B CLK cable 4x, CLKU_B Data cable 2x, XBU_B CLK cable 8x, XBU_B Data cable 48x, XSCFU_B/C Data cable 2x	SEHAEX11S	137200		
M9000/32 EC f. 8CMU/IOU 3ph2pwrfdelt	M9000 server EXPANSION cabinet with redundant power supplies & fans, 3-phase, dual feed DELTA wiring, AC Section 3-ph (ACS_D), AC Section DELTA (ACSTPH_C) , Power expansion cabinet, , Common components for all M9000/M9000/64 EXPANSION cabinets , , Backplane (BP_B) 1x , Crossbar Unit (XBU_B) 8x, Clock Control Unit (CLKU_B) 2x, Power Supply Unit (PSU) 15x, PSU backplane (PSUBPA) 3x, Air movers (FAN-A) 16x, FAN Backplane (FANBP_A) 1x, FAN Backplane (FANBP_B) 1x , Service processor (XSCFU_C) 2x, DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , Operator Panel (OPNL) 1x , Sensor Unit (SNSU) 1x , Switch Backplane (SWBP) 1x , Cable set to connect BASE with XP frame , CLKU_B CLK cable 4x, CLKU_B Data cable 2x, XBU_B CLK cable 8x, XBU_B Data cable 48x, XSCFU_B/C Data cable 2x	SEHAEX21S	188500		



SPARC Enterprise Server M9000

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
SPARC Enterprise Server M9000 (Continued)					
M9000/32 EC f. 8CMU/IOU 3ph2pwrfl star	M9000/32 EC f. 8CMU/IOU 3ph2pwrfl star	M9000 server EXPANSION cabinet with redundant power supplies & fans. 3-phase, dual feed STAR wiring , AC Section 3-ph (ACS_D) , AC Section Star (ACSTPH_D) , Power expansion cabinet, , Common components for all M9000/M9000/64 EXPANSION cabinets , , Backplane (BP_B) 1x , Crossbar Unit (XBU_B) 8x , Clock Control Unit (CLKU_B) 2x , Power Supply Unit (PSU) 15x, PSU backplane (PSUBPA) 3x , Air movers (FAN-A) 16x, FAN Backplane (FANBP_A) 1x , FAN Backplane (FANBP_B) 1x , Service processor (XSCFU_C) 2x , DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , Operator Panel (OPNL) 1x , Sensor Unit (SNSU) 1x , Switch Backplane (SWBP) 1x , Cable set to connect BASE with XP frame , CLKU_B CLK cable 4x, CLKU_B Data cable 2x, XBU_B CLK cable 8x, XBU_B Data cable 48x, XSCFU_B/C Data cable 2x	SEHAEX31S	188500	
M9000/32 base f. 8CMU/IOU 1ph1pwrfl	M9000/32 base f. 8CMU/IOU 1ph1pwrfl	M9000/32 BASE server cabinet with redundant power supplies & fans, 1-phase, single power feed, ready for dual feed option. AC Section 1-ph (ACS_B) , Common components for M9000/32 BASE, , Backplane(BP_B) 1x , Crossbar Unit (XBU_B) 8x , Clock Control Unit (CLKU_B) 2x , Power Supply Unit (PSU) 15x, PSU backplane (PSUBPA) 3x , Air movers (FAN-A) 16x, FAN Backplane (FANBP_A) 1x , FAN Backplane (FANBP_B) 1x , Service processor (XSCFU_B) 2x , DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , TAPE Motherboard (TAPEMB) 1x, Operator Panel (OPNL) 1x, Sensor Unit (SNSU) 1x , Switch Backplane (SWBP) 1x	SEHAS11S	188500	
M9000/32 base f. 8CMU/IOU 3ph2pwrfl deltd	M9000/32 base f. 8CMU/IOU 3ph2pwrfl deltd	M9000/32 BASE server cabinet with redundant power supplies & fans, 3-phase, dual feed DELTA wiring , AC Section 3-ph (ACS_D) , AC Section DELTA (ACSTPH_C) , Power expansion cabinet, , Common components for M9000/32 BASE, , Backplane(BP_B) 1x , Crossbar Unit (XBU_B) 8x , Clock Control Unit (CLKU_B) 2x , Power Supply Unit (PSU) 15x, PSU backplane (PSUBPA) 3x , Air movers (FAN-A) 16x, FAN Backplane (FANBP_A) 1x , FAN Backplane (FANBP_B) 1x , Service processor (XSCFU_B) 2x , DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , TAPE Motherboard (TAPEMB) 1x, Operator Panel (OPNL) 1x, Sensor Unit (SNSU) 1x , Switch Backplane (SWBP) 1x	SEHAS21S	240000	
M9000/32 base f. 8CMU/IOU 3ph2pwrfl star	M9000/32 base f. 8CMU/IOU 3ph2pwrfl star	M9000/32 BASE server cabinet with redundant power supplies & fans, 3-phase, dual feed STAR wiring , AC Section 3-ph (ACS_D) , AC Section Star (ACSTPH_D) , , Common components for M9000/32 BASE, , Backplane(BP_B) 1x , Crossbar Unit (XBU_B) 8x , Clock Control Unit (CLKU_B) 2x , Power Supply Unit (PSU) 15x, PSU backplane (PSUBPA) 3x , Air movers (FAN-A) 16x, FAN Backplane (FANBP_A) 1x , FAN Backplane (FANBP_B) 1x , Service processor (XSCFU_B) 2x , DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , TAPE Motherboard (TAPEMB) 1x, Operator Panel (OPNL) 1x, Sensor Unit (SNSU) 1x , Switch Backplane (SWBP) 1x	SEHAS31S	240000	
M9000/64 base f. 16CMU/IOU 1ph1pwrfl	M9000/64 base f. 16CMU/IOU 1ph1pwrfl	M9000/64 BASE and EXPANSION server cabinet with redundant power supplies & fans, 1-phase, single power feed, ready for dual feed option, AC Section 1-ph (ACS_B)	SEJASY11S	308600	
M9000/64 base f. 16CMU/IOU 3ph2pwrfl deltd	M9000/64 base f. 16CMU/IOU 3ph2pwrfl deltd	M9000/64 base f. 16CMU/IOU 3ph2pwrfl deltd , , M9000/64 BASE and EXPANSION server cabinet with redundant power supplies & fans, 3-phase, dual feed DELTA wiring	SEJASY21S	411400	
M9000/64 base f. 16CMU/IOU 3ph2pwrfl star	M9000/64 base f. 16CMU/IOU 3ph2pwrfl star	M9000/64 base f. 16CMU/IOU 3ph2pwrfl star , , M9000/64 BASE and EXPANSION server cabinet with redundant power supplies & fans, 3-phase, dual feed STAR wiring	SEJASY31S	411400	



SPARC Enterprise Server Accessories

Data Sheets: http://www.fujitsu-siemens.com/products/unix_servers/sparc_enterprise/

Category	Description	SPARC Enterprise Server I/O	SPARC Enterprise Server M4000	SPARC Enterprise Server M5000	SPARC Enterprise Server M8000	SPARC Enterprise Server M9000	SPARC Enterprise Server T1000	SPARC Enterprise Server T2000	SPARC Enterprise Server T5120	SPARC Enterprise Server T5140	SPARC Enterprise Server T5220	SPARC Enterprise Server T5240	Code	End User Price (£)	Comments
Accessories & services matrix															
Processor															
	MR I/O Tray (4 PCIe and 1 PCI-X slots)		x	x									SEFX61U	2350	
	MR 2x2.1GHz processor module		x	x									SELX1A1U	10400	
	MR 2x2.4GHz processor module		x	x									SELX1B1U	13600	
	M8000/M9000 2xCPU 2,28Ghz				x	x							SEMXX1A1U	50100	
	M8000/M9000 2xCPU 2,4Ghz				x	x							SEMXX1B1U	62400	
	M8000/M9000 2xCPU 2,52Ghz				x	x							SEMXX1C1U	50100	
	M8000/M9000 CMU 2p 2,28Ghz 16x1GB				x	x							SEMXX4AA1U	97300	
	M8000/M9000 CMU 2p 2,28Ghz 16x2GB				x	x							SEMXX4AC1U	122000	
	M8000/M9000 CMU 2p 2,28Ghz 16x4GB				x	x							SEMXX4AE1U	189900	
	M8000/M9000 CMU 4p 2,28Ghz 16x1GB				x	x							SEMXX4BA1U	147400	
	M8000/M9000 CMU 4p 2,28Ghz 16x2GB				x	x							SEMXX4BC1U	172100	
	M8000/M9000 CMU 4p 2,28Ghz 16x4GB				x	x							SEMXX4BE1U	240000	
	M8000/M9000 CMU 2p 2,4Ghz 16x1GB				x	x							SEMXX4CA1U	121300	
	M8000/M9000 CMU 2p 2,4Ghz 16x2GB				x	x							SEMXX4CC1U	146100	
	M8000/M9000 CMU 2p 2,4Ghz 16x4GB				x	x							SEMXX4CE1U	213900	
	M8000/M9000 CMU 4p 2,4Ghz 16x2GB				x	x							SEMXX4DC1U	209100	
	M8000/M9000 CMU 4p 2,4Ghz 16x4GB				x	x							SEMXX4DE1U	277000	
	M8000/M9000 CMU 2p 2,52Ghz 16x1GB				x	x							SEMXX4EA1U	141500	
	M8000/M9000 CMU 2p 2,52Ghz 16x2GB				x	x							SEMXX4EC1U	166200	
	M8000/M9000 CMU 2p 2,52Ghz 16x4GB				x	x							SEMXX4EE1U	234100	
	M8000/M9000 CMU 4p 2,52Ghz 16x1GB				x	x							SEMXX4FA1U	217200	
	M8000/M9000 CMU 4p 2,52Ghz 16x2GB				x	x							SEMXX4FC1U	241900	
	M8000/M9000 CMU 4p 2,52Ghz 16x4GB				x	x							SEMXX4FE1U	309800	
	M8000/M9000 CoD CMU 4p 2,28Ghz 32x1GB				x	x							SEMXX5BB1U	97698	
	M8000/M9000 CoD CMU 4p 2,28Ghz 32x2GB				x	x							SEMXX5BD1U	153968	
	M8000/M9000 CoD CMU 4p 2,28Ghz 32x4GB				x	x							SEMXX5BF1U	308730	
	M8000/M9000 CoD CMU 4p 2,4Ghz 32x1GB				x	x							SEMXX5DB1U	139921	
	M8000/M9000 CoD CMU 4p 2,4Ghz 32x2GB				x	x							SEMXX5DD1U	196190	
	M8000/M9000 CoD CMU 4p 2,4Ghz 32x4GB				x	x							SEMXX5DF1U	350952	
	M8000/M9000 CoD CMU 4p 2,52Ghz 32x1GB				x	x							SEMXX5FB1U	177302	
	M8000/M9000 CoD CMU 4p 2,52Ghz 32x2GB				x	x							SEMXX5FD1U	233571	
	M8000/M9000 CoD CMU 4p 2,52Ghz 32x4GB				x	x							SEMXX5FF1U	388333	
	M8000/M9000 IOU				x	x							SEMXX61U	10400	
Memory															
	LE 2GB Memory Expansion(2x 1GB DIMM)						x	x					SEKX2B1U	116	
	LE 4GB Memory Expansion(2x 2GB DIMM)						x	x					SEKX2C1U	220	
	LE 8GB Memory Expansion(2x 4GB DIMM)						x	x					SEKX2D1U	952	
	MR memory board 8GB (2 sets4x1GB DIMMs)		x	x									SELX2A1U	4650	
	MR memory board 16GB (2 sets4x2GB DIMMs)		x	x									SELX2B1U	9300	
	MR memory board 32GB (2 sets4x4GB DIMMs)		x	x									SELX2C1U	23810	
	MR memory board 4GB (1 sets4x1GB DIMMs)		x	x									SELX2E1U	2659	
	MR memory expan. 4GB (1 sets4x1GB DIMMs)		x	x									SELX2EX1U	2659	
	M8000/M9000 MEM 16x1GB				x	x							SEMXX2A1U	17400	
	M8000/M9000 MEM 16x2GB				x	x							SEMXX2B1U	38300	
	M8000/M9000 MEM 16x4GB				x	x							SEMXX2C1U	95700	
	T5x, 2GB Memory Expansion (2x1GB)								x		x		SESX2A1U	122	
	T5x, 4GB Memory Expansion (2x2GB)								x		x		SESX2B1U	230	
	T5x, 8GB Memory Expansion (2x4GB)								x		x		SESX2C1U	870	
	T5240, Memory mezzanine assembly kit											x	SEUX2MM1U	635	
Removable Media Drives															
	MR DAT 72 Tape Drive		x	x									SELX9DT1U	800	
	M8000/M9000 Dat72 Tape Unit				x	x							SEMXX9DT1U	1150	
	T5x, 8X DVD, RW, SLOT IN SLIMLIN drive								x		x		SESX9DV1U	123	
Hard Disk Drives															
	2.5" 73GB 10K SAS Disk Drive x2						x						SEAX3B11U	200	
	2.5" 146GB 10K SAS Disk Drive x2						x						SEAX3D11U	310	
	M8000/M9000 73GB, 10Krpm, 2,5 SAS HDD				x	x							SEMXX3A11U	400	
	M8000/M9000 146GB, 10Krpm, 2,5 SAS HDD				x	x							SEMXX3B11U	429	
	2.5" 73GB SAS Disk Drive		x	x					x				SEPXX3A11U	167	
	2.5" 146GB SAS Disk Drive		x	x					x				SEPXX3C11U	155	
	T5x, HDD, 73GB 10K RPM 2.5"								x		x		SESX3A11U	146	
	2.5" 73GB 15K SAS Disk Drive x1									x		x	SESX3A21U	220	
	T5x, HDD, 146GB 10K RPM 2.5"								x		x		SESX3C11U	210	
SCSI/RAID/SAS controller															
	M8000/M9000 IOU Base IO Card (IOUA)				x	x							SEMXX7BS1U	1150	
Fibre Channel															
	IO Exp. unit CU Link Kit 2Cards, 4m CU		x	x	x	x							SELX8LK1U	794	
	IO Exp. unit FO Link Kit 2Cards, 10m FO		x	x	x	x							SENX8LK2U	2579	



SPARC Enterprise Server Accessories

Data Sheets: http://www.fujitsu-siemens.com/products/unix_servers/sparc_enterprise/

Category	Description	SPARC Enterprise Server I/O	SPARC Enterprise Server M4000	SPARC Enterprise Server M5000	SPARC Enterprise Server M8000	SPARC Enterprise Server M9000	SPARC Enterprise Server T1000	SPARC Enterprise Server T2000	SPARC Enterprise Server T5120	SPARC Enterprise Server T5140	SPARC Enterprise Server T5220	SPARC Enterprise Server T5240	Code	End User Price (£)	Comments
Accessories & services matrix															
Fibre Channel (Continued)															
	IO Exp. unit FO Link Kit 2Cards, 25m FO		x	x	x	x							SENX8LK3U	2659	
Communication/Network															
	T5x, 10 GBE XAUI card - Fiber								x		x		SESX7XA1U	220	
	10 Gigabit SR XFP Transceiver								x		x		SESX7XT1U	280	
	10 GE LR XFP Transceiver								x		x		SESX7XT2U	550	
Rack-Infrastructure															
	Cable magnt. for 19" DC- PC- Rack		x	x									S26361-F2735-L7	24	
	LAN-CAT 5 Enhanced, l=5m					x	x						S26361-F3417-L505	24	
	LAN-CAT 5 Enhanced, l=10m					x	x						S26361-F3417-L510	16	
	LAN-CAT 5 Enhanced, l=15m					x	x						S26361-F3417-L515	35	
	LAN_crossover-Cat 5e, l=5m					x	x						S26361-F3482-L5	16	
	T5x, Cable Management Arm								x		x		SESX9CA1U	60	
	T5x, Slide Rail Kit								x		x		SESX9RK1U	94	
	T5x, Slide Rail Kit								x		x		SESX9RK2U	94	
UPS/Power supply															
	T5x, AC Power supply for 1Userver (650W)								x				SECX9PS11U	155	
	T5x, AC Power Supply for 2Userver (750W)										x		SEDX9PS31U	159	
	M8000 1ph dual pwrfl option					x							SEGX9DP1U	30800	
	M9000 1ph dual pwrfl option						x						SEHX9DP1S	51400	
	MR AC Power Cord(for Continental Europe)		x	x									SELX9P21U	1	
	LE AC Power Cord(for Continental Europe)	x					x	x	x			x	SERXP312LU	1	
	LE AC Power Cord (for Switherland)	x					x	x	x			x	SERXP314LU	1	
	LE AC Power Cord (for HongKong/U.K.)	x					x	x	x			x	SERXP317LU	1	
	LE AC Power Cord (for Denmark)	x					x	x	x			x	SERXP383LU	1	
	LE AC Power Cord (for Italy)	x					x	x	x			x	SERXP384LU	1	
	T5140, AC Power supply (720W)									x			SETX9PS41U	155	
	T5240, AC Power supply (1100W)											x	SEUX9PS51U	183	
	Cable powercord rack, 4m	x					x	x	x			x	T26139-Y1968-L10	12	
Miscellaneous															
	MR1 air filter kit		x										SEEX9FL1U	75	
	MR2 air filter kit			x									SEFX9FL1U	75	
	PCIE boat for IO Expansion unit	x	x	x	x	x							SENX8TE1U	5317	
	PCIX boat for IO Expansion unit	x	x	x	x	x							SENX8TX1U	5317	
Cables															
	Fibre optic cabel 10m		x	x	x	x							SENX8FC1U	240	
	Fibre optic cabel 25m		x	x	x	x							SENX8FC2U	300	
SW Networking															
	OPENFT-SW-CD (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C400	29	
	OPENFT-CR (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C399	12	
	OPENFT-1 (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C401	972	
	OPENFT-2 (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C402	1583	
	OPENFT-4 (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C404	3665	
	OPENFT-5 (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C405	4748	
	OPENFT-6 (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C406	6330	
	OPENFT-1-U (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C407	563	
	OPENFT-2-U (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C408	917	
	OPENFT-3-U (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C409	1836	
	OPENFT-4-U (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C410	2125	
	OPENFT-5-U (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C411	2753	
	OPENFT-6-U (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C412	3671	
	OPENFT-FTAM-1 (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C415	972	
	OPENFT-FTAM-2 (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C416	1583	
	OPENFT-FTAM-3 (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C417	3165	
	OPENFT-FTAM-4 (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C418	3665	
	OPENFT-FTAM-5 (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C419	4748	
	OPENFT-FTAM-6 (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C420	6330	
	OPENFT-FTAM-1-U (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C421	563	
	OPENFT-FTAM-2-U (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C422	917	
	OPENFT-FTAM-3-U (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C423	1836	
	OPENFT-FTAM-4-U (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C424	2125	
	OPENFT-FTAM-5-U (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C425	2753	
	OPENFT-FTAM-6-U (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C426	3671	
	OPENFT-FTP-1 (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C429	397	
	OPENFT-FTP-2 (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C430	646	
	OPENFT-FTP-3 (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C431	1292	
	OPENFT-FTP-4 (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C432	1496	
	OPENFT-FTP-5 (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C433	1938	
	OPENFT-FTP-6 (UNIX systems) V10.0		x	x	x	x	x	x					U10987-C434	2583	



SPARC Enterprise Server Options

Data Sheets: http://www.fujitsu-siemens.com/products/unix_servers/sparc_enterprise/

Category	Description	Code	End User Price (£)	Comments
Options				
Processor				
	M8000/M9000 IOU	SEMY61U	10400	
Removable Media Drives				
	M8000/M9000 Dat72 Tape Unit	SEMY9DT1U	1150	
UPS/Power supply				
	M9000 1ph dual prwf option	SEHY9DP1S	51400	
Cables				
	RCI cable RJ45 6pin(S)-RJ45 6pin(S) 4m	D:GP7KB-1204	40	
	RCI cable RJ45 6pin(S)-RJ45 6pin(S) 10m	D:GP7KB-1210	60	
	RCI cable RJ45 6pin(S)-RJ45 6pin(S) 30m	D:GP7KB-1230	119	
	UTP CAT 5 Eth-cable 2xRJ45 8pin(S) 5m	D:GP7KB-1305	27	
	UTP CAT 5 Eth-cable 2xRJ45 8pin(S) 10m	D:GP7KB-1310	29	
	UTP CAT 5 Eth-cable 2xRJ45 8pin(S) 15m	D:GP7KB-1315	41	
	UTP CAT 5 Eth-cable 2xRJ45 8pin(S) 30m	D:GP7KB-1330	67	
	UTP CAT 5 Eth-cable 2xRJ45 8pin(S) 50m	D:GP7KB-1350	90	
	UTP CAT 5 IC-cable 2xRJ45 8pin(S) 5m	D:GP7KB-1405	31	
	UTP CAT 5 IC-cable 2xRJ45 8pin(S) 10m	D:GP7KB-1410	41	
	UTP CAT 5 IC-cable 2xRJ45 8pin(S) 20m	D:GP7KB-1420	67	
	UTP CAT 5 IC-cable 2xRJ45 8pin(S) 50m	D:GP7KB-1450	67	
	UTP cat 5 enhanced IC-cable, 4m	D:GP7KB-2104	42	
	UTP cat 5 enhanced, 5m	D:GP7KB-2005	58	
	UTP cat 5 enhanced, 10m	D:GP7KB-2010	78	
	UTP cat 5 enhanced, 15m	D:GP7KB-2015	71	
	SCSI-Cable,LVD,HD68(S)-HD68(S),8m	D:KB230-M8	110	Phased out
	SCSI-Cable,LVD,HD68(S)-HD68(S),20m	D:KB230-M20	204	Phased out
	SCSI cable VHDCI68(S)-HD68(S) 5m	D:GP7KB-1005	206	
	SCSI-Cable,LVD,UHD68(S)-HD68(S),8m	D:KB235-M8	194	Phased out
	SCSI cable UHD68(S)-UHD68(S) 4m (DN41)	D:GPDS2-KB04	155	
	SCSI cable UHD68(S)-UHD68(S) 5m (DN41)	D:GPDS2-KB05	159	
	SCSI cable UHD68(S)-UHD68(S) 10m (DN41)	D:GPDS2-KB10	198	
SW Operating Systems				
	SES Safety Instructions + Warranty Docs	M8M9-SBPCK-01	39	
	Solaris 10 8/07 pre installation	SOLZS-10HC9A9S-IP	1	
	IPsec Activation CD - UltraSPARC T2*Proc	U24529-C598A	23	
	Solaris 10 CD/DVD Premium Pack	U24529-C590A	119	
	Solaris 10 (latest rel.) DVD media kit	SOLZ9-100C9A7M	20	
	Solaris 10 Acc. Kit SPARC Ent. Srv. DC	U24529-C594A	24	
	IPsec enabler CD	X6099A	23	
	Solaris 10 SW Support M9000/32 ITPS	U24529-C825	1	
	Solaris 10 SW Support M9000/64 ITPS	U24529-C826	1	
	SES M9000/32 HW+Sol10 Backlevel Support	U24529-C835	1	
	SES M9000/64 HW+Sol10 Backlevel Support	U24529-C836	1	
SW Data Center Products				
	PCLLDS V42 (SOLARIS) RtU -CL128CPU	U11420-C735	127225	
	PCLLFS V42 (SOLARIS) RtU -CL128CPU	U11420-C741	127225	
	PCLSNP V42 (SOLARIS) RtU -CL128CPU	U11420-C747	127225	
	PCLLFDS-P V42 (SOLARIS) RtU-CL128CPU	U11420-C753	216203	
	PCLCD1 V42 (SOLARIS) MED CD	U11420-C811	60	
	PCLCD2 V42 (SOLARIS) MED CD	U11420-C812	60	
	PCLCD3 V42 (SOLARIS) MED CD	U11420-C813	60	
	VERITAS SF Standard 5.0 RTU Tier M	U26000-C5011	110308	
	VERITAS SF Enterprise 5.0 RTU Tier M	U26000-C5023	175116	
	VERITAS SF Standard 5.0 UG RTU Tier M	U26000-C5035	66185	
	VERITAS SF Enterprise 5.0 UG RTU Tier M	U26000-C5047	105070	
	PCLCF V42 (SOLARIS) RtU -CL128CPU	U11420-C615	22864	
	PCLRMS V42 (SOLARIS) RtU -CL128CPU	U11420-C621	45727	
	PCLWT V42 (SOLARIS) RtU -CL128CPU	U11420-C627	15243	
	PCLPAS V42 (SOLARIS) RtU -CL128CPU	U11420-C633	49537	
	PCLSIS V42 (SOLARIS) RtU -CL128CPU	U11420-C639	22863	
	PCLDBMSW V42 (SOLARIS) RtU -CL128CPU	U11420-C657	30484	
	PCLSRW V42 (SOLARIS) RtU -CL128CPU	U11420-C645	30484	
	PCLRMS-P V42 (SOLARIS) RtU -CL128CPU	U11420-C663	75451	
	PCLSAPW V42 (SOLARIS) RtU -CL128CPU	U11420-C651	30484	
	PCLPAS-P V42 (SOLARIS) RtU -CL128CPU	U11420-C669	120035	
	VERITAS Storage Foundation 5.0 Media Kit	U26000-C5000	237	
	VERITAS SF Standard 5.0 RTU Tier N	U26000-C5012	165411	
	VERITAS SF Enterprise 5.0 RTU Tier N	U26000-C5024	262676	
	VERITAS SF Enterprise 5.0, Proc. Tier 2	U26000-C5054	6896	
	PCLSIS-P V42 (SOLARIS) RtU -CL128CPU	U11420-C675	96029	
	VERITAS SF Standard 5.0, Proc. Tier 2	U26000-C5051	4308	
	VERITAS SF Enterprise 5.0 UG RTU Tier N	U26000-C5048	157606	
	PCLEE-P V42 (SOLARIS) RtU -CL128CPU	U11420-C681	414490	
	VERITAS SF Standard 5.0 UG RTU Tier N	U26000-C5036	99247	
	PCLHAS-P V42 (SOLARIS) RtU -CL128CPU	U11420-C687	352949	



SPARC Enterprise Server Options

Data Sheets: http://www.fujitsu-siemens.com/products/unix_servers/sparc_enterprise/

Category	Description	Code	End User Price (£)	Comments
Options				
SW Data Center Products (Continued)				
	PCLPS-P V42 (SOLARIS) RtU -CL128CPU	U11420-C693	343232	
	PCLSS-P V42 (SOLARIS) RtU -CL128CPU	U11420-C699	38869	
	PCLWKT-P V42 (SOLARIS) RtU -CL128CPU	U11420-C705	77735	
	PCLGLS V42 (SOLARIS) RtU -CL128CPU	U11420-C711	47343	
	PCLGDS V42 (SOLARIS) RtU -CL128CPU	U11420-C717	142029	
	PCLGFS V42 (SOLARIS) RtU -CL128CPU	U11420-C723	142029	
	PCLGFDLS-P V42 (SOLARIS) RtU-CL128CPU	U11420-C729	281690	
Additional Software				
	DVD ESF 3.x extended (SPARC Enterprise)	U24529-C502A	138	
	Solaris Control DVD (SysMgmt)	U24529-C503A	29	
	Solaris 10 Patch DVD	U24529-C593A	29	



Positioning PRIMEPOWER Servers



**PRIMEPOWER 250
pedestal**

2-way Floorstand Server – Serving your applications with improved uptime



**PRIMEPOWER 450
pedestal**

4-way Floorstand Server – Peace of mind server solution for corporate workgroups and small enterprises



**PRIMEPOWER 250
2U / 4U**

250 2U - 2-way Rack Server – Optimized for low complexity and cost efficiency

250 4U - 2-way Rack Server – Combining the convenience of management and capacities of growth for long lifecycle



**PRIMEPOWER 450
4U**

4-way Rack Server – Reliable and powerful workhorse for Solaris server farms



**PRIMEPOWER 450
7U**

4-way Rack Server – Combining capacity and growth requirements with robust performance and affordable costs



**PRIMEPOWER 650
8U**

8-way Compute Node – The flexibility you need to individually set up your trusted production platform



**PRIMEPOWER 850
16U**

16-way Compute Node – Highly scale-up performance for your individual datacenter needs



PRIMEPOWER 900

16-way Enterprise Server – Serving dynamic workloads with efficient failsafe partitioning



PRIMEPOWER 1500

32-way Enterprise Server - Flexible and dynamical adaptation to keep IT business up with change



PRIMEPOWER 2500

64/128-way Enterprise Server - Unique scalability to serve dynamic IT production loads
– You deserve the best!



**PRIMECENTER
Rack family**

Four PRIMECENTER Racks for each purpose
Flexible and stackable 12, 24, 38 and 46 horizontal units.
The universal scale-up infrastructure prerequisite for
PRIMEPOWER, RM, PRIMERGY, Fujitsu Siemens Computers
storage systems and even most of all existing rackable servers.



PRIMEPOWER 250

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

PRIMEPOWER 250 Pedestal - 2-way Floorstand Server – Serving your applications with improved uptime

As independently usable system for workgroups or small enterprises the PW 250 can handle almost every business application and gets the job done in time, making use of up to two SPARC64™ V processors, up to 16 GB main memory and plenty of expansion options in a convenient housing.

PRIMEPOWER 250 2U - 2-way Rack Server – Optimized for low complexity and cost efficiency

PRIMEPOWER 250 2U offers exceptional value for money combining cost efficiency with low complexity computing. The server provides up to two SPARC64™ V processors in a cost cutting housing of two height units, and its integrated set of redundant components cares for enhanced production uptime.

PRIMEPOWER 250 4U - 2-way Rack Server – Combining the convenience of management and capacities of growth for long lifecycle

The PRIMEPOWER 250 4U is an attractive and compact rack server with reliable features intended for smaller companies as well as departments. Easy to install and manage, the server can help companies realize their goals without stretching their resources. The cost of managing and deploying systems can be a key decision criterion, so the automated management tools of the PRIMEPOWER 250 are designed to free the system operator from repetitive activities and potential disruptions, making it easier to manage. The features of the Solaris operating system allow policy-based resource allocation to be set, helping to cut costs and improve application performance. The system includes the same mainframe-inspired reliability, availability and serviceability (RAS) features as larger models, designed to help keep the applications up and running around the clock. The new fifth generation of the SPARC64 processors, running at 1.98 GHz clock speed, deliver high performance to run many demanding business applications and still leave room for tomorrow's growth. The server is designed to help companies do more work with fewer computer systems.

Model	Description	Details	Code	End User Price (€)	Comments
Base unit configurations					
PRIMEPOWER 250					
MY_BB_8485GV		MY_BB_8485GV; Test package	MY_BB_8485GV	3739	
PW250(F),S10,1x 1.98GHz, no MEM,no Disk		The BC/package comes with .., 2 processor slots , 1 x 1.98 GHz-CPU included, 4 additional memory slots; max. 16 Gbyte , 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)) , 6 PCI slots (4 slot 33 MHz, 2 slot 33/66 MHz) , - NO PCI included, 4 HDD bays, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control port (DSub 9-pin) , . Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP250-GR41F10	3333	Phased out
PW250(F),S9,1x 1.98GHz, no MEM,no Disk		The BC/package comes with .., 2 processor slots , 1 x 1.98 GHz-CPU included, 4 additional memory slots; max. 16 Gbyte , 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)) , 6 PCI slots (4 slot 33 MHz, 2 slot 33/66 MHz) , - NO PCI included, 4 HDD bays, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control port (DSub 9-pin) , . Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP250-GR41F9	3333	Phased out
PRIMEPOWER 250N					
PW250N(E),S10,1x 1.65GHz, no MEM,no Disk		The BC/package comes with .., 2 processor slots , 1 x 1.65 GHz-CPU included, 4 additional memory slots; max. 16 Gbyte , 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)) , 3 PCI slots (2 slot 33 MHz, 1 slot 33/66 MHz) , - NO PCI included, 2 HDD bays, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control port (DSub 9-pin) , . Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP250-GR31E10	2222	Phased out
PW250N(E),S10,2x1.65GHz,2GB,noDisk,R_PSU		The BC/package comes with .., 2 processor slots , 2 x 1.65 GHz-CPU included, 4 additional memory slots; max. 16 Gbyte , 2GB incl. 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)) , 3 PCI slots (2 slot 33 MHz, 1 slot 33/66 MHz) , - NO PCI included, 2 HDD bays, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin) , 1 UPS (control port (DSub 9-pin) , . Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP250-GR35E10	4603	Phased out
PW250N(F),S10,1x 1.98GHz, no MEM,no Disk		The BC/package comes with .., 2 processor slots , 1 x 1.98 GHz-CPU included, 4 additional memory slots; max. 16 Gbyte , 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)) , 3 PCI slots (2 slot 33 MHz, 1 slot 33/66 MHz) , - NO PCI included, 2 HDD bays, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin) , 1 UPS (control port (DSub 9-pin) , . Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP250-GR31F10	3254	Phased out
PW250N(F),S10,2x1.98GHz,2GB,noDisk,R_PSU		The BC/package comes with .., 2 processor slots , 2 x 1.98 GHz-CPU included, 4 additional memory slots; max. 16 Gbyte , 2 GB incl. 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)) , 3 PCI slots (2 slot 33 MHz, 1 slot 33/66 MHz) , - NO PCI included, 2 HDD bays, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin) , 1 UPS (control port (DSub 9-pin) , . Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP250-GR35F10	6905	Phased out
PW250N(E),S9,1x 1.65GHz, no MEM,no Disk		The BC/package comes with .., 2 processor slots , 1 x 1.65 GHz-CPU included, 4 additional memory slots; max. 16 Gbyte , 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)) , 3 PCI slots (2 slot 33 MHz, 1 slot 33/66 MHz) , - NO PCI included, 2 HDD bays, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin) , 1 UPS (control port (DSub 9-pin) , . Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP250-GR31E9	2222	Phased out
PW250N(E),S9,2x1.65GHz,2GB,noDisk,R_PSU		The BC/package comes with .., 2 processor slots , 2 x 1.65 GHz-CPU included, 4 additional memory slots; max. 16 Gbyte , 2 GB incl. 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)) , 3 PCI slots (2 slot 33 MHz, 1 slot 33/66 MHz) , - NO PCI included, 2 HDD bays, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin) , 1 UPS (control port (DSub 9-pin) , . Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP250-GR35E9	4603	Phased out
PW250N(F),S9,1x 1.98GHz, no MEM,no Disk		The BC/package comes with .., 2 processor slots , 1 x 1.98 GHz-CPU included, 4 additional memory slots; max. 16 Gbyte , 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)) , 3 PCI slots (2 slot 33 MHz, 1 slot 33/66 MHz) , - NO PCI included, 2 HDD bays, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin) , 1 UPS (control port (DSub 9-pin) , . Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP250-GR31F9	3254	Phased out



PRIMEPOWER 250

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Model	Description	Details	Code	End User Price (£)	Comments
PRIMEPOWER 250N (Continued)					
Base unit configurations					
PW250N(F),S9,2x1.98GHz,2GB,noDisk,R_PSU		The BC/package comes with: , 2 processor slots , 2 x 1.98 GHz-CPU included, 4 additional memory slots; max. 16 Gbyte , 2 GB incl., 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 3 PCI slots (2 slot 33 MHz, 1 slot 33/66 MHz), - NO PCI included, 2 HDD bays, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin) , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan. , 1 SCSI port for all internal drive bays . for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP250-GR35F9	6905	Phased out
PRIMEPOWER 2500					
I/O cabinet f 8x PCI/disk box f PW2500		I/O cabinet for PW2500, 36 HU high, 2 of these are reserved for cabling, 2 HU for mounting MCCU and Ethernet hub/switch, 32HU for mounting PCI/DISK boxes (maximum of 8). Equipped with 4 AC outlet boxes with 6 sockets IEC320 10A each. The AC outlet boxes can supply the power source to PCI/DISK Boxes. The I/O cabinet and PCI/DISK boxes can be installed when the server is online. . .An I/O cabinet joint kit is required for mounting the I/O cabinet. The type of kit depends of the server configuration. Please refer to the follow Cabinet configuration diagrams.	D:GPK25-BG71	14286	Phased out
PW2500 D S10 128CPU scalability package		PW2500 D S10 128CPU scalability package. , The PW2500 scalability package contains: , -1 x PRIMEPOWER 2500 Sx10 base unit 128CPU , -2 x I/O Cabinet f 8x PCI/DISK BOX f PW 2500 , , Please contact "primepower.info@fujitsu-siemens.com" for configuration support.	D:GPK25-GA1ACE	2220852	
PRIMEPOWER 2500 D S10 upgr cab 64-128CPU		The expansion cabinet comes with: , 1 crossbar for 16 system boards. , The 8-SB Xbar of the BC has to be changed. , 8 slots for system boards, NO SB included, NO HDD bays, 6 power supplies, sufficient for max. 8 SBs, 8 redundant fan modules, sufficient for 8 SBs, Solaris RTU (65-128 processors) is included	D:GPK25-GA81D	742063	Phased out
PRIMEPOWER 2500 D So9 upgr cap 64-128CPU		The expansion cabinet comes with: , 1 crossbar for 16 system boards. , The 8-SB Xbar of the BC has to be changed. , 8 slots for system boards, NO SB included, NO HDD bays, 6 power supplies, sufficient for max. 8 SBs, 8 redundant fan modules, sufficient for 8 SBs, Solaris RTU (65-128 processors) is included	D:GPK25-GA74D	742063	Phased out
PRIMEPOWER 2500 D So8 upgr cab 64-128CPU		The cabinet expansion comes with: , 1 crossbar for 16 system boards. The 8-SB Xbar of the BC has to be changed. , 8 slots for system boards, NO SB included, NO HDD bays, 6 power supplies, sufficient for max. 8 SBs, 8 redundant fan modules, sufficient for 8 SBs, Solaris RTU (65-128 processors) is included, order number depends on the installed Solaris release within the basic cabinet So8 = Solaris 8	D:GPK25-GA71D	742063	



PRIMEPOWER 650 8U

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

PRIMEPOWER 650 - 8-way Compute Node – The flexibility you need to individually set up your trusted production platform

The PRIMEPOWER 650 is the right solution for midsize and even large enterprises, which are looking for a remarkably cost effective Solaris platform, which is easy and flexible to deploy and yet provides high linear scalability with up to eight SPARC64™ V processors, ready to serve demanding enterprise workloads. PRIMEPOWER 650 ensure continuous system operation with its fail-safe system design, unique error checking and correcting (ECC) features in processor, cache and memory, redundant and easy-to-replace hot swap components. All the features work together to drastically reduce susceptibility to your critical business applications. Designed as an 8 U compute-node, the PRIMEPOWER 650 provides a splendid flexibility of use: As high performance compute engine, integrated with corporate SAN/NAS storage networks. Alternatively, the server can easily be expanded with optional I/O-and disk extensions to constitute a fully fledged central system for medium sized enterprises or large branches. PRIMEPOWER 650 is the key to lowering your TCO and decreasing IT complexity by exactly covering your individual needs and save unnecessary headroom costs from the very start.

Model	Description	Details	Code	End User Price (€)	Comments
PRIMEPOWER 650					
Base unit configurations					
PW 650(E)	Sol10, 2x1.89GHz CPU, no MEM	The basic configuration comes with, 8 processor slots incl. 2 x 1.89 GHz CPU, 8 memory slots - no memory - , 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM50E10	11587	Phased out
PW 650(E)	Sol10, 2x1.89GHz CPU, 1x4GB	The basic configuration comes with, 8 processor slots incl. 2 x 1.89 GHz CPU, 8 memory slots 1x4 GB included, 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM51E10	14762	Phased out
PW 650(E)	Sol10, 4x1.89GHz CPU, 1x8GB	The basic configuration comes with, 8 processor slots incl. 4 x 1.89 GHz CPU, 8 memory slots 1x8 GB included, 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM52E10	23968	Phased out
PW 650(E)	Sol10, 8x1.89GHz CPU, 2x8GB	The basic configuration comes with, 8 processor slots incl. 8 x 1.89 GHz CPU, 8 memory slots 2x8 GB included, 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM53E10	43016	Phased out
PW 650(G)	Sol10, 2x2.16GHz CPU, no MEM	The basic configuration comes with, 8 processor slots incl. 2 x 2.16 GHz CPU, 8 memory slots - no memory - , 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM50G10	13175	Phased out
PW 650(G)	Sol10, 2x2.16GHz CPU, 1x4GB	The basic configuration comes with, 8 processor slots incl. 2 x 2.025 GHz CPU, 8 memory slots 1x4 GB included, 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM51G10	16349	Phased out
PW 650(G)	Sol10, 4x2.16GHz CPU, 1x8GB	The basic configuration comes with, 8 processor slots incl. 4 x 2.16 GHz CPU, 8 memory slots 1x8 GB included, 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM52G10	27143	Phased out
PW 650(G)	Sol10, 8x2.16GHz CPU, 2x8GB	The basic configuration comes with, 8 processor slots incl. 8 x 2.16 GHz CPU, 8 memory slots 2x8 GB included, 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM53G10	49365	Phased out



PRIMEPOWER 650 8U

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
PRIMEPOWER 650 (Continued)					
PW 650(E)	Sol9, 2x1.89GHz CPU, no MEM	The basic configuration comes with, 8 processor slots incl. 2 x 1.89 GHz CPU, 8 memory slots - no memory - , 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM50E9	14603	Phased out
PW 650(E)	Sol9, 2x1.89GHz CPU, 1x4GB	The basic configuration comes with, 8 processor slots incl. 2 x 1,89 GHz CPU, 8 memory slots 1x4 GB included, 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM51E9	17778	Phased out
PW 650(E)	Sol9, 4x1.89GHz CPU, 1x8GB	The basic configuration comes with, 8 processor slots incl. 4 x 1,89 GHz CPU, 8 memory slots 1x8 GB included, 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM52E9	26984	Phased out
PW 650(E)	Sol9, 8x1.89GHz CPU, 2x8GB	The basic configuration comes with, 8 processor slots incl. 8 x 1,89 GHz CPU, 8 memory slots 2x8 GB included, 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM53E9	46032	Phased out
PW 650(G)	Sol9, 2x2.16GHz CPU, no MEM	The basic configuration comes with, 8 processor slots incl. 2 x 2.16 GHz CPU, 8 memory slots - no memory - , 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM50G9	16190	Phased out
PW 650(G)	Sol9, 2x2.16GHz CPU, 1x4GB	The basic configuration comes with, 8 processor slots incl. 2 x 2.16 GHz CPU, 8 memory slots 1x4 GB included, 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM51G9	19365	Phased out
PW 650(G)	Sol9, 8x2.16GHz CPU, 2x8GB	The basic configuration comes with, 8 processor slots incl. 8 x 2,16 GHz CPU, 8 memory slots 2x8 GB included, 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM53G9	52381	Phased out
PW 650(G)	Sol9, 4x2.16GHz CPU, 1x8GB	The basic configuration comes with, 8 processor slots incl. 4 x 2,16 GHz CPU, 8 memory slots 1x8 GB included, 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM52G9	30159	Phased out



PRIMEPOWER 850 16U

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

PRIMEPOWER 850 - 16-way Compute Node – Highly scale-up performance for your individual datacenter needs

The PRIMEPOWER 850 is the foundation for enterprises, service providers and e-market datacenter, which are looking for highly scaling, linear performance growth and yet need the flexibility to compose their own server for optimum cost and functionality. PRIMEPOWER 850 ensures continuous system operation with its fail-safe system design, unique error checking and correcting (ECC) features in processor, cache and memory, redundant and easy-to-replace hot swap components, which work together to reduce the susceptibility to your critical business applications. Up to 16 SPARC64™ V processors and up to 128 GB of memory together with the company's innovative high throughput system crossbar provide massive linear scaling performance to handle any workload. Designed as a 16 U compute node the server provides a splendid flexibility of use. It can work as a central, raw power compute engine with integrated corporate storage networks, which masters central transactional workloads. The server can easily be expanded with optional I/O - disk boxes to constitute a fully fledged central production server for larger corporations. This server exactly covers your individual needs and assures optimal resource utilization as your organisation continues to grow.

Model	Description	Details	Code	End User Price (€)	Comments
Base unit configurations					
PRIMEPOWER 850					
PW 850(E), Sol10, 4x1.89GHz, noMEM,noSEB	The basic configuration comes with, 1 systemboard , 8 processor slots per systemboard, 4 x 1,89 GHz CPU included, 8 memory slots per systemboard, no memory , 2 HDD bays per systemboard, 1 bay for a DVD drive - DVD drive included, 1 bay for a MTC drive - NO drive included, 8 PCI slots per systemboard, 2 slots 33/66 MHz, 6 slots 33 MHz, 1 long slot, , 2 serial ports RS232C (for console and Teleservice only), 2 Ethernet ports 10/100 Mbit/s,(netboot is supported) , , SCSI ports for internal bays only, NOT for external boxes, , supports DPF as an option - NO DPF included, 1 interface to connect 1 PCI box, , for more details see rack configurator	D:GP850-GM60E10		33968	Phased out
PW 850(E), Sol10, 4x1.89GHz, 1x8GB,noSEB	The basic configuration comes with, 1 systemboard , 8 processor slots per systemboard, 4 x 1,89 GHz CPU included, 8 memory slots per systemboard, 1 x 8 GB included , 2 HDD bays per systemboard, 1 bay for a DVD drive - DVD drive included, 1 bay for a MTC drive - NO drive included, 8 PCI slots per systemboard, 2 slots 33/66 MHz, 6 slots 33 MHz, 1 long slot, , 2 serial ports RS232C (for console and Teleservice only), 2 Ethernet ports 10/100 Mbit/s,(netboot is supported) , , SCSI ports for internal bays only, NOT for external boxes, , supports DPF as an option - NO DPF included, 1 interface to connect 1 PCI box, , for more details see rack configurator	D:GP850-GM61E10		40317	Phased out
PW 850(E), Sol10, 8x1.89GHz, 2x8GB,noSEB	The basic configuration comes with, 1 systemboard , 8 processor slots per systemboard, 8 x 1,89 GHz CPU included, 8 memory slots per systemboard, 2 x 8 GB included , 2 HDD bays per systemboard, 1 bay for a DVD drive - DVD drive included, 1 bay for a MTC drive - NO drive included, 8 PCI slots per systemboard, 2 slots 33/66 MHz, 6 slots 33 MHz, 1 long slot, , 2 serial ports RS232C (for console and Teleservice only), 2 Ethernet ports 10/100 Mbit/s,(netboot is supported) , , SCSI ports for internal bays only, NOT for external boxes, , supports DPF as an option - NO DPF included, 1 interface to connect 1 PCI box, , for more details see rack configurator	D:GP850-GM62E10		68889	Phased out
PW 850(G),Sol10, 4x2.16GHz, noMEM,noSEB	The basic configuration comes with, 1 systemboard , 8 processor slots per systemboard, 4 x 2,16 GHz CPU included, 8 memory slots per systemboard, no memory , 2 HDD bays per systemboard, 1 bay for a DVD drive - DVD drive included, 1 bay for a MTC drive - NO drive included, 8 PCI slots per systemboard, 2 slots 33/66 MHz, 6 slots 33 MHz, 1 long slot, , 2 serial ports RS232C (for console and Teleservice only), 2 Ethernet ports 10/100 Mbit/s,(netboot is supported) , , SCSI ports for internal bays only, NOT for external boxes, , supports DPF as an option - NO DPF included, 1 interface to connect 1 PCI box, , for more details see rack configurator	D:GP850-GM60G10		38730	Phased out
PW 850(G),Sol10, 4x2.16GHz, 1x8GB,noSEB	The basic configuration comes with, 1 systemboard , 8 processor slots per systemboard, 4 x 2,16 GHz CPU included, 8 memory slots per systemboard, 1 x 8 GB included , 2 HDD bays per systemboard, 1 bay for a DVD drive - DVD drive included, 1 bay for a MTC drive - NO drive included, 8 PCI slots per systemboard, 2 slots 33/66 MHz, 6 slots 33 MHz, 1 long slot, , 2 serial ports RS232C (for console and Teleservice only), 2 Ethernet ports 10/100 Mbit/s,(netboot is supported) , , SCSI ports for internal bays only, NOT for external boxes, , supports DPF as an option - NO DPF included, 1 interface to connect 1 PCI box, , for more details see rack configurator	D:GP850-GM61G10		45079	Phased out
PW 850(G),Sol10, 8x2.16GHz, 2x8GB,noSEB	The basic configuration comes with, 1 systemboard , 8 processor slots per systemboard, 8 x 2,16 GHz CPU included, 8 memory slots per systemboard, 2 x 8 GB included , 2 HDD bays per systemboard, 1 bay for a DVD drive - DVD drive included, 1 bay for a MTC drive - NO drive included, 8 PCI slots per systemboard, 2 slots 33/66 MHz, 6 slots 33 MHz, 1 long slot, , 2 serial ports RS232C (for console and Teleservice only), 2 Ethernet ports 10/100 Mbit/s,(netboot is supported) , , SCSI ports for internal bays only, NOT for external boxes, , supports DPF as an option - NO DPF included, 1 interface to connect 1 PCI box, , for more details see rack configurator	D:GP850-GM62G10		78413	Phased out



PRIMEPOWER 850 16U

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
PRIMEPOWER 850 (Continued)					
PW 850(E), Sol9, 4x1.89GHz, noMEM, noSEB	The basic configuration comes with, 1 systemboard, 8 processor slots per systemboard, 4 x 1.89 GHz CPU included, 8 memory slots per systemboard, no memory, 2 HDD bays per systemboard, 1 bay for a DVD drive - DVD drive included, 1 bay for a MTC drive - NO drive included, 8 PCI slots per systemboard, 2 slots 33/66 MHz, 6 slots 33 MHz, 1 long slot, 2 serial ports RS232C (for console and Teleservice only), 2 Ethernet ports 10/100 Mbit/s,(netboot is supported), , SCSI ports for internal bays only, NOT for external boxes, , supports DPF as an option - NO DPF included, 1 interface to connect 1 PCI box, , for more details see rack configurator	D:GP850-GM60E9		39524	Phased out
PW 850(E), Sol9, 4x1.89GHz, 1x8GB, noSEB	The basic configuration comes with, 1 systemboard, 8 processor slots per systemboard, 4 x 1.89 GHz CPU included, 8 memory slots per systemboard, 1 x 8 GB included, 2 HDD bays per systemboard, 1 bay for a DVD drive - DVD drive included, 1 bay for a MTC drive - NO drive included, 8 PCI slots per systemboard, 2 slots 33/66 MHz, 6 slots 33 MHz, 1 long slot, 2 serial ports RS232C (for console and Teleservice only), 2 Ethernet ports 10/100 Mbit/s,(netboot is supported), , SCSI ports for internal bays only, NOT for external boxes, , supports DPF as an option - NO DPF included, 1 interface to connect 1 PCI box, , for more details see rack configurator	D:GP850-GM61E9		45873	Phased out
PW 850(E), Sol9, 8x1.89GHz, 2x8GB, noSEB	The basic configuration comes with, 1 systemboard, 8 processor slots per systemboard, 8 x 1.89 GHz CPU included, 8 memory slots per systemboard, 2 x 8 GB included, 2 HDD bays per systemboard, 1 bay for a DVD drive - DVD drive included, 1 bay for a MTC drive - NO drive included, 8 PCI slots per systemboard, 2 slots 33/66 MHz, 6 slots 33 MHz, 1 long slot, 2 serial ports RS232C (for console and Teleservice only), 2 Ethernet ports 10/100 Mbit/s,(netboot is supported), , SCSI ports for internal bays only, NOT for external boxes, , supports DPF as an option - NO DPF included, 1 interface to connect 1 PCI box, , for more details see rack configurator	D:GP850-GM62E9		74444	Phased out
PW 850(G),Sol9, 4x2.16GHz, noMEM, noSEB	The basic configuration comes with, 1 systemboard, 8 processor slots per systemboard, 4 x 2.16 GHz CPU included, 8 memory slots per systemboard, no memory, 2 HDD bays per systemboard, 1 bay for a DVD drive - DVD drive included, 1 bay for a MTC drive - NO drive included, 8 PCI slots per systemboard, 2 slots 33/66 MHz, 6 slots 33 MHz, 1 long slot, 2 serial ports RS232C (for console and Teleservice only), 2 Ethernet ports 10/100 Mbit/s,(netboot is supported), , SCSI ports for internal bays only, NOT for external boxes, , supports DPF as an option - NO DPF included, 1 interface to connect 1 PCI box, , for more details see rack configurator	D:GP850-GM60G9		44286	Phased out
PW 850(G),Sol9, 4x2.16GHz, 1x8GB, noSEB	The basic configuration comes with, 1 systemboard, 8 processor slots per systemboard, 4 x 2.16 GHz CPU included, 8 memory slots per systemboard, 1 x 8 GB included, 2 HDD bays per systemboard, 1 bay for a DVD drive - DVD drive included, 1 bay for a MTC drive - NO drive included, 8 PCI slots per systemboard, 2 slots 33/66 MHz, 6 slots 33 MHz, 1 long slot, 2 serial ports RS232C (for console and Teleservice only), 2 Ethernet ports 10/100 Mbit/s,(netboot is supported), , SCSI ports for internal bays only, NOT for external boxes, , supports DPF as an option - NO DPF included, 1 interface to connect 1 PCI box, , for more details see rack configurator	D:GP850-GM61G9		50635	Phased out
PW 850(G),Sol9, 8x2.16GHz, 2x8GB, noSEB	The basic configuration comes with, 1 systemboard, 8 processor slots per systemboard, 8 x 2.16 GHz CPU included, 8 memory slots per systemboard, 2 x 8 GB included, 2 HDD bays per systemboard, 1 bay for a DVD drive - DVD drive included, 1 bay for a MTC drive - NO drive included, 8 PCI slots per systemboard, 2 slots 33/66 MHz, 6 slots 33 MHz, 1 long slot, 2 serial ports RS232C (for console and Teleservice only), 2 Ethernet ports 10/100 Mbit/s,(netboot is supported), , SCSI ports for internal bays only, NOT for external boxes, , supports DPF as an option - NO DPF included, 1 interface to connect 1 PCI box, , for more details see rack configurator	D:GP850-GM62G9		83968	Phased out



PRIMEPOWER 900

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

PRIMEPOWER 900 - 16-way Enterprise Server – Serving dynamic workloads with efficient failsafe partitioning

PRIMEPOWER 900 is the premium choice for enterprises looking for scalable performance and a very high flexibility to dynamically match varying workloads with best-in-class quality of IT production. Thus it is predestined for consolidation of different servers and applications onto a central system with high performance and enhanced business continuity. PW900 offers flexible configuration capabilities up to 16 processors in a 16HU space-saving 19" chassis, and in addition the benefits of dynamic reconfiguration and extended partitioning with up to 8 fail-safe and independent partitions. All major components are redundant and hot swappable or pluggable during operation for hardware upgrades or changes. Cost-intensive downtimes are reduced to an absolute minimum. The high performant and reliable SPARC64 processors, the large main memory capacities up to 64 GB per systemboard, the high speed crossbar interconnect and lowest memory latencies ensure your requested huge system and application throughput.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMEPOWER 900							
	PRIMEPOWER 900 D So10 basic cab f 16CPU	Model 900 basic cabinet, 2 system board slots , - No CPU, - No SBs , - NO memory, 8 HDD bays for system drives, 4 per SB, 2 bays are connected to each (of the 2) SCSI ports (40Mbyte/s) at each SB, this connection is fix and cannot be changed, 4 power supplies, sufficient for max. 2 SBs, 1 PSUs for the standard power I/F (power system #0), sufficient for no SBs, , redundant fan modules, sufficient with no SBs, 1 Console Connection Unit (CCU), sufficient for the first 8 partitions , Solaris RTU included (-So10 = Solaris 10), The D:GPK09-GA55D requires 16 HU in a 19" rack, The included MCCU requires 1 HU in a 19" rack, so the both need 16+1=17 HU	D:GPK09-GA55D			33730	Phased out
	PRIMEPOWER 900 D So9 basic cab f 16CPU	Model 900 basic cabinet, 2 system board slots , - No CPU, - No SBs , - NO memory, 8 HDD bays for system drives, 4 per SB, 2 bays are connected to each (of the 2) SCSI ports (40Mbyte/s) at each SB, this connection is fix and cannot be changed, 4 power supplies, sufficient for max. 2 SBs, 1 PSUs for the standard power I/F (power system #0), sufficient for no SBs, , redundant fan modules, sufficient with no SBs, 1 Console Connection Unit (CCU), sufficient for the first 8 partitions , Solaris RTU included (-So9 = Solaris 9), The D:GPK09-GA53D requires 16 HU in a 19" rack, The included MCCU requires 1 HU in a 19" rack, so the both need 16+1=17 HU	D:GPK09-GA53D			41270	Phased out



PRIMEPOWER 1500

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

PRIMEPOWER 1500 - 32-way Enterprise Server - Flexible and dynamical adaptation to keep IT business up with change

PRIMEPOWER 1500 is the foundation for enterprises, service providers and datacenters, that are looking for a highly scaling mission critical Solaris platform, suited to handle large corporate applications and databases as well as the dynamic workloads of multiple consolidated applications - with peace of mind and continuous quality of IT production. PW 1500 offers flexible and scalable configuration capabilities up to 32 processors in a space-saving system cabinet and optional I/O cabinet for additional PCI/disk boxes. Dynamic reconfiguration and extended partitioning with up to 15 fail-safe, hardware isolated and independent partitions is standard. All major components are redundant and hot swappable or pluggable during operation for hardware upgrades or changes. Cost-intensive downtimes are reduced to an absolute minimum. The high performance and reliable SPARC64 processors, the large main memory capacities up to 64 GB per systemboard, the high speed crossbar interconnect and lowest memory latencies satisfy huge system and application throughput demands.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
PRIMEPOWER 1500					
	I/O cabinet f 3x PCI/disk box f PW 1500	For configurations with ext. PCI/DISK boxes connected to the 2nd, 3rd or 4th system board., The server must be switched off when installing the I/O cabinet. , It is recommended to order the I/O cabinet together with the server to prepare the system for online upgrading with ext. PCI/DISK boxes connected to SB # 2 to 4.	D:GPK15-BG70	26587	
	PRIMEPOWER 1500 D S10 basic cab f 32CPU	Model 1500 basic cabinet , 4 system board slots , - No CPU, - No SBs , - NO memory, 16 HDD bays for system drives, 4 per SB, 2 bays are connected to each (of the 2) SCSI ports (40Mbyte/s) at each SB, this connection is fix and cannot be changed, 10 power supplies, sufficient for max. 2 SBs, 4 PSUs for the standard power I/F (power system #0), sufficient for max. 2 SBs, 6 PSUs for the Dual Power feed (DPF, power system #1), sufficient for max. 4 SBs, redundant fan modules, sufficient for 4 SBs, 1 Console Connection Unit (CCU), sufficient for the first 8 partitions , Internal 19" rack 8HU high, 2 of these 19" units are occupied by 1 CCU and 1 Hub/Switch, 2 power distribution box for rack boxes for DPF functionality	D:GPK15-GA64D	87302	
	PRIMEPOWER 1500 D So9 basic for 32CPU	Model 1500 basic cabinet , 4 system board slots , - No CPU, - No SBs , - NO memory, 16 HDD bays for system drives, 4 per SB, 2 bays are connected to each (of the 2) SCSI ports (40Mbyte/s) at each SB, this connection is fix and cannot be changed, 10 power supplies, sufficient for max. 2 SBs, 4 PSUs for the standard power I/F (power system #0), sufficient for max. 2 SBs, 6 PSUs for the Dual Power feed (DPF, power system #1), sufficient for max. 4 SBs, redundant fan modules, sufficient for 4 SBs, 1 Console Connection Unit (CCU), sufficient for the first 8 partitions , Internal 19" rack 8HU high, 2 of these 19" units are occupied by 1 CCU and 1 Hub/Switch, 2 power distribution box for rack boxes for DPF functionality	D:GPK15-GA63D	111111	



PRIMEPOWER 1500

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Model	Description	Details	Code	End User Price (£)	Comments
-------	-------------	---------	------	--------------------	----------

Base unit configurations

PRIMEPOWER 1500 (Continued)

	PRIMEPOWER 1500 D So8 basic for 32CPU	Model 1500 basic cabinet , 4 system board slots , - No CPU, - No SBs , - NO memory, 16 HDD bays for system drives, 4 per SB, 2 bays are connected to each (of the 2) SCSI ports (40Mbyte/s) at each SB, this connection is fix and cannot be changed, 10 power supplies, sufficient for max. 2 SBs, 4 PSUs for the standard power I/F (power system #0), sufficient for max. 2 SBs, 6 PSUs for the Dual Power feed (DPF, power system #1), sufficient for max. 4 SBs, redundant fan modules, sufficient for 4 SBs, 1 Console Connection Unit (CCU), sufficient for the first 8 partitions , Internal 19" rack 8HU high, 2 of these 19" units are occupied by 1 CCU and 1 Hub/Switch, 2 power distribution box for rack boxes for DPF functionality	D:GPK15-GA61D	111111	
--	---------------------------------------	--	---------------	--------	--

Category	Description	Code	End User Price (£)	Comments
----------	-------------	------	--------------------	----------

Options

Processor

	Systemboard 2C f 8cpu 8mem 8pci PW 1500	D:GPK15-SE72D	14206	
--	---	---------------	-------	--

Rack-Infrastructure

	Console connection unit PRIMEPOWER-XA	D:GP70X-RC11	3968	
	Ethernet Switch 8 Port 10/100 Mbps	D:GP70F-AL21	159	
	1x Runner set for 19" Tray	D:GP70F-ZB20	44	
	Cable carrier for I/O cabinet PW1500	D:GP70X-ZB22	111	

UPS/Power supply

	System expansion kit f PW1500 D So8	D:GPK15-SE52D	4127	
	System expansion kit f PW1500 D So9	D:GPK15-SE54D	4127	
	System expansion kit f PW1500 S10	D:GPK15-SE55D	4127	
	DUAL power feed f PW 1500 D	D:GPK15-SV42D	9508	

Miscellaneous

	Ext I/O box 10pci slot 4HDD bay PW 1500	D:GPK15-BG62	38889	
--	---	--------------	-------	--

Cables

	Cable & Adapter to Modem(3m)	D:GP70P-KA04	48	
	Cable & Adapter to Modem(10m)	D:GP70P-KA05	87	
	Cable & Adapter f. ISDN TA (3m)	D:GP70P-KA06	45	
	Cable & Adapter f. ISDN TA (10m)	D:GP70P-KA07	83	
	RC23 cable kit USB	D:GP70P-KA51	32	
	Signal-Cable Power-Control Connection	D:GP7KB-1903	87	
	Power cord IEC320 device 2.5m (F/M)	D:KB258-C250	16	
	Adapter for PS/2<->USB	D:GP70P-KA01	119	
	Power cable (F/M) 16A 2.5m	D:KB259-C250	42	
	Adaption for SUN-I/O-VGA on KVM-RJ45	D:GPRAC-AN30	198	
	Consol Switch KSxxxx Cable CAT 5 flex_m	D:GPRAC-KB16C	48	
	RCI cable RJ45 6pin(S)-RJ45 6pin(S) 4m	D:GP7KB-1204	40	
	Cable for consolconnection unit 5 m	D:GP7KB-1805	151	



PRIMEPOWER 1500

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category Description	Code	End User Price (£)	Comments
Options			
Cables (Continued)			
UTP CAT 5 Eth-cable 2xRJ45 8pin(S) 5m	D:GP7KB-1305	27	
UTP CAT 5 Eth-cable 2xRJ45 8pin(S) 10m	D:GP7KB-1310	29	
UTP CAT 5 Eth-cable 2xRJ45 8pin(S) 15m	D:GP7KB-1315	41	
UTP CAT 5 IC-cable 2xRJ45 8pin(S) 5m	D:GP7KB-1405	31	
UTP CAT 5 IC-cable 2xRJ45 8pin(S) 10m	D:GP7KB-1410	41	
UTP cat 5 enhanced IC-cable, 4m	D:GP7KB-2104	42	
UTP cat 5 enhanced, 5m	D:GP7KB-2005	58	
UTP cat 5 enhanced, 15m	D:GP7KB-2015	71	
FC cable MMF 5m, Connector SC-SC	D:KB248-M5	75	Phased out
SCSI cable VHDCI68(S)-HD68(S) 5m	D:GP7KB-1005	206	
SCSI-Cable,LVD,UHD68(S)-HD68(S),8m	D:KB235-M8	194	Phased out
SCSI cable UHD68(S)-UHD68(S) 4m (DN41)	D:GPDS2-KB04	155	
SCSI cable UHD68(S)-UHD68(S) 5m (DN41)	D:GPDS2-KB05	159	
SW Operating Systems			
Solaris SW support M/PW1000/PW1500	U24529-C621	1	
Solaris 10 Upgrade RTU up to 32 CPUs	U24529-C704	48095	
Solaris SW Support PW1000/1500	U24529-C664	1	
Solaris Backlevel Support PW1500	U24529-C684	1	
Solaris 8 CD/DVD Set PRIMEPOWER Export	U24529-C508-E	238	
Solaris 8 Accessories Kit for PRIMEPOWER	U24529-C420	12	
Solaris 9 Reference RTU Enterpr. System	U24529-C404	1	
Solaris 10 Reference RTU Enterpr. System	U24529-C434	1	
Solaris 9 CD/DVD Set PRIMEPOWER	U24529-C509	238	
Solaris 9 CD/DVD Set PRIMEPOWER Export	U24529-C509-E	238	
Solaris 9 Accessories Kit for PRIMEPOWER	U24529-C407	12	
Solaris 9 Patch CD	U24529-C578	29	
Solaris 9 Upgrade RTU up to 32 CPU	U24529-C575	48095	
Solaris 8 Patch CD	U24529-C554	29	
Solaris 10 CD/DVD Set PRIMEPOWER	U24529-C590	238	
Solaris 10 CD/DVD Set PRIMEPOWER Export	U24529-C590-E	238	
Solaris 10 Accessories Kit PRIMEPOWER	U24529-C592	12	
COMM-CD-SOL-SP MED (PRIMEPOWER) EN	U13643-C5008	29	
Solaris Control DVD (SysMgmt) Export	U24529-C503-E	29	
ESF 3.x (GP7000F/PRIMEPOWER)	U24529-C502	138	
Solaris Control DVD (SysMgmt)	U24529-C503	29	
SW Data Center Products			
PCL Framework CD (SOLARIS) V3.0	U11420-C600	40	
PCLCD3 V41 (SOLARIS PW) MED CD	U11420-C608	60	Phased out
PCLLDS V42 (SOLARIS) RtU -CL32CPU	U11420-C733	61024	
PCLLFS V42 (SOLARIS) RtU -CL32CPU	U11420-C739	53259	
PCLSNP V42 (SOLARIS) RtU -CL32CPU	U11420-C745	53259	
PCLLFDLS-P V42 (SOLARIS) RtU -CL32CPU	U11420-C751	90570	
PCLCD1 V42 (SOLARIS) MED CD	U11420-C811	60	
PCLCD2 V42 (SOLARIS) MED CD	U11420-C812	60	
PCLCD3 V42 (SOLARIS) MED CD	U11420-C813	60	
EventAdmin-PH (for UNIX OS) V2.0	U16525-C203	3968	
InstallAdmin-PH (for UNIX OS) V1.0	U16525-C301	2063	
PRIMEPOWER KM for PATROL-PH V1.0	U16525-C600	11905	
PCLCD1 V41 (SOLARIS PW) MED CD	U11420-C601	60	Phased out
PCLCD2 V41 (SOLARIS PW) MED CD	U11420-C602	60	Phased out
PCLCF V42 (SOLARIS) RtU -CL32CPU	U11420-C613	10000	



PRIMEPOWER 1500

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category Description	Code	End User Price (£)	Comments
Options			
SW Data Center Products (Continued)			
PCLRMS V42 (SOLARIS) RtU -CL32CPU	U11420-C619	20000	
PCLSPW-M10(SOLARIS) V2.5 RtU	U11420-C183	7143	
PCLWTV42 (SOLARIS) RtU -CL32CPU	U11420-C625	6667	
PCLPAS V42 (SOLARIS) RtU -CL32CPU	U11420-C631	21667	
PCLSPV42 (SOLARIS) RtU -CL32CPU	U11420-C637	10000	
PCLDBMSV V42 (SOLARIS) RtU -CL32CPU	U11420-C655	13333	
PCLSRIV V42 (SOLARIS) RtU -CL32CPU	U11420-C643	13333	
PCLPASP-PW-M10-P(SOLARIS) V3.0 RtU	U11420-C203	37500	
PCLRMS-P V42 (SOLARIS) RtU -CL32CPU	U11420-C661	33000	
PCLSPAPV V42 (SOLARIS) RtU -CL32CPU	U11420-C649	13333	
CD-Xprint-Unix-OS	U11436-C231	29	
VERITAS Storage Foundation 4.1 Media Kit	U26000-C1000	237	Phased out
PCLPAS-P V42 (SOLARIS) RtU -CL32CPU	U11420-C667	52500	
VERITAS Storage Foundation 5.0 Media Kit	U26000-C5000	237	
VERITAS SF Standard 5.0 RTU Tier K	U26000-C5009	67929	
VERITAS SF Enterprise 5.0 RTU Tier K	U26000-C5021	111279	
VERITAS SF Enterprise 5.0, Proc. Tier 2	U26000-C5054	6896	
PCLSP-P V42 (SOLARIS) RtU -CL32CPU	U11420-C673	42000	
VERITAS SF Standard 5.0, Proc. Tier 2	U26000-C5051	4308	
VERITAS SF Enterprise 5.0 UG RTU Tier K	U26000-C5045	66767	
PCLEE-P V42 (SOLARIS) RtU -CL32CPU	U11420-C679	174680	
VERITAS SF Standard 5.0 UG RTU Tier K	U26000-C5033	40758	
PCLHAS-P V42 (SOLARIS) RtU -CL32CPU	U11420-C685	147763	
DomainAdmin-P10 (for UNIX OS) V2.2	U16525-C154	8730	
PCLPS-P V42 (SOLARIS) RtU -CL32CPU	U11420-C691	143513	
PCLSS-P V42 (SOLARIS) RtU -CL32CPU	U11420-C697	17000	
DomainAdmin-PE (for UNIX OS) V2.2	U16525-C156	61905	
PCLWKIT-P V42 (SOLARIS) RtU -CL32CPU	U11420-C703	34000	
PCLGLS V42 (SOLARIS) RtU -CL32CPU	U11420-C709	19596	
PCLGDS V42 (SOLARIS) RtU -CL32CPU	U11420-C715	58788	
PCLGFS V42 (SOLARIS) RtU -CL32CPU	U11420-C721	58788	
PCLGFDLS-P V42 (SOLARIS) RtU -CL32CPU	U11420-C727	116597	
Multipath V1.1B RoU (Sparc)	U24529-C530	3246	
Xprint-UG1 (Solaris/FSC) V8.0 LC f.	U11436-C531	754	
Xprint-NET (Solaris/FSC) V8.0 LC f.	U11436-C532	3214	
Xprint-NET-CL (Solaris/FSC) V8.0 LC f.	U11436-C533	873	
Xprint-UGM (Solaris/FSC) V8.0 LC f.	U11436-C534	1071	
Xprint-UG2 (Solaris/FSC) V8.0 LC f.	U11436-C535	1071	
Xprint-UG3 (Solaris/FSC) V8.0 LC f.	U11436-C536	1825	
Xprint-UG4 (Solaris/FSC) V8.0 LC f.	U11436-C537	1667	
Xprint-UG5 (Solaris/FSC) V8.0 LC f.	U11436-C538	1389	
Xprint-UG6 (Solaris/FSC) V8.0 LC f.	U11436-C539	1389	
Xprint-UG7 (Solaris/FSC) V8.0 LC f.	U11436-C540	1389	
Xprint-UG8 (Solaris/FSC) V8.0 LC f.	U11436-C541	1389	
Xprint-R/3-Kit (Solaris/FSC) V8.0 LC f.	U11436-C542	3262	
Xprint-UG1-UP (Solaris/FSC) V8.0 LC f.	U11436-C544	325	
Xprint-NET-UP (Solaris/FSC) V8.0 LC f.	U11436-C545	1294	
Xprint-NET-CL-UP(Solaris/FSC)V8.0 LC	U11436-C546	357	
Xprint-UGM-UP (Solaris/FSC) V8.0 LC f.	U11436-C547	433	
Xprint-UG2-UP (Solaris/FSC) V8.0 LC f.	U11436-C548	433	
Xprint-UG3-UP (Solaris/FSC) V8.0 LC f.	U11436-C549	738	



PRIMEPOWER 1500

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category Description	Code	End User Price (£)	Comments
Options			
SW Data Center Products (Continued)			
Xprint-UG4-UP (Solaris/FSC) V8.0 LC f.	U11436-C550	667	
Xprint-UG5-UP (Solaris/FSC) V8.0 LC f.	U11436-C551	556	
Xprint-UG6-UP (Solaris/FSC) V8.0 LC f.	U11436-C552	556	
Xprint-UG7-UP (Solaris/FSC) V8.0 LC f.	U11436-C553	556	
Xprint-UG8-UP (Solaris/FSC) V8.0 LC f.	U11436-C554	556	
Xprint-R/3-Kit-UP(Solaris/FSC) V8.0 LC	U11436-C555	1325	
DomainAdmin-P10 (for UNIX OS) V2.1	U16525-C141	7937	
Domain Monitoring GUI -UG1 V1.0	U11436-C664	317	
Domain Monitoring GUI -UG2 V1.0	U11436-C665	317	
Domain Monitoring GUI -UG3 V1.0	U11436-C666	476	
Domain Monitoring GUI -UG4 V1.0	U11436-C667	714	
DomainAdmin-PE (for UNIX OS) V2.1	U16525-C143	51587	
SW Networking			
CMX-GK V6.0 NR (PRIMEPOWER) EN	U10808-C124	1183	
CMX-GKU V6.0 NR (PRIMEPOWER) EN	U10808-C126	563	
CCP-OSI/NEA-GK V6.0 NR (PRIMEPOWER) EN	U10826-C218	3016	
CCP-OSI/NEA-GKU V6.0 NR (PRIMEPOWER) EN	U10826-C220	1429	
OPENFT-SW-CD (UNIX) V8.1	U13806-C23	29	
OPENFT-CR (UNIX) V8.0	U13806-C22	12	
Medium for UNIX systems	U13806-C21	29	
TRANS-CP-BNR (for UNIX OS) V3 6	U13620-C100	852	
TRANS-CL-BNR (for UNIX OS) V3 6	U13621-C42	872	
TRANS-SV-NR (for UNIX OS) V3 6	U13622-C45	40	
TRANS-SV-BNR-PP (for UNIX OS) V3 6	U13622-C48	406	
OPENFT-5 (UNIX) V8.0	U10987-C351	4748	
SW OLTP			
openUTM LU62 V50 ROU Sync1 Unx/Win-Sys	U13655-C26	11362	
openUTM LU62 V50 ROU Sync2 Unx/Win-Sys	U13655-C27	22724	
openUTM LU62 V50 ROU UD Sync1 Unx/Win	U13655-C28	3977	
openUTM LU62 V50 ROU UD Sync2 Unx/Win	U13655-C29	7953	
SW Compilers & Tools			
COB_SE V4.0 SW 1 User (Sol)	U24539-C641	3617	
COB_AS V4.0 SW 10cUsr (Sol)	U24539-C642	2067	
COB_AS V4.0 SW 10nUsr (Sol)	U24539-C643	775	



PRIMEPOWER 2500

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

PRIMEPOWER 2500 - 64/128-way Enterprise Server - Unique scalability to serve dynamic IT production loads – You deserve the best!

PRIMEPOWER 2500 is the best-in-class Solaris datacenter platform that combines superiority in up-most scalability to handle your most important corporate applications, with impressive flexibility for dynamic resource adoption that agile corporate businesses need to ensure their business critical IT production. PW 2500 offers unique scalability of 64 processors in the basic system cabinet and up to 128 processors in the extended system cabinet and optional one to four I/O cabinets for up to 32 PCI/disk boxes. Dynamic reconfiguration and extended partitioning with up to 15 independent, fail-safe and hardware isolated partitions provide superior business continuity and resource optimization for dynamic IT production loads. Very all components – including crossbar hardware - are redundant and major components are hot swapable or pluggable during operation for hardware upgrades, maintenance or changes. Thus cost-intensive downtimes are almost eliminated. The high performance SPARC64 processors, the large main memory capacities up to 64 GB per systemboard and the high speed crossbar ensure most compelling system and application throughput demands.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
PRIMEPOWER 2500					
	I/O cabinet f 8x PCI/disk box f PW2500	I/O cabinet for PW2500, 36 HU high, 2 of these are reserved for cabling, 2 HU for mounting MCCU and Ethernet hub/switch, 32HU for mounting PCI/DISK boxes (maximum of 8), Equipped with 4 AC outlet boxes with 6 sockets IEC320 10A each. The AC outlet boxes can supply the power source to PCI/DISK Boxes, The I/O cabinet and PCI/DISK boxes can be installed when the server is online. . .An I/O cabinet joint kit is required for mounting the I/O cabinet. The type of kit depends of the server configuration. Please refer to the follow Cabinet configuration diagrams.	D:GPK25-BG71	14286	Phased out
	PW2500 D S10 128CPU scalability package	PW2500 D S10 128CPU scalability package, , The PW2500 scalability package contains: -1 x PRIMEPOWER 2500 So10 base unit 128CPU, -2 x I/O Cabinet f 8x PCI/DISK BOX f PW 2500 , , Please contact "primepower.info@fujitsu-siemens.com" for configuration support.	D:GPK25-GA1ACE	2220852	
	PRIMEPOWER 2500 D S10 upgr cab 64-128CPU	The expansion cabinet comes with: -1 crossbar for 16 system boards. , The 8-SB Xbar of the BC has to be changed. -8 slots for system boards, NO SB included, NO HDD bays, 6 power supplies, sufficient for max. 8 SBs, 8 redundant fan modules, sufficient for 8 SBs, Solaris RTU (65-128 processors) is included	D:GPK25-GA81D	742063	Phased out
	PRIMEPOWER 2500 D So9 upgr cap 64-128CPU	The expansion cabinet comes with: -1 crossbar for 16 system boards. , The 8-SB Xbar of the BC has to be changed. -8 slots for system boards, NO SB included, NO HDD bays, 6 power supplies, sufficient for max. 8 SBs, 8 redundant fan modules, sufficient for 8 SBs, Solaris RTU (65-128 processors) is included	D:GPK25-GA74D	742063	Phased out
	PRIMEPOWER 2500 D So8 upgr cab 64-128CPU	The cabinet expansion comes with: -1 crossbar for 16 system boards. The 8-SB Xbar of the BC has to be changed. -8 slots for system boards, NO SB included, NO HDD bays, 6 power supplies, sufficient for max. 8 SBs, 8 redundant fan modules, sufficient for 8 SBs, Solaris RTU (65-128 processors) is included, order number depends on the installed Solaris release within the basic cabinet So8 = Solaris 8	D:GPK25-GA71D	742063	



PRIMECENTER

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

PRIMECENTER - 19-inch rack system

19-inch rack technology for all Fujitsu Siemens rack components (PRIMERGY, PRIMEPOWER, storage products, BS2000) based on the 19-inch rack industry standard

PRIMECENTER Racks for each purpose. Flexible and stackable 12, 24, 38 and 46 horizontal units and the new PRIMECENTER LC (Liquid cooled) Rack. The universal scale-up infrastructure prerequisite for PRIMEPOWER, RM, PRIMERGY, Fujitsu Siemens Computers storage systems and even most of all existing rackable servers. And - that's not all: often necessary components like uninterruptible power supplies, hubs, routers, (console-) switches and a LAN console are easily to be installed here;

this is supported also by the built-in optimal cable management, allowing cost saving serviceability of included components. The installation dimensions of the enclosure make the integration in existing IT environments easy. Thanks to their modular design, the racks can be expanded on-site. All four models are offering the same functionality - only with different sizings and different numbers of horizontal height units behind the secure front door.

New member of the PRIMECENTER family is the new low cost entry PRIMECENTER SME rack, a 42 U rack enclosure capable to host all Fujitsu Siemens servers as well as 3rd party systems at an extremely low price.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
PRIMERGY PRIMECENTER Rack					
	PRIMECENTER Rack 12 U, 1000 deep	19" rack (12U), stackable, basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting kit for stack fixing, mounting frame 1x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 670x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V101	1246	
	PRIMECENTER Rack 24 U, 1000 deep	19" rack (24U), stackable, basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 2x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1220x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V102	1362	
	PRIMECENTER Rack 38 U, 1000 deep	19" rack (38U), stackable, large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1825x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V103	1596	
	PRIMECENTER Rack 46 U, 1000 deep	19" rack (46U), large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 2220x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V104	1816	



PRIMECENTER

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Model	Description	Details	Code			End User Price (€)	Comments
Base unit configurations							
PRIMERGY PRIMECENTER Rack (Continued)							
	PRIMECENTER Rack 24U, 1100mm deep	19" rack (24U), stackable, basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 2x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1220x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V212			1480	
	PRIMECENTER Rack 38HU, 1100mm deep	19" rack (38U), stackable, large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1825x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V213			1714	
	PRIMECENTER Rack 46U, 1100mm deep	19" rack (46U), large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 2220x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V214			1948	
	PCR LC-RACK 38U Byp CTRL	PRIMECENTER LC Rack 38U / 31U (31U useable for server), basic cabinet (1825 mm) to protection type IP52 with side panels, lockable front- and back-door. Including tilting protection; Liquid cooled via chilled water (connection to external water via "quick lock"); Mounting frame 1x 2U vertical; Circumferential cable management at the back, cable outlet to the top, below; Addition of several racks without accessory, no personal variation., Basic rack without power connection; refer to part H/I for further informations and order numbers (connection concepts)., HxWxD = 1825 x 700 x 1200 mm, Incl. heat exchanger, climate rear door with fans, rack monitoring system, smoke detector, temperature and humidity sensor, installation preparation, packing, , accessory pack including; Server addition (var.installation material), manual German / English	S26361-K1022-V130			10011	



PRIMECENTER

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Model	Description	Details	Code			End User Price (€)	Comments
Base unit configurations							
PRIMERGY PRIMECENTER Rack (Continued)							
	PCR LC-RACK 38U-Byp CTRL-castor plinth	PRIMECENTER LC Rack 38U / 31U (31U useable for server), basic cabinet (1825 mm) to protection type IP52 with side panels, lockable front- and back-door. Including tilting protection; Liquid cooled via chilled water (connection to external water via "quick lock"); Mounting frame 1x 2U vertical; Circumferential cable management at the back, cable outlet to the top, below; Addition of several racks without accessory, no personal variation., Basic rack without power connection; refer to part H/I for further informations and order numbers (connection concepts)., HxWxD = 1825 x 700 x 1200 mm, Incl. heat exchanger, climate rear door with fans, rack monitoring system, smoke detector, temperature and humidity sensor, installation preparation, packing, , accessory pack including:, Server addition (var.installation material), manual German / English	S26361-K1022-V135			11299	
	PCR LC-RACK 46U Byp CTRL	PRIMECENTER LC Rack 46U / 40U (40U useable for server), basic cabinet (2220 mm) to protection type IP52 with side panels, lockable front- and back-door. Including tilting protection; Liquid cooled via chilled water (connection to external water via "quick lock"); Mounting frame 2x 2U vertical; Circumferential cable management at the back, cable outlet to the top, below; Addition of several racks without accessory, no personal variation., Basic rack without power connection; refer to part H/I for further informations and order numbers (connection concepts)., HxWxD = 2220 x 700 x 1200 mm, Incl. heat exchanger, climate rear door with fans, rack monitoring system, smoke detector, temperature and humidity sensor, installation preparation, packing, , accessory pack including:, Server addition (var.installation material), manual German / English	S26361-K1022-V230			10128	
	PCR LC-RACK 46U-Byp CTRL-castor plinth	PRIMECENTER LC Rack 46U / 40U (40U useable for server), basic cabinet (2220 mm) to protection type IP52 with side panels, lockable front- and back-door. Including tilting protection; Liquid cooled via chilled water (connection to external water via "quick lock"); Mounting frame 2x 2U vertical; Circumferential cable management at the back, cable outlet to the top, below; Addition of several racks without accessory, no personal variation., Basic rack without power connection; refer to part H/I for further informations and order numbers (connection concepts)., HxWxD = 2220 x 700 x 1200 mm, Incl. heat exchanger, climate rear door with fans, rack monitoring system, smoke detector, temperature and humidity sensor, installation preparation, packing, , accessory pack including:, Server addition (var.installation material), manual German / English	S26361-K1022-V235			11416	

PRIMEPOWER PRIMECENTER Rack



PRIMECENTER

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

<p>Earthquake proofed PCR, 38U, EMEA</p>	<p>For a NEBS certifying these racks, after customer's request equips, a concession request must be placed. The earthquake-proof Rack is not stackable! , This earthquake proofed 19"-rack is a 38HU basic cabinet (HxWxD 1825x700x1000mm) from Fujitsu-Siemens Computer GmbH, offering 38 height units for installing standard 19"-components. max. allowable weight: 1000 kg, . The interior is divided into two areas. This allows the installation of 38HU horizontally and 2x2HU vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device is included in the package and must be fitted before initial operation., A connection in the central potential balance system of the building installation should take place by an electrotechnical expert</p>	<p>D:GPRAC-BG55EQ</p>			<p>2746</p>	<p>Phased out</p>
--	---	-----------------------	--	--	-------------	-------------------



Console systems

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Console systems

Starting mid of 2004 a new "System Management Console" (SMC) is provided based on PRIMEPOWER technology. The SMC forms the basis for the administration of the PRIMEPOWER Enterprise Servers with the systems 800 and 900 upward. In comparison to the PRIMESTATION-based SMC the new SMC is equipped with the Fujitsu-branded SPARC64TMV 1.1GHz processor offering significant better performance. The SMC now embraces all demands of the JAVA-based PRIMEPOWER ServerView Suite (previous WSA) running parallel to SCS administering a larger number of servers, provided sufficient RAM is installed to the SMC. If necessary the SMC can be upgraded with an second processor.



PRIMEPOWER Accessories

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category	Description	Details	PRIMEPOWER 1000	PRIMEPOWER 100N	PRIMEPOWER 1500	PRIMEPOWER 200	PRIMEPOWER 2000	PRIMEPOWER 200F	PRIMEPOWER 250	PRIMEPOWER 250F	PRIMEPOWER 250N	PRIMEPOWER 400	PRIMEPOWER 400N	PRIMEPOWER 400T	PRIMEPOWER 450	PRIMEPOWER 450F	PRIMEPOWER 450N	PRIMEPOWER 600	PRIMEPOWER 650	PRIMEPOWER 800	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER Peripheral Boxes	PRIMEPOWER PRIMECENTER Rack	PRIMEPOWER projects	Code	End User Price (£)	Comments		
Accessories & services matrix																														
Rack-Infrastructure																														
	RMK 10 D/P/3rd P Racks sliding rails	1 pair sliding rails depth 710-815mm incl. adapter angle, cable management and 2 powercords																								x	S26361-F2734-L20	114		
	RMK 1 D/P/3rd P Racks telescopic rails	1 pair telescopic rails depth 735-770mm incl. adapter angle and cable management																									x	S26361-F2734-L31	188	
	RMK TX150 s4 telescopic rails	1 pair telescopic rails depth 704-790mm, D/P/3rd P Racks incl. vario carrier and cable management																									x	S26361-F2734-L32	140	
	reinforced tilting protection(PCR2-1100)	relevant to security																									x	S26361-F2735-L210	301	
	Remodelling kit, 24U up to 1100mm depth	Remodelling kit for a PRIMECENTER Rack, 1000mm up to 1100mm depth, incl. mounting description																									x	S26361-F2735-L212	488	
	Remodelling kit up to 1100mm depth	Remodelling kit for a PRIMECENTER Rack, 1000mm up to 1100mm depth, incl. mounting description																									x	S26361-F2735-L213	542	
	Remodelling kit, 46U up to 1100mm depth	Remodelling kit for a PRIMECENTER Rack, 1000mm up to 1100mm depth, incl. mounting description																									x	S26361-F2735-L214	554	
OS/Application-SW																														
	CS-GATE V6.0 NR (PRIMEPOWER) EN	CS-GATE V6.0 Licence for PRIMEPOWER, international	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U13665-C31	3175		
UPS/Power supply																														
	APC-UPS COM Cable NOVELL,NT,OS2	UPS control cable for Win-NT and OS/2, for 2nd+3rd server, grey																									x	S26113-F231-L1	27	
	APC-UPS COM Cable extension	UPS control cable extension 5m, for connection to an APC-UPS COM-Interface																									x	S26113-F233-L1	27	
	APC-UPS WEB Management Adapter	for APC-UPS (use one smart slot), SNMP WEB Management adapter, 10 / 100 Mbit autosecure																									x	S26113-F80-L10	199	
	APC-UPS COM-Port extension	APC-UPS																									x	S26113-F81-L1	74	
Media																														
	VXA cleaning label	Label for VXA cleaning cartridge																									x	D:CL-VXA2-LAB	1	
	VXA cleaning cartridge	VXA cleaning cartridge																									x	D:CL-VXA2-X-01	18	
	VXA cleaning cartridge with label	VXA cleaning cartridge																									x	D:CL-VXA2-X-01L	19	
	VXA barcode label	Label for VXA data cartridge																									x	D:CR-VXA2-LAB	1	
	VXA-2/320 data cartridge 80/160GB	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB																									x	D:CR-VXA2-X23-01	41	
	VXA-2/320 data cartrr 80/160GB with label	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB																									x	D:CR-VXA2-X23-01L	42	
Cables																														
	FC Kabel MMF 50m, Connector SC-LC	optical multimode cable (50 um) to connect device having Fibre Channel 1GBIT/s interface (DUPLEX SC connector) to device with Fibre Channel 2Bit/s interface (DUPLEX LC connector)																									x	D:FCKAB-MM-B50L	79	Phased out
	FC Kabel MMF 100m, Connector SC-LC	optical multimode cable (50 um) to connect device having Fibre Channel 1GBIT/s interface (DUPLEX SC connector) to device with Fibre Channel 2Bit/s interface (DUPLEX LC connector)																									x	D:FCKAB-MM-B100L	127	Phased out
	SCSI cable UHD68(S)-UHD68(S) 5m	UHD68(S)-UHD68(S) with screw connection																									x	SNP-SY-F2365L50-P	118	



PRIMEPOWER Services

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250F	PRIMEPOWER 250N	PRIMEPOWER 450	PRIMEPOWER 450F	PRIMEPOWER 450N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PW RACK Console	System Console	Code	End User Price (£)	Comments
Professional Services																		
	Standard PRIMEPOWER200,250 Installation	System implementation support by service 'PRIMEPOWER 250 Implementation'		x		x	x									CPS:UX-INT-21003FX	480	
	Standard PRIMEPOWER400,450 Installation	System implementation support by service 'PRIMEPOWER 450 Implementation'							x	x	x					CPS:UX-INT-21004FX	900	
	Standard PRIMEPOWER 650 Installation	System implementation support by service 'PRIMEPOWER 650 Implementation'										x				CPS:UX-INT-21005FX	1450	
	PRIMEPOWER 850 Implementation	System implementation support by service 'PRIMEPOWER 850 Implementation'											x			CPS:UX-INT-21006FX	2150	
	Add.PRIMEPOWER 250 Implementation	System Implementation Service, PRIMEPOWER 250 Implementation, Standard; Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM		x		x	x									CPS:UX-INT-21011FX	240	
	Add.PRIMEPOWER 450 Implementation	System Implementation Service, PRIMEPOWER 450 Implementation, Standard; Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM						x	x	x						CPS:UX-INT-21012FX	450	
	Add.PRIMEPOWER 650 Implementation	System Implementation Service, PRIMEPOWER 650 Implementation, Standard; Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM									x					CPS:UX-INT-21013FX	725	
	Add.PRIMEPOWER 850 Implementation	System Implementation Service, PRIMEPOWER 850 Implementation, Standard; Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM										x				CPS:UX-INT-21014FX	1075	
	PRIMEPOWER 250 Implementation, Advanced	System implementation support by service 'PRIMEPOWER 250 Implementation, Advanced'		x		x	x									CPS:UX-INT-21503FX	795	
	PRIMEPOWER 450 Implementation, Advanced	System implementation support by service 'PRIMEPOWER 450 Implementation, Advanced'						x	x	x						CPS:UX-INT-21504FX	1620	
	PRIMEPOWER 650 Implementation, Advanced	System implementation support by service 'PRIMEPOWER 450 Implementation, Advanced'									x					CPS:UX-INT-21505FX	3250	
	PRIMEPOWER 850 Implementation, Advanced	System implementation support by service 'PRIMEPOWER 850 Implementation, Advanced'										x				CPS:UX-INT-21506FX	4800	
	PRIMEPOWER 900 Implementation, Advanced	System Implementation Service, PRIMEPOWER 900 Implementation, Advanced'											x			CPS:UX-INT-21511FX	9999999	
	PRIMEPOWER 1500 Implementation, Advanced	System Implementation Service, PRIMEPOWER 1500 Implementation, Advanced'		x												CPS:UX-INT-21512FX	9999999	
	PRIMEPOWER 2500 Implementation, Advanced	System Implementation Service, PRIMEPOWER 2500 Implementation, Advanced'			x											CPS:UX-INT-21513FX	9999999	
	Add.PRIMEPOWER 250 Implement., Advanced	System Implementation Service, PRIMEPOWER 250 Implementation, Advanced; Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM		x		x	x									CPS:UX-INT-21514FX	398	
	Add.PRIMEPOWER 450 Implement., Advanced	System Implementation Service, PRIMEPOWER 450 Implementation, Advanced; Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM						x	x	x						CPS:UX-INT-21515FX	810	
	Add.PRIMEPOWER 650 Implement., Advanced	System Implementation Service, PRIMEPOWER 650 Implementation, Advanced; Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM									x					CPS:UX-INT-21516FX	1625	
	Add.PRIMEPOWER 850 Implement., Advanced	System Implementation Service, PRIMEPOWER 850 Implementation, Advanced'										x				CPS:UX-INT-21517FX	2400	
Product related services																		
	SP 3y OS Svc,4h Rt,5x9	SP 3On-Site Service, 4h response, 5x9		x		x	x							x		FSP:GD3S60000GBP03	1680	
	SP 3y OS Svc,4h Rt,5x9	SP 3On-Site Service, 4h response, 5x9						x	x	x						FSP:GD3S60000GBP05	3170	
	SP 3y OS Svc,4h Rt,7x24	SP 3On-Site Service, 4h response, 7x24		x		x	x							x		FSP:GD3S63000GBP03	3870	
	SP 3y OS Svc,4h Rt,7x24	SP 3On-Site Service, 4h response, 7x24						x	x	x						FSP:GD3S63000GBP05	5860	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved		x		x	x							x		FSP:GD3SG3000GBP03	5663	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24, feasibility check reserved						x	x	x						FSP:GD3SG3000GBP05	8563	
	TP 4y OS Svc,5x9	TP 4 years On-Site Service, 5x9												x		FSP:GN4S00000GBP03	36	
	TP 5y OS Svc,5x9	TP 5 years On-Site Service, 5x9												x		FSP:GN5S00000GBP03	71	



PRIMEPOWER Options

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	System Console	Code	End User Price (€)	Comments
Options matrix														
Processor														
	CPU Submodul 1.89GHz SLC 3MB f.PW650(DE)	1x SPARC64@GP processor (1,89GHz, 3 MByte SLC)					x			x		D:GP650-ZE84	3492	
	CPU Subm. 2.16GHz SLC 4 MB f.PW650(G)	1x SPARC64@GP processor (2,16GHz, 4 MByte SLC)					x			x		D:GP650-ZE86	4127	
	CPU(E)1.65GHz/3MB SLC f PW250N(E) Rack2U	CPU(E)1,65GHz/3MB SLC f PW250N(E) Rack2U, only for PW250N				x				x		D:GP70P-ZE12	1032	
	CPU(F) 1.98GHz/3MB SLC f PW250N(F)Rack2U	CPU(E)1,98GHz/3MB SLC f PW250N(E) Rack2U, only for PW250N				x				x		D:GP70P-ZE15	2091	
	CPU(F) 1.98GHz/3MB SLC f PW250F	1x SPARC64@GP processor (1,98 GHz, 3 MByte SLC), only for PW250N	x									D:GP70P-ZE16	1933	
	System expansion board f. PW 850 (EFG)	No mixed configuration with different CPU types allowed: select CPU type of base unit!						x		x		D:GP850-ZE63	10794	
	System expansion board f.PW 850 (EFG)S10	No mixed configuration with different CPU types allowed: select CPU type of base unit!						x		x		D:GP850-ZE63F10	10794	
	System expansion board f. PW 850 (EFG)S9	No mixed configuration with different CPU types allowed: select CPU type of base unit!						x		x		D:GP850-ZE63F9	10794	
	CPU Submodul 1.89GHz SLC 3MB f.PW850(DE)	1x SPARC64@GP processor (1,89GHz, 3 MByte SLC)						x		x		D:GP850-ZE84	5524	
	CPU Subm. 2.16GHz SLC 4 MB f.PW850(G)	1x SPARC64@GP processor CPU Subm. 2,16GHz SLC 4 MB f.PW850(G)						x		x		D:GP850-ZE86	6333	
	CPU(E)1,65GHz/3MB SLC f SMC3 (Floor+4U)	CPU(E)1,65GHz/3MB SLC for LAN Console 3 and System Management Console 3 (SMC3) with PW250 Floorstand Unit and 4U Rack.									x	D:GPCON-ZE13	417	
	Systemboard 2A f 8cpu 8mem 8PCI f PW900	First SB for SPARC64TMV processor -, Slots for 8 CPU modules -, Slots for 8 memory options-, Slots for 8 PCI controller-, 5 slots 33MHz (4 short, 1 long), 3 slots 33/66MHz (all short)-, Integrated I/O controller (no PCI slot required)-, 2x RS232C for Console I/F (2nd I/F for use with SPARC64TMV processor only)-, 2x SCSI (40Mbyte/s) for internally HDDs only)-, 2x Ethernet 10/100Mbit/s-, 1 interface to connect 1 ext. PCI/disk box-, 1 power supply unit and 1 fanNO CPU, NO memory, NO PCI controller included								x		D:GPK09-SE72A	14127	
	Systemboard2B10 f 8cpu 8mem 8PCI f PW900	Second SB (Solaris 10) for SPARC64TMV processor -, Slots for 8 CPU modules -, Slots for 8 memory options-, Slots for 8 PCI controller-, 5 slots 33MHz (4 short, 1 long), 3 slots 33/66MHz (all short)-, integrated I/O controller (no PCI slot required)-, 2x RS232C for Console I/F (2nd I/F for use with SPARC64TMV processor only)-, 2x SCSI (40Mbyte/s) for internally HDDs only)-, 2x Ethernet 10/100Mbit/s-, 1 interface to connect 1 ext. PCI/disk box-, 1 power supply unit and 1 fanNO CPU, NO memory, NO PCI controller included								x		D:GPK09-SE72B10	14127	
	Systemboard 2B9 f 8cpu 8mem 8PCI f PW900	Second SB (Solaris 9) for SPARC64TMV processor -, Slots for 8 CPU modules -, Slots for 8 memory options-, Slots for 8 PCI controller-, 5 slots 33MHz (4 short, 1 long), 3 slots 33/66MHz (all short)-, integrated I/O controller (no PCI slot required)-, 2x RS232C for Console I/F (2nd I/F for use with SPARC64TMV processor only)-, 2x SCSI (40Mbyte/s) for internally HDDs only)-, 2x Ethernet 10/100Mbit/s-, 1 interface to connect 1 ext. PCI/disk box-, 1 power supply unit and 1 fanNO CPU, NO memory, NO PCI controller included								x		D:GPK09-SE72B9	14127	



PRIMEPOWER Options

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	System Console	Code	End User Price (£)	Comments
Options matrix														
Processor (Continued)														
	Systemboard 2C f 8cpu 8mem 8pci PW 1500	The system board is a key component of the PRIMEPOWER 1500 system. The PRIMEPOWER 1500 has slots for a maximum of up to 4 system board. One standard I-O board is installed with each physical system board., The system board with it's standard I-O board allows the system to have up to 8 CPU modules, up to 8 main memory options (= 32 memory DIMMs), and up to 8 PCI cards., The following I-O interfaces are provided as standard.: 2 LAN ports 10/100Mbit/s, 2 console I/F RS232C (1 for future use), 2 SCSI port, connected to 2 HDD bays within the system cabinet. This connection cannot be changed., 1 I/F to connect a I/O box.	x									D:GPK15-SE72D	14206	
	Systemboard 1D for 8CPU + 4 MEM PW2500 D	SB for SPARC64TMV dual processor , Slots for 4 DCPU modules , Slots for 4 memory options (each for 8 DIMMs), Integrated I/O controller (no PCI slot required), 1x RS232C for Console I/F , 1x Ethernet 10/100Mbit/s, 2 interfaces (CHIF) to connect 1-2 ext. PCI/DISK box, NO CPU, NO memory, NO PCI controller included			x							D:GPK25-SE73D	16667	
Memory														
	Main memory exp. 4 GB f PW650-1500	Main memory option 4 GByte(4x 1 GByte DIMM) for PW 850/650					x	x		x		D:GP70M-SP64	3968	
	Main memory exp. 8 GB f PW650-1500	Main memory option 8 GByte(4 x 2 GByte DIMM) for PW 650 - 1500					x	x		x		D:GP70M-SP65	7937	
	Memory 1 GByte for PW250x, PW450x	Memory 1 GByte for PW250x, PW450x	x	x						x	x	D:GP70P-SP01	635	
	MEM 2 GByte f. PW250(DRS), PW450x(DRS)	Memory 2 GByte for PW450D		x	x					x	x	D:GP70P-SP02D	1270	
	MEM 4 GB f PW250x(BCDRS) PW450x(BCDRS)	Memory 4 GByte for PW250x	x	x						x	x	D:GP70P-SP03	2976	
Graphics														
	Graphik Controller 32MB	Graphic Controller 32MB frame buffer, 24 bit colors, HD15 connector., Up to 1920x1200 screen resolution is supported in 24 bit color mode., An 8-bit color application and a 24-bit color application can be executed simultaneously. Driver available for Solaris 8, 9 and 10.		x	x	x	x			x	x	D:GP70F-CC14	361	
Removable Media Drives														
	MTC DAT72 (DDSG5), 36/72 GB PW 650/850							x	x			D:GP70M-MC57	1151	
	MBK DAT72 (DDSG5),36/72GB PW250F, PW450	DAT-LW DAT72, 4mm 36/72 GB PW250F, PW450x, , Please refer config hints !!!		x							x	D:GP70P-MC57	1151	
Hard Disk Drives														
	Hard Disk 73 GB 3,5" 10krpm	Hard Disk 73 GB 3,5" 10krpm		x	x					x	x	D:GP70P-FP90	595	
	Hard Disk 147 GB 3.5" 10krpm	Hard Disk 146 GB 3,5" HH U320 10krpm		x	x					x	x	D:GP70P-FP91	1111	
	Disk Less delivery - boot with Net Boot	Hard Disk less delivery		x	x	x	x					D:GP71Y-FP00	1	
	Hard Disk 73 GB 3,5" 10k rpm	Hard Disk 73 GB 3,5" 10k rpm					x	x		x		D:GP71F-FP90	595	
	Hard Disk 147 GB 3,5" 10k rpm	Hard Disk 146 GB 3,5" 10k rpm					x	x		x		D:GP71F-FP91	1111	
SCSI/RAID/SAS controller														
	SCSI U320 Controller, LVD, dual port	This controller is suitable for use in high availability configurations (hot-plug)., PRIMEPOWER systems PW200-2500. , 2 SCSI-connectors (LVD/ SE) to connect DN413, DN423/F and other external devices. Automatic switch to LVD / SE		x	x	x	x			x		D:GP70F-CS12	778	
Fibre Channel														
	Fibre Channel Cont. Single Port 2Gbit/s	-2 GBit/s bzw. 1 GBit/s link, -2MB Flash memory, - universal controller (einsetzbar in 3,3 und 5V slots), - voll duplex, - automatic speed negotiation, - voller fabric support, - Mischbetrieb mit LP8000 und LP9002		x	x	x	x			x		D:GP70F-CF33	1190	
	Fibre Channel Cont. Dual Port 2Gbit/s	-2 GBit/s bzw. 1 GBit/s link, -2MB Flash memory, - universal controller (einsetzbar in 3,3 und 5V slots), - voll duplex, - automatic speed negotiation, - voller fabric support, - Mischbetrieb mit LP8000 und LP9002		x	x	x	x			x		D:GP70F-CF34	2222	



PRIMEPOWER Options

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	System Console	Code	End User Price (£)	Comments
Options matrix														
Fibre Channel (Continued)														
	Fibre Channel Cont. Single Port 4GBit/s	Software requirements: Solaris 9 and 10 , The HBA is only released in combination with the Leadville driver (minimal version 4.4.8). For Solaris 9 the driver can be downloaded from SUN internet pages, due to licence reasons redistribution with FSC media is not allowed. In Solaris 10 the required driver is already included., , Note: , The controller can only operate in a 66MHz slot of a PRIMEPOWER system., The controller is compliant to the EMC standard FCC Class A / EN 55022 Class A. If the controller is used in a PRIMEPOWER system, Class A is also valid for the PRIMEPOWER system!	x		x	x	x			x		D:GP70F-CF36	528	
Communication/Network														
	Fast/Gigabit Ethernet Controller, RJ45	Copper 1000BASE-T with bandwidth of 1GBps can be connected directly. , Full-duplex communication with IEEE 802.3x flow control is supported. , The load on the host CPU is reduced by installing ASIC for optimization of interrupt handling on the host CPU. , Network boot function is supported, , supports VLAN tagging (IEEE 802.1q)	x		x	x	x			x	x	D:GP70F-CL15	397	
	Gigabit Ethernet NIC, Fibre Optic LC	1000BASE-SX with bandwidth of 1GBps can be connected directly. , Full-duplex communication with IEEE 802.3x flow control is supported., The load on the host CPU is reduced by installing ASIC for optimization of interrupt handling on the host CPU. , Network boot function is supported, For usage in existing network with SC-connectors please use D:GP7KB-LCSC., supports VLAN tagging (IEEE 802.1q)	x		x	x	x			x	x	D:GP70F-CL19	397	
	LC auf SC Adapter f#r CL19	Connection conversion kit LC to SC, for D:GP70F-CL19	x		x	x	x			x	x	D:GP7KB-LCSC	143	
	Quad Fast/Gigabit Ethernet Contr., RJ45	This Quad Fast/Gigabit Ethernet Controller with for connectors allows the connection to an Ethernet network via copper cable (cat 5e) to a CSMA/CD network in accordance with IEEE 802.3ab with the physical variant 10/100/1000BASE-T. The controller automatically senses the network speed and the operating mode (half-duplex or full-duplex). Each port has its own MAC address. VLAN tagging according IEEE 802.1q and link aggregation according IEEE 802.3ad (except LACP) are supported. Also DR (dynamic reconfiguration) and PHP (PCI hot plug) in corresponding systems. Speed 33/66 MHz, 64 bit bus width. This Controller is RoHS compliant according to the EU Directive 2002/95/EC.	x		x	x	x			x	x	D:GP70F-CL21	1032	
	Serieller I/O Controller	This CONTROLLER orders over 8 asynchronous ports RS232, with D-sub plug 25 pin. The transmission takes place full-duplex. The CONTROLLER can be operated in the 7-bit and 8-bit mode. Those max. Transmission rate amounts to 60-115.2 kbit/s., This controller is Solaris 10 ready !	x		x	x	x			x	x	D:GP70F-CT12	992	
Rack-Infrastructure														
	Console connection unit PRIMEPOWER-XA	Takes 1 unit in a 19 inch rack, 8 serial ports (D-sub, 9pin), 1 Ethernet port 10Base T (IEEE802.3, RJ45).	x		x					x		D:GP70X-RC11	3968	
	Cable magmt. for 19" DC- PC- Rack	Cablemanagement for adding a server or storage subsystem into the PRIMECENTER rack									x	S26361-F2735-E7	24	



PRIMEPOWER Options

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	System Console	Code	End User Price (£)	Comments
Options matrix														
Rack-Infrastructure (Continued)														
	Ethernet Switch 8 Port 10/100 Mbps	Ethernet Switch 8Port 10 / 100Mbps with a 2 area power supply for 110 V / 230 V. For desktop variant a power cord with Schuko connector is provided., Cascading of Eth. Switch to Eth. Switch is possible for cable: GP7KB-13xx.	x	x								D:GP70F-AL21	159	
	1x Runner set for 19" Tray	This sliding rail set is used for 19inch components like BG55 or PRIMESTATION into a rack. This sliding rail set must be ordered separately.	x	x								D:GP70F-ZB20	44	
	Cable carrier for I/O cabinet PW1500	MOUNTING KIT WITH CABLE CARRIER I/OCAB	x	x							x	D:GP70X-ZB22	111	
	Mounting kit I with cable carrier PCR2	One cable carrier ZB527 with one 2U support bracket ZB5212									x	D:GPRAC-ZB560	95	
	Mounting kit II with cable carrier PCR2	Two cabel carriers with one 3U support bracket.					x				x	D:GPRAC-ZB561	167	
	Mounting kit IV with cable carrier PCR2	Two cabel carriers ZB527 with one 2U support bracket ZB5212.						x			x	D:GPRAC-ZB563	159	
PRIMERGY-Software														
	FF-AN Messenger RTU	FF4SAP Application Node Messenger Expert Right to use for PW250		x								U21348-C304	1901	
	FF-AN Messenger RTU	FF4SAP Application Node Messenger Expert Right to use for PW650					x					U21348-C324	15222	
	FF-AN Messenger RTU	FF4SAP Application Node Messenger Expert Right to use for PW850						x				U21348-C334	35317	
	FF-AN RTU for PW250	FF4SAP, right to use; mandatory 1 time per PW250 AN server		x								U21348-C801	3802	
	FF-AN SAN-connectivity RTU PW250	FF4SAP, right to use; mandatory 1 time per PW250 AN server, which is connected to SAN		x								U21348-C802	1901	
	FF-AN Accounting RTU PW250	FF4SAP, right to use; mandatory 1 time per PW250 AN server, which is included to the accounting system		x								U21348-C803	1901	
	FF-AN RTU for PW650	FF4SAP, right to use; mandatory 1 time per PW650 AN server					x					U21348-C821	30444	
	FF-AN SAN-connectivity RTU PW650	FF4SAP, right to use; mandatory 1 time per PW650 AN server, which is connected to SAN					x					U21348-C822	15222	
	FF-AN Accounting RTU PW650	FF4SAP, right to use; mandatory 1 time per PW650 AN server, which is included to the accounting system					x					U21348-C823	15222	
	FF-AN RTU for PW850	FF4SAP, right to use; mandatory 1 time per PW850 AN server						x				U21348-C831	96429	
	FF-AN SAN-connectivity RTU PW850	FF4SAP, right to use; mandatory 1 time per PW850 AN server, which is connected to SAN						x				U21348-C832	48214	
	FF-AN Accounting RTU PW850	FF4SAP, right to use; mandatory 1 time per PW850 AN server, which is included to the accounting system						x				U21348-C833	48214	
	FF-AN RTU for PW250	FlexFrame ApplicationNode RTU for PW250		x	x						x	U21348-C301	3802	
	FF-AN SAN-connectivity RTU PW250	FlexFrame Application Node SAN connection (optional). This RTU has to be ordered for each AN (PW250), which is connected via SAN to the database		x	x						x	U21348-C302	1901	
	FF-AN Accounting RTU PW250	FlexFrame Application Node Accounting RTU for PW250 (optional)		x	x						x	U21348-C303	1902	
	FF-AN RTU for PW650	FlexFrame ApplicationNode RTU for PW650					x				x	U21348-C321	30444	
	FF-AN SAN-connectivity RTU PW650	FlexFrame Application Node SAN connection (optional). This RTU has to be ordered for each AN (PW650), which is connected via SAN to the database					x				x	U21348-C322	15222	
	FF-AN Accounting RTU PW650	FlexFrame Application Node Accounting RTU for PW650 (optional)					x				x	U21348-C323	15222	
	FF-AN RTU for PW850	FlexFrame ApplicationNode RTU for PW850						x			x	U21348-C331	70635	
	FF-AN SAN-connectivity RTU PW850	FlexFrame Application Node SAN connection (optional). This RTU has to be ordered for each AN (PW850), which is connected via SAN to the database						x			x	U21348-C332	35317	



PRIMEPOWER Options

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	System Console	Code	End User Price (£)	Comments
Options matrix														
PRIMERGY-Software (Continued)														
	FF-AN Accounting RTU PW850	FlexFrame Application Node Accounting RTU for PW850 (optional)							x	x		U21348-C333	35317	
UPS/Power supply														
	DUAL power feed option f. PW 650(CDEF) remote power on modul	Required for controlling the "Remote Power Switch"		x		x	x	x		x		D:GP650-SV24 D:GP70F-CL71	1429 492	
	PSU for PW250N	Redundant PSU for PW250N				x				x		D:GP70P-SV00	627	
	PSU for PW450x, SMC-4U_Rack	Redundant PSU for PW450x		x							x	D:GP70P-SV02	516	
	DUAL power feed option f. PW 850(CDEF)							x		x		D:GP850-SV25	4659	
	DUAL power feed f PW 900 D	A Dual Power Feed has to be ordered (if required) as an option for all PW900 server with an order number ending with a D. The dual power feed option is standard for the PCI/Disk-box.								x		D:GPK09-SV41D	5159	
	System expansion kit f PW1500 D So8	2 PSUs for power system #0 and RTU for 17-32 processors, Order together with the 3rd system board	x									D:GPK15-SE52D	4127	
	System expansion kit f PW1500 D So9	2 PSUs for power system #0 and RTU for 17-32 processors, Order together with the 3rd system board	x									D:GPK15-SE54D	4127	
	System expansion kit f PW1500 S10	2 PSUs for power system #0 and RTU for 17-32 processors, Order together with the 3rd system board	x									D:GPK15-SE55D	4127	
	DUAL power feed f PW 1500 D	A Dual Power Feed has to be ordered (if required) as an option for all PW1500 server with an order number ending with a D	x									D:GPK15-SV42D	9508	
	DUAL power feed f PW2500 D cabinet up	Dual power supply for PW2500. The dual power supply expands the PRIMEPOWER 2500 model with a redundant power connection. The dual power supply will possibly have to be ordered both for the system cabinet and for an optional expansion cabinet. With the optional dual power supply, the PRIMEPOWER 2500 model can be connected to 2 different phases and/or to two independent UPSs. Alternatively, one 3-phase connection can be expanded with an independent second 3-phase connection. (For more details, see note on power connection). The dual power supply comes with a set of power supply units for a cabinet (system or expansion cabinet) (7+1 redundancy), i.e. when the power for the 2500 model is supplied via the dual power supply, a second independent set of power supply units takes over the 48V supply. The optional dual power supply thus provides maximum possible security with regard to the power supply. The power distribution board for the "peripheral plug-in box for 19" rack" is divided into two connections. In this way, the sockets for the standard power supply units in t			x							D:GPK25-SV44D	78968	
Miscellaneous														
	I/O cabinet joint kit A f PW2500 bc64	For the I/O cabinet that is connected to the base cabinet. Do NOT use in configurations with I/O cabinets connected to the system expansion cabinet.			x							D:GPK25-BG72	11905	
	I/O cabinet joint kit B f PW2500 I/O-I/O	For the second I/O Rack connection. (When the cabinet is connected to another I/O cabinet.)			x							D:GPK25-BG73	11905	
	I/O cabinet joint kit C f PW2500 bc128	For the I/O cabinet that is connected to the base cabinet in configurations with I/O cabinets connected to the system expansion cabinet			x							D:GPK25-BG74	11905	
	I/O cabinet joint kit D f PW2500 ec128	For the I/O cabinet that is connected to the system expansion cabinet.			x							D:GPK25-BG75	11905	



PRIMEPOWER Options

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	System Console	Code	End User Price (£)	Comments
Options matrix														
Miscellaneous (Continued)														
	Ext PCI box 12 slot f. PW 650/850 f.PCR2	The PCI box comes with : , 12 PCI slots, 3 slots 33/66 MHz (1 long slot), 9 slots 33 MHz (3 long slots), 2 cable carrier ZB527 for 19" rack (BG5x), you need approx. 1m cable length in addition , for more details see rack configurator, 2 support brackets ZB5211 for PRIMECENTER 19 rack Rack space required and max. number of boxes max. 1 box may be connected to a PW650, max. 2 boxes may be connected to a PW850, requires 4U in a 19rack, direct above the server					x	x		x		D:GP70M-BG61	7302	
	PCI/DISK box 10PCI slot 4HDD bay f PW900	The PCI/DISK box comes with : , 2x Ethernet ports, 10/100Mbit/s, 2x console ports RS232C , 10 PCI slots, 7 slots 33 MHz (5 short, 2 long), 3 slots 33/66 MHz (1 short, 2 long), 2 SCSI ports and 4 HDD bays for system volume, 2 bays are connected to each (of the 2) SCSI ports (40Mbyte/s) this connection is fix and cannot be changed, cable carrier and support brackets for mounting into 19" rack PRIMECENTER2 (GB5x)., Rack space required, max. 1 box may be connected to each system board, BG61 requires 4U in a 19 rack, directly above the server., As an exception you may mount Rack console with TFT monitor + keyboard (from the SMC) between Server and PCI/DISK box.							x			D:GPK09-BG61	38889	
	Ext I/O box 10pci slot 4HDD bay PW 1500	The PCI/DISK box comes with : , 2x Ethernet ports, 10/100Mbit/s, 2x console ports RS232C , 10 PCI slots, 7 slots 33 MHz (5 short, 2 long), 3 slots 33/66 MHz (1 short, 2 long), 2 SCSI ports and 4 HDD bays for system volume, 2 bays are connected to each (of the 2) SCSI ports (40Mbyte/s) , this connection is fix and cannot be changed, Rack space required, max. 1 box may be connected to each system board, BG62 requires 4U in a 19rack, either in the PW1500 system cabinet or in an optional I/O cabinet (GPK15-BG70)	x									D:GPK15-BG62	38889	
	PCI/DISK box 10PCI slot 4HDD bay PW2500	The PCI/DISK box comes with : , 2x Ethernet ports, 10/100Mbit/s, 2x console ports RS232C, used in XPAR configurations only, 10 PCI slots, 7 slots 33 MHz (5 short, 2 long), 3 slots 33/66 MHz (1 short, 2 long), 2 SCSI ports and 4 HDD bays for system volume, 2 bays are connected to each (of the 2) SCSI ports (40Mbyte/s) , this connection is fix and cannot be changed, Boot-PROM, used in XPAR configurations only, Cables for connecting to the SB and mounting kit for installing into a I/O cabinetRack space required, max. 2 boxes may be connected to each systemboard, BG63 requires 4U in an I/O cabinet GPK25-BG71.		x								D:GPK25-BG63	19841	
Keyboard /Mouse														
	Mouse, PS2, optical, with Scroll Wheel	Optical technology, Techniques from Logitech Cooperation, Precise and comfortable navigation due to LED sensor with 400 dpi resolution, Country-specific warranty, Ergonomics:, Two Button Mouse, Wheel works also as third Button, Optimized for right and left hand use									x	D:TMA-3T	20	
	Orig. SUN USB Keyb. + Mouse, Internat.	Keyboard with USB-connector,International, incl. USB-3-keys mouse, only table device.									x	D:GPRAC-TAS24	94	



PRIMEPOWER Options

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	System Console	Code	End User Price (£)	Comments
Options matrix														
Keyboard/Mouse (Continued)														
	Keyboard, PS2, international	with cable 1,4m with plug PS2 type									x	D:TAMFL-E811	60	
Cables														
	Cable & Adapter to Modem(3m)	Modem Cable (3m) + Adapter for connection to PW-based SMC or LAN Console, PW250 and PW450, , Adapter: 25pins D-Sub male <-> RJ45 jack , Cable : RJ45 plug <-> RJ45 plug	x		x							x	D:GP70P-KA04	48
	Cable & Adapter to Modem(10m)	Modem Cable (10m) + Adapter for connection to PW-based SMC or LAN Console, PW250, and PW450, , Adapter: 25pins D-Sub male <-> RJ45 jack , Cable : RJ45 plug <-> RJ45 plug	x									x	D:GP70P-KA05	87
	Cable & Adapter f. ISDN TA (3m)	ISDN TA Cable for MD02 (3m) + Adapter for connection to PW-based SMC or LAN Console, PW250 and PW450, , Adapter: 9pin D-Sub male <-> RJ45 jack, Cable : RJ45 plug <-> RJ45 plug	x	x	x	x					x	x	D:GP70P-KA06	45
	Cable & Adapter f. ISDN TA (10m)	ISDN TA Cable for MD02 (10m) + Adapter for connection to PW-based SMC or LAN Console, PW250 and PW450, , Adapter: 9pin D-Sub male <-> RJ45 jack, Cable : RJ45 plug <-> RJ45 plug	x	x	x							x	D:GP70P-KA07	83
	RC23 cable kit USB	USB cable for console connection, , USB_B <->USB, cable length: 3m. IT is needed only for the console wiring with the keyboard drawer in connection with a monitor on the baseplate for 17/19inch displays.	x		x								D:GP70P-KA51	32
	Signal-Cable Power-Control Connection	Power control connection cable for PW server power on.	x										D:GP7KB-1903	87
	Power cord IEC320 device 2.5m (F/M)	power cable, cold-cold	x		x								D:KB258-C250	16
	VGA-Extension Cable 1.8m	VGA extension cable for the connection between the monitor and server., With connection of console about Switch NO VGA extension is necessary., BY CONNECTION FROM CONSOLE WITHOUT SWITCH A VAG-EXTENSION ALWAYS IS NEEDED.										x	D:GPRAC-KB01	36
	PS2-cable extension, 1,8m	PS2-cable extension, 1.8m.; 1 cable for keyboard connect and 1 cable for mouse connect, WITH CONNECTION OF CONSOLE OVER SWITCH, NO PS2-EXTENSION IS NECESSARY!, WITH WIRING OF CONSOLE WITHOUT SWITCH ALWAYS BECOMES A PS2-EXTENSION REQUIRED										x	D:GPRAC-KB02	36
	Modem Cable D-Sub 25p(f)-25p(m), Pin 1:1	Modem Cable - serial line to the server interface, Length 5m, D-Sub 25pol.(f) - D-Sub 25pol.(m); pin assignment 1:1					x	x		x	x		D:GPRAC-KB03	29
	Adapter for PS/2<->USB	Adapter for PS/2 <->USB, Only for connecting PW-Server with Keyboard/Mouse/VGA of the rackconsole MO04-MO09!, Not useable for connecting with the RC23 (MO04Z17-MO09Z17)	x		x								D:GP70P-KA01	119
	Power cable (F/M) 16A 2.5m	Power cable, 16A, with F/M (C19/C20) connect for connection to UPS	x										D:KB259-C250	42
	Adaption for SUN-I/O-VGA on KVM-RJ45	Keyboard, Mouse, Monitor- System connect on PW200/400/6x0/850 over GPRAC-KBxxx on GPRAC-KS0801/16xx	x										D:GPRAC-AN30	198
	Consol Switch KSxxxx Cable CAT 5 flex_m	Cable UTP CAT5, RJ45, color blue, length is customised (depends on mounting requirements), incl. assembly.	x		x								D:GPRAC-KB16C	48
	RCI cable RJ45 6pin(S)-RJ45 6pin(S) 4m	RCI cable RJ45 6pin(S)-RJ45 6pin(S) 4m	x										D:GP7KB-1204	40
	Cable for consolconnection unit 5 m	Cable for connecting console with MCCU (PW900/1500/2500), DSub 9pins female <-> DSub 25pins male	x		x								D:GP7KB-1805	151
	UTP CAT 5 Eth-cable 2xRJ45 8pin(S) 5m	UTP category 5 straight-through cable 10/100 Mbit Ethernet. For connection with a Hub o. Switch.	x		x								D:GP7KB-1305	27
	UTP CAT 5 Eth-cable 2xRJ45 8pin(S) 10m	UTP category 5 straight-through cable 10/100 Mbit Ethernet. For connection with a Hub o. Switch.	x										D:GP7KB-1310	29



PRIMEPOWER Options

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	System Console	Code	End User Price (£)	Comments
Cables (Continued)														
	UTP CAT 5 Eth-cable 2xRJ45 8pin(S) 15m	UTP category 5 straight-through cable 10/100 Mbit Ethernet. For connection with a Hub o. Switch.	x									D:GP7KB-1315	41	
	UTP CAT 5 IC-cable 2xRJ45 8pin(S) 5m	UTP category 5 crossover cable for 10/100 Mbit Ethernet to make direct connection between Ethernet controllers in a two node configuration.	x	x								D:GP7KB-1405	31	
	UTP CAT 5 IC-cable 2xRJ45 8pin(S) 10m	UTP category 5 crossover cable for 10/100 Mbit Ethernet to make direct connection between Ethernet controllers in a two node configuration.	x									D:GP7KB-1410	41	
	UTP cat 5 enhanced IC-cable, 4m	cross over cable for GBit Ethernet (1000Base-T)	x	x								D:GP7KB-2104	42	
	UTP cat 5 enhanced, 5m	UTP category 5 enhanced patch cable for GBit Ethernet (1000Base-T) to connect GE_Ethernet controllers with a hub or switch.	x	x								D:GP7KB-2005	58	
	UTP cat 5 enhanced, 15m	UTP category 5 enhanced patch cable for GBit Ethernet (1000Base-T) to connect GE_Ethernet controllers with a hub or switch.	x									D:GP7KB-2015	71	
	FC cable MMF 5m, Connector SC-SC	Fibre channel cable 50 µm, 5 m	x									D:KB248-M5	75	Phased out
	SCSI cable VHDCI68(S)-HD68(S) 5m		x	x								D:GP7KB-1005	206	
	SCSI-Cable,LVD,UHD68(S)-HD68(S),8m	SCSI-Cable, 8m; UHD68(S) --> HD68(S), use for LVD and HVD Interface;, replaces D:KB246-xxxx	x	x								D:KB235-M8	194	Phased out
	SCSI cable UHD68(S)-UHD68(S) 4m (DN41)	Cables for connecting disk nodes DN41 to Ultra3 SCSI controller CS10 (up to 160 MByte/s) and to Ultra2 RAID-controller CS30/32 (up to 80 MByte/s)	x	x								D:GPDS2-KB04	155	
	SCSI cable UHD68(S)-UHD68(S) 5m (DN41)	UHD68(S)-UHD68(S) with screw connection, Cables for connecting disk nodes DN41 to Ultra3 SCSI controller CS10 (up to 160 MByte/s) and to Ultra2 RAID-controller CS30/32 (up to 80 MByte/s)	x	x								D:GPDS2-KB05	159	
	SCSI cable UHD68(S)-UHD68(S) 10m (DN41)	UHD68(S)-UHD68(S) with screw connection, length 10m		x								D:GPDS2-KB10	198	
SW Operating Systems														
	IPsec Activation CD - UltraSPARC T2*Proc	IPsec Enabler CD for T2* Processor for SE Systeme T5xx0 only; export-restricted medium.	x									U24529-C598A	23	
	Solaris SW support M/PW800/PW900								x			U24529-C620	1	
	Solaris SW support M/PW1000/PW1500	Solaris SW support M/PW1000, PW1500	x									U24529-C621	1	
	Solaris 10 Upgrade RTU up to 2 CPU	Solaris 10 RTU Upgrade (Right to Use) for 2 CPUs	x	x	x					x		U24529-C700	198	
	Solaris 10 Upgrade RTU up to 8 CPU	Solaris 10 Upgrade RTU (Right to Use) for 8 CPUs				x				x		U24529-C702	4841	
	Solaris 10 Upgrade RTU up to 16 CPU	Solaris 10 Upgrade / Downgrade RTU (Right to Use) for 16 CPUs					x	x	x			U24529-C703	16032	
	Solaris 10 Upgrade RTU up to 32 CPUs	Solaris 10 Upgrade RTU (Right to Use) for 32 CPUs	x									U24529-C704	48095	
	Solaris SW Support PW200/250/SMC	Solaris SW Support PW250 with the Right of Solaris upgrade included, Requires the separate signing of a Service Contract (e.g. via Siebel) independent from this order number!	x	x						x	x	U24529-C660	1	
	Solaris SW Support PW400/450/600/650	Solaris SW Support PW450/650 with the Right of Solaris upgrade included, Requires the separate signing of a Service Contract (e.g. via Siebel) independent from this order number!					x			x		U24529-C661	1	
	Solaris SW Support PW850	Solaris SW Support PW900 with the Right of Solaris upgrade included, Requires the separate signing of a Service Contract (e.g. via Siebel) independent from this order number!						x		x		U24529-C662	1	
	Solaris SW Support PW800/900	Solaris SW Support PW900 with the Right of Solaris upgrade included, Requires the separate signing of a Service Contract (e.g. via Siebel) independent from this order number!							x			U24529-C663	1	



PRIMEPOWER Options

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	System Console	Code	End User Price (£)	Comments
Options matrix														
SW Operating Systems (Continued)														
	Solaris SW Support PW1000/1500	Solaris SW Support PW1500 with the Right of Solaris upgrade included, Requires the separate signing of a Service Contract (e.g. via Siebel) independent from this order number!	x									U24529-C664	1	
	Solaris Backlevel Support PW250	Solaris Backlevel Support PW250 with the Right of Solaris upgrade included, Requires the separate signing of a Partner Service Contract independent from this order number!		x	x					x	x	U24529-C680	1	
	Solaris Backlevel Support PW450/650	Solaris Backlevel Support PW450/650 with the Right of Solaris upgrade included, Requires the separate signing of a Partner Service Contract independent from this order number!					x			x		U24529-C681	1	
	Solaris Backlevel Support PW850	Solaris Backlevel Support PWPW850 with the Right of Solaris upgrade included, Requires the separate signing of a Partner Service Contract independent from this order number!						x		x		U24529-C682	1	
	Solaris Backlevel Support PW900	Solaris Backlevel Support PWPW900 with the Right of Solaris upgrade included, Requires the separate signing of a Partner Service Contract independent from this order number!							x			U24529-C683	1	
	Solaris Backlevel Support PW1500	Solaris Backlevel Support PW1500 with the Right of Solaris upgrade included, Requires the separate signing of a Partner Service Contract independent from this order number!	x									U24529-C684	1	
	Solaris 8 RTU PRIMEPOWER 250 + SMC (PW)	Solaris 8 RTU (Rigth to USE), PW250 with Solaris 8								x		U24529-C418	1	
	Solaris 8 RTU PRIMEPOWER	Solaris 8 RTU (Rigth to USE), PW650 with Solaris 8								x		U24529-C422	1	
	Solaris 8 RTU 9th-16th CPU Ext.	Upgrade Right to Use Solaris 8 for a PRIMEPOWER 900 for the 9th to 16th CPU, only to be used with PW900 with 1.89 GHz CPUs (since autumn 2004)						x	x			U24529-C427	1	
	Solaris 8 CD/DVD Set PRIMEPOWER Export	Solaris 8 CD/DVD Set for all PRIMEPOWER systems; Solaris 8 Media Kit, ControlP DVD Export (-C503-E), ESF CD (-C502), Exportable Version (instead of U24529-C508), Export granted for: - Cuba, Iran, Iraq, Lybia, North Korea, Sudan, Syria, - Croatia, Reduced contents according restrictions for US Embargoed and Terrorist Countries: , -> w/o openSSH and w/o openssl, -> adapted documents	x							x	x	U24529-C508-E	238	
	Solaris 8 Accessories Kit for PRIMEPOWER	Solaris 8 Accessories Kit PRIMEPOWER for all PRIMEPOWER systems, - only for orders with new systems, Contents: - current Solaris 8 Patch CD, - FSC plus® CD Pack for Solaris, Software "openSEAS eBiz Suite for Solaris" is available free of charge for an evaluation period of three months	x							x	x	U24529-C420	12	
	Solaris 9 Reference RTU Enterpr. System	Solaris 9 RTU (Rigth to USE)	x									U24529-C404	1	
	Solaris 9 RTU PRIMEPOWER 250 / SMC (PW)	Solaris 9 RTU, for PRIMEPOWER 250		x	x					x	x	U24529-C409	1	
	Solaris 9 RTU PRIMEPOWER	Solaris 9 RTU, for PRIMEPOWER 650				x	x			x		U24529-C423	1	
	Solaris 9 RTU PW900	Right to Use Solaris 9 for a PRIMEPOWER 900, only to be used with PW900 with 1.89 GHz CPUs (since autumn 2004)								x		U24529-C428	1	
	Solaris10 RTU (2 CPU)	Solaris 10 RTU, for PRIMEPOWER 250		x	x					x	x	U24529-C430	1	
	Solaris10 RTU for PW650/850/900	Solaris 10 RTU, for PRIMEPOWER 650, 850, and 900					x	x	x	x		U24529-C432	1	
	Solaris 10 Reference RTU Enterpr. System	Solaris 10 RTU (Right to Use)	x									U24529-C434	1	
	Solaris 9 CD/DVD Set PRIMEPOWER	Solaris 9 CD Set for GP7000F and PRIMEPOWER. , Solaris 9 Media Kit, ControlP DVD (-C503), ESF CD (-C502)	x	x	x	x	x	x	x	x	x	U24529-C509	238	



PRIMEPOWER Options

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	System Console	Code	End User Price (£)	Comments
Options matrix														
SW Operating Systems (Continued)														
	Solaris 9 CD/DVD Set PRIMEPOWER Export	Solaris 9 CD Set for GP7000F and PRIMEPOWER. , Solaris 9 Media Kit, Control ² DVD Export (-C503-E), ESF CD (-C502), Exportable Version (instead of U24529-C509), Export granted for., - Cuba, Iran, Iraq, Lybia, North Korea, Sudan, Syria, - Croatia, Reduced contents according restrictions for US Embargoed and Terrorist Countries: , -> w/o openSSH and w/o openSSL, -> adapted documents	x	x		x	x	x	x	x	x	U24529-C509-E	238	
	Solaris 9 Accessories Kit for PRIMEPOWER	Solaris 9 Accessories Kit PRIMEPOWER for all PRIMEPOWER systems, - only for orders with new systems, Contents: current Solaris Patch CD	x	x		x	x	x	x	x		U24529-C407	12	
	Solaris 9 Patch CD	current Solaris 9 Patch CD	x	x		x	x	x	x	x		U24529-C578	29	
	Solaris 9 Upgrade RTU up to 2 CPU	Solaris 9 RTU Upgrade (Right to Use) for 2 CPUs max.PW100/PW200								x		U24529-C571	198	
	Solaris 9 Upgrade RTU up to 8 CPU	Solaris 9 Upgrade RTU (Right to Use) for 8 CPUs max., PW600 + PW650									x	U24529-C573	4841	
	Solaris 9 Upgrade RTU up to 16 CPU	Solaris 9 Upgrade / Downgrade RTU (Right to Use) for 16 CPUs max., For PW800, PW850, PW900 mit Solaris 2.6, 2.7 oder 8 , oder, as a Downgrade from Solaris 10.							x	x		U24529-C574	16032	
	Solaris 9 Upgrade RTU up to 32 CPU	Solaris 9 Upgrade RTU (Right to Use) for 32 CPUs applicable as an Upgrade from 8 or as a Downgrade from Solaris 10	x									U24529-C575	48095	
	Solaris 8 Patch CD	current Solaris 8 Patch CD	x							x	x	U24529-C554	29	
	Solaris 10 CD/DVD Set PRIMEPOWER	Solaris 10 CD/DVD Set for PRIMEPOWER., Solaris 10 Media Kit, Control ² DVD (-C503), ESF CD (-C502)	x	x	x	x	x	x	x	x	x	U24529-C590	238	
	Solaris 10 CD/DVD Set PRIMEPOWER Export	Solaris 10 CD/DVD Set Export for PRIMEPOWER systems:, Solaris 10 Media Kit, Control ² DVD Export (-C503-E), ESF CD (-C502), Exportable Version (instead of U24529-C590), Reduced contents according restrictions for US Embargoed and Terrorist Countries: , -> w/o openSSH and w/o openSSL, -> adapted documents, Further details concerning Export Control refer: http://my.fsc.net/PortalA/DesktopDefault.aspx?tabid=4324&DataListSI=1&tabindex=8&mid=757	x	x	x	x	x	x	x	x	x	U24529-C590-E	238	
	Solaris 10 Accessories Kit PRIMEPOWER	Solaris 10 Accessories Kit PRIMEPOWER for all PRIMEPOWER systems, - only for orders with new systems, Contents:., - current Solaris Patch CD	x	x	x	x	x	x	x	x		U24529-C592	12	
	Solaris 10 Patch DVD	Solaris 10 Patch CD									x	U24529-C593	29	
	COMM-CD-SOL-SP MED (PRIMEPOWER) EN	CD-ROM with all communications products for all PRIMEPOWER	x	x		x	x	x	x	x		U13643-C5008	29	
	Solaris Control DVD (SysMgmt) Export	PRIMEPOWER System Management SW (CD-SYS-MGMT-SPARC)	x	x		x	x	x	x	x	x	U24529-C503-E	29	
	ESF 3.x (GP7000F/PRIMEPOWER)	Enhanced Support Facility (ESF) for Solaris , (mandatory for PRIMEPOWER)	x	x		x	x	x	x	x	x	U24529-C502	138	
	RtU LAN Console V1.0 (SPARC)	SW LAN console V1.0 for one console for max. 1-256 PRIMEPOWER 100/200/400/600/650/850 / RM / Linux , (CD-ROMs, License, Documentation in English and German)									x	U16525-C20	119	
	SCS for SMC	System Console Software - SCS V2.3 for System Management Console (SMC) current release for Management of max. 8 PRIMEPOWER 800/900/1x00/2x00 Systems, (CD-ROM, License, Documentation English)									x	U24529-C529	4762	
	Solaris Control DVD (SysMgmt)	PRIMEPOWER System Management SW, Data Medium DVD; without Right to Use	x	x		x	x	x	x	x		U24529-C503	29	
SW Data Center Products														
	PCL Framework CD (SOLARIS) V3.0	PRIMECLUSTER CD (Binaries / Documents / Acrobat reader) 1 Medium, German & English Version	x				x	x		x		U11420-C600	40	



PRIMEPOWER Options

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	System Console	Code	End User Price (£)	Comments
Options matrix														
SW Data Center Products (Continued)														
	PCLCD3 V41 (SOLARIS PW) MED CD	PRIMECLUSTER CD3 (Solaris) version 4.1; 1 Medium; contains Fujitsu Add-On Software, English Version	x	x		x	x	x	x	x		U11420-C608	60	Phased out
	PCLLDS V42 (SOLARIS) RiU -CL4CPU	PRIMECLUSTER Local Disk Services 4.2 (LDS) Right-To-Use f. 1 System PRIMEPOWER / SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x				x		U11420-C730	3698	
	PCLLDS V42 (SOLARIS) RiU -CL8CPU	PRIMECLUSTER Local Disk Services 4.2 (LDS) Right-To-Use f. 1 System PRIMEPOWER / SF 600,-650, Class 8 CPU, Solaris 9 and 10					x			x		U11420-C731	9613	
	PCLLDS V42 (SOLARIS) RiU -CL16CPU	PRIMECLUSTER Local Disk Services 4.2 (LDS) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10						x	x	x		U11420-C732	29394	
	PCLLDS V42 (SOLARIS) RiU -CL32CPU	PRIMECLUSTER Local Disk Services 4.2 (LDS) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x									U11420-C733	61024	
	PCLLFS V42 (SOLARIS) RiU -CL4CPU	PRIMECLUSTER Local Disk Services 4.2 (LDS) Right-To-Use f. 1 System PRIMEPOWER / SF 2X00 Class 128 CPU , Solaris 9 and 10		x		x				x		U11420-C736	3263	
	PCLLFS V42 (SOLARIS) RiU -CL8CPU	PRIMECLUSTER Local File Services 4.2 (LFS) Right-To-Use f. 1 System PRIMEPOWER / SF 600,-650, Class 8 CPUs, Solaris 9 and 10					x			x		U11420-C737	8776	
	PCLLFS V42 (SOLARIS) RiU -CL16CPU	PRIMECLUSTER Local File Services 4.2 (LFS) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10					x	x		x		U11420-C738	25644	
	PCLLFS V42 (SOLARIS) RiU -CL32CPU	PRIMECLUSTER Local File Services 4.2 (LFS) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x									U11420-C739	53259	
	PCLSNP V42 (SOLARIS) RiU -CL4CPU	PRIMECLUSTER Snapshot 4.2 (SNP) Right-To-Use f. 1 System PRIMEPOWER / SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x				x		U11420-C742	3263	
	PCLSNP V42 (SOLARIS) RiU -CL8CPU	PRIMECLUSTER Snapshot 4.2 (SNP) Right-To-Use f. 1 System PRIMEPOWER / SF 600,-650, Class 8 CPUs, Solaris 9 and 10					x			x		U11420-C743	8776	
	PCLSNP V42 (SOLARIS) RiU -CL16CPU	PRIMECLUSTER Snapshot 4.2 (SNP) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10						x	x	x		U11420-C744	25644	
	PCLSNP V42 (SOLARIS) RiU -CL32CPU	PRIMECLUSTER Snapshot 4.2 (SNP) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x									U11420-C745	53259	
	PCLLFDLS-P V42 (SOLARIS) RiU -CL4CPU	PRIMECLUSTER Lo. File Disk Link Pack.4.2 (LFS + LDS + GLS) Right-To-Use f. 1 System PRIMEPOWER / SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x				x		U11420-C748	5440	
	PCLLFDLS-P V42 (SOLARIS) RiU -CL8CPU	PRIMECLUSTER Lo. File Disk Link Pack.4.2 (LFS + LDS + GLS) Right-To-Use f. 1 System PRIMEPOWER / SF 600,-650, Class 8 CPUs, Solaris 9 and 10					x			x		U11420-C749	14633	
	PCLLFDLS-P V42 (SOLARIS) RiU -CL16CPU	PRIMECLUSTER Lo. File Disk Link Pack.4.2 (LFS + LDS + GLS) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10						x	x	x		U11420-C750	43602	
	PCLLFDLS-P V42 (SOLARIS) RiU -CL32CPU	PRIMECLUSTER Lo. File Disk Link Pack.4.2 (LFS + LDS + GLS) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x									U11420-C751	90570	
	FFAN-P V32 (SOLARIS PW) RiU -2CPU	FlexFrame License for one PRIMEPOWER250. , Additional it is mandatory to order 3rd Level support for each server!		x		x				x		U11420-C754	5552	



PRIMEPOWER Options

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	System Console	Code	End User Price (£)	Comments
Options matrix														
SW Data Center Products (Continued)														
	FFAN-P V32 (SOLARIS PW) MNT3Y -2CPU	FlexFrame 3rd Level Support for 3 years for PW250 (One 3rd-Level delivery unit (1 or 3 years) per server is mandatory!)		x	x					x		U11420-C754-W	3556	
	FFAN-P V32 (SOLARIS PW) MNT1Y -2CPU	FlexFrame 3rd Level , Support for 1 year for PW250 (One 3rd-Level delivery unit (1 or 3 years) per server is mandatory!)		x	x					x		U11420-C754-W1	1244	
	FFAN-P V32 (SOLARIS PW) RiU -8CPU	FlexFrame License for one PRIMEPOWER650 Additional it is mandatory to order 3rd Level support for each server!					x			x		U11420-C756	30444	
	FFAN-P V32 (SOLARIS PW) MNT3Y -8CPU	FlexFrame 3rd Level Support for 3 years for PW650 (One 3rd-Level delivery unit (1 or 3 years) per server is mandatory!)					x			x		U11420-C756-W	19206	
	FFAN-P V32 (SOLARIS PW) MNT1Y -8CPU	FlexFrame 3rd Level Support for 1 year for PW650 (One 3rd-Level delivery unit (1 or 3 years) per server is mandatory!)					x			x		U11420-C756-W1	6722	
	FFAN-P V32 (SOLARIS PW) RiU -16CPU	FlexFrame License for one PRIMEPOWER850 Additional it is mandatory to order 3rd Level support for each server!						x		x		U11420-C757	96429	
	FFAN-P V32 (SOLARIS PW) MNT3Y -16CPU	FlexFrame 3rd Level Support for 3 years for PW850 (One 3rd-Level delivery unit (1 or 3 years) per server is mandatory!)						x		x		U11420-C757-W	60833	
	FFAN-P V32 (SOLARIS PW) MNT1Y -16CPU	FlexFrame 3rd Level Support for 1 year for PW850 (One 3rd-Level delivery unit (1 or 3 years) per server is mandatory!)						x		x		U11420-C757-W1	21292	
	FFANDVD-S V32 (SOLARIS PW) MED DVD	FlexFrame DVD set for Solaris, has to be ordered 1x per PRIMEPOWER configuration		x	x	x	x	x		x		U11420-C758	40	
	PCLCD1 V42 (SOLARIS) MED CD	PRIMECLUSTER CD1 (Solaris) version 4.2A20; 1 Medium; contains Fujitsu Add-On Software, german and English Version	x	x		x	x	x	x	x		U11420-C811	60	
	PCLCD2 V42 (SOLARIS) MED CD	PRIMECLUSTER CD2 - version 4.2A20 contains Global File, Global Disk and Global Link Services,(Binaries / Documents / Acrobat reader) 1 Medium, German & English Version	x	x		x	x	x	x	x		U11420-C812	60	
	PCLCD3 V42 (SOLARIS) MED CD	PRIMECLUSTER CD3 (Solaris) version 4.2A20; 1 Medium; contains Fujitsu Add-On Software, English Version	x	x		x	x	x	x	x		U11420-C813	60	
	EventAdmin-PL (for UNIX OS) V2.0	EventAdmin V2.0 Licence for one PRIMEPOWER 200 to 650/850 system		x		x	x	x		x		U16525-C202	794	
	EventAdmin-PH (for UNIX OS) V2.0	EventAdmin V2.0 Licence for one PRIMEPOWER 800/900 to 2500 system		x		x				x		U16525-C203	3968	
	InstallAdmin-PL (for UNIX OS) V1.0	InstallAdmin V1.0 Licence for one PRIMEPOWER 200 to 650/850 system		x		x	x	x		x		U16525-C300	1032	
	InstallAdmin-PH (for UNIX OS) V1.0	InstallAdmin V1.0 Licence for one PRIMEPOWER 800/900 to 2500 system		x		x				x		U16525-C301	2063	
	PRIMEPOWER KM for PATROL-PH V1.0	PRIMEPOWER Knowledge Module V1.0 for BMC Patrol; Licence for one Highend PRIMEPOWER System (800 to 2500)		x						x		U16525-C600	11905	
	PRIMEPOWER KM for PATROL-PL V1.0	PRIMEPOWER Knowledge Module V1.0 for BMC Patrol; Licence for one Midrange PRIMEPOWER System (200 to 850)		x		x	x	x		x		U16525-C601	2381	
	PCLCF-PW-M6(SOLARIS) V1.5 RiU	PRIMECLUSTER Cluster Foundation 1.5 (CF 1.5A) Right to Use f. 1 System PW-600/650 Solaris 7/8						x		x		U11420-C161	2381	
	PCLCD1 V41 (SOLARIS PW) MED CD	PRIMECLUSTER CD1 4.1 contains RMS, SIS, PAS and cadmin/web-based admin view. (Binaries / Documents / Acrobat reader) 1 Medium, German & English Version	x	x		x	x	x	x	x		U11420-C601	60	Phased out
	PCLCD2 V41 (SOLARIS PW) MED CD	PRIMECLUSTER CD2 - version 4.1 contains Global File, Global Disk and Global Link Services.(Binaries / Documents / Acrobat reader) 1 Medium, German & English Version	x	x		x	x	x	x	x		U11420-C602	60	Phased out



PRIMEPOWER Options

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	System Console	Code	End User Price (€)	Comments
Options matrix														
SW Data Center Products (Continued)														
	PCLCF V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Cluster Foundation 4.2 (CF 4.1A) Right to Use f. 1 System PW-400,-200,-100, up to 4 CPU, /SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x					x	U11420-C610	1190	
	PCLCF V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Cluster Foundation 4.2 (CF 4.1A) Right to Use f. 1 System PW-600,-650, SF 6X0, Class 8 CPUs, Solaris 9 and 10						x			x	U11420-C611	2180	
	PCLCF V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Cluster Foundation 4.2 (CF 4.1A) Right to Use f. 1 System PW-800,-850, SF 8X0,-900, Class 16 CPU, Solaris 9 and 10							x	x	x	U11420-C612	6810	
	PCLCF V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Cluster Foundation 4.2 (CF 4.1A) Right to Use f. 1 System PW-1000/PW-1500, SF 1X00, Class 32 CPU, Solaris 9 and 10	x									U11420-C613	10000	
	ASSAT V12 (SOL/LIN/WIN PS/PW) RtU-CL4CPU	Adaptive Services Satellite 1.2, (ASSAT), Right to Use for 1 Server, up to 4 CPUs/1Blade, Solaris/Linux/Windows		x		x					x	U11420-C408	3571	
	PCLRMS V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Reliant Monitor Services 4.2 (RMS) Nutzungsrecht f. 1 System PRIMEPOWER/SF 4X0,-2X0,-TX000, Class 4 CPU, SolarisSolaris 9 and 10		x		x					x	U11420-C616	2381	
	PCLRMS V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Reliant Monitor Services 4.2 (RMS) Right-To-Use f. 1 System PRIMEPOWER/SF 6X0, Class 8 CPU, Solaris 9 and 10						x			x	U11420-C617	4358	
	PCLRMS V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Reliant Monitor Services4.2 (RMS) Right-To-Use f. 1 System PRIMEPOWER/SF 8X0,-900, Class 16 CPU, Solaris 9 and 10							x	x	x	U11420-C618	13619	
	PCLRMS V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Reliant Monitor Services4.2 (RMS) Right-To-Use f. 1 System PRIMEPOWER/SF 1X00, Class 32 CPU, Solaris 9 and 10	x									U11420-C619	20000	
	PCLSIS-PW-M10(SOLARIS) V2.5 RtU	PRIMECLUSTER Scalable Internet Services 2.5 (SIS 2.5A) Right to Use f. 1 System PW-1000/PW-1500, Solaris 7/8	x									U11420-C183	7143	
	ASSAT V12 (SOL/LIN/WIN PS/PW) RtU-CL8CPU	Adaptive Services Satellite 1.2, (ASSAT), Right to Use for 1 Server, up to 8 CPU, Solaris/Linux/Windows						x			x	U11420-C409	7143	
	PCLWT V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Wizard Tools 4.2 (WT) Right-To-Use f. 1 System PRIMEPOWER/SF 4X0,-2X0,-TX000, Class 4 CPU, Solaris 9 and 10		x		x					x	U11420-C622	794	
	PCLWT V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Wizard Tools 4.2 (WT) Right-To-Use f. 1 System PRIMEPOWER/SF 6X0, Class 8 CPU, Solaris 9 and 10						x			x	U11420-C623	1453	
	PCLWT V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Wizard Tools 4.2 (WT) Right-To-Use f. 1 System PRIMEPOWER/SF 8X0,-900, Class 16 CPU, Solaris 9 and 10							x	x	x	U11420-C624	4540	
	PCLWT V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Wizard Tools 4.2 (WT) Right-To-Use f. 1 System PRIMEPOWER/SF 1X00, Class 32 CPU, Solaris 9 und 10	x									U11420-C625	6667	
	ASSAT V12 (SOL/LIN/WIN PS/PW)RtU-CL16CPU	Adaptive Services Satellite 1.2, (ASSAT), Right to Use for 1 Server, up to 16 CPUs, Solaris/Linux/Windows							x		x	U11420-C410	12698	
	PCLPAS V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Parallel Appl.Services 4.2 (PAS) Right-To-Use f. 1 System PRIMEPOWER/SF 4X0,-2X0,-TX000, Class 4 CPU, Solaris 9 und 10		x		x					x	U11420-C628	2579	
	PCLPAS V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Parallel Appl.Services 4.2 (PAS) Right-To-Use f. 1 System PRIMEPOWER/SF 6X0, Class 8 CPU, Solaris 9 and 10						x			x	U11420-C629	4721	



PRIMEPOWER Options

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	System Console	Code	End User Price (£)	Comments
Options matrix														
SW Data Center Products (Continued)														
	PCLPAS V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Parallel Appl.Services 4.2 (PAS) Right-To-Use f. 1 System PRIMEPOWER/SF 8X0,-900, Class 16 CPU, Solaris 9 and 10							x	x	x	U11420-C630	14754	
	PCLPAS V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Parallel Appl.Services 4.2 (PAS) Right-To-Use f. 1 System PRIMEPOWER/SF 1X00, Class 32 CPU, Solaris 9 and 10	x									U11420-C631	21667	
	PCLSIS V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Scal. Internet Services 4.2 (SIS + SAT) Right-To-Use f. 1 System PRIMEPOWER/SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x	x					x		U11420-C634	1190	
	PCLSIS V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Scal. Internet Services 4.2 (SIS + SAT) Right-To-Use f. 1 System PRIMEPOWER/SF 6X0, Class 8 CPUs, Solaris 9 and 10					x			x		U11420-C635	2179	
	PCLSIS V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Scal. Internet Services 4.2 (SIS + SAT) Right-To-Use f. 1 System PRIMEPOWER/SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10						x	x	x		U11420-C636	6810	
	PCLSIS V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Scal. Internet Services 4.2 (SIS + SAT) Right-To-Use f. 1 System PRIMEPOWER/SF 1X00, Class 32 CPUs, Solaris 9 and 10	x									U11420-C637	10000	
	PCLRMS-PW-M6-P(SOLARIS) V3.0 RtU	PRIMECLUSTER RMS Package 3.0 (RMS 3.1E + CF 1.5A + WT 3.3A) Right to Use f. 1 System PW-600/650, Solaris 7/8						x		x		U11420-C196	7857	
	PCLSRIW V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Wizard 4.2 for SRI (SRIW) Right-To-Use f. 1 System PRIMEPOWER/SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x	x					x		U11420-C640	1587	
	PCLDBMSW V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Wizard 4.2 for DBMS (DBMSW) Right-To-Use f. 1 System PRIMEPOWER/SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 und 10		x	x					x		U11420-C652	1587	
	PCLDBMSW V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Wizard 4.2 for DBMS (DBMSW) Right-To-Use f. 1 System PRIMEPOWER/SF 6X0, Class 8 CPUs, Solaris 9 and 10					x			x		U11420-C653	2905	
	PCLDBMSW V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Wizard 4.2 for DBMS (DBMSW) Right-To-Use f. 1 System PRIMEPOWER/SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10						x	x	x		U11420-C654	9079	
	PCLDBMSW V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Wizard 4.2 for DBMS (DBMSW) Right-To-Use f. 1 System PRIMEPOWER/SF 1X00, Class 32 CPUs, Solaris 9 and 10	x									U11420-C655	13333	
	PCLSRIW V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Wizard 4.2 for SRI (SRIW) Right-To-Use f. 1 System PRIMEPOWER/SF 6X0, Class 8 CPUs, Solaris 9 and 10					x			x		U11420-C641	2905	
	PCLSRIW V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Wizard 4.2 for SRI (SRIW) Right-To-Use f. 1 System PRIMEPOWER/SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10						x	x	x		U11420-C642	9079	
	PCLSRIW V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Wizard 4.2 for SRI (SRIW) Right-To-Use f. 1 System PRIMEPOWER/SF 1X00, Class 32 CPUs, Solaris 9 and 10	x									U11420-C643	13333	
	PCLPASP-PW-M6-P(SOLARIS) V3.0 RtU	PRIMECLUSTER PAS Package 3.0 (PAS 1.0A + CF 1.5A + RMS 3.1E + WT 3.3A) Right to Use f. 1 System PW-600/650, Solaris 7/8					x			x		U11420-C201	12500	
	PCLPASP-PW-M8-P(SOLARIS) V3.0 RtU	PRIMECLUSTER PAS Package 3.0 (PAS 1.0A + CF 1.5A + RMS 3.1E + WT 3.3A) Right to Use f. 1 System PW-800/850, Solaris 7/8						x		x		U11420-C202	25000	
	PCLPASP-PW-M10-P(SOLARIS) V3.0 RtU	PRIMECLUSTER PAS Package 3.0 (PAS 1.0A + CF 1.5A + RMS 3.1E + WT 3.3A) Right to Use f. 1 System PW-1000/PW-1500, Solaris 7/8	x									U11420-C203	37500	



PRIMEPOWER Options

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects System Console	Code	End User Price (£)	Comments
Options matrix													
SW Data Center Products (Continued)													
	PCLSAPW V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Wizard 4.2 for mySAP (SAPW) Right-To-Use f. 1 System PRIMEPOWER/SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x				x	U11420-C646	1587	
	PCLRMS-P V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER RMS Package 4.2 (RMS + CF + WT) Right-To-Use f. 1 System PRIMEPOWER/SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x				x	U11420-C658	3929	
	PCLRMS-P V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER RMS Package 4.2 (RMS + CF + WT) Right-To-Use f. 1 System PRIMEPOWER/SF 6X0, Class 8 CPUs, Solaris 9 and 10						x		x	U11420-C659	7193	
	PCLRMS-P V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER RMS Package 4.2 (RMS + CF + WT) Right-To-Use f. 1 System PRIMEPOWER/SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10						x	x	x	U11420-C660	22471	
	PCLRMS-P V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER RMS Package 4.2 (RMS + CF + WT) Right-To-Use f. 1 System PRIMEPOWER/SF 1X00, Class 32 CPUs, Solaris 9 and 10	x								U11420-C661	33000	
	PCLSAPW V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Wizard 4.2 for mySAP (SAPW) Right-To-Use f. 1 System PRIMEPOWER/SF 6X0, Class 8 CPUs, Solaris 9 and 10					x			x	U11420-C647	2905	
	PCLSAPW V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Wizard 4.2 for mySAP (SAPW) Right-To-Use f. 1 System PRIMEPOWER/SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10						x	x	x	U11420-C648	9079	
	PCLSAPW V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Wizard 4.2 for mySAP (SAPW) Right-To-Use f. 1 System PRIMEPOWER/SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10	x								U11420-C649	13333	
	ASN B V12 (SOL/LIN PS/PW) RtU -CL4CPU	Adaptive Services Netboot 1.2 (ASN B), Right to Use for 1 Server up to 4 CPUs, Linux		x		x				x	U11420-C416	1786	
	PCLPAS-P V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER PAS Package 4.2 (PAS + CF + RMS + WT) Right-To-Use f. 1 System PRIMEPOWER / SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x				x	U11420-C664	6250	
	CD-Xprint-Unix-OS	CD-Xprint (Linux, UX, AIX,Solaris), Data media for Xprint Unix Alien, Intel/HP/IBM-based HW	x	x	x	x	x	x	x	x	U11436-C231	29	
	DomainAdmin-P2 (for UNIX OS) V2.2	DomainAdmin V2.2 Licence for one PRIMEPOWER 100N, 200, 250 System, one PW-based SMC, one PRIMESTATION (LAN Console/SMC) or one LINUX System		x		x				x	U16525-C150	635	
	VERITAS Storage Foundation 4.1 Media Kit	VERITAS Storage Foundation V4.1, Media and Documentation for the VERITAS Storage Foundation Products	x	x		x	x	x	x	x	U26000-C1000	237	Phased out
	PCLPAS-P V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER PAS Package 4.2 (PAS + CF + RMS + WT) Right-To-Use f. 1 System PRIMEPOWER / SF 6X0, Class 8 CPUs, Solaris 9 and 10					x			x	U11420-C665	11441	
	PCLPAS-P V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER PAS Package 4.2 (PAS + CF + RMS + WT) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10						x	x	x	U11420-C666	35750	
	PCLPAS-P V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER PAS Package 4.2 (PAS + CF + RMS + WT) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPU, Solaris 9 und 10	x								U11420-C667	52500	
	VERITAS Storage Foundation 5.0 Media Kit	Media and Documentation for the VERITAS Storage Foundation Products	x	x		x	x	x	x	x	U26000-C5000	237	
	ASN B V12 (SOL/LIN PS/PW) RtU -CL8CPU	Adaptive Services Netboot 1.2 (ASN B), Right to Use for 1 Server up to 8 CPUs, Linux					x			x	U11420-C417	3571	
	PCLSIS-P V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER SIS Package 4.2 (SIS + CF + RMS + WT) Right-To-Use f. 1 System PRIMEPOWER/SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x				x	U11420-C670	5000	



PRIMEPOWER Options

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	System Console	Code	End User Price (£)	Comments
Options matrix														
SW Data Center Products (Continued)														
	VERITAS SF Standard 5.0 RTU Tier K	Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class K	x									U26000-C5009	67929	
	VERITAS SF Standard 5.0 RTU Tier N	Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class N			x							U26000-C5012	165411	
	VERITAS SF Enterprise 5.0 RTU Tier A	Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class A		x	x					x		U26000-C5013	3014	
	VERITAS SF Enterprise 5.0 RTU Tier E	Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class E					x	x		x		U26000-C5016	22317	
	VERITAS SF Enterprise 5.0 RTU Tier G	Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class G							x	x		U26000-C5018	41510	
	VERITAS SF Enterprise 5.0 RTU Tier H	Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class H								x		U26000-C5019	51000	
	VERITAS SF Enterprise 5.0 RTU Tier K	Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class K	x									U26000-C5021	111279	
	VERITAS SF Enterprise 5.0 RTU Tier N	Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class N			x							U26000-C5024	262676	
	VERITAS SF Enterprise 5.0, Proc. Tier 2	Right to Use for one Tier-Level 2 Processor in a PRIMEPOWER / SPARC Enterprise Server	x	x		x	x	x	x	x	x	U26000-C5054	6896	
	PCLIS-P V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER SIS Package 4.2 (SIS + CF + RMS + WT) Right-To-Use f. 1 System PRIMEPOWER / SF 6X0, Class 8 CPUs, Solaris 9 and 10						x			x	U11420-C671	9154	
	PCLIS-P V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER SIS Package 4.2 (SIS + CF + RMS + WT) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10						x	x	x		U11420-C672	28600	
	PCLIS-P V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER SIS Package 4.2 (SIS + CF + RMS + WT) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x									U11420-C673	42000	
	VERITAS SF Standard 5.0 RTU Tier A	Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class A		x	x						x	U26000-C5001	1613	
	VERITAS SF Standard 5.0 RTU Tier E	Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class E					x			x		U26000-C5004	12827	
	VERITAS SF Standard 5.0 RTU Tier G	Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class G						x		x		U26000-C5006	23826	
	VERITAS SF Standard 5.0, Proc. Tier 2	Right to Use for one Tier-Level 2 Processor in a PRIMEPOWER / SPARC Enterprise Server	x	x		x	x	x	x	x	x	U26000-C5051	4308	
	ASNB V12 (SOL/LIN PS/PW) RtU -CL16CPU	Adaptive Services Netboot 1.2 (ASNB), Right to Use for 1 Server up to 16 CPUs, Linux							x		x	U11420-C418	6349	
	PCLEE-P V42 (SOLARIS) RIU -CL4CPU	PRIMECLUSTER Enterprise Edition Pack.4.2 (RMS+PAS+SIS+CF+WT+GLS+GDS+GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 4X0,-2X0,-TX000, Class 4 CPU; Solaris 9 and 10		x	x						x	U11420-C676	15802	
	DomainAdmin-P6 (for UNIX OS) V2.2	DomainAdmin V2.2 Licence for one PRIMEPOWER 600, 650 or 850 System					x	x		x		U16525-C152	1984	
	VERITAS SF Standard 5.0 UG RTU Tier A	Upgrade Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class A		x	x						x	U26000-C5025	968	
	VERITAS SF Enterprise 5.0 UG RTU Tier A	Upgrade Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class A		x	x						x	U26000-C5037	1809	
	VERITAS SF Enterprise 5.0 UG RTU Tier E	Upgrade Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class E					x				x	U26000-C5040	13390	
	VERITAS SF Enterprise 5.0 UG RTU Tier G	Upgrade Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class G						x			x	U26000-C5042	24906	
	VERITAS SF Enterprise 5.0 UG RTU Tier H	Upgrade Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class H								x		U26000-C5043	30600	
	VERITAS SF Enterprise 5.0 UG RTU Tier K	Upgrade Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class K	x									U26000-C5045	66767	



PRIMEPOWER Options

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	System Console	Code	End User Price (£)	Comments
Options matrix														
SW Data Center Products (Continued)														
	VERITAS SF Enterprise 5.0 UG RTU Tier N	Upgrade Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class N		x								U26000-C5048	157606	
	PCLEE-P V42 (SOLARIS) RiU -CL8CPU	PRIMECLUSTER Enterprise Edition Pack.4.2 (RMS+PAS+SIS+CF+WT+GLS+GDS+GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 6X0, Class 8 CPUs, Solaris 9 and 10					x			x		U11420-C677	36523	
	PCLEE-P V42 (SOLARIS) RiU -CL16CPU	PRIMECLUSTER Enterprise Edition Pack.4.2 (RMS+PAS+SIS+CF+WT+GLS+GDS+GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10						x	x	x		U11420-C678	97490	
	PCLEE-P V42 (SOLARIS) RiU -CL32CPU	PRIMECLUSTER Enterprise Edition Pack.4.2 (RMS+PAS+SIS+CF+WT+GLS+GDS+GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x									U11420-C679	174680	
	VERITAS SF Standard 5.0 UG RTU Tier E	Upgrade Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class E					x			x		U26000-C5028	7696	
	VERITAS SF Standard 5.0 UG RTU Tier G	Upgrade Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class G						x		x		U26000-C5030	14296	
	VERITAS SF Standard 5.0 UG RTU Tier H	Upgrade Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class H							x			U26000-C5031	17854	
	VERITAS SF Standard 5.0 UG RTU Tier K	Upgrade Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class K	x									U26000-C5033	40758	
	VERITAS SF Standard 5.0 UG RTU Tier N	Upgrade Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class N			x							U26000-C5036	99247	
	PCLHAS-P V42 (SOLARIS) RiU -CL4CPU	PRIMECLUSTER HA Server Package 4.2 (RMS + CF + WT + GLS + GDS + GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10	x		x					x		U11420-C682	12598	
	DomainAdmin-P8 (for UNIX OS) V2.2	DomainAdmin V2.2 Licence for one PRIMEPOWER 800 or 900 system								x		U16525-C153	3333	
	PCLHAS-P V42 (SOLARIS) RiU -CL8CPU	PRIMECLUSTER HA Server Package 4.2 (RMS + CF + WT + GLS + GDS + GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 6X0, Class 8 CPUs, Solaris 9 und 10					x			x		U11420-C683	30658	
	PCLHAS-P V42 (SOLARIS) RiU -CL16CPU	PRIMECLUSTER HA Server Package 4.2 (RMS + CF + WT + GLS + GDS + GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 und 10						x	x	x		U11420-C684	79160	
	PCLHAS-P V42 (SOLARIS) RiU -CL32CPU	PRIMECLUSTER HA Server Package 4.2 (RMS + CF + WT + GLS + GDS + GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x									U11420-C685	147763	
	PCLPS-P V42 (SOLARIS) RiU -CL4CPU	PRIMECLUSTER Parallel Server Package 4.2 (PAS + CF + GLS + GDS + GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10	x		x					x		U11420-C688	12092	
	DomainAdmin-P10 (for UNIX OS) V2.2	DomainAdmin V2.2 Licence for one PRIMEPOWER 1000 or 1500 System	x									U16525-C154	8730	
	PCLPS-P V42 (SOLARIS) RiU -CL8CPU	PRIMECLUSTER Parallel Server Package 4.2 (PAS + CF + GLS + GDS + GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 6X0, Class 8 CPUs, Solaris 9 and 10					x			x		U11420-C689	29731	
	PCLPS-P V42 (SOLARIS) RiU -CL16CPU	PRIMECLUSTER Parallel Server Package 4.2 (PAS + CF + GLS + GDS + GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10						x	x	x		U11420-C690	76267	



PRIMEPOWER Options

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	System Console	Code	End User Price (£)	Comments
Options matrix														
SW Data Center Products (Continued)														
	PCLPS-P V42 (SOLARIS) RiU -CL32CPU	PRIMECLUSTER Parallel Server Package 4.2 (PAS + CF + GLS + GDS + GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x									U11420-C691	143513	
	PCLSS-P V42 (SOLARIS) RiU -CL4CPU	PRIMECLUSTER Scalability Server Pack.4.2 (SIS + CF) Right-To-Use f. 1 System PRIMEPOWER / SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x					x	U11420-C694	2024	
	PCLSS-P V42 (SOLARIS) RiU -CL8CPU	PRIMECLUSTER Scalability Server Pack.4.2 (SIS + CF) Right-To-Use f. 1 System PRIMEPOWER / SF 6X0, Class 8 CPUs, Solaris 9 and 10					x				x	U11420-C695	3706	
	PCLSS-P V42 (SOLARIS) RiU -CL16CPU	PRIMECLUSTER Scalability Server Pack.4.2 (SIS + CF) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10						x	x	x		U11420-C696	11576	
	PCLSS-P V42 (SOLARIS) RiU -CL32CPU	PRIMECLUSTER Scalability Server Pack.4.2 (SIS + CF) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x									U11420-C697	17000	
	PCLWKIT-P V42 (SOLARIS) RiU -CL4CPU	PRIMECLUSTER Wizard Kit Package 4.2 (SRIW + SAPW + DBMSW) Right-To-Use f. 1 System PRIMEPOWER / SF 4X0,-2X0,-TX000, Class 4 CPU, Solaris 9 and 10		x		x					x	U11420-C700	4048	
	DomainAdmin-PE (for UNIX OS) V2.2	DomainAdmin V2.2 Licence for all PRIMEPOWER-Systems at the same customer site	x	x		x	x	x	x	x		U16525-C156	61905	
	PCLWKIT-P V42 (SOLARIS) RiU -CL8CPU	PRIMECLUSTER Wizard Kit Package 4.2 (SRIW + SAPW + DBMSW) Right-To-Use f. 1 System PRIMEPOWER / SF 6X0, Class 8 CPUs, Solaris 9 and 10					x				x	U11420-C701	7407	
	PCLWKIT-P V42 (SOLARIS) RiU -CL16CPU	PRIMECLUSTER Wizard Kit Package 4.2 (SRIW + SAPW + DBMSW) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10						x	x	x		U11420-C702	23152	
	PCLWKIT-P V42 (SOLARIS) RiU -CL32CPU	PRIMECLUSTER Wizard Kit Package 4.2 (SRIW + SAPW + DBMSW) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x									U11420-C703	34000	
	PCLGLS V42 (SOLARIS) RiU -CL4CPU	PRIMECLUSTER Global Link Services 4.2 (GLS) Right-To-Use f. 1 System PRIMEPOWER/ SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x					x	U11420-C706	1494	
	PCLGLS V42 (SOLARIS) RiU -CL8CPU	PRIMECLUSTER Global Link Services 4.2 (GLS) Right-To-Use f. 1 System PRIMEPOWER / SF 6X0, Class 8 CPUs, Solaris 9 and 10					x				x	U11420-C707	4011	
	PCLGLS V42 (SOLARIS) RiU -CL16CPU	PRIMECLUSTER Global Link Services 4.2 (GLS) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10						x	x	x		U11420-C708	9737	
	PCLGLS V42 (SOLARIS) RiU -CL32CPU	PRIMECLUSTER Global Link Services 4.2 (GLS) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x									U11420-C709	19596	
	PCLGDS V42 (SOLARIS) RiU -CL4CPU	PRIMECLUSTER Global Disk Services 4.2 (GDS) Right-To-Use f. 1 System PRIMEPOWER / SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x					x	U11420-C712	4481	
	PCLGDS V42 (SOLARIS) RiU -CL8CPU	PRIMECLUSTER Global Disk Services 4.2 (GDS) Right-To-Use f. 1 System PRIMEPOWER / SF 6X0, Class 8 CPUs, Solaris 9 and 10					x				x	U11420-C713	12033	
	PCLGDS V42 (SOLARIS) RiU -CL16CPU	PRIMECLUSTER Global Disk Services 4.2 (GDS) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10						x	x	x		U11420-C714	29212	
	PCLGDS V42 (SOLARIS) RiU -CL32CPU	PRIMECLUSTER Global Disk Services 4.2 (GDS) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x									U11420-C715	58788	



PRIMEPOWER Options

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	System Console	Code	End User Price (£)	Comments
Options matrix														
SW Data Center Products (Continued)														
	PCLGFS V42 (SOLARIS) RiU -CL4CPU	PRIMECLUSTER Global File Services 4.2 (GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x	x					x		U11420-C718	4481	
	PCLGFS V42 (SOLARIS) RiU -CL8CPU	PRIMECLUSTER Global File Services 4.2 (GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 6X0, Class 8 CPUs, Solaris 9 and 10					x			x		U11420-C719	12033	
	PCLGFS V42 (SOLARIS) RiU -CL16CPU	PRIMECLUSTER Global File Services 4.2 (GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10						x	x	x		U11420-C720	29212	
	PCLGFS V42 (SOLARIS) RiU -CL32CPU	PRIMECLUSTER Global File Services 4.2 (GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x									U11420-C721	58788	
	PCLGFDLS-P V42 (SOLARIS) RiU -CL4CPU	PRIMECLUSTER Gl. File Disk Link Pack.4.2 (GFS + GDS + GLS) Right-To-Use f. 1 System PRIMEPOWER / SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x	x					x		U11420-C724	8887	
	PCLGFDLS-P V42 (SOLARIS) RiU -CL8CPU	PRIMECLUSTER Gl. File Disk Link Pack.4.2 (GFS + GDS + GLS) Right-To-Use f. 1 System PRIMEPOWER / SF 6X0, Class 8 CPUs, Solaris 9 and 10					x			x		U11420-C725	23865	
	PCLGFDLS-P V42 (SOLARIS) RiU -CL16CPU	PRIMECLUSTER Gl. File Disk Link Pack.4.2 (GFS + GDS + GLS) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10						x	x	x		U11420-C726	57937	
	PCLGFDLS-P V42 (SOLARIS) RiU -CL32CPU	PRIMECLUSTER Gl. File Disk Link Pack.4.2 (GFS + GDS + GLS) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x									U11420-C727	116597	
	DomainAdmin-P2 (for UNIX OS) V2.1	DomainAdmin V2.1 Licence for one PRIMEPOWER 100N, 200, 250 System, one PRIMESTATION (LAN Console) or one LINUX System		x	x					x		U16525-C130	635	
	Multipath V1.1B RoU (Sparc)	Right of Use for one PRIMEPOWER server for the access to one or more FibreCAT S80, PXRE-(H)F(R) RAID Subsystems or FC600E.	x	x		x	x	x	x	x		U24529-C530	3246	
	DomainAdmin-P6 (for UNIX OS) V2.1	DomainAdmin V2.1 Licence for one PRIMEPOWER 600, 650 or 850 System					x	x		x		U16525-C132	1984	
	Xprint-UG1 (Solaris/FSC) V8.0 LC f.	For connection of 32 logical printers relative to one computer	x	x	x	x	x	x	x	x	x	U11436-C531	754	
	Xprint-NET (Solaris/FSC) V8.0 LC f.	For Xprint-Net-Server with up to 32 logical printers	x	x		x	x	x	x	x	x	U11436-C532	3214	
	Xprint-NET-CL (Solaris/FSC) V8.0 LC f.	License for Xprint-NET-Client (requires Xprint-NET from another host)	x	x	x	x	x	x	x	x	x	U11436-C533	873	
	Xprint-UGM (Solaris/FSC) V8.0 LC f.	License for connection of 33 to 128 logical printers (requires Xprint-UG1 or -NET)	x	x		x	x	x	x	x	x	U11436-C534	1071	
	Xprint-UG2 (Solaris/FSC) V8.0 LC f.	License for connection of 129 to 256 logical printers (requires Xprint-UGM)	x	x		x	x	x	x	x	x	U11436-C535	1071	
	Xprint-UG3 (Solaris/FSC) V8.0 LC f.	License for connection of 257 to an unlimited number of printers (requires Xprint-UG2)	x	x		x	x	x	x	x	x	U11436-C536	1825	
	Xprint-UG4 (Solaris/FSC) V8.0 LC f.	License for connection of 513 to 1024 printers (requires Xprint-UG3)	x	x		x	x	x	x	x	x	U11436-C537	1667	
	Xprint-UG5 (Solaris/FSC) V8.0 LC f.	License for connection of 1025 to 2048 printers (requires Xprint-UG4)	x	x		x	x	x	x	x	x	U11436-C538	1389	
	Xprint-UG6 (Solaris/FSC) V8.0 LC f.	License for connection of 2049 to 4096 printers (requires Xprint-UG5)	x	x		x	x	x	x	x	x	U11436-C539	1389	
	Xprint-UG7 (Solaris/FSC) V8.0 LC f.	License for connection of 4097 to 8192 printers (requires Xprint-UG6)	x	x		x	x	x	x	x	x	U11436-C540	1389	
	Xprint-UG8 (Solaris/FSC) V8.0 LC f.	License for connection of 4097 to an unlimited number of printers (requires Xprint-UG7)	x	x		x	x	x	x	x	x	U11436-C541	1389	
	Xprint-R/3-Kit (Solaris/FSC) V8.0 LC f.	SAP R/3 Kit in connection with Solaris/FSC	x	x	x	x	x	x	x	x	x	U11436-C542	3262	



PRIMEPOWER Options

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	System Console	Code	End User Price (£)	Comments
Options matrix														
SW Data Center Products (Continued)														
	Xprint-UG1-UP (Solaris/FSC) V8.0 LC f.	For connection of 32 logical printers relative to one computer, Update from Xprint 7.0 to Xprint 8.0	x	x		x	x	x	x	x	x	U11436-C544	325	
	Xprint-NET-UP (Solaris/FSC) V8.0 LC f.	For Xprint-Net-Server with up to 32 logical printers, Update from Xprint 7.0 to Xprint 8.0	x	x	x	x	x	x	x	x	x	U11436-C545	1294	
	Xprint-NET-CL-UP(Solaris/FSC)V8.0 LC	For Xprint-Net-Server with up to 32 logical printers, Update from Xprint 7.0 to Xprint 8.0	x	x		x	x	x	x	x	x	U11436-C546	357	
	Xprint-UGM-UP (Solaris/FSC) V8.0 LC f.	License for connection of 33 to 128 logical printers (requires Xprint-UG1 or -NET), Update from Xprint 7.0 to Xprint 8.0	x	x		x	x	x	x	x	x	U11436-C547	433	
	Xprint-UG2-UP (Solaris/FSC) V8.0 LC f.	License for connection of 129 to 256 logical printers (requires Xprint-UGM), Update from Xprint 7.0 to Xprint 8.0	x	x		x	x	x	x	x	x	U11436-C548	433	
	Xprint-UG3-UP (Solaris/FSC) V8.0 LC f.	License for connection of 257 to 512 printers (requires Xprint-UG2), Update from Xprint 7.0 to Xprint 8.0	x	x		x	x	x	x	x	x	U11436-C549	738	
	Xprint-UG4-UP (Solaris/FSC) V8.0 LC f.	License for connection of 513 to 1024 printers (requires Xprint-UG3), Update from Xprint 7.0 to Xprint 8.0	x	x		x	x	x	x	x	x	U11436-C550	667	
	Xprint-UG5-UP (Solaris/FSC) V8.0 LC f.	License for connection of 1025 to 2048 printers (requires Xprint-UG4), Update from Xprint 7.0 to Xprint 8.0	x	x		x	x	x	x	x	x	U11436-C551	556	
	Xprint-UG6-UP (Solaris/FSC) V8.0 LC f.	License for connection of 2049 to 4096 printers (requires Xprint-UG5), Update from Xprint 7.0 to Xprint 8.0	x	x		x	x	x	x	x	x	U11436-C552	556	
	Xprint-UG7-UP (Solaris/FSC) V8.0 LC f.	License for connection of 4097 to 8192 printers (requires Xprint-UG6), Update from Xprint 7.0 to Xprint 8.0	x	x		x	x	x	x	x	x	U11436-C553	556	
	Xprint-UG8-UP (Solaris/FSC) V8.0 LC f.	License for connection of 8193 to unlimited number of printers (requires Xprint-UG7), Update from Xprint 7.0 to Xprint 8.0	x	x		x	x	x	x	x	x	U11436-C554	556	
	Xprint-R/3-Kit-UP(Solaris/FSC) V8.0 LC	SAP R/3 Kit in connection with Solaris/FSC, Update from Xprint 7.0 to Xprint 8.0	x	x	x	x	x	x	x	x	x	U11436-C555	1325	
	DomainAdmin-P8 (for UNIX OS) V2.1	DomainAdmin V2.1 Licence for one PRIMEPOWER 800 or 900 system								x		U16525-C140	3016	
	DomainAdmin-P10 (for UNIX OS) V2.1	DomainAdmin V2.1 Licence for one PRIMEPOWER 1000 or 1500 System	x									U16525-C141	7937	
	Domain Monitoring GUI -UG1 V1.0	Domain Monitoring GUI -UG1 V1.0 Licence for 3 to 8 instances	x	x	x	x	x	x	x	x		U11436-C664	317	
	Domain Monitoring GUI -UG2 V1.0	Domain Monitoring GUI -UG2 V1.0 Licence for 9 to 16 instances	x	x	x	x	x	x	x	x		U11436-C665	317	
	Domain Monitoring GUI -UG3 V1.0	Domain Monitoring GUI -UG3 V1.0 Licence for 17 to 32 instances	x	x	x	x	x	x	x	x		U11436-C666	476	
	Domain Monitoring GUI -UG4 V1.0	Domain Monitoring GUI -UG4 V1.0 Licence for 33 to 64 instances	x	x	x	x	x	x	x	x		U11436-C667	714	
	DomainAdmin-PE (for UNIX OS) V2.1	DomainAdmin V2.1 Licence for all PRIMEPOWER-Systems at the same customer site	x	x		x	x	x	x	x		U16525-C143	51587	
SW Networking														
	CMX-G V6.0 NR (PRIMEPOWER) EN	License for Communications Manager UNIX V6.0 for 1 system; for PRIMEPOWER Entry and Midrange Models; Models 200 to 6xx; international		x		x	x			x		U10808-C123	778	
	CMX-GK V6.0 NR (PRIMEPOWER) EN	License for Communications Manager UNIX V6.0 for 1 system; for PRIMEPOWER High End Models, starting with Model 800; international	x						x	x	x	U10808-C124	1183	
	CMX-GU V6.0 NR (PRIMEPOWER) EN	Upgrade License for Communications Manager UNIX V6.0 for 1 system; for PRIMEPOWER Entry and Midrange Models; License for Communications Manager UNIX V6.0 for 1 system; for PRIMEPOWER High End Models, Models 200 to 6xx; international	x			x	x			x		U10808-C125	373	
	CMX-GKU V6.0 NR (PRIMEPOWER) EN	Upgrade License for Communications Manager UNIX V6.0 for 1 system; for PRIMEPOWER High End Models, starting with 800; international	x						x	x	x	U10808-C126	563	



PRIMEPOWER Options

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	System Console	Code	End User Price (£)	Comments
Options matrix														
SW Networking (Continued)														
	CCP-OSI/NEA-G V6.0 NR (PRIMEPOWER) EN	Right to Use for CCP-OSI/NEA-G V6.0 for PRIMEPOWER Systems, Models 200 to 6xx		x		x	x	x		x		U10826-C217	2381	
	CCP-OSI/NEA-GK V6.0 NR (PRIMEPOWER) EN	Right to Use for CCP-OSI/NEA-G V6.0 for PRIMEPOWER Systems, Models starting with 800	x							x		U10826-C218	3016	
	CCP-OSI/NEA-GU V6.0 NR (PRIMEPOWER) EN	Upgrade Right to Use for CCP-OSI/NEA-G V6.0 for PRIMEPOWER Entry and Midrange Models, 200 to 6xx		x		x	x	x		x		U10826-C219	952	
	CCP-OSI/NEA-GKU V6.0 NR (PRIMEPOWER) EN	Upgrade Right to Use for CCP-OSI/NEA-G V6.0 for PRIMEPOWER Systems, 800 and higher	x							x		U10826-C220	1429	
	OPENFT-SW-CD (UNIX) V8.1	Shared CD-ROM for openFT with Reliant UNIX, Soliris (SPARC) Solaris (Intel), Linux, Linux390, AIX, HP-UX, SCO OpenServer, OSF1 (Tru64), UnixWare; without licenses	x	x		x	x	x	x	x		U13806-C23	29	
	OPENFT-CR (UNIX) V8.0	Right to use Cryptographic Module; CD-ROM for use of the crypto module of openFT V8.0 und V8.1 for UNIX; valid for all UNIX platforms; this selectable unit is subject to export restriction.	x	x		x	x	x	x	x		U13806-C22	12	
	Medium for UNIX systems	Shared CD-ROM f. openFT f. RM200/300/400/600 (Reliant UNIX), Sun SPARCStation and PRIMEPOWER (Solaris), Sun (Intel), LINUX, HP-UX, AIX-UX, SCO (OpenServer), UnixWare, Compaq (Tru64); IRIX on request; without licenses	x	x		x	x	x	x	x		U13806-C21	29	
	TRANS-CP-BNR (for UNIX OS) V3 6	TRANSIT-CPIC V3.6 License for unlimited user	x	x		x	x	x	x	x		U13620-C100	852	
	OPENFT-2 (UNIX) V8.1	for using in automated unattended mode, system with 1 to 4 CPUs		x		x				x		U10987-C372	893	
	OPENFT-3 (UNIX) V8.1	for using in automated unattended mode, system extendable up to 8 CPUs					x			x		U10987-C373	1583	
	OPENFT-4 (UNIX) V8.1	for using in automated unattended mode, system extendable up to 24 CPUs						x	x	x		U10987-C374	3165	
	OPENFT-2-U (UNIX) V8.1	Update for using in automated unattended mode, system with 1 to 4 CPUs		x		x				x		U10987-C378	358	
	TRANS-CL-BNR (for UNIX OS) V3 6	TRANSIT-CLIENT V3.6 License for unlimited User	x	x		x	x	x	x	x		U13621-C42	872	
	TRANS-SV-NR (for UNIX OS) V3 6	TRANSIT-SERVER V3.6 License for one session	x	x		x	x	x	x	x		U13622-C45	40	
	TRANS-SV-BNR-PP (for UNIX OS) V3 6	TRANSIT-SERVER V3.6 Basic license incl. one session for PrimePower.	x	x		x	x	x	x	x		U13622-C48	406	
	OPENFT-2 (UNIX) V8.0	for using in automated unattended mode, system with 1 to 4 CPUs		x		x				x		U10987-C348	893	
	OPENFT-3 (UNIX) V8.0	for using in automated unattended mode, system extendable up to 8 CPUs					x			x		U10987-C349	1583	
	OPENFT-4 (UNIX) V8.0	for using in automated unattended mode, system extendable up to 24 CPUs						x	x	x		U10987-C350	3165	
	OPENFT-5 (UNIX) V8.0	for using in automated unattended mode, system extendable up to 64 CPUs	x									U10987-C351	4748	
	OPENFT-FTAM-2 (UNIX) V8.0	FTAM for using in automated unattended mode, system with 1 to 4 CPUs		x		x				x		U10987-C360	893	
	OPENFT-FTAM-3 (UNIX) V8.0	FTAM for using in automated unattended mode, system extendable up to 8 CPUs					x			x		U10987-C361	1173	
	OPENFT-FTAM-4 (UNIX) V8.0	FTAM for using in automated unattended mode, system extendable up to 24 CPUs						x	x	x		U10987-C362	2345	
	OPENFT-FTAM-2-U (UNIX) V8.0	FTAM update for using in automated unattended mode, system with 1 to 4 CPUs		x		x				x		U10987-C366	522	
	OPENFT-FTAM-3-U (UNIX) V8.0	FTAM update for using in automated unattended mode, system extendable up to 8 CPUs					x			x		U10987-C367	686	
	OPENFT-FTAM-4-U (UNIX) V8.0	FTAM update for using in automated unattended mode, system extendable up to 24 CPUs						x		x		U10987-C368	1371	

SW OLTP



PRIMEPOWER Options

Data Sheets: <http://www.fujitsu-siemens.com/primepower>

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	System Console	Code	End User Price (£)	Comments
Options matrix														
SW OLTP (Continued)														
	openUTM LU62 V50 ROU Sync1 Unx/Win-Sys	Right Of Use 1 Unix/NT System Synchronisation Level 0/1 Connection without Transaction Security	x	x		x	x	x	x	x		U13655-C26	11362	
	openUTM LU62 V50 ROU Sync2 Unx/Win-Sys	Right Of Use 1 Unix/NT System Synchronisation Level 2 Connection with Transaction Security	x	x		x	x	x	x	x		U13655-C27	22724	
	openUTM LU62 V50 ROU UD Sync1 Unx/Win	Right Of Use Update 1 Unix/NT System , Synchronisation Level 0/1 Connection , without Transaction Security	x	x		x	x	x	x	x		U13655-C28	3977	
	openUTM LU62 V50 ROU UD Sync2 Unx/Win	Right Of Use Update 1 Unix/NT System , Synchronisation Level 2 Connection , with Transaction Security	x	x		x	x	x	x	x		U13655-C29	7953	
SW Compilers & Tools														
	COB_SE V4.0 SW 1 User (Sol)	COBOL Server Express V4.0, Right to Use for 1 User (Solaris), Data Medium (CD) and Manuals on CD	x	x		x	x	x	x	x		U24539-C641	3617	
	COB_AS V4.0 SW 10cUsr (Sol)	COBOL Application Server V4.0, Right to Use for 10 Concurrent Users (Solaris), Data Medium (CD) and Manuals on CD	x	x		x	x	x	x	x		U24539-C642	2067	
	COB_AS V4.0 SW 10nUsr (Sol)	COBOL Application Server V4.0, Right to Use for 10 Authorized Users (Solaris), Data Medium (CD) and Manuals on CD	x	x		x	x	x	x	x		U24539-C643	775	



Positioning PRIMEQUEST



PRIMERGY

PRIMEQUEST servers are mission critical IA servers which enable customers to realize the economic benefits and flexibility of Linux and Windows industry standards while preserving all the attributes for mission critical datacenter services. Combining the power of 64 bit Intel® Itanium®2 processors, the standard specifications of Microsoft Windows and Linux operating systems and the wealth of market solutions with innovative fault immune system architecture for highest availability and business continuity, PRIMEQUEST servers provide a new operational efficiency for business critical computing with truly open standards. They meet the demands of customers to expand the reach of open industry standards to include mission critical enterprise operations.



PRIMEQUEST 580A

Data Sheets: <http://www.fujitsu-siemens.com/PRIMEQUEST>

The new PRIMEQUEST 580A is best choice for enterprises that are looking for a mission critical Intel® Itanium® based Linux or Windows platform to provide highest availability, robust performance and enhanced flexibility plus optimum resource usage.

Typical application areas for PRIMEQUEST 580A include large to largest-scale database systems and online transaction processing (OLTP) environments that require a fail-safe mission critical platform with flexibility for future growth.

PRIMEQUEST 580A offers flexible and scalable configuration capabilities for up to 32 Dual-Core processors and belonging I/O resources in a space-saving system cabinet. Automatic reconfiguration and flexible partitioning with up to 16 fail-safe, hardware isolated partitions using eXtended PARTitioning (XPAR) provide optimum resource usage with multiple OS instances.

The advanced system architecture incorporates two innovative key technologies that provide highest availability in a single system:

Mirror Mode and Flexible I/O (FIO).

With Mirror Mode, crossbar interconnects and memory modules can operate in duplex mode to isolate faults without causing a system halt, i.e. not influencing the IT production. FIO allows on demand reallocation of I/O resources to specific processing resources, which enables I/O to match throughput and performance requirements.

Enhanced performance (compared to the predecessors) and reliability of the new Dual-Core Intel® Itanium® 9100 series, large main memory capacities up to 2 Tbyte, high speed crossbar interconnect (up to 170 Gbyte/s throughput) and low memory latencies satisfy huge system and application bandwidth demands.

Model	Description	Details	Code	Partner Price (£)	Trade Guide Price (£)	End User Price (£)	Comments
Base unit configurations							
Primequest 580A							
	PQ Base-Unit PRIMEQUEST 580A	The PRIMEQUEST 580A, 32socket base cabinet contains:, Crossbar, 8x slots for System Boards, NO SB included, 8x slots for IOU, NO IOU included, 2x Management Board (MMB), 2x slots for GSWB, NO GSWB included, 1x KVMU incl. DVD drive , PSUs, Fans	D:00-MC5C0P311S	101190	106516	134921	
	PQ580A pkg with 8x Itanium 1.66GHz/8MB		D:01-MC5C0P311S	178571	187969	238095	
	PQ580A pkg with 8x Itanium 1.66GHz/24MB		D:02-MC5C0P311S	255952	269423	341270	
	PQ580A pkg with 16x Itanium 1.66GHz/8MB		D:03-MC5C0P311S	273810	288221	365079	
	PQ580A pkg with 16x Itanium 1.66GHz/24M		D:04-MC5C0P311S	410714	432331	547619	
	PQ580A pkg with 24x Itanium 1.66GHz/8MB		D:05-MC5C0P311S	369048	388472	492063	
	PQ580A pkg with 24x Itanium 1.66GHz/24M		D:06-MC5C0P311S	565476	595238	753968	
	PQ580A pkg with 32x Itanium 1.66GHz/8MB		D:07-MC5C0P311S	464286	488722	619048	
	PQ580A pkg with 32x Itanium 1.66GHz/24M		D:08-MC5C0P311S	720238	758145	960317	



PRIMEQUEST Accessories

Data Sheets: <http://www.fujitsu-siemens.com/PRIMEQUEST>

Category	Description	Details	Primequest 420	Primequest 440	Primequest 480	Primequest 520	Primequest 540	Primequest 580	Primequest 580A	Primequest IO box	Code	End User Price (£)	Comments
Accessories & services matrix													
Rack-Infrastructure													
	USB Cable 5m Connector A-B	USB cable kit for direct connection between RC23 and PQ	x	x	x	x	x	x	x		T26139-Y2660-L5	12	
PRIMERGY-Software													
	Win Server 2008 Itanium 4CPU					x	x	x	x		S26361-F2565-L190	4028	Orderable from: 30/09/2008
	Win Server 2008 Itanium 4CPU for AddProc					x	x	x	x		S26361-F2565-L191	4028	Orderable from: 30/09/2008
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual				x	x	x	x		S26361-F2565-L140	16	
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual				x	x	x	x		S26361-F2565-L141	74	
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual				x	x	x	x		S26361-F2565-L142	16	
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual				x	x	x	x		S26361-F2565-L143	74	
OS/Application-SW													
	ARCserve r11.5 NetWare Open File Agent	ARCserve r11.5 Agent for Open Files on NetWare; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp								x	U15355-C710	631	



PRIMEQUEST Services

Data Sheets: <http://www.fujitsu-siemens.com/PRIMEQUEST>

Category	Description	Details	Primequest 420	Primequest 440	Primequest 480	Primequest IO box	Code	End User Price (£)	Comments
Accessories & services matrix									
Professional Services									
	PRIMERGY RX100 - RX600 Standard Implm.	System Implementation Service, Standard "PRIMERGY RX100, RX300, RX450, RX600 Implementation"	x	x	x	x	CPS:PR-INT-21021FX	480	
	Addit.PPIMERGY RX100-RX600 Stand.Impl.	System Implementation Service, Standard "PRIMERGY RX100, RX300, RX450, RX600 Implementation"; Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x	CPS:PR-INT-21022FX	240	
	PRIMERGY BX600 Standard Implementation	System Implementation Service, Standard "PRIMERGY BX600 Implementation" (up to 10 blades)'	x	x	x	x	CPS:PR-INT-21023FX	1080	
	Additional PR. BX600 Standard Implement.	System Implementation Service, PRIMERGY BX600 Standard Implementation (up to 10 blades); Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x	CPS:PR-INT-21024FX	540	
	PRIMERGY RX800 Standard Implementation	System Implementation Service, PRIMERGY RX 800 Standard Implementation 1st SYSTEM	x	x	x	x	CPS:PR-INT-21025FX	960	
	Additional PR.RX800 Standard Implement.	System Implementation Service, PRIMERGY RX 800 Standard Implementation. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x	CPS:PR-INT-21026FX	480	
	PRIMERGY RX100-RX600 Advanced Implement.	System Implementation Service, PRIMERGY RX100, RX300,RX450 & RX600 Advanced Implementation'	x	x	x	x	CPS:PR-INT-21027FX	750	
	Addit.PRIMERGY RX100-RX600 Adv.Implement	System Implementation Service, PRIMERGY RX100, RX300,RX450 & RX600 Advanced Implementation. Additional systems AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x	CPS:PR-INT-21028FX	375	
	PRIMERGY BX600 Advanced Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation (including 1st blade)'	x	x	x	x	CPS:PR-INT-21029FX	1440	
	Additional PR. BX600 Adv Implement.	System Implementation Service, PRIMERGY BX600 Advanced Implementation (including 1st blade). Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x	CPS:PR-INT-21030FX	720	
	PRIMERGY BX600 Blade Advanced Implement.	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITHOUT Remote Deploy Software 1st SYSTEM	x	x	x	x	CPS:PR-INT-21031FX	120	
	Add. PRIM. BX600 Blade Advanced Implem.	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITHOUT Remote Deploy Software. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x	CPS:PR-INT-21032FX	60	



PRIMEQUEST Services

Data Sheets: <http://www.fujitsu-siemens.com/PRIMEQUEST>

Category	Description	Details	Primequest 420	Primequest 440	Primequest 480	Primequest IO box	Code	End User Price (£)	Comments
Accessories & services matrix									
Professional Services (Continued)									
	PRIM.X600 Blade Depl. Adv.Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITH Remote Deploy Software 1st SYSTEM	x	x	x	x	CPS:PR-INT-21033FX	60	
	Add.BX600 Blade Depl. Adv.Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITH Remote Deploy Software. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x	CPS:PR-INT-21034FX	30	
	PRIMERGY RX800 Advanced Implementation	System Implementation Service, PRIMERGY RX800 Advanced Implementation'	x	x	x	x	CPS:PR-INT-21035FX	1500	
	Additional PR. RX800 Advanced Implement.	System Implementation Service, PRIMERGY RX800 Advanced Implementation. Additional system AT SAME SITE AS 1st SYSTEM	x	x	x	x	CPS:PR-INT-21036FX	750	



PRIMEQUEST Options

Data Sheets: <http://www.fujitsu-siemens.com/PRIMEQUEST>

Category	Description	Details	Primequest 420	Primequest 440	Primequest 480	Primequest 520	Primequest 540	Primequest 580	Primequest 590A	Primequest IO box	Code	End User Price (£)	Comments
Accessories & services matrix													
Rack-Infrastructure													
	USB Cable 5m Connector A-B	USB cable kit for direct connection between RC23 and PQ	x	x	x	x	x	x	x	x	T26139-Y2660-L5	12	
PRIMERGY-Software													
	Win Server 2008 Itanium 4CPU					x	x	x	x		S26361-F2565-L190	4028	Orderable from: 30/09/2008
	Win Server 2008 Itanium 4CPU for AddProc					x	x	x	x		S26361-F2565-L191	4028	Orderable from: 30/09/2008
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual				x	x	x	x		S26361-F2565-L140	16	
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual				x	x	x	x		S26361-F2565-L141	74	
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual				x	x	x	x		S26361-F2565-L142	16	
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual				x	x	x	x		S26361-F2565-L143	74	
OS/Application-SW													
	ARCserve r11.5 NetWare Open File Agent	ARCserve r11.5 Agent for Open Files on NetWare; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp								x	U15355-C710	631	
Professional Services													
	PRIMERGY RX100 - RX600 Standard Implem.	System Implementation Service, Standard "PRIMERGY RX100, RX300, RX450, RX600 Implementation"	x	x	x					x	CPS:PR-INT-21021FX	480	
	Addit.PPIMERGY RX100-RX600 Stand.Impl.	System Implementation Service, Standard "PRIMERGY RX100, RX300, RX450, RX600 Implementation"; Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x					x	CPS:PR-INT-21022FX	240	
	PRIMERGY BX600 Standard Implementation	System Implementation Service, Standard "PRIMERGY BX600 Implementation" (up to 10 blades)	x	x	x					x	CPS:PR-INT-21023FX	1080	
	Additional PR. BX600 Standard Implement.	System Implementation Service, PRIMERGY BX600 Standard Implementation (up to 10 blades); Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x					x	CPS:PR-INT-21024FX	540	
	PRIMERGY RX800 Standard Implementation	System Implementation Service, PRIMERGY RX 800 Standard Implementation 1st SYSTEM	x	x	x					x	CPS:PR-INT-21025FX	960	
	Additional PR.RX800 Standard Implement.	System Implementation Service, PRIMERGY RX 800 Standard Implementation. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x					x	CPS:PR-INT-21026FX	480	
	PRIMERGY RX100-RX600 Advanced Implement.	System Implementation Service, PRIMERGY RX100, RX300,RX450 & RX600 Advanced Implementation'	x	x	x					x	CPS:PR-INT-21027FX	750	
	Addit.PRIMERGY RX100-RX600 Adv.Implement	System Implementation Service, PRIMERGY RX100, RX300,RX450 & RX600 Advanced Implementation. Additional systems AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x					x	CPS:PR-INT-21028FX	375	



PRIMEQUEST Options

Data Sheets: <http://www.fujitsu-siemens.com/PRIMEQUEST>

Category	Description	Details	Primequest 420	Primequest 440	Primequest 480	Primequest 520	Primequest 540	Primequest 580	Primequest 580A	Primequest IO box	Code	End User Price (£)	Comments
Accessories & services matrix													
Professional Services (Continued)													
	PRIMERGY BX600 Advanced Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation (including 1st blade)'	x	x	x					x	CPS:PR-INT-21029FX	1440	
	Additional PR. BX600 Adv Implement.	System Implementation Service, PRIMERGY BX600 Advanced Implementation (including 1st blade). Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x					x	CPS:PR-INT-21030FX	720	
	PRIMERGY BX600 Blade Advanced Implement.	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITHOUT Remote Deploy Software 1st SYSTEM	x	x	x					x	CPS:PR-INT-21031FX	120	
	Add. PRIM. BX600 Blade Advanced Implem.	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITHOUT Remote Deploy Software. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x					x	CPS:PR-INT-21032FX	60	
	PRIM.X600 Blade Depl. Adv.Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITH Remote Deploy Software 1st SYSTEM	x	x	x					x	CPS:PR-INT-21033FX	60	
	Add.BX600 Blade Depl. Adv.Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITH Remote Deploy Software. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x					x	CPS:PR-INT-21034FX	30	
	PRIMERGY RX800 Advanced Implementation	System Implementation Service, PRIMERGY RX800 Advanced Implementation'	x	x	x					x	CPS:PR-INT-21035FX	1500	
	Additional PR. RX800 Advanced Implement.	System Implementation Service, PRIMERGY RX800 Advanced Implementation. Additional system AT SAME SITE AS 1st SYSTEM	x	x	x					x	CPS:PR-INT-21036FX	750	



Positioning Storage Disk Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>



**FibreCAT SX80
iSCSI**

The FibreCAT SX80 iSCSI is the new iSCSI model of the FibreCAT SX family and a complete new model to the range.



FibreCAT NX40 S4

The FibreCAT NX40 S4 system is a file and print server for small and medium-sized enterprises. The system is very reliable and attractively priced



FibreCAT SX40

FibreCAT SX40 extends storage capacity and eliminates bottlenecks



FibreCAT SX60

The FibreCAT SX60 is the perfect system for small and medium sized companies. It offers large storage capacity with 1-2 enclosures.



FibreCAT SX80

The FibreCAT SX80 is the perfect storage system for the data center. The FibreCAT SX80 offers enterprise class reliability as well as snapshot functionality.



FibreCAT SX88

The FibreCAT SX88 is the premium model of the FibreCAT SX storage series. The FibreCAT SX88 complements the successful FibreCAT SX80 technology but provides even more performance and is thus up to 50% faster.



FibreCAT CX3

The FibreCAT CX3 UltraScale series delivers on optimized performance combined with outstanding scalability and offers a valuable investment protection. Proven software tools guarantee highest data protection.



FibreCAT CX300

Entry-level storage system with more capacity and new software functionalities for different server environments.



CentricStor FS

CentricStor FS (File Services) – Consolidated file services with unprecedented speed and reliability



FibreCAT NX40

Data Sheets: <http://www.fujitsu-siemens.com/storage>

The FibreCAT NX40 S4 system is a file and print server for small and medium-sized enterprises. Owing to their excellent quality and reliability, the systems offer an excellent range of possible applications in departments and field offices.

The FibreCAT NX40 S4 is a rack housing model that comprises just two height units (2HE). The system can be equipped with SATA II or high-performance SAS hard disks and in its full configuration offers a storage capacity of 4.5 TB (with 6 x 750GB SATA II hard disk). External storage systems can be added on via a fiber channel (FC) or SAS interface to increase the capacity of the system allowing the system to therefore function as a SAN/NAS gateway for the FibreCAT SX family. The FibreCAT NX40 S4 is also optionally available with iSCSI functionality.

The FibreCAT NX40 S4 systems are equipped with the Windows Storage Server 2003 R2 operating system, offering sophisticated and useful additional functions for the file and print server area. The system come pre-tested, pre-installed and pre-configured and can therefore be ready for use in just a few minutes.

Model	Description	Details	Code	End User Price (£)	Comments
Standard products					
FibreCAT NX40 S4					
	FIBRECAT NX40 S4 /XEON 2.50 GHZ/		LKN:GBR1151901-001	4919	
	FIBRECAT NX40 S4 /1GB MEM/2X 73GB SAS/	FIBRECAT NX40 S4 /1GB MEM/2X 73GB SAS/ FC 1CH LPE1150 LP/RMK-F1_1-2U SERVER/ CABLE A.3RDPART/RECOVERY KIT/ , NAS/SAN Gateway for FibreCAT SX60/SX80/SX88 and FibreCAT CX3-xx	LKN:INT1151901-001	3399	
	FIBRECAT NX40 S4 /1GB MEM/6X 300GB/	FIBRECAT NX40 S4 /1GB MEM/6X 300GB/ RMK-F1_1-2U SERVER/CABLE A.3RDPART/ RECOVERY KIT/ , FibreCAT NX40 S4 with 1,8TB Storage capacity (6 x 300GB SAS Disk)	LKN:INT1151901-002	4964	
	FIBRECAT NX40 S4 /1GB MEM/6X 750GB/	FIBRECAT NX40 S4 /1GB MEM/6X 750GB/ RMK-F1_1-2U SERVER/CABLE A.3RDPART/ RECOVERY KIT/ , FibreCAT NX40 S4 with 4,5TB Storage capacity (6 x 750GB SATA Disk)	LKN:INT1151901-003	4056	

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
FibreCAT NX40 S4					
	FibreCAT NX40 S4 Base Unit	FibreCAT NX40 Base Unit:, - 2 HE 19" Rack Unit , - Xeon DP5420 2.50 GHz 2x6MB 1333MHz, - place for a 2nd CPU, - redundant power supply, - DVD/RW drive, - LSI MegaRAID Controller 256MB with BBU, - max. 4 GB MEM possible , - 6x PCIe Slots, 1x PCI-X Slot, - 6 slots for Disks, - Different FC HBA are released (2Gbit/s and 4Gbit/s) , - Released RAID systems: SX40, SX60, SX80, SX88, CX3-10 / 20 / 40 , - Optional iSCSI SW, - Rack Mounting Kit and Cabel Management optional.	D:FCNX40-S4	2378	



FibreCAT SX40

Data Sheets: <http://www.fujitsu-siemens.com/storage>

The FibreCAT SX40 SAS storage subsystem is a passive, directly connectable system for data storage or expanding the hard disk capacity of connected PRIMERGY servers. With a height of 2U, the FibreCAT SX40 subsystem meets the requirements for a compact design with high hard disk capacity in 19-inch rack infrastructures. Up to 12 SAS hard disks offer a total maximum capacity of 3.6 Tbytes in an external housing. Cascading of up to 3 FibreCAT SX40s via the second SAS x4 link permits expansion to a maximum of 10.8 Tbytes of external hard disk capacity.

In the FibreCAT SX40 storage subsystem, the active components – hot-plug hard disks and hot-plug power supply modules – can be replaced while the server is running. The redundant hot-plug power supply units can be connected with phase redundancy via separate power lines. Optimum and secure cooling of the hard disks is ensured by 2 independent fans in each power supply unit.

Model	Description	Details	Code		End User Price (£)	Comments
Base unit configurations						
FibreCAT SX40						
	FibreCAT SX40 SAS Disk Subsystem	19" rack mountable storage expansion unit (2U) for 12 hot replace SAS HD incl. rack mounting kit, 1x SAS input/output module and redundant hot plug power supplies with power cords.	S26361-K1122-V200		1635	



FibreCAT CX3

Data Sheets: <http://www.fujitsu-siemens.com/storage>

The FibreCAT CX3 UltraScale Series – new levels of performance, scalability and ease-of-use

The FibreCAT CX3 UltraScale series excels in high performance, outstanding levels of scale, flexible configurations, and high integrity. State-of-the-art technology with Pentium 4 Xeon CPUs, high-capacity cache and PCI Express based storage processors allows highest processing power. Proven software tools offer powerful secure management utilities and safeguards to ensure continuous data availability and integrity. The product family, consisting of the models FibreCAT CX3-20, FibreCAT CX3-40 and FibreCAT CX3-80 scales from 365 GB to 239TB in a modular fashion. The smaller systems as well as systems from previous FibreCAT CX generations can be upgraded by simply swapping storage processor enclosures. Thus, former investments in FibreCAT CX and FibreCAT CX3 hardware, software and training keep their value. FibreCAT CX3 systems are the perfect fit for storage integration into open systems environments from Fujitsu Siemens Computers.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
FibreCAT CX3 ExpansionShelf					
	FibreCAT CX3-10 BasisMod. S4 5x1TB/7.2k	High-Availability-HDD-Frame 19", 3 high units,, 5 * SATA II 1TB/7.2K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:., Power consumption and weightiness of the product are counted into the values of the processorModule.	D:FCX3-10-S1T	11905	
	FibreCAT CX S4 Disk Ext. Frame, empty	High-Availability-HDD-Frame 19", 3 high units, Empty shelf, extendable up to 15 HDD, 2 Power Supplies, 2 Standby-Emergency-Electricity-Supplies, 2 AC-Distributors and assembly material., 2 Interlink cable (FC2-HSSDC), Point to Point connection with 4GBit Switch for each drive.	D:FCXS4D-00D	3603	
	FibreCAT CX3 Expansion. 15* 1TB/5K4	High-Availability-HDD-Frame 19", 3 high units,, 15 * 1TB/5.4K HDD, 4GBit/s Switch (Switched Backend) 2 Power Supplies,	D:FCXS4D15-3S1T	29504	Orderable from: 15/09/2008
	FibreCAT CX3-10 BasisMod. S4 5x300GB/15k	High-Availability-HDD-Frame 19", 3 high units,, 5 * 300GB/15K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:., Power consumption and weightiness of the product are counted into the values of the processorModule.	D:FCX3-10-300F	11365	
	FibreCAT CX3-20 BasisMod. S4 5x300GB/15k	High-Availability-HDD-Frame 19", 3 high units,, 5 * 300GB/15K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:., Power consumption and weightiness of the product are counted into the values of the processorModule.	D:FCX3-20-300F	12135	



FibreCAT CX3

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
FibreCAT CX3 ExpansionShelf (Continued)					
	FibreCAT CX3-40 BasisMod. S4 5x300GB/15k	High-Availability-HDD-Frame 19", 3 high units,, 5 * 300GB/15K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:., Power consumption and weightiness of the product are counted into the values of the ProcessorModule.	D:FCX3-40-300F	12135	
	FibreCAT CX3-80 BasisMod. S4 5x300GB/15k	High-Availability-HDD-Frame 19", 3 high units,, 5 * 300GB/15K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:., Power consumption and weightiness of the product are counted into the values of the ProcessorModule.	D:FCX3-80-300F	12135	
	FibreCAT CX3-10 BasisMod. S4 5x146GB/15k	High-Availability-HDD-Frame 19", 3 high units,, 5 * 146GB/15K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:., Power consumption and weightiness of the product are counted into the values of the processorModule.	D:FCX3-10-146F	9044	
	FibreCAT CX3-20 BaseUnit S4 5x146GB/15k	High-Availability-HDD-Frame 19", 3 high units,, 5 * 146GB/15K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:., Power consumption and weightiness of the product are counted into the values of the processorModule., .	D:FCX3-20-146F	9079	
	FibreCAT CX3-40 BaseUnit S4 5x146GB/15k	High-Availability-HDD-Frame 19", 3 high units,, 5 * 146GB/15K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:., Power consumption and weightiness of the product are counted into the values of the ProcessorModule.	D:FCX3-40-146F	9079	
	FibreCAT CX3-80 BaseUnit S4 5x146GB/15k	High-Availability-HDD-Frame 19", 3 high units,, 5 * 146GB/15K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:., Power consumption and weightiness of the product are counted into the values of the ProcessorModule.	D:FCX3-80-146F	9079	



FibreCAT CX3

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
FibreCAT CX3 ExpansionShelf (Continued)					
	FibreCAT CX3-10 BasisMod. S4 5x73GB/15k	High-Availability-HDD-Frame 19", 3 high units,, 5 * 73GB/15K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:., Power consumption and weightiness of the product are counted into the values of the processorModule.	D:FCX3-10-73F	7135	
	FibreCAT CX3-20 BaseUnit S4 5x73GB/15k	High-Availability-HDD-Frame 19", 3 high units,, 5 * 73GB/15K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:., Power consumption and weightiness of the product are counted into the values of the processorModule.	D:FCX3-20-73F	7115	
	FibreCAT CX3-40 BaseUnit S4 5x73GB/15k	High-Availability-HDD-Frame 19", 3 high units,, 5 * 73GB/15K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:., Power consumption and weightiness of the product are counted into the values of the ProcessorModule.	D:FCX3-40-73F	7115	
	FibreCAT CX3-80 BaseUnit S4 5x73GB/15k	High-Availability-HDD-Frame 19", 3 high units,, 5 * 73GB/15K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:., Power consumption and weightiness of the product are counted into the values of the ProcessorModule.	D:FCX3-80-73F	7115	
	FibreCAT CX3-10 BasisMod. S4 5x750G/7.2k	High-Availability-HDD-Frame 19", 3 high units,, 5 * SATA II 750GB/7.2K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:., Power consumption and weightiness of the product are counted into the values of the processorModule.	D:FCX3-10-S750	9667	
	FibreCAT CX3-10 BasisMod. S4 5x500G/7.2k	High-Availability-HDD-Frame 19", 3 high units,, 5 * SATA II 500GB/7.2K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:., Power consumption and weightiness of the product are counted into the values of the processorModule.	D:FCX3-10-S500	8667	
FibreCAT CX3-10C					



FibreCAT CX3

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
FibreCAT CX3-10C (Continued)					
	FibreCAT CX3-10C StorageProcessorSet	High-Availability-RAID-System-Frame 19", 1 height units, 2 RAID-Controller each with 1 GB Cache 1 Port 4GBit/s (BackEnd Ports, 2 Ports 4 GBit/s and 2 Ports 1 GBit/s ISCSI (FrontEnd). Port Multimode-Connector (SFP), 1 HE SPS (Accu Box)	D:FCX3-10C-SPE	7877	
FibreCAT CX3-20					
	FibreCAT CX3-20F StorageProcessorSet	High-Availability-RAID-System-Frame 19", 1 height units, 2 RAID-Controller each with 2 GB Cache and 6 FrontEnd Ports and 1 BackEnd Port., 1 HE SPS (Accu Box)	D:FCX3-20F-SPE	10119	
FibreCAT CX3-20C					
	FibreCAT CX3-20C StorageProcessorSet	High-Availability-RAID-System-Frame 19", 1 height units, 2 RAID-Controller each with 2 GB Cache and 2 FC-Ports with Multimode Connection (SFP) and 1 hight SPS (Accu Box)	D:FCX3-20C-SPE	10198	
FibreCAT CX3-40					
	FibreCAT CX3-40F StorageProcessorSet	High-Availability-RAID-System-Frame 19", 1 height units, 2 RAID-Controller each with 4 GB Cache and 4 BackEnd Ports and 4 FrontEnd Port., 1 HE SPS (Accu Box)	D:FCX3-40F-SPE	25631	
FibreCAT CX3-40C					
	FibreCAT CX3-40C StorageProcessorSet	High-Availability-RAID-System-Frame 19", 1 height units, 2 RAID-Controller each with 4 GB Cache and 2 FC-Ports 4GBit/s swith Multimode Connection (SFP) and 1 hight SPS (Accu Box)	D:FCX3-40C-SPE	25825	
FibreCAT CX3-80					
	FibreCAT CX3-80 StorageProcessorSet	High-Availability-RAID-System-Frame 19", 4 height units, 2 RAID-Controller each with 8GB Cache and 4 FC-Ports 4GBit/s swith Multimode Connection (SFP) and 2 hight SPS (Accu Box)	D:FCX3-80SPE	50794	



FibreCAT SX60

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Entry-level FibreCAT storage system

The FibreCAT SX60 is the perfect system for small and medium sized companies. It offers large storage capacity with 1-2 enclosures.

The FibreCAT SX60 offers enterprise class reliability. Of course all this comes at a very affordable price. In addition it features FibreCap technology to protect the RAID controller cache in case of power failure. The FibreCAT SX60 is a fast storage system. This comes from brand new 4Gbit per second Fibre Channel technology and FibreCache. Plus the system can be set up quickly and easily.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
FibreCAT SX60					
	Base Unit FibreCAT SX60	FibreCAT S60 Base Unit incl., 1x SX 60 RAID-Controller., 2x redundant Power Supplies with 2.5m power cords., 12 SATA HDD bays, , 1 bays for 2nd RAID-Controller., 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX60-BASE	2247	
	FibreCAT SX60 APAK 5x 250GB	FibreCAT SX60 package:, 1x SX 60 RAID-Controller., 5x SATA HDD 250GB, certification paper for:, Windows, Linux and VMWare, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords., 1 bays for 2nd RAID-Controller., 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX60P1-250-5	2536	
	FibreCAT SX60 APAK 5x 500GB	FibreCAT SX60 package:, 1x SX 60 RAID-Controller., 5x SATA HDD 500GB, certification paper for:, Windows, Linux and VMWare, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords., 1 bays for 2nd RAID-Controller., 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX60P2-500-5	2998	
	FibreCAT SX60 APAK 2x 750GB	FibreCAT SX60 package:, 1x SX 60 RAID-Controller., 2x SATA HDD 750GB, certification paper for:, Windows, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords., 1 bays for 2nd RAID-Controller., 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX60P4-750-2	2541	
	FibreCAT SX60 APAK 2x 250GB	FibreCAT SX60 package:, 1x SX 60 RAID-Controller., 2x SATA HDD 250GB, certification paper for:, Windows, Linux and VMWare, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords., 1 bays for 2nd RAID-Controller., 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX60P5-250-2	2301	Phased out
	FibreCAT SX60 AP 1x500GB SATA for free	FibreCAT SX60 package:, 1x SX 60 RAID-Controller., 3x SATA HDD 500GB, certification paper for:, Windows., connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords., 1 bays for 2nd RAID-Controller., 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX60P6-ILM	2639	
FibreCAT SX60 Expansion					
	Expansion Shelf FibreCAT SX60	FibreCAT SX60 Expansion Shelf incl. , 1x I/O Module, 1x Cascading Cable, , 2x redundant Power Supplies with 2.5m power cords, , 12 SATA HDD bays, , 2 bays for I/O Module., RAIL-Kit to install into a Rack.	D:FCSX60-EXPN	1841	



FibreCAT SX80

Data Sheets: <http://www.fujitsu-siemens.com/storage>

The FibreCAT SX80 is the perfect storage system for the data center. The FibreCAT SX80 offers enterprise class reliability as well as snapshot functionality.

All this comes at a very affordable price. It features FibreCap technology to protect the RAID controller cache in case of power failure. The FibreCAT SX80 is a fast storage system. This results from brand new 4 Gigabit per second Fibre Channel technology, FibreCache, and the latest 15k SAS drives. Plus it can be set up quickly and easily.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
FibreCAT SX80					
	Base Unit FibreCAT SX80	FibreCAT SX80 Base Unit incl., 1x SX80 RAID-Controller,, 2x redundant Power Supplies with 2.5m power cords,, 12 SATA / SAS HDD bays, , 1 bays for 2nd RAID-Controller,, 4 Snapshots, RAIL-Kit to install into a Rack	D:FCSX80-BASE	2710	
	FibreCAT SX80 AP 1x500GB SATA for free	FibreCAT SX80 package:, 2x SAS HDD 300 GB, 1x SATA 500 GB, 1x RAID Controller, certification paper for:, Windows, connect to PRIMERGY, In the complete FibreCAT SX80 configuration max. 56 hard disks are supported!!, 2x redundant Power Supplies with 2.5m power cords,, 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX80P10-ILM	3414	
	FibreCAT SX80 AP 5x 250GB, 2 RD Contr.	FibreCAT SX80 package:, 5x SATA HDD 250GB, 2nd RAID Controller, certification paper for:, Windows, Linux and VMWare, connect to PRIMERGY, In the complete FibreCAT SX80 configuration max. 56 hard disks are supported!!, , 2x redundant Power Supplies with 2.5m power cords,, 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX80P1-250-5	4507	Phased out
	FibreCAT SX80 AP 5x 500GB, 2 RD Contr.	FibreCAT SX80 package:, 5x SATA HDD 500GB, 2nd RAID Controller, In the complete FibreCAT SX80 configuration max. 56 hard disks are supported!!, certification paper for:, Windows, Linux and VMWare, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords,, 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX80P2-500-5	5071	
	FibreCAT SX80 AP 5x 73GB, 2 RD Contr.	FibreCAT SX80 package:, 5x SAS HDD 73GB, 2nd RAID Controller, In the complete FibreCAT SX80 configuration max. 56 hard disks are supported!!, certification paper for:, Windows, Linux and VMWare, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords,, 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX80P3-73-5	5191	
	FibreCAT SX80 AP 5x 146 GB, 2 RD Contr.	FibreCAT SX80 package:, 5x SAS HDD 146GB, 2nd RAID Controller, In the complete FibreCAT SX80 configuration max. 56 hard disks are supported!!, certification paper for:, Windows, Linux and VMWare, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords,, 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX80P4-146-5	5150	



FibreCAT SX80

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
FibreCAT SX80 (Continued)					
	FibreCAT SX80 APAK 2x 300GB	FibreCAT SX80 package:, 2x SAS HDD 300GB, 1x RAID Controller, In the complete FibreCAT SX80 configuration max. 56 hard disks are supported!!, certification paper for:, Windows, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords,, 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX80P7-300-2	3257	
	FibreCAT SX80 APAK 2x 250GB	FibreCAT SX80 package:, 2x SATA HDD 250GB, 1x RAID Controller, In the complete FibreCAT SX80 configuration max. 56 hard disks are supported!!, certification paper for:, Windows, Linux and VMWare, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords,, 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX80P8-250-2	2739	Phased out
	FibreCAT SX80 APAK 2x 750GB	FibreCAT SX80 package:, 2x SATA HDD 750 GB, 1x RAID Controller, In the complete FibreCAT SX80 configuration max. 56 hard disks are supported!!, certification paper for:, Windows, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords,, 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX80P9-750-2	4137	
	FibreCAT SX80 VFY 3x 146GB		VFY: SX800XF010IN	4379	New product
	FibreCAT SX80 VFY 2x 500GB		VFY: SX800XF020IN	2935	New product
	FibreCAT SX80 VFY 2x 300GB		VFY: SX800XF030IN	3327	New product
	FibreCAT SX80 VFY 5x 146GB		VFY: SX800XF040IN	4888	New product
	FibreCAT SX80 VFY 3x 146GB		VFY: SX800XF070IN	4379	New product
	FibreCAT SX80 VFY 2x 146GB		VFY: SX800XF080IN	4124	New product
FibreCAT SX80 Expansion					
	Expansion Shelf FibreCAT SX80	FibreCAT SX80 Expansion Shelf incl., 1x I/O Module, 1x Cascading Cable,, 2x redundant Power Supplies with 2.5m power cords, , 12 SATA / SAS HDD bays, , 2 bays for I/O Module, , RAIL-Kit to install into a Rack	D:FCSX80-EXPN	1241	
FibreCAT SX80 iSCSI					
	Base Unit FibreCAT SX80 iSCSI	FibreCAT SX80 iSCSI Base Unit incl., 1x SX80 iSCSI RAID-Controller,, 2x redundant Power Supplies with 2.5m power cords,, 12 SATA / SAS HDD bays, , 1 bays for 2nd RAID-Controller,, 4 Snapshots, RAIL-Kit to install into a Rack	D:FCSX80I-BASE	2725	
	FibreCAT SX80i APAK 3x 146 GB	FibreCAT SX80i package,, 3x SAS HDD 146GB, 1 RAID Controller, In the complete FibreCAT SX80i configuration max. 56 hard disks are supported!!, certification paper for:, Windows, VMware, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords,, 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX80IP-146-3	3360	
	FibreCAT SX80i APAK 5x 146 GB	FibreCAT SX80i package,, 5x SAS HDD 146GB, 1 RAID Controller, In the complete FibreCAT SX80i configuration max. 56 hard disks are supported!!, certification paper for:, Windows, VMware, LINUX, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords,, 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX80IP-146-5	3618	
	FibreCAT SX80i VFY 2x 1TB		VFY: SX800XF050IN	4451	New product
	FibreCAT SX80i VFY 3x 146GB		VFY: SX800XF060IN	4379	New product

FibreCAT SX80 iSCSI

Data Sheets: <http://www.fujitsu-siemens.com/storage>

The FibreCAT SX80 iSCSI – cost-effective entry product for SAN

The FibreCAT SX80 iSCSI is the new iSCSI model of the FibreCAT SX family and a complete new model to the range. Up until now, FibreCAT SX machines have worked with our ready-proven FibreChannel technology, which has been developed over a number of years. The FibreCAT SX80 iSCSI connects to the server via iSCSI, whilst it uses the cost-effective TCP/IP infrastructure. IP switches and Server Cards are generally not as expensive as FibreChannel infrastructure. No specialist expertise is needed to install and run the system. It is therefore now possible for small and medium firms to embrace storage network technology, whereas before it may not have been viable financially. Also larger firms, which have already developed a FibreChannel infrastructure, now have the opportunity to increase the cost-effectiveness of their network through the use of iSCSI for a less critical Server. FibreCAT SX80 iSCSI can be used in all cases when a Storage Network leads to clear advantages, and when the acquisition costs do not justify a FibreChannel Network.

As with all FibreCAT SX systems, the FibreCAT SX80 iSCSI ensures the flexibility, scalability and availability which our customers have come to expect, and it can be used with almost all servers from the mid to low category. Especially in operation with VMware and our midrange cluster solution x10sure our system brings decisive advantages, because of the iSCSI boot functionality.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
FibreCAT SX80 iSCSI					
	Base Unit FibreCAT SX80 iSCSI	FibreCAT SX80 iSCSI Base Unit incl., 1x SX80 iSCSI RAID-Controller,, 2x redundant Power Supplies with 2.5m power cords,, 12 SATA / SAS HDD bays, , 1 bays for 2nd RAID-Controller,, 4 Snapshots, RAIL-Kit to install into a Rack	D:FCSX80I-BASE	2725	
	FibreCAT SX80i APAK 3x 146 GB	FibreCAT SX80i package., 3x SAS HDD 146GB, 1 RAID Controller, In the complete FibreCAT SX80i configuration max. 56 hard disks are supported!!, certification paper for:, Windows, VMware, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords,, 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX80IP-146-3	3360	
	FibreCAT SX80i APAK 5x 146 GB	FibreCAT SX80i package., 5x SAS HDD 146GB, 1 RAID Controller, In the complete FibreCAT SX80i configuration max. 56 hard disks are supported!!, certification paper for:, Windows, VMware, LINUX, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords,, 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX80IP-146-5	3618	
	FibreCAT SX80i VFY 2x 1TB		VFY: SX800XF050IN	4451	New product
	FibreCAT SX80i VFY 3x 146GB		VFY: SX800XF060IN	4379	New product



FibreCAT SX88

Data Sheets: <http://www.fujitsu-siemens.com/storage>

The FibreCAT SX88 is the premium model of the FibreCAT SX storage series. The FibreCAT SX88 complements the successful FibreCAT SX80 technology but provides even more performance and is thus up to 50% faster.

This is realized by using the latest technology, such as significantly improved RAID controllers for highest performance. This makes it the fastest FibreCAT SX ever and thus the perfect system for applications that need extra-fast storage. The FibreCAT SX88 is especially suited for databases, backup to disk and streaming media. Due to its optimized data throughput it is also predestined for applications like email, web services and archiving.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
FibreCAT SX88					
	Base Unit FibreCAT SX88	FibreCAT SX88 Base Unit incl., 1x SX88 RAID-Controller,, 2x redundant Power Supplies with 2.5m power cords,, 12 SATA / SAS HDD bays, , 1 bays for 2nd RAID-Controller,, 4 Snapshots,, RAIL-Kit to install into a Rack	D:FCSX88-BASE	3303	
	FibreCAT SX88 APAK 3x 500GB	FibreCAT SX88 package,, 3x SATA HDD 500GB, 1 RAID Controller, In the complete FibreCAT SX88 configuration max. 56 hard disks are supported!!, certification paper for:, Windows, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords,, 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX88P1-500-3	3583	
	FibreCAT SX88 APAK 3x 146GB	FibreCAT SX88 package,, 3x SAS HDD 146GB, 1 RAID Controller, In the complete FibreCAT SX88 configuration max. 56 hard disks are supported!!, certification paper for:, Windows, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords,, 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX88P2-146-3	3776	
	FibreCAT SX88 APAK 2x 300 GB	FibreCAT SX88 package,, 2x SAS HDD 146 GB, 1 RAID Controller, In the complete FibreCAT SX88 configuration max. 56 hard disks are supported!!, certification paper for:, Windows, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords,, 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX88P2-300-2	5190	
	FibreCAT SX88 AP 2x300GB SAS for free	FibreCAT SX88 package,, 8x SAS HDD 300 GB, 1 RAID Controller, In the complete FibreCAT SX88 configuration max. 56 hard disks are supported!!, certification paper for:, Windows, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords,, 4 Snapshots, RAIL-Kit to install into a Rack.	D:FCSX88P4-ILM	5972	



FibreCAT Disk Frames

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
FibreCAT CX ATA ExpansionShelf					
	FibreCAT CX ATA-Disk Ext. Frame, empty	High-Availability-HDD-Frame 19", 3 high units, Empty shelf, extendable up to 15 HDD, 2 Power Supplies, 2 Standby-Emergency-Electricity-Supplies, 2 AC-Distributors, assembly material.	D:FCXADR-00D	6167	Phased out
FibreCAT CX ExpansionShelf					
	FibreCAT CX S2 Disk Ext. Frame, empty	High-Availability-HDD-Frame 19", 3 high units, Empty shelf, extendable up to 15 HDD, 2 Power Supplies, 2 Standby-Emergency-Electricity-Supplies, 2 AC-Distributors, assembly material., 2 Interlink cable (FC2-HSSDC), 2 Interlink cable (FC1-HSSDC), Point to Point connection with 2Gbit Switch for each drive.	D:FCXS2D-00D	3603	
	FibreCAT CX Disk Ext. Frame, empty	High-Availability-HDD-Frame 19", 3 high units, Empty shelf, extendable up to 15 HDD, 2 Power Supplies, 2 Standby-Emergency-Electricity-Supplies, 2 AC-Distributors, assembly material.	D:FCXDR-00D	3603	Phased out



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX300	FibreCAT SX400	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 SCSI	FibreCAT SX800	FibreCAT SX800 Expansion	Code	End User Price (€)	Comments	
Accessories & services matrix																										
Processor																										
	Xeon DP E5420 2.50 GHz 2x6MB 1333MHz	Quad Core CPU (80W) with heatsink, 2x6MB SLC ECC protected, 1333MHz FSB, 64-bit / Intel® VT/DBS, PDA function											x										S26361-F3882-L250	384		
Memory																										
	MEM 512MB DDR2-533 PC2-4200 ubECC (1mod)	1 module, unbuffered DDR2-533							x														S26361-F3000-L513	20		
	MEM 1GB DDR2-533 PC2-4200 ub ECC(1mod)	1 module, unbuffered DDR2-533							x														S26361-F3000-L514	42		
	MEM 1GB 2x512MB FBD667 PC2-5300F ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC								x													S26361-F3230-L521	86		
	1GB 2x512MB FBD667 PC2-5300F ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC										x											S26361-F3263-L521	86		
	2GB 2x1GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC										x											S26361-F3263-L522	120		
Removable Media Drives																										
	FDD USB (external)	external USB FDD, USB cable included							x	x	x												S26391-F284-L226	26		
	Floppy Disk Drive 1.44MB 1"	1" fitting height								x													S26361-F2575-L1	19		
	DVD-RW DL/DVD-RAM ATAPI	DVDRW DL/DVD-RAM ATAPI 40/24/40x 16x/16 16x8, incl. Nero SW, 1.6" fitting height, anthracite								x													S26361-F3148-L1	67		
	Tape Kit LTO3HH Ultrium 400GB 60MB/s int	U320 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge									x												S26361-F3459-L3	934		
Hard Disk Drives																										
	SX-HDD SAS 146GB 15k for single shipment	FibreCAT SX80/SX88 SAS HDD, 146GB 15,000rpm as single shipment										x	x				x	x	x	x	x		D:FCSX-SAS146-L	229		
	SX-HDD SAS 300GB 15k for single shipment	FibreCAT SX80/SX88 SAS HDD, 300GB 15,000rpm as single shipment										x	x				x	x	x	x	x		D:FCSX-SAS300-L	368		
	SX-HDD SAS 450GB 15k for single shipment	FibreCAT SX80/SX88 SAS HDD, 450GB 15,000rpm as single shipment										x	x				x	x	x	x	x		D:FCSX-SAS450-L	504	Orderable from: 06/10/2008	
	SX-HDD SAS 73GB 15k for single shipment	FibreCAT SX80/SX88 SAS HDD, 73GB 15,000rpm as single shipment										x	x				x	x	x	x	x		D:FCSX-SAS73-L	187		
	SX-HDD SATA 1 TB 7.2k for single shipm.	FibreCAT SX60/SX80/SX88 SATA HDD, 1 TB 7,200rpm as single shipment										x	x				x	x	x	x	x		D:FCSX-SATA1TB-L	293		
	HDD SATA 250GB 7.2k for single shipment	FibreCAT SX60/SX80/SX88 SATA HDD, 250GB 7,200rpm as single shipment										x	x				x	x	x	x	x		D:FCSX-SATA250-L	95	Phased out	
	HDD SATA 500GB 7.2k for single shipment	FibreCAT SX60/SX80/SX88 SATA HDD, 500GB 7,200rpm as single shipment										x	x				x	x	x	x	x		D:FCSX-SATA500-L	163		
	HDD SATA 750GB 7.2k for single shipment	FibreCAT SX60/SX80/SX88 SATA HDD, 750GB 7,200rpm as single shipment										x	x				x	x	x	x	x		D:FCSX-SATA750-L	221		
	HDD U320 146GB 15k hot plug 3.5"	15,000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s												x									S26361-F3121-L514	238		
	HDD U320 300GB 15k hot plug 3.5"	15,000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s												x									S26361-F3121-L530	426		
	HDD U320 73GB 15k hot plug 3.5"	15,000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s													x								S26361-F3121-L573	184		
	HD SATA 250GB 7.2k 3GB/s hot plug 3.5"	7,200 rpm, fitting height 1"																					S26361-F3218-L250	78		
	HD SATA 500GB 7.2k 3GB/s hot plug 3.5"	7,200 rpm, fitting height 1"																					S26361-F3218-L500	192		
	HD SAS 3GB/s 146GB 15k hot pl 3.5" SX40	15,000 rpm, fitting height 1"																					S26361-F3244-L514	204		
	HD SAS 3GB/s 300GB 15k hot pl 3.5" SX40	15,000 rpm, fitting height 1"																					S26361-F3244-L530	352		
	HD SAS 3GB/s 450GB 15k hot pl 3.5" SX40	15,000 rpm, fitting height 1"																					S26361-F3244-L545	488		
	HD SAS 3GB/s 73GB 15k hot pl 3.5" SX40	15,000 rpm, fitting height 1"																					S26361-F3244-L573	160		
	HD SATA 3GB/s 250GB 7.2k hot plug 3.5"	7,200 rpm, fitting height 1"																					S26361-F3245-L250	109		
	HD SATA 3GB/s 500GB 7.2k hot plug 3.5"	7,200 rpm, fitting height 1"																					S26361-F3245-L500	192		
	HD SATA 3GB/s 750GB 7.2k hot plug 3.5"	7,200 rpm, fitting height 1"																					S26361-F3245-L750	254		
	HD SATA 3GB/s 750GB 7.2k hot plug 3.5"	7,200 rpm, fitting height 1"																					S26361-F3265-L750	274		
	HD SAS 3GB/s 146GB 15k hot plug 3.5"	15,000 rpm, fitting height 1"																					S26361-F3204-L514	213		
	HD SAS 3GB/s 300GB 15k hot plug 3.5"	15,000 rpm, fitting height 1"																					S26361-F3204-L530	395		
SCSI/RAID/SAS controller																										
	I/O Modul for single shipment	FibreCAT SX I/O Modul to cascading a shelf as single shipment												x			x		x				D:FCSX-IO-L	440		
	RAID Contr. SX100 for single shipment	FibreCAT SX100 RAID Controller 4 GBit/s as single shipment											x										D:FCSX-RD100-L	2725	Orderable from: 01/11/2008	
	RAID Controller SX60 for single shipment	FibreCAT SX60 RAID Controller 4 GBit/s as single shipment															x						D:FCSX-RD60-L	1317		
	RAID Contr. SX80iSCSI for single shipment	FibreCAT SX80 iSCSI RAID Controller as single shipment																					D:FCSX-RD80i-L	1616		
	RAID Controller SX80 for single shipment	FibreCAT SX80 RAID Controller 4 GBit/s as single shipment																					D:FCSX-RD80-L	1616		
	RAID Controller SX88 for single shipment	FibreCAT SX88 RAID Controller 4 GBit/s as single shipment																					D:FCSX-RD88-L	2034		
	SCSI Ctrl U160 1- ch int/ext	Adaptec 29160, 1x U160 SCSI											x	x									S26361-F2399-L1	162		
	PCI-X-risercard 3x64bit/133MHz option	includes 3 slots for PCI-X standard cards (1x long, 2x short)												x									S26361-F2622-L4	98		
	SCSI Ctrl U160 1- ch int/ext lp	Adaptec 29160LP, 1x U160 SCSI												x									S26361-F2737-L201	162		
	RAID Ctrl 2-Channel 128MB BBU LSI	LSI 320-2, TBUU, U320, PCI controller, 128MB												x									S26361-F3006-L128	534	Phased out	
	RAID Ctrl SAS 8 Port 256MB LP LSI	RAID-Ctrl, LSI MegaRAID SAS8344ELP, PCIe x4, 256MB Cache, 4 external ports, 4 internal ports, optional BBU., >>>exclusive for external attachment of FibreCAT SX40 !!!, This SAS RAID controller supports SAS and SATA disks.											x	x									S26361-F3215-L201	418	Phased out	
	RAID Ctrl BBU Upgrade 8344ELP LP LSI	BBU Upgrade for LSI 8344ELP											x	x									S26361-F3215-L210	102	Phased out	
	SCSI Ctrl U320 1ch int/ext PCIe lp	Adaptec 29320LPE, 1x U320 SCSI, low profile																					S26361-F3270-L201	124		
	SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, LSI SAS3442E-R																					S26361-F3271-L1	153		
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, LSI SAS3442E-R Low Profile																					S26361-F3271-L201	153		
Fibre Channel																										
	FC Ctrl 2GBit/s LP101 MMF LC	Emulex LP101, 2GBit/s, 64Bit/133MHz PCI, full height, 1-channel, LC interface, only for attachment of the subsystem FibreCAT SX60																					x	S26361-F3122-L1	384	
	FC Ctrl 2GBit/s LP101 MMF LC LP	Emulex LP101, 2GBit/s, 64Bit/133MHz PCI, low profile, 1-channel, LC interface, only for attachment of the subsystem FibreCAT SX60																					x	S26361-F3122-L201	384	
	FC Ctrl 4GBit/s LPe1150 MMF LC LP	LPe1150, 4GBit/s, 1-channel FC controller, PCIe x4, low profile, MMF LC interface																					x	S26361-F3306-L201	531	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 I/SCSI	FibreCAT SX808	FibreCAT SX808 Expansion	Code	End User Price (€)	Comments
Accessories & services matrix																									
Fibre Channel (Continued)																									
	FC Ctrl 2x4GBit/s LPe11002 MMF LC LP	LPe11002, 4GBit/s, 2-channel FC controller, PCIe x4, low profile, MMF LC interface										x	x										S26361-F3306-L202	796	
	First SAN FC Ctrl 4GBit/s LPe1150 LC LP	LPe1150, 4GBit/s, 1 Kanal FC Controller, PCIe x4, low profile, MMF LC-Interface can only be ordered in combination with a FibreCAT SX60 or SX80												x		x		x		x			S26361-F3306-L299	370	
	First SAN FC Ctrl 4GBit/s LPe1150 LC	LPe1150, 4GBit/s, 1 Kanal FC Controller, PCIe x4, MMF LC-Interface can only be ordered in combination with a FibreCAT SX60 or SX80											x			x		x		x			S26361-F3306-L99	370	
	FC Ctrl 4GBit/s LPe111 MMF LC LP	Emulex LPe111, 4GBit/s, 1 Channel FC Controller, PCIe x4 Low Profile, MMF LC-Interface										x											S26361-F3864-L201	387	Phased out
Communication/Network																									
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu Ip	Intel Pro/1000MT Dual Port Server Adapt. with PCI-X bus, also for PCI64 and PCI32 10/100/1000TX, low profile PCI										x											S26361-F3011-L201	125	
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter							x														S26361-F3142-L1	58	
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu Ip	Intel PRO 1000 GT Desktop Adapter, low profile							x														S26361-F3142-L201	58	
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu Ip	Intel PRO 1000 GT Desktop Adapter, low profile										x											S26361-F3142-L202	42	
	Eth Ctrl 2x1GBit PCI-X PRO/1000GT Cu Ip	Intel Pro 1000GT Dual Port Server Adapter, low profile PCI											x										S26361-F3227-L202	125	
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu Ip	Intel Pro 1000PT 2 Port Server Adapter											x	x									S26361-F3228-L201	160	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu Ip	Intel Pro 1000PT 1 Port Server Adapter											x	x									S26361-F3241-L201	55	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC Ip	Intel Pro 1000PF 1 Port Server Adapter										x	x										S26361-F3242-L201	226	
	Eth Ctrl 4x1GBit PCIe4 PRO/1000PT Cu Ip	Intel Pro 1000PT Quad Port Server Adapter with low profile bracket											x										S26361-F3462-L201	305	
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	Intel Pro 1000MT 2 Port Server Adapter											x										S26361-F3011-L1	125	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MT Cu	Intel PRO 1000 MT Server Adapter							x														S26361-F3053-L1	96	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MT Cu Ip	Intel PRO 1000 MT Server Adapter, low profile										x	x										S26361-F3053-L201	96	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MF LC	Intel PRO 1000 MF Server Adapter											x										S26361-F3054-L1	226	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MF LC Ip	Intel PRO 1000 MF Server Adapter, low profile										x	x										S26361-F3054-L201	226	
Rack-Infrastructure																									
	RMK TX150 s4 telescopic rails	1 pair telescopic rails depth 704-790mm, D/PI3rd P Racks incl.vario carrier and cable management										x											S26361-F2734-L32	140	
	RMK-F1_1-2U Server (new)	telescopic rail, full extraction with vario-carrier, pre-assembled with centre screw																					S26361-F2735-L101	62	
	RMK-P_1-2U servers (new)	telescopic rail, partial extraction with vario-carrier, pre-assembled with centre screw																					S26361-F2735-L110	35	
	Cable magmt. for 19" DC- PC- Rack	cable management for adding a server or storage subsystem from a 3rd party rack into the PRIMECENTER rack 2																					S26361-F2735-L7	24	
	cable management arm for 3rd party racks	all-purpose for PY server in 3rd party a. classic racks																					S26361-F2201-L20	39	
PRIMERGY-Software																									
	iRMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection										x	x										S26361-F1790-L240	234	
	iRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection																					S26361-F1790-L241	232	
	PRIMERGY MultiPath Linux/WinServ GB 3.x	Support of redundant Multipath between PRIMERGY and Disk Storage, for W2K, Windows2003 and LINUX, Full product, licence for 1 Server	x	x		x	x																U15000-C197	684	
	PRIMERGY MultiPath MPIO WinServ GB 4.x	MultiPath based on Microsoft MPIO supporting multiple paths between server and subsystem; for Windows Server 2003												x									U15000-C278	684	
	PRIMERGY DuplexDataManager GB 3.x	Advanced Edition, Software under W2K, Windows2003 and Linux, for disaster-tolerant PRIMERGY, configuration, includes MultiPath (1 License per Server)	x	x		x	x																U15000-C196	2144	
OS/Application-SW																									
	FibreCAT NX40 iSCSI functionality	iSCSI Target Option, While using this iSCSI Target option it is possible to provide block based disks via iSCSI for attached hosts. The administration is done with a multilingual MMC on the FibreCAT NX40. Snapshots and export of Snapshots are included., For supported hosts (initiators) VSS Hardware Provider and VDS Providers are included without additional charge (x86 and x64).												x	x								D-FCNX-iSCSI	555	
	ARCserve r11.5 Media Kit	BrightStor ARCserve Backup r11.5 Media Kit, 1 x BAB r11.5 CD f. Windows, 1 x BAB r11.5 CD f. Linux, 1 x BAB r11.5 Agent CD											x	x									U15355-C732	20	
	CA XOSoft Enterprise Rewinder	XOSoft Enterprise Rewinder for Windows- 1 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).																					U15260-C10	1990	
	CA XOSoft WANSync FS Std. OS	CA XOSoft WANSync File Server Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync																					U15260-C300	1672	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX500i	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 iSCSI	FibreCAT SX800	FibreCAT SX800 Expansion	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																										
	CA XOSoft WANSync AS Std. OS	CA XOSoft WANSync Application Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. Offers data replication for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server. . More informationen at: , http://extranet.fujitsu-siemens.com/wansync								x	x				x		x				x	x		U15260-C308	2548	
	CA XOSoft WANSynCHA FS Std. OS	CA XOSoft WANSynCHA File Server Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server. . More informationen at: , http://extranet.fujitsu-siemens.com/wansync								x	x				x		x				x	x		U15260-C400	2548	
	CA XOSoft WANSynCHA AS Std. OS	CA XOSoft WANSynCHA Application Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server. . More informationen at: , http://extranet.fujitsu-siemens.com/wansync								x	x				x		x				x	x		U15260-C408	3663	
	XOSoft r12 Replication FS Std. OS	XOSoft r12 Replication File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. . The product offers data replication for Windows File Servers. . It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition). , Content: 1x Media Kit and 1x License for one server. . More product informationen at: , http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers. Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , . A complete list of all supported operating systems can be found at: , http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx								x	x				x		x				x	x		U15260-C600	1247	
	XOSoft r12 HighAvailability FS Std. OS	XOSoft r12 High Availability File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. . The product offers data replication and high availability for Windows File Servers. . It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition). , Content: 1x Media Kit and 1x License for one server. . More product informationen at: , http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers. Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , . A complete list of all supported operating systems can be found at: , http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx								x	x				x		x				x	x		U15260-C616	1900	
	CA ARCserve r12 Base for Windows	Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link: , CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html								x	x				x		x				x			U15355-C2000	631	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX20	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX80 SCSI	FibreCAT SX88	FibreCAT SX88 Expansion	Code	End User Price (€)	Comments	
Accessories & services matrix OS/Application-SW (Continued)																											
	UP CA ARCserve r12 Basis for Windows	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link.: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html								x	x				x	x		x		x				U15355-C2000-U	473		
	1Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x				x	x		x		x				U15355-C400U1	158		
	3Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!								x	x				x	x		x		x				U15355-C400U3	474		
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 10 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Windows ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cd.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compatrix.asp													x	x		x						U15355-C426	393		
	ARCserve r11.5 for Windows 2000/2003	Basic component for backup/restore of one or more servers. BrightStor ARCserve Backup r11.5 is for Windows 2000/2003 certified and released! ARCserve r11.5 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots. For every further Windows server will be needed a further ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link.: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cd.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compatrix.asp									x	x			x	x		x		x				U15355-C700	615		
	UP ARCserve r11.5 for Windows 2000/2003	ARCserve r11.5 for Windows Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cd.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compatrix.asp									x	x			x	x		x		x				U15355-C700-U	461		



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX200	FibreCAT SX40	FibreCAT SX60	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX80 Expansion	FibreCAT SX80 SCSI	FibreCAT SX88	FibreCAT SX88 Expansion	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																									
	ARCserve r11.5 for MS SBS Standard	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Standard Edition (existing of basic, Exchange agent, Open File Agent, Volume Shadow Copy Service Agent and Share Point Portal Agent). Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp							x	x			x		x		x					U15355-C750	393		
	ARCserve r11.5 for Linux	BrightStor ARCserve r11.5 for Linux! Basic component for backup/restore of one server or in consumption with clients of more servers, too. Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp												x		x		x					U15355-C800	615	
	UP ARCserve r11.5 for Linux	ARCserve r11.5 for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Linux Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp												x		x		x					U15355-C800-U	461	
	1Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!												x		x		x					U15355-C800U1	158	
	3Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!												x		x		x					U15355-C800U3	473	
	BSRM for Windows incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) is a cross-platform data storage management solution that monitors, analyzes, schedules and automates networked storage resources across distributed and mainframe environments. Delivery of BrightStor Storage Resource Manager inclusive 1 Year CA Enterprise Maintenance. U15355-C900 is a prerequisite for all other BrightStor SRM products.												x		x		x					U15355-C900	2376	
	BrightStor SAN Manager incl 1yr Mnt	BrightStor SAN Manager is a business centric SAN Management solution, that simplifies monitoring and management of complex networked storage resources. With BrightStor SAN Manager you will cover, configure and administrate business centric complex SAN infrastructures. This BrightStor SAN Manager product includes 1 Year CA Enterprise Maintenance.												x		x		x					U15355-C920	4757	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 1 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).								x	x			x		x		x					U15260-C11	2787	
	CA XOssoft WANSync FS Std. OS	CA XOssoft WANSync File Server Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync								x	x			x		x		x		x	x		U15260-C301	2340	
	CA XOssoft WANSync AS Std. OS	CA XOssoft WANSync Application Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server., More informationen at: http://extranet.fujitsu-siemens.com/wansync								x	x			x		x		x		x	x		U15260-C309	3567	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX700	FibreCAT CX900	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX200	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX80 SCSI	FibreCAT SX88	FibreCAT SX88 Expansion	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																									
	CA XOSoft WANSynCHA FS Std. OS	CA XOSoft WANSynCHA File Server Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync								x	x			x	x	x			x	x		U15260-C401	3567		
	CA XOSoft WANSynCHA AS Std. OS	CA XOSoft WANSynCHA Application Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and and database/email applications. Product includes . 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync								x	x			x	x	x			x	x		U15260-C409	5128		
	XOSoft r12 Replication FS Std. OS	XOSoft r12 Replication File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition), Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx								x	x			x	x	x			x	x		U15260-C601	1745		
	XOSoft r12 HighAvailability FS Std. OS	XOSoft r12 High Availability File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition), Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx								x	x			x	x	x			x	x		U15260-C617	2660		
	CA ARCserve r12 WIN Tape Library Option	CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html								x	x			x	x	x			x			U15355-C2001	810		
	UP CA ARCserve r12 WIN Tape Library Opt.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html								x	x			x	x	x			x			U15355-C2001-U	608		



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX20	FibreCAT SX40	FibreCAT SX60	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX80 ES/CSI	FibreCAT SX88	FibreCAT SX88 Expansion	Code	End User Price (€)	Comments
Accessories & services matrix OS/Application-SW (Continued)																									
	1Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x				x	x	x						U15355-C401U1	202	
	3Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!								x	x				x	x	x						U15355-C401U3	607	
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 100 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp													x	x	x						U15355-C427	2377	
	ARCserve r11.5 WIN Tape Library Option	ARCserve r11.5 Tape Library Option for Windows: works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Required for jukeboxes with several drives! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp								x	x				x	x	x						U15355-C701	790	
	UP ARCserve r11.5 Tape Library Option	ARCserve r11.5 for Windows Tape Library Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp								x	x				x	x	x						U15355-C701-U	592	
	ARCserve r11.5 for MS SBS Premium	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Premium Edition (existing of basic, Exchange agent, Open File agent, SQL agent, Volume Shadow Copy Service agent and Share Point Portal agent). Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp								x	x				x	x	x						U15355-C751	552	
	ARCserve r11.5 LX Tape Library Option	BrightStor ARCserve r11.5 for Linux Tape Library Option! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp													x	x	x						U15355-C801	790	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX500i	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX200	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX80 iSCSI	FibreCAT SX88	FibreCAT SX88 Expansion	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																									
	XOsoft r12 Replication FS Ent. OS	XOsoft r12 Replication File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication for Windows File Servers. . It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., Content: 1x Media Kit and 1x License for one server. . More product informationen at. http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx. System Requirements. -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers. Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) . A complete list of all supported operating systems can be found at. http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx								x	x			x	x			x		x	x	U15260-C602	1900		
	XOsoft r12 HighAvailability FS Ent. OS	XOsoft r12 High Availability File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows File Servers. . It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., Content: 1x Media Kit and 1x License for one server. . More product informationen at. http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx. System Requirements. -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers. Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) . A complete list of all supported operating systems can be found at. http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx								x	x			x	x			x		x	x	U15260-C618	2731		
	CA ARCserve r12 WIN SAN Option	CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option. The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! . Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows). https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows). https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html								x	x			x	x			x		x		U15355-C2002	1298		
	UP CA ARCserve r12 WIN SAN Option	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---. CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option. . The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! . Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows). https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows). https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html								x	x			x	x			x		x		U15355-C2002-U	974		
	1Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 1 Year CA Enterprise Maintenance Bestelnd aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x			x	x			x		x		U15355-C402U1	263		



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 SCSI	FibreCAT SX800	FibreCAT SX800 Expansion	Code	End User Price (€)	Comments
Accessories & services matrix OS/Application-SW (Continued)																										
	3Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!								x	x				x	x	x		x					U15355-C402U3	790	
	1Yr Mnt ARCserve WIN LAPD 10 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 10 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!													x	x	x							U15355-C426U1	101	
	ARCserve r11.5 WIN Optical Library Opt.	ARCserve r11.5 Optical Library Option for Windows; works with ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp								x	x				x	x	x		x					U15355-C702	1028	
	UP ARCserve r11.5 Optical Library Option	ARCserve r11.5 for Windows Optical Library Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp								x	x				x	x	x		x					U15355-C702-U	771	
	1Yr Mnt ARCserve WIN SBS Standard	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Standard - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x				x	x	x		x					U15355-C750U1	101	
	ARCserve r11.5 LX NAS Option	BrightStor ARCserve r11.5 for Linux NDMP NAS Option! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp													x	x	x		x					U15355-C802	790	
	UP ARCserve r11.5 LX NAS Option	ARCserve r11.5 for Linux Upgrade NAS Option from ARCserve v9, r11.0 or r11.1 NAS Option for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp													x	x	x		x					U15355-C802-U	592	
	1Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!													x	x	x		x					U15355-C802U1	202	
	3Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!													x	x	x		x					U15355-C802U3	608	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT CX800	FibreCAT CX900	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100 Expansion	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 SCSI	FibreCAT SX800 Expansion	Code	End User Price (€)	Comments
OS/Application-SW (Continued)	BSRM Opt MS Exchange incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft Exchange inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!													x	x	x						U15355-C902	948		
	Proxy for Linux incl 1yr Mnt	BrightStor SAN Manager Proxy for Linux inclusive 1 Year CA Enterprise Maintenance! For each further monitoring Linux server!													x	x	x						U15355-C922	471		
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 10 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).							x	x					x	x	x						U15260-C13	27867		
	CA XOssoft WANSync FS Ent. OS	CA XOssoft WANSync File Server Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More information at: http://extranet.fujitsu-siemens.com/wansync							x	x					x	x	x			x	x		U15260-C303	3567		
	CA XOssoft WANSync AS Ent. OS	CA XOssoft WANSync Application Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync							x	x					x	x	x			x	x		U15260-C311	5351		
	CA XOssoft WANSynCHA FS Ent. OS	CA XOssoft WANSynCHA File Server Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More information at: http://extranet.fujitsu-siemens.com/wansync							x	x					x	x	x			x	x		U15260-C403	5128		
	CA XOssoft WANSynCHA AS Ent. OS	CA XOssoft WANSynCHA Application Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at: http://extranet.fujitsu-siemens.com/wansync							x	x					x	x	x			x	x		U15260-C411	8025		
	XOssoft r12 Replication FS Ent. OS	XOssoft r12 Replication File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , The product offers data replication for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition), , Content: 1x Media Kit and 1x License for one server., , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx							x	x					x	x	x			x	x		U15260-C603	2660		
	XOssoft r12 HighAvailability FS Ent. OS	XOssoft r12 High Availability File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition), , Content: 1x Media Kit and 1x License for one server., , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx							x	x					x	x	x			x	x		U15260-C619	3823		



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX20	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX80 SCSI	FibreCAT SX88	FibreCAT SX88 Expansion	Code	End User Price (€)	Comments
OS/Application-SW (Continued)	CA ARCServe r12 WIN Disaster Recovery O.	CA ARCServe r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCServe r12 base!, CA ARCServe Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008!, Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html								x	x			x		x		x		x				U15355-C2003	566	
	UP CA ARCServe r12 WIN Disaster Rec. Op.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCServe r12 base!, CA ARCServe Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008!, Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html								x	x			x		x		x		x				U15355-C2003-U	425	
	1Yr Mnt ARCServe WIN SAN Opt.	BrightStor ARCServe Backup for Windows SAN Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x			x		x		x		x				U15355-C403U1	325	
	3Yr Mnt ARCServe WIN SAN Opt.	BrightStor ARCServe Backup for Windows SAN Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!								x	x			x		x		x		x				U15355-C403U3	974	
	3Yr Mnt ARCServe WIN LAPD 10 User	BrightStor ARCServe Backup for Windows Laptops and Desktops 10 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!												x		x		x		x				U15355-C426U3	302	
	ARCServe r11.5 WIN SAN Option	ARCServe r11.5 Storage Area Network (SAN) Option for Windows; works with ARCServe r11.5 basic! Includes one Tape Library Option! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compatrix.asp								x	x			x		x		x		x				U15355-C703	1266	
	UP ARCServe r11.5 SAN Option	ARCServe r11.5 for Windows Storage Area Network Option Upgrade from ARCServe v9, r11.0 or r11.1 for Windows!! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compatrix.asp								x	x			x		x		x		x				U15355-C703-U	949	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 Expansion	FibreCAT SX800 SCSI	FibreCAT SX800	FibreCAT SX800 Expansion	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																									
	3Yr Mnt ARCServe WIN SBS Standard	BrightStor ARCServe Backup for Windows for Microsoft Small Business Server Standard - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!								x	x			x	x	x							U15355-C750U3	302	
	ARCServe r11.5 LX Oracle Agent	BrightStor ARCServe r11.5 for Linux Agent for Oracle! Hardware and operating system dependent extract from the following link., CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp												x	x	x							U15355-C803	790	
	UP ARCServe r11.5 LX Oracle Agent	ARCServe r11.5 for Linux Upgrade Oracle Agent from ARCServe v9, r11.0 or r11.1 Oracle Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp												x	x	x							U15355-C803-U	592	
	1Yr Mnt ARCServe LX Oracle Agent	BrightStor ARCServe Backup for Linux Agent for Oracle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!												x	x	x							U15355-C803U1	202	
	3Yr Mnt ARCServe LX Oracle Agent	BrightStor ARCServe Backup for Linux Agent for Oracle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!												x	x	x							U15355-C803U3	608	
	BSRM Opt MS SQL Srv incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft SQL Server inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!												x	x	x							U15355-C903	948	
	Proxy for Solaris incl 1yr Mnt	BrightStor SAN Manager Proxy for Solaris inclusive 1 Year CA Enterprise Maintenance! For each further monitoring Solaris server!												x	x	x							U15355-C923	948	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 50 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).								x	x			x	x	x							U15260-C14	39810	
	CA XOssoft WANSync FS Cluster	CA XOssoft WANSync File Server Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at., http://extranet.fujitsu-siemens.com/wansync								x	x			x	x	x							U15260-C304	1592	
	CA XOssoft WANSync AS Cluster	CA XOssoft WANSync Application Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at., http://extranet.fujitsu-siemens.com/wansync								x	x			x	x	x							U15260-C312	2229	
	CA XOssoft WANSynCHA FS Cluster	CA XOssoft WANSynCHA File Server Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at., http://extranet.fujitsu-siemens.com/wansync								x	x			x	x	x							U15260-C404	2389	
	CA XOssoft WANSynCHA AS Cluster	CA XOssoft WANSynCHA Application Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at., http://extranet.fujitsu-siemens.com/wansync								x	x			x	x	x							U15260-C412	2867	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX20	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX80 SCSI	FibreCAT SX88	FibreCAT SX88 Expansion	Code	End User Price (€)	Comments
OS/Application-SW (Continued)	XOsoft r12 Replication FS Cluster	XOsoft r12 Replication File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication for Windows File Servers. . It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . System Requirements: ----- -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx								x	x			x		x		x		x	x			U15260-C604	1187	
	XOsoft r12 HighAvailability FS Cluster	XOsoft r12 High Availability File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows File Servers. . It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . System Requirements: ----- -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx								x	x			x		x		x		x	x			U15260-C620	1781	
	CA ARCserve r12 WIN NDMP NAS Option	CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: , CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdi.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html								x	x			x		x		x		x				U15355-C2004	810	
	UP CA ARCserve r12 WIN NDMP NAS Option	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: , CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdi.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html								x	x			x		x		x		x				U15355-C2004-U	608	
	1Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x			x		x		x		x				U15355-C404U1	325	
	3Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!								x	x			x		x		x		x				U15355-C404U3	974	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX20	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX80 BCSI	FibreCAT SX88	FibreCAT SX88 Expansion	Code	End User Price (€)	Comments	
Accessories & services matrix OS/Application-SW (Continued)																											
	1Yr Mnt ARCserve WIN LAPD 100 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 100 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!													x	x		x						U15355-C427U1	610		
	ARCserve r11.5 WIN Serverless BackupOpt	ARCserve r11.5 Serverless Backup Option for Windows; works with ARCserve r11.5 basic and ARCserve r11.5 SAN Option! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp								x	x				x	x		x		x				U15355-C704	1266		
	UP ARCserve r11.5 Serverless Backup Opt.	ARCserve r11.5 for Windows Serverless Backup Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp								x	x				x	x		x		x				U15355-C704-U	949		
	1Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 1 year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!									x	x				x	x		x					U15355-C751U1	141		
	ARCserve r11.5 LX SQL Agent	BrightStor ARCserve r11.5 for Linux Agent for MySQL Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp														x	x		x		x			U15355-C804	790		
	UP ARCserve r11.5 LX SQL Agent	ARCserve r11.5 for Linux Upgrade SQL Agent from ARCserve v9, r11.0 or r11.1 SQL Agent for Linux! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp														x	x		x		x			U15355-C804-U	592		
	1Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!														x	x		x		x			U15355-C804U1	202		
	3Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!														x	x		x		x			U15355-C804U3	608		
	BSRM Opt Oracle incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Oracle inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!														x	x		x					U15355-C904	948		



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 SCSI	FibreCAT SX800	FibreCAT SX800 Expansion	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																								
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 50 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).								x	x			x	x	x					U15260-C15	55733		
	CA XOssoft WANSync FS Cluster	CA XOssoft WANSync File Server Suite forMicrosoft Cluster - inclusive 3 Years CA Enterprise Maintenance., Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at:, http://extranet.fujitsu-siemens.com/wansync								x	x			x	x	x				x	x	U15260-C305	2229	
	CA XOssoft WANSync AS Cluster	CA XOssoft WANSync Application Suite for Microsoft Cluster - inclusive 3 Years CA Enterprise Maintenance., Offers data replication for Windows Servers and database/email applications. Product includes: 1x Media Kit and 1x License for one server., More informationen at:, http://extranet.fujitsu-siemens.com/wansync								x	x			x	x	x				x	x	U15260-C313	3121	
	CA XOssoft WANSynchA FS Cluster	CA XOssoft WANSynchA File Server Suite forMicrosoft Cluster - inclusive 3 Years CA Enterprise Maintenance., Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at:, http://extranet.fujitsu-siemens.com/wansync								x	x			x	x	x				x	x	U15260-C405	3344	
	CA XOssoft WANSynchA AS Cluster	CA XOssoft WANSynchA Application Suite for Microsoft Cluster - inclusive 3 Years CA Enterprise Maintenance., Offers data replication and high availability for Windows Servers and database/email applications. Product includes: 1x Media Kit and 1x License for one server., More informationen at:, http://extranet.fujitsu-siemens.com/wansync								x	x			x	x	x				x	x	U15260-C413	4013	
	XOssoft r12 Replication FS Cluster	XOssoft r12 Replication File Server Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance., The product offers data replication for Windows File Servers., It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., More product informationen at:, http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software: Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), A complete list of all supported operating systems can be found at:, http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx								x	x			x	x	x				x	x	U15260-C605	1662	
	XOssoft r12 HighAvailability FS Cluster	XOssoft r12 High Availability File Server Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance., The product offers data replication and high availability for Windows File Servers., It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., More product informationen at:, http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software: Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), A complete list of all supported operating systems can be found at:, http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx								x	x			x	x	x				x	x	U15260-C621	2494	
	CA ARCserve r12 WIN Open Files Agent	CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compatrix.html								x	x			x	x	x				x		U15355-C2005	648	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX500i	FibreCAT CX700	FibreCAT CX700i	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX200	FibreCAT SX200i	FibreCAT SX400	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 SCSI	FibreCAT SX800	FibreCAT SX800 Expansion	Code	End User Price (€)	Comments
OS/Application-SW (Continued)	UP CA ARCServe r12 WIN Open Files Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12.---, CA ARCServe r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCServe r12 base or a Windows Client Agent! , CA ARCServe Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: , CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html								x	x				x			x		x						U15355-C2005-U	486	
	1Yr Mnt ARCServe WIN Disaster Recovery	BrightStor ARCServe Backup for Windows Disaster Recovery Option 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!									x	x				x		x		x						U15355-C405U1	141	
	3Yr Mnt ARCServe WIN Disaster Recovery	BrightStor ARCServe Backup for Windows Disaster Recovery Option 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!									x	x				x		x		x						U15355-C405U3	424	
	3Yr Mnt ARCServe WIN LAPD 100 User	BrightStor ARCServe Backup for Windows Laptops and Desktops 100 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!																x		x						U15355-C427U3	1829	
	ARCServe r11.5 WIN Disaster Recovery Opt	ARCServe r11.5 Disaster Recovery Option for Windows; works with ARCServe r11.5 basic! Provides a fast and easy recovery of a downed server! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: , CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp									x	x				x		x		x						U15355-C705	552	
	UP ARCServe r11.5 Disaster Recovery Opt.	ARCServe r11.5 for Windows Disaster Recovery Option Upgrade from ARCServe v9, r11.0 or r11.1 for Windows!! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: , CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp									x	x				x		x		x						U15355-C705-U	413	
	3Yr Mnt ARCServe WIN SBS Premium	BrightStor ARCServe Backup for Windows for Microsoft Small Business Server Premium - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!									x	x				x		x		x						U15355-C751U3	424	
	ARCServe r11.5 LX Apache Web Server Agt.	BrightStor ARCServe r11.5 for Linux Agent for Apache Web Server! Hardware and operating system dependent extract from the following link: , CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp																x		x						U15355-C805	790	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 iSCSI	FibreCAT SX888	FibreCAT SX888 Expansion	Code	End User Price (€)	Comments
Accessories & services matrix OS/Application-SW (Continued)																									
	UP ARCServe r11.5 LX Apache Web Server	ARCServe r11.5 for Linux Upgrade Apache Web Server Agent from ARCServe v9, r11.0 or r11.1 Apache Web Server Agent for Linux! Hardware and operating system dependent extract from the following link, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp												x	x	x		x				U15355-C805-U	592		
	1Yr Mnt ARCServe LX Apache Agent	BrightStor ARCServe Backup for Linux Agent for Apache Web Server - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!												x	x	x		x				U15355-C805U1	202		
	3Yr Mnt ARCServe LX Apache Agent	BrightStor ARCServe Backup for Linux Agent for Apache Web Server - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!												x	x	x		x				U15355-C805U3	608		
	BSRM Managed Srv Linux incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Linux inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!												x	x	x						U15355-C905	471		
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 200 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).							x	x				x	x	x						U15260-C16	79619		
	CA XOssoft WANSync FS Virtual Machine	CA XOssoft WANSync File Server Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server... More informationen at: http://extranet.fujitsu-siemens.com/wansync							x	x				x	x	x		x	x			U15260-C306	1274		
	CA XOssoft WANSync AS Virtual Machine	CA XOssoft WANSync Application Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. Offers data replication for Windows Servers and database/email applications. Product includes 1x Media Kit and 1x License for one server... More informationen at: http://extranet.fujitsu-siemens.com/wansync							x	x				x	x	x		x	x			U15260-C314	1433		
	CA XOssoft WANSyncHA FS Virtual Machine	CA XOssoft WANSyncHA File Server Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server... More informationen at: http://extranet.fujitsu-siemens.com/wansync							x	x				x	x	x		x	x			U15260-C406	1592		
	CA XOssoft WANSyncHA Virtual Machine	CA XOssoft WANSyncHA Application Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. Offers data replication and high availability for Windows Servers and database/email applications. Product includes 1x Media Kit and 1x License for one server... More informationen at: http://extranet.fujitsu-siemens.com/wansync							x	x				x	x	x		x	x			U15260-C414	2389		
	XOssoft r12 Replication FS Virt. Machine	XOssoft r12 Replication File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance. The product offers data replication for Windows File Servers. It supports only Windows operating systems in virtual machines (e.g. ESX Server or VMware Workstation). Content: 1x Media Kit and 1x License for one server... More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software: Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx							x	x				x	x	x		x	x			U15260-C606	950		



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT CX800	FibreCAT CX900	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 iSCSI	FibreCAT SX800	FibreCAT SX800 Expansion	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)	XOsoft r12 High Availability FS Virt. Ma.	XOsoft r12 High Availability File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows File Servers. . It supports only Windows operating systems in virtual machines (e.g. ESX Server or VMware Workstation). . Content: 1x Media Kit and 1x License for one server. . More product information at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software: Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx																								U15260-C622	1187		
	CA ARCServe r12 WIN IBM Informix Agent	CA ARCServe r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! CA ARCServe Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html											x	x													U15355-C2006	1055	
	UP CA ARCServe r12 WIN IBM Informix Ag.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! CA ARCServe Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html												x	x												U15355-C2006-U	791	
	1Yr Mnt ARCServe WIN Image Opt.	BrightStor ARCServe Backup for Image Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!																									U15355-C406U1	202	
	3Yr Mnt ARCServe WIN Image Opt.	BrightStor ARCServe Backup for Image Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!																									U15355-C406U3	607	
	ARCServe r11.5 WIN Image Option	ARCServe r11.5 Image Option for Windows; works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compatrix.asp																									U15355-C706	790	
	UP ARCServe r11.5 Image Option	ARCServe r11.5 for Windows Image Option Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compatrix.asp																									U15355-C706-U	592	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 SCSI	FibreCAT SX800	FibreCAT SX800 Expansion	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																									
	ARCserve r11.5 LX Client Agent for UNIX	BrightStor ARCserve r11.5 Client Agent for UNIX!!Hardware and operating system dependent extract from the following link.: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp															x	x	x	x		U15355-C806	313		
	UP ARCserve r11.5 LX Client Agent UNIX	ARCserve r11.5 for Linux Upgrade Client Agent for UNIX from ARCserve v9, r11.0 or r11.1 Client Agent for UNIX Hardware and operating system dependent extract from the following link.: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp															x	x	x	x		U15355-C806-U	235		
	1Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!															x	x	x	x		U15355-C806U1	80		
	3Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!															x	x	x	x		U15355-C806U3	241		
	BSRM Managed Srv NW incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for NetWare inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!															x	x	x			U15355-C906	471		
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows -200 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).								x	x						x	x	x			U15260-C17	####		
	CA XOssoft WANSync FS Virtual Machine	CA XOssoft WANSync File Server Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More informationen at., http://extranet.fujitsu-siemens.com/wansync								x	x						x	x	x	x	x	U15260-C307	1783		
	CA XOssoft WANSync AS Virtual Machine	CA XOssoft WANSync Application Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes . 1x Media Kit and 1x License for one server. , More informationen at., http://extranet.fujitsu-siemens.com/wansync								x	x						x	x	x	x	x	U15260-C315	2006		
	CA XOssoft WANSynchA FS Virtual Machine	CA XOssoft WANSynchA File Server Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More informationen at., http://extranet.fujitsu-siemens.com/wansync								x	x						x	x	x	x	x	U15260-C407	2229		
	CA XOssoft WANSynchA AS Virtual Machine	CA XOssoft WANSynchA Application Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , Offers data replicationand high availability for Windows Servers and and database/email applications. Product includes . 1x Media Kit and 1x License for one server. , More informationen at., http://extranet.fujitsu-siemens.com/wansync								x	x						x	x	x	x	x	U15260-C415	3344		



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX500i	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 iSCSI	FibreCAT SX800	FibreCAT SX800 Expansion	Code	End User Price (€)	Comments
OS/Application-SW (Continued)	XOsoft r12 Replication FS Virt. Machine	XOsoft r12 Replication File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication for Windows File Servers. . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation)., Content: 1x Media Kit and 1x License for one server., . More product informationen at., http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . System Requirements: -----,-----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. A complete list of all supported operating systems can be found at., http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx								x	x				x	x		x			x			U15260-C607	1330	
	XOsoft r12 HighAvailability FS Virt. Ma.	XOsoft r12 High Availability File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication and high availabilityfor Windows File Servers. . It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation)., Content: 1x Media Kit and 1x License for one server., . More product informationen at., http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . System Requirements: -----,-----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. A complete list of all supported operating systems can be found at., http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx								x	x				x	x		x			x			U15260-C623	1662	
	CA ARCserve r12 WIN MS Exchange Agent	CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link., CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html								x	x				x	x		x			x			U15355-C2007	810	
	UP CA ARCserve r12 WIN MS Exchange Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link., CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html								x	x				x	x		x			x			U15355-C2007-U	608	
	1Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x				x	x		x			x			U15355-C407U1	202	
	3Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support. Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!								x	x				x	x		x			x			U15355-C407U3	607	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 iSCSI	FibreCAT SX800	FibreCAT SX800 Expansion	Code	End User Price (€)	Comments
OS/Application-SW (Continued)	ARCserve r11.5 WIN NAS Option	ARCserve r11.5 Network Attached Storage (NAS) Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Backups a NAS unit with NDMP on a locally connected tape library. Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp								x	x				x	x		x						U15355-C707	790	
	UP ARCserve r11.5 NAS Option	ARCserve r11.5 for Windows NDMP Network Attached Storage (NAS) Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp								x	x				x	x		x						U15355-C707-U	592	
	ARCserve r11.5 LX Client Agent for Linux	BrightStor ARCserve r11.5 Client Agent for Linux! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp													x	x		x						U15355-C807	198	
	UP ARCserve r11.5 LX Client Agent Linux	ARCserve r11.5 for Linux Upgrade Client Agent for Linux from ARCserve v9, r11.0 or r11.1 Client Agent for Linux Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp													x	x		x						U15355-C807-U	149	
	1Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!													x	x		x						U15355-C807U1	51	
	3Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!													x	x		x						U15355-C807U3	152	
	XOsoft r12 Replication APP Std. OS	XOsoft r12 Replication for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance, , The product offers data replication for Windows Application Servers, . It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition), , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9i/10, , Content: 1x Media Kit and 1x License for one server, , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx								x	x				x	x		x						U15260-C608	1900	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 SCSI	FibreCAT SX800	FibreCAT SX800 Expansion	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																										
	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows Application Servers. . It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition). . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . System Requirements: Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx								x	x			x		x		x		x		x		U15260-C624	2731	
	CA ARCserve r12 WIN Lotus/Domino Agent	CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! . CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! . Hardware and operating system dependencies can be found at the following link: . CA Certified Device List (Windows). https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows). https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html								x	x			x		x		x		x		x		U15355-C2008	810	
	UP CA ARCserve r12 WIN Lotus/Domino Ag.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---. CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! . CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! . Hardware and operating system dependencies can be found at the following link: . CA Certified Device List (Windows). https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows). https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html								x	x			x		x		x		x		x		U15355-C2008-U	608	
	1Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!									x	x			x		x		x		x		U15355-C408U1	202		
	3Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!									x	x			x		x		x		x		U15355-C408U3	607		
	ARCserve r11.5 WIN Tape RAID Option	ARCserve r11.5 Tape RAID Option for Windows; works with ARCserve r11.5 based! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: . CA Certified Device List (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp . CA Compatibility Matrix (Windows). https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compatrix.asp								x	x			x		x		x		x		x		U15355-C708	790	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX500i	FibreCAT CX700	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 iSCSI	FibreCAT SX800	FibreCAT SX800 Expansion	Code	End User Price (£)	Comments
OS/Application-SW (Continued)																											
	UP ARCserve r11.5 Tape RAID Option	ARCserve r11.5 for Windows Tape RAID Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp								x	x				x		x		x						U15355-C708-U	592	
	ARCserve r11.5 LX Client Agent NetWare	BrightStor ARCserve r11.5 Client Agent for NetWare! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp													x		x		x						U15355-C808	313	
	UP ARCserve r11.5 LX Client Agent NetWare	ARCserve r11.5 for Linux Upgrade Client Agent for NetWare from ARCserve v9, r11.0 or r11.1 Client Agent for NetWare Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp													x		x		x						U15355-C808-U	235	
	1Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!													x		x		x						U15355-C808U1	80	
	3Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!													x		x		x						U15355-C808U3	241	
	XOsoft r12 Replication APP Std. OS	XOsoft r12 Replication for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. The product offers data replication for Windows Application Servers. It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition). Supported Applications: MS Exchange 2000/2003/2005, MS SQL 2000/2005, Oracle 9i/10. Content: 1x Media Kit and 1x License for one server. More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Siemens Computers. Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx								x	x				x		x		x						U15260-C609	2660	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 SCSI	FibreCAT SX808	FibreCAT SX808 Expansion	Code	End User Price (€)	Comments
OS/Application-SW (Continued)	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows Application Servers. . It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition). . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . System Requirements: Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx								x	x			x		x		x		x		x		U15260-C625	3823	
	CA ARCserve r12 WIN Sybase Agent	CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html								x	x			x		x		x		x				U15355-C2009	1055	
	UP CA ARCserve r12 WIN Sybase Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html								x	x			x		x		x		x				U15355-C2009-U	791	
	1Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x			x		x		x		x				U15355-C409U1	162	
	3Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!								x	x			x		x		x		x				U15355-C409U3	486	
	ARCserve r11.5 WIN Open File Agent WIN	ARCserve r11.5 Agent for Open Files on Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compatrix.asp								x	x			x		x		x		x				U15355-C709	631	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX500i	FibreCAT CX700	FibreCAT CX700i	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 iSCSI	FibreCAT SX800	FibreCAT SX800 Expansion	Code	End User Price (£)	Comments
OS/Application-SW (Continued)																											
	UP ARCserve r11.5 Open File Agent	ARCserve r11.5 for Windows Open File Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp								x	x				x		x		x						U15355-C709-U	473	
	ARCserve r11.5 Client Agent for Windows	BrightStor ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp													x		x		x						U15355-C809	198	
	UP ARCserve r11.5 LX Client Agent/Windows	ARCserve r11.5 for Linux Upgrade Client Agent for Windows from ARCserve v9, r11.0 or r11.1 Client Agent for Windows Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp														x		x		x					U15355-C809-U	149	
	1Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!														x		x		x					U15355-C809U1	51	
	3Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!														x		x		x					U15355-C809U3	152	
	XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. The product offers data replication for Windows Application Servers. It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition), Supported Applications: MS Exchange 2000/2003/2005, MS SQL 2000/2005, Oracle 9i/10, Content: 1x Media Kit and 1x License for one server, More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software: Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx								x	x				x		x		x						U15260-C610	2849	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 SCSI	FibreCAT SX800	FibreCAT SX800 Expansion	Code	End User Price (€)	Comments		
OS/Application-SW (Continued)	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows Application Servers. . It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . System Requirements: Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx								x	x			x		x		x						x	x	U15260-C626	4275	
	CA ARCserve r12 WIN Oracle Agent	CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html								x	x			x		x		x						x		U15355-C2010	810	
	UP CA ARCserve r12 WIN Oracle Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html								x	x			x		x		x						x		U15355-C2010-U	608	
	1Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x			x		x		x						x		U15355-C410U1	162	
	3Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!								x	x			x		x		x						x		U15355-C410U3	486	
	ARCserve r11.5 NetWare Open File Agent	ARCserve r11.5 Agent for Open Files on NetWare; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compatrix.asp								x	x			x										x		U15355-C710	631	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX500i	FibreCAT CX700	FibreCAT CX700i	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 iSCSI	FibreCAT SX800	FibreCAT SX800 Expansion	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																											
UP ARCserve r11.5 Informix Agent	ARCserve r11.5 for Windows Informix Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp									x	x				x		x		x						U15355-C711-U	771	
ARCserve r11.5 LX SAN Option	BrightStor ARCserve r11.5 für Linux Storage Area Network Option! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp														x		x		x						U15355-C810	1266	
UP ARCserve r11.5 LX SAN Option	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp														x		x		x						U15355-C810-U	949	
1Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!														x		x		x						U15355-C810U1	325	
3Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!														x		x		x						U15355-C810U3	974	
XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , The product offers data replication for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). , Supported Applications: MS Exchange 2000/2003/2005, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server. , More product informationen at; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements; -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx									x	x				x		x		x						U15260-C611	3990	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 SCSI	FibreCAT SX800	FibreCAT SX800 Expansion	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows Application Servers. . It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . . System Requirements: Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx								x	x			x		x		x						x	U15260-C627	5984	
	CA ARCserve r12 WIN MS SQL Agent	CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html								x	x			x		x		x						x	U15355-C2011	810	
	UP CA ARCserve r12 WIN MS SQL Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html								x	x			x		x		x						x	U15355-C2011-U	608	
	1Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x			x		x		x						x	U15355-C411U1	263	
	3Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!								x	x			x		x		x						x	U15355-C411U3	790	
	ARCserve r11.5 WIN Informix Agent	ARCserve r11.5 Agent for Informix for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compatrix.asp								x	x			x		x		x						x	U15355-C711	1028	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX500i	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX200	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX80 SCSI	FibreCAT SX88	FibreCAT SX88 Expansion	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																											
UP ARCserve r11.5 MS Exchange Agent	ARCserve r11.5 for Windows Exchange Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp									x	x			x		x		x		x				U15355-C712-U	592		
ARCserve r11.5 LX SAN SecondarySrvBundle	BrightStor ARCserve r11.5 for Linux SAN Secondary Server Bundle! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp													x		x		x		x				U15355-C811	1266		
UP ARCserve r11.5 LX SAN Sec. Srv.Bundle	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp													x		x		x		x				U15355-C811-U	949		
1Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!													x		x		x		x				U15355-C811U1	325		
3Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!													x		x		x		x				U15355-C811U3	974		
XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication for Windows Application Servers. . . It supports only Windows Clusters. . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9i10. . . Content: 1x Media Kit and 1x License for one server. . . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements; -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers. Software: Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) . . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx									x	x			x		x		x		x				U15260-C612	1662		



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 SCSI	FibreCAT SX800	FibreCAT SX800 Expansion	Code	End User Price (€)	Comments				
OS/Application-SW (Continued)	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows Application Servers. . It supports only Windows Clusters. . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx								x	x				x		x							x	x	U15260-C628	2137			
	CA ARCserve r12 WIN SAP/R3 Oracle Option	CA ARCserve r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html								x	x				x		x								x		U15355-C2012	1625		
	UP CA ARCserve r12 WIN SAP/R3 Oracle Op.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html								x	x				x		x									x		U15355-C2012-U	1218	
	1Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Windows Exchange Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x				x		x									x		U15355-C412U1	202	
	3Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Windows Exchange Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!								x	x				x		x									x		U15355-C412U3	607	
	ARCserve r11.5 WIN Exchange Agent	ARCserve r11.5 Agent for Microsoft Exchange for Windows; works with ARCserve r11.5 basic! Allows online databases or mailboxes on the Exchange Server to be selectively backed up or restored. BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compatrix.asp								x	x				x		x									x		U15355-C712	790	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX200	FibreCAT SX300	FibreCAT SX400	FibreCAT SX600	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 I/SCSI	FibreCAT SX800	FibreCAT SX800 Expansion	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																									
	UP ARCServe r11.5 MS Exch.Premium Bundle	ARCServe r11.5 for Windows Exchange Premium Bundle Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp								x	x			x		x		x					U15355-C713-U	949	
	ARCServe r11.5 LX Advantage IngresOption	BrightStor ARCServe r11.5 for Enterprise Option for Advantage Ingres for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp												x		x		x					U15355-C812	1028	
	1Yr Mnt ARCServe LX Advantage Ingres Opt	BrightStor ARCServe Backup for Enterprise Option for Advantage Ingres for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!												x		x		x					U15355-C812U1	263	
	3Yr Mnt ARCServe LX Advantage Ingres Opt	BrightStor ARCServe Backup for Enterprise Option for Advantage Ingres for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!												x		x		x					U15355-C812U3	791	
	XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , The product offers data replication for Windows Application Servers. , It supports only Windows Clusters. , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx								x	x			x		x		x					U15260-C613	2327	
	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Clusters. , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx								x	x			x		x		x					U15260-C629	2992	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT CX720	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 SCSI	FibreCAT SX800	FibreCAT SX800 Expansion	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																											
CA ARCserve r12 WIN Windows Client Agent	CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html									x	x			x		x		x		x				U15355-C2013	204		
UP CA ARCserve r12 WIN Windows Client Ag	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html									x	x			x		x		x		x				U15355-C2013-U	152		
1Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!									x	x			x		x		x		x				U15355-C413U1	325		
3Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!									x	x			x		x		x		x				U15355-C413U3	974		
ARCserve r11.5 WIN Exchange Prem.Bundle	ARCserve r11.5 MS Exchange Premium Bundle! Consisting of ARCserve r11.5 Exchange Agent and ARCserve r11.5 MS Exchange Premium Add-On! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp									x	x			x		x		x		x				U15355-C713	1266		
UP ARCserve r11.5 Lotus/Domino Agent	ARCserve r11.5 for Windows Agent for Lotus/Domino Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp									x	x			x		x		x		x				U15355-C715-U	592		
ARCserve r11.5 LX Disk Staging Option	BrightStor ARCserve r11.5 for Linux Disk Staging Option! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp													x		x		x		x				U15355-C813	393		



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX200	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX80 SCSI	FibreCAT SX88	FibreCAT SX88 Expansion	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																									
	XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication for Windows Application Servers. . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10 . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx								x	x			x		x		x		x	x		U15260-C614	1068	
	XOsoft r12 HighAvailability APP Virt. M.	XOsoft r12 High Availability for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. . The product offers data replication and high availability for Windows Application Servers. . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10 . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx								x	x			x		x		x		x	x		U15260-C630	1781	
	CA ARCserve r12 WIN MS SBS Premium Edt.	CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base ., 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html								x	x			x		x		x		x		U15355-C2014	566		
	UP CA ARCserve r12 WIN MS SBS Premium E.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---. CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base ., 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! . Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html								x	x			x		x		x		x		U15355-C2014-U	425		
	1Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x			x		x		x		x		U15355-C414U1	202		



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX500i	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 SCSI	FibreCAT SX800	FibreCAT SX800 Expansion	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																											
	3Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!									x	x			x		x		x		x				U15355-C414U3	607	
	ARCserve r11.5 WIN Exchange Prem.Add-On	ARCserve r11.5 MS Exchange Premium Add-On; works with ARCserve r11.5 basic and ARCserve r11.5 Exchange Agent! Allows the backup and restore on document section! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp									x	x			x		x		x		x				U15355-C714	790	
	UP ARCserve r11.5 Sybase Agent	ARCserve r11.5 for Windows Agent for Sybase Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp									x	x			x		x		x		x				U15355-C716-U	771	
	ARCserve r11.5 LX Lotus / Domino Agent	BrightStor ARCserve r11.5 for Linux Agent for Lotus / Domino Hardware and operating system dependent extract from the following link., CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp													x		x		x		x				U15355-C814	790	
	XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. The product offers data replication for Windows Application Servers. It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation). Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9i/10, Content: 1x Media Kit and 1x License for one server. More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software: Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines., A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx									x	x			x		x		x		x	x			U15260-C615	1496	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 SCSI	FibreCAT SX800	FibreCAT SX800 Expansion	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)	XOsoft r12 HighAvailability APP Virt. M.	XOsoft r12 High Availability for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows Application Servers. . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9i/10 . . Content: 1x Media Kit and 1x License for one server. . More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx . System Requirements: Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. . . A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx								x	x				x		x							x	U15260-C631	2494	
	CA ARCServe r12 WIN SAN Sec. Srv. Bundle	CA ARCServe r12 SAN Secondary Server Bundle includes the following ARCServe r12 components: . 1x Base, 1x SAN Option, CA ARCServe Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! . Hardware and operating system dependencies can be found at the following link: . CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cd.html . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html								x	x				x		x							x	U15355-C2015	1298	
	UP CA ARCServe r12 WIN SAN Sec. Srv. Bnd	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---. CA ARCServe r12 SAN Secondary Server Bundle includes the following ARCServe r12 components: . 1x Base, 1x SAN Option, CA ARCServe Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! . Hardware and operating system dependencies can be found at the following link: . CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cd.html . CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compmatrix.html								x	x				x		x							x	U15355-C2015-U	974	
	ARCServe r11.1 LX FlexFrame Agent	Allows the backup of one online SAP/Oracle database under linux and the archive of Redo-log files! Licensing is made pro SID! Hardware and operating system dependent extract from the following link: . CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp . CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp													x		x							x	U15355-C356	1844	
	1Yr Mnt ARCServe WIN Lotus/Domino Agent	BrightStor ARCServe Backup for Windows Lotus/Domino Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x				x		x							x	U15355-C415U1	202	
	3Yr Mnt ARCServe WIN Lotus/Domino Agent	BrightStor ARCServe Backup for Windows Lotus/Domino Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!								x	x				x		x							x	U15355-C415U3	607	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT CX800	FibreCAT CX900	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 SCSI	FibreCAT SX800	FibreCAT SX800 Expansion	Code	End User Price (€)	Comments
Accessories & services matrix OS/Application-SW (Continued)																												
	ARCserve r11.5 WIN Lotus/Domino Agent	ARCserve r11.5 Agent for Lotus Notes for Windows: works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp										x	x			x		x		x					U15355-C715	790		
	UP ARCserve r11.5 Oracle Agent	ARCserve r11.5 for Windows Agent for Oracle Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp										x	x			x		x		x					U15355-C717-U	592		
	CA ARCserve r12 WIN MS SBS Standard Edt.	CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, 1x Exchange Agent, 1x Open File Agent, 1x Sharepoint Agent, CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html										x	x			x		x		x					U15355-C2016	403		
	UP CA ARCserve r12 WIN MS SBS Stand. Edt	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12 ---, CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, 1x Exchange Agent, 1x Open File Agent, 1x Sharepoint Agent, CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html										x	x			x		x		x					U15355-C2016-U	302		
	1Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!										x	x			x		x		x					U15355-C416U1	263		
	3Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!										x	x			x		x		x					U15355-C416U3	790		



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 iSCSI	FibreCAT SX800	FibreCAT SX800 Expansion	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																									
	ARCserve r11.5 WIN Sybase Agent	ARCserve r11.5 Agent for Sybase for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp							x	x				x		x				x		U15355-C716	1028		
	UP ARCserve r11.5 MS SQL Agent	ARCserve r11.5 for Windows Agent for SQL Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp								x	x			x		x				x		U15355-C718-U	592		
	1 Yr Mnt. WANSyncHA Std Srv	1 Year CA Enterprise Maintenance Renewal for CA XOsoft WANSync HA Standard Server								x	x					x		x				U15260-C40U1	543		
	CA ARCserve r12 WIN DiskToDiskToTape Op.	CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base! CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link.; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html								x	x			x		x				x		U15355-C2017	403		
	UP CA ARCserve r12 WIN DiskToDiskToTape	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---. CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base! CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link.; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html								x	x			x		x				x		U15355-C2017-U	302		
	1Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x			x		x				x		U15355-C417U1	202		
	3Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!								x	x			x		x				x		U15355-C417U3	607		
	ARCserve r11.5 WIN Oracle Agent	ARCserve r11.5 Agent for Oracle for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp								x	x			x		x				x		U15355-C717	790		



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX200	FibreCAT SX200 Expansion	FibreCAT SX300	FibreCAT SX300 Expansion	FibreCAT SX400	FibreCAT SX400 Expansion	FibreCAT SX500	FibreCAT SX500 Expansion	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX700	FibreCAT SX700 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																																
UP ARCServe r11.5 Client Agent for UNIX	ARCServe r11.5 Client Agent for UNIX Upgrade from ARCServe v9, r11.0 or r11.1 for Windows!! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp									x	x			x		x														U15355-C720-U	235	
CA ARCServe r12 WIN MS Sharepoint Agent	CA ARCServe r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client! CA ARCServe Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdl/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html									x	x			x		x														U15355-C2018	810	
UP CA ARCServe r12 WIN MS Sharepoint Ag.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12.---, CA ARCServe r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client! CA ARCServe Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdl/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html									x	x			x		x														U15355-C2018-U	608	
1Yr Mnt ARCServe WIN SQL Agent	BrightStor ARCServe Backup for Windows SQL Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!									x	x			x		x														U15355-C418U1	202	
3Yr Mnt ARCServe WIN SQL Agent	BrightStor ARCServe Backup for Windows SQL Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!									x	x			x		x														U15355-C418U3	607	
ARCServe r11.5 WIN SQL Server Agent	ARCServe r11.5 Agent for Microsoft SQL for Windows; works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp									x	x			x		x														U15355-C718	790	
UP ARCServe r11.5 Client Agent Linux	ARCServe r11.5 Client Agent for Linux Upgrade from ARCServe v9, r11.0 or r11.1 for Windows!! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp									x	x			x		x														U15355-C721-U	149	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 Expansion	FibreCAT SX800 BCSI	FibreCAT SX808	FibreCAT SX808 Expansion	Code	End User Price (€)	Comments
OS/Application-SW (Continued)																									
	CA ARCServe r12 WIN Enterprise Module	CA ARCServe r12 Enterprise Module for Windows can only be used in conjunction with CA ARCServe r12 base! , CA ARCServe Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html								x	x			x	x		x					U15355-C2019	3440		
	UP CA ARCServe r12 WIN Enterprise Module	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Enterprise Module for Windows can only be used in conjunction with CA ARCServe r12 base! , CA ARCServe Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html								x	x			x	x		x					U15355-C2019-U	3054		
	1Yr Mnt ARCServe WIN SAP R/3 Agent	BrightStor ARCServe Backup for Windows SAP R/3 Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x			x	x		x					U15355-C419U1	317		
	3Yr Mnt ARCServe WIN SAP R/3 Agent	BrightStor ARCServe Backup for Windows SAP R/3 Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!								x	x			x	x		x					U15355-C419U3	952		
	ARCServe r11.5 SAP R/3 Agent for Oracle	ARCServe r11.5 Agent for SAP R/3 for Oracle; works with ARCServe r11.5 base! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp								x	x			x	x		x					U15355-C719	2123		
	UP ARCServe r11.5 Client Agent NetWare	ARCServe r11.5 Client Agent for NetWare Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp								x	x			x	x		x					U15355-C722-U	235		
	CA ARCServe r12 WIN MS DPM Agent	CA ARCServe r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client! , CA ARCServe Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html								x	x			x	x		x					U15355-C2020	810		



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX200	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX80 SCSI	FibreCAT SX88	FibreCAT SX88 Expansion	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																											
	UP CA ARCserve r12 WIN MS DPM Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link., CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compatrix.html								x	x				x		x		x					U15355-C2020-U	608		
	1Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x				x		x		x					U15355-C420U1	80		
	3Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!								x	x				x		x		x					U15355-C420U3	240		
	ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compatrix.asp								x	x				x		x		x					U15355-C720	313		
	UP ARCserve r11.5 Client Agent Windows	ARCserve r11.5 Client Agent for Windows Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compatrix.asp								x	x				x		x		x					U15355-C723-U	149		
	CA ARCserve r12 WIN VSS-HW Snap. Option	CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link., CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=04536/12/4536_12_compatrix.html								x	x				x		x		x					U15355-C2021	4067		



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX200	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX80 SCSI	FibreCAT SX88	FibreCAT SX88 Expansion	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																											
	UP CA ARCServe r12 WIN VSS-HW Snap. Opt.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCServe r12 base! , CA ARCServe Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link., CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html								x	x			x		x		x		x				U15355-C2021-U	3051		
	1Yr Mnt ARCServe WIN Client Agent Linux	BrightStor ARCServe Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x				x	x	x		x					U15355-C421U1	51		
	3Yr Mnt ARCServe WIN Client Agent Linux	BrightStor ARCServe Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!								x	x				x	x	x		x					U15355-C421U3	152		
	ARCServe r11.5 WIN Client Agent Linux	ARCServe r11.5 Client Agent for Linux; works with ARCServe r11.5 basic! Allows the backup of one further LINUX server! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.as.p								x	x				x	x	x		x					U15355-C721	198		
	UP ARCServe r12 WIN Sngl Srv-Full Edt.	ARCServe r12 for Windows Upgrade from ARCServe Single Server Edition to ARCServe r12 for Windows Standard Edition. BrightStor ARCServe Backup r12 is for Windows 2000 / 2003 / 2008 certified and released! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html								x	x				x	x	x		x					U15355-C780-U	461		
	CA ARCServe r12 WIN VMware Agent	CA ARCServe r12 Agent f. VMware for Windows can only be used in conjunction with CA ARCServe r12 base! , CA ARCServe Backup r12 Agent f. VMware for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link.; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html								x	x				x	x	x		x					U15355-C2022	810		
	1Yr Mnt ARCServe WIN Client AgentNetware	BrightStor ARCServe Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x				x	x	x		x					U15355-C422U1	80		
	3Yr Mnt ARCServe WIN Client Agent NW	BrightStor ARCServe Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!								x	x				x	x	x		x					U15355-C422U3	240		



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX200	FibreCAT SX200	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 SCSI	FibreCAT SX800	FibreCAT SX800 Expansion	Code	End User Price (€)	Comments
Accessories & services matrix OS/Application-SW (Continued)																											
	ARCserve r11.5 WIN Client Agent NetWare	ARCserve r11.5 Client Agent for NetWare; works with ARCserve r11.5 basic! Allows the backup of one further NetWare servers! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.as.p								x	x				x		x		x						U15355-C722	313	
	CA ARCserve r12 WIN Central Mngmt. Opt.	CA ARCserve r12 Central Management Option for Windows can only be used in conjunction with CA ARCserve r12 base! CA ARCserve Backup r12 Central Management Option for Windows is certified and released for Windows 2000/2003/2008! Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html								x	x				x		x		x						U15355-C2023	1217	
	1Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!									x	x				x		x		x					U15355-C423U1	51	
	3Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!									x	x				x		x		x					U15355-C423U3	152	
	ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp									x	x				x		x		x					U15355-C723	198	
	1Yr Mnt ARCserve WIN Cit Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!									x	x				x		x		x					U15355-C424U1	80	
	3Yr Mnt ARCserve WIN Cit Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!									x	x				x		x		x					U15355-C424U3	240	
	ARCserve r11.5 WIN Client Agent MAC OS X	ARCserve r11.5 Client Agent for Mac OS X; works with ARCserve r11.5 basic! Allows the backup of one further Mac OS X servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp									x	x				x		x		x					U15355-C724	313	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 SCSI	FibreCAT SX800	FibreCAT SX800 Expansion	Code	End User Price (€)	Comments
Accessories & services matrix OS/Application-SW (Continued)																										
	1Yr Mnt ARCServe WIN SAN Sec.Srv.Bundle	BrightStor ARCServe Backup SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x			x		x		x		x				U15355-C428U1	325	
	3Yr Mnt ARCServe WIN SAN Sec.Srv.Bundle	BrightStor ARCServe Backup SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!								x	x			x		x		x		x				U15355-C428U3	974	
	ARCServe r11.5 WIN Special	ARCServe r11.5 Special! Consisting of ARCServe r11.5 basic and ARCServe r11.5 Disaster Recovery! Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp								x	x			x		x		x		x				U15355-C725	1167	
	1Yr Mnt ARCServe WIN CIt VSS SnapShot	BrightStor ARCServe Backup for Windows Client VSS Software Snap Shot - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x			x		x		x		x				U15355-C429U1	263	
	3Yr Mnt ARCServe WIN CIt VSS SnapShot	BrightStor ARCServe Backup for Windows Client VSS Software Snap Shot - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!								x	x			x		x		x		x				U15355-C429U3	790	
	ARCServe r11.5 WIN Secondary Srv Bundle	ARCServe r11.5 Secondary Server Bundle! Exists of ARCServe r11.5 basic license and ARCServe r11.5 SAN Option license! No media kit included! For further server which has access to the jukebox in a SAN! Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp								x	x			x		x		x		x				U15355-C726	1266	
	1Yr Mnt ARCServe WIN Enterprise Module	BrightStor ARCServe Backup for Windows Enterprise Module - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x			x		x		x		x				U15355-C430U1	763	
	3Yr Mnt ARCServe WIN Enterprise Modul	BrightStor ARCServe Backup for Windows Enterprise Module - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!								x	x			x		x		x		x				U15355-C430U3	2290	
	ARCServe r11.5 WIN CIt VSS SW Snap Shot	ARCServe r11.5 Client for VSS (Volume Shadow Copy Service) Snap Shot! The integration with Microsoft VSS-ability applications allows backups to a specific time. In this process can be saved snapshot copies, when the processes are aktiv and open datas are working. Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp								x	x			x		x		x		x				U15355-C727	1028	



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX600	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX200	FibreCAT SX300	FibreCAT SX400	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 iSCSI	FibreCAT SX888	FibreCAT SX888 Expansion	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																											
	1Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x			x		x		x		x				U15355-C431U1	101		
	3Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!								x	x			x		x		x		x				U15355-C431U3	302		
	ARCserve r11.5 WIN Disk Staging Option	ARCserve r11.5 Disk Staging Option Shrinks backup time by allowing backup data to be staged to fast disk drives before it is automatically moved to tape. Restore requests are redirected to disks automatically, reducing recovery time. The whole operation is policy driven, reducing cost and management overhead. Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp								x	x			x		x		x		x				U15355-C728	393		
	1Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x			x		x		x		x				U15355-C432U1	202		
	3Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!								x	x			x		x		x		x				U15355-C432U3	607		
	ARCserve r11.5 WIN Share Point Portal	ARCserve r11.5 für Windows Share Point Portal Agent With this agent Microsoft Share Point and all its components will be identify and efficiently backed up. Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp								x	x			x		x		x		x				U15355-C729	790		
	1Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x			x		x		x		x				U15355-C433U1	202		
	3Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!								x	x			x		x		x		x				U15355-C433U3	607		
	ARCserve r11.5 Enterprise Modul	ARCserve r11.5 Enterprise Module; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp								x	x			x		x		x		x				U15355-C730	3349		



Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX400	FibreCAT CX500	FibreCAT CX500i	FibreCAT CX700	FibreCAT NX20	FibreCAT NX40	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX200	FibreCAT SX400	FibreCAT SX600	FibreCAT SX600 Expansion	FibreCAT SX800	FibreCAT SX800 Expansion	FibreCAT SX800 SCSI	FibreCAT SX808	FibreCAT SX808 Expansion	Code	End User Price (€)	Comments	
OS/Application-SW (Continued)																											
	1Yr Mnt ARCserve WIN Central Mgmt. Opt.	ARCserve Backup for Windows Central Management Option - 1 Year CA Enterprise Maintenance., Includes: 24x7 priority enterprise phone based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x			x		x		x		x				U15355-C434U1	304		
	3Yr Mnt ARCserve WIN Central Mgmt. Opt.	ARCserve Backup for Windows Central Management Option - 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!								x	x			x		x		x		x				U15355-C434U3	913		
	ARCserve r11.5 WIN DPM Agent	ARCserve r11.5 for Windows DPM Agent; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp								x	x			x		x		x		x				U15355-C731	790		
	1Yr Mnt ARCserve WIN VMware Agent	ARCserve Backup for Windows Agent f. VMware - , 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x			x		x		x		x				U15355-C435U1	202		
	3Yr Mnt ARCserve WIN VMware Agent	ARCserve Backup for Windows Agent f. VMware - , 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!								x	x			x		x		x		x				U15355-C435U3	608		
	1Yr Mnt ARCserve WIN Enterprise HW-VSS	ARCserve Backup for Windows Enterprise Option f. VSS Hardware Snapshots, - 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!								x	x			x		x		x		x				U15355-C436U1	958		
	3Yr Mnt ARCserve WIN Enterprise HW-VSS	ARCserve Backup for Windows Enterprise Option f. VSS Hardware Snapshots, - 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!								x	x			x		x		x		x				U15355-C436U3	2874		
UPS/Power supply																											
	Power Supply Module 400W (hot plug)	for PS redundancy								x														S26113-F483-L11	116		
	Power Supply Upgrade 400W (hot plug)	for optional PS redundancy, incl. mounting kit and 1st power supply module								x														S26113-F483-L5	209	Phased out	
	Power Supply Upgrade 400W (hot plug)	for optional PS redundancy, incl. mounting kit cable and 1st power supply module								x														S26113-F483-L6	211		
Miscellaneous																											
	RAIL-Kit with red.bracket f.singl ship.	Mounting Kit FibreCAT PRIMECENTER Rack., Substitute Kit D:FCRAIL-2.	x	x	x	x	x	x	x															D:FCRAIL3-L	96		
	cable Parallelport Option Centronics	Cable with 25 pin Centronics interface											x											S26361-F3120-L2	16		
	cable Serial port option	Cable for 2nd RS-232-C 9 pin interface											x											S26361-F3120-L3	31		
	Serial port option	Cable with 9 pin D-SUB interface								x														S26361-F2571-L10	24		
Cables																											
	Cascading Cable for single shipment	FibreCAT SX Cascading Cable 0.5m as single shipment											x				x		x					D:FCSX-IO-CAB-L	60		
	SAS cable external 2 m	SFF 8470-SFF 8470 with screw connection, 2.0m														x								S26361-F3246-L20	69		
	SAS cable external 0.5 m	SFF 8470-SFF 8470 with screw connection, 0.5m														x								S26361-F3246-L5	51		
	SAS CBL EXT 2m 8088-8470	SFF 8088-SFF 8470 with screw connection, 2.0m														x								S26361-F3246-L203	55		
	SAS CBL EXT 4m 8088-8470	SFF 8088-SFF 8470 with screw connection, 4.0m														x								S26361-F3246-L403	71		
	SAS CBL EXT 6m 8088-8470	SFF 8088-SFF 8470 with screw connection, 6.0m														x								S26361-F3246-L603	94		



Category	Description	Details	FibreCAT CX ATA Expansion Shelf	FibreCAT CX Expansion Shelf	FibreCAT CX3 Expansion Shelf	FibreCAT CX3-10C	FibreCAT CX3-20	FibreCAT CX3-30C	FibreCAT CX3-40	FibreCAT CX3-40C	FibreCAT CX3-80	FibreCAT CX4 Expansion Shelf	FibreCAT CX4-120C	FibreCAT CX4-240C	FibreCAT CX4-480C	FibreCAT CX4-960C	FibreCAT NX40 S4	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60	FibreCAT SX68 Expansion	FibreCAT SX60	FibreCAT SX80 Expansion	FibreCAT SX80 (SCSI)	FibreCAT SX88 Expansion	FibreCAT SX88	FibreCAT TX08	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (€)	Comments					
Options matrix																																									
Communication/Network (Continued)																																									
Rack-Infrastructure																																									
	PRIMERGY Rackinstallation SX ex works	Service for installation of a FibreCAT SX60 / SX80 Raid-Subsystem into a PRIMERGY Rack ex works. With ordering this service, the FibreCAT SX will be pre-mounted in a 12/24/38U Rack ex works.																																		D-FCSX-INPSR	91				
	PRIMEPOWER Rackinstallation SX ex work	Service for installation of a FibreCAT SX80 Raid-Subsystem into a PRIMEPOWER Rack ex works. With ordering this service, the FibreCAT SX will be pre-mounted in a 12/24/38U Rack ex works.																																		D-FCSX-INPWR	91	Phased out			
	Rackinstallation TX works Augsborg	Service for installation of a FibreCAT TX System into a PRIMERGY Rack ex works. With ordering this service, the FibreCAT TX will be pre-mounted in a 12/24/38U Rack ex works.																																		D-FCTX-INPSR	91				
	PRIMEPOWER Rackinstallation TX ex work	Service for installation of a FibreCAT TX System into a PRIMEPOWER Rack ex works. With ordering this service, the FibreCAT TX will be pre-mounted in a 12/24/38U Rack ex works.																																		D-FCTX-INPWR	91	Phased out			
	Rackinstallation CX3/4-xx works ABG	Service for installation of a FibreCAT CX3 Raid-Subsystem into a Rack ex works. With ordering this service, the FibreCAT CX3 will be pre-mounted in a 12/24/38U Rack ex works.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D-FXC3-INSTALL-A	91					
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works. With ordering this service, the 12/24/38U rack will be delivered completely pre-mounted and tested ex works. In case of the 48U rack, this service has to be ordered to get the mounting kits and the cables installed.																																		S26361-F1647-E302	51				
	RMK-S Vario Carrier w. L-shaped Brackets	with Vario carrier f. easy rack mounting for 19inch rack systems in PCRll racks max. load 50 kg																																		S26361-F2735-E150	35	Orderable from: 29/09/2008			
	RMK-F1_1-2U Server (new)	telescopic rail, full extraction with vario-carrier, pre-assembled with centre screw																																		S26361-F2735-E101	42				
	RMK-P_1-2U servers (new)	telescopic rail, partial extraction with vario-carrier, pre-assembled with centre screw																																		S26361-F2735-E110	35				
	Cable mgmt. for 19' DC- PC- Rack	Cablemanagement for adding a server or storage subsystem into the PRIMECENTER rack																																		S26361-F2735-E7	24				
	1 U cable arm, dragged	Cable arm for PRIMERGY Server, dragged for PRIMECENTER- and 3rd party racks																																		S26361-F2735-E8	24				
	cable management arm for 3rd party racks	all-purpose for PV server in 3rd party a classic racks (please do not order together with rack mount into PRIMECENTER racks - ex factory!																																		S26361-F2201-E20	39				
PRIMERGY-Software																																									
	RMK S2 advanced pack	Integrated remote management controller activation key for graphical console redirection and remote media redirection																																		S26361-F1790-E241	234				
OS/Application-SW																																									
	FibreCAT NX40 S4 Recovery KIT	Recovery DVD with Windows Storage Server 2003, Storage Manager, Services for NetWare and Services for NFS. Supported protocols: CIFS, NFS, HTTP, FTP. The software is pre-installed in the factory already on the system and is orderable only in connection with the FibreCAT NX40 S4.																																			S26361-F2565-E529	16			
UPS/Power supply																																									
	Power Supply Module 700W (hot plug)	2nd PS hp for redundancy																																			S26113-F529-E10	86			
Miscellaneous																																									
	Mounting Kit FibreCAT I PrimeCenterRack	Mounting Kit FibreCAT PRIMECENTER Rack. Substitute Kit D:FCRAIL-1.	x	x																																D-FCRAIL-2	119	Phased out			
	RAIL-Kit with 1U reduction bracket	Mounting Kit FibreCAT PRIMECENTER Rack. Substitute Kit D:FCRAIL-2.	x	x																																	D-FCRAIL3	91			
	FibreCat SX with LINUX	FibreCAT SX60/SX80/SX88 order position if connect it to a Server with LINUX operating system.																																			D-FCSX-ANLIN	2			
	FibreCat SX with SOLARIS	FibreCAT SX80/SX88 order position if connect it to a Server with SOLARIS operating system.																																			D-FCSX-ANSUN	2			
	FibreCat SX with VMware	FibreCAT SX60/SX80/SX88 order position if connect it to a Server with VMware operating system.																																			D-FCSX-ANVM	2			
	FibreCat SX with Windows	FibreCAT SX60/SX80/SX88 order position if connect it to a Server with WINDOWS operating system.																																			D-FCSX-ANWIN	2			
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order																																			S26361-F1647-E410	20			
	Parallelport Option Centronics	Cable with 25 pin Centronics interface																																			S26361-F3120-E2	16			
	Serial port option	Cable for 2nd RS-232-C 9 pin interface																																			S26361-F3120-E3	31			
	SCSI IOM_TXF	SCSI I/O-Modul																																			S26361-F3872-E110	94	Orderable from: 29/09/2008		
	SAS IOM_TXF	USB I/O-Modul																																			S26361-F3872-E130	114	Orderable from: 29/09/2008		
	No RMK	no Rackmount-Kit, Special case TX200-S4; if needed, please order rack-mount kit as option to the server: S26361-F2734-L90																																				S26361-F2735-E111	4		
	Fan upgrade kit hot-plug redundancy	Redundant hot plug fans option, incl. 4 fans, cage and electronics																																				S26361-F2621-E4	59		
	Local Service Display OptionKit S2	LCD display with installation kit																																				S26361-F2557-E104	67		
RAID Systems																																									
	FibreCat SX non FSC Server Connection	FibreCAT SX60/SX80/SX88 order position to connect non FSC Server.																																				D-FCSX-ANNON	2		
	FibreCat SX Primergy Connection	FibreCAT SX60/SX80/SX88 order position to connect PRIMERGY Server.																																				D-FCSX-ANPS	2		
	FibreCat SX Primepower/SES Connection	FibreCAT SX80/SX88 order position to connect PRIMEPOWER / Sparc Enterprise Server.																																				D-FCSX-ANPW	2		
	SX100 host port add on 25-48	FibreCAT SX100 order position to connect the system from 25 up to 48 host ports.																																				D-FCSX-HOSTPORT-48	2		
Cables																																									
	FC CX3_XX CABLE HSSDC to HSSDC2 (5 m)	Fibre channel cable , 5 m , Connecting cable FibreCAT CX Model between two Rack 's, HSSDC -HSSDC2 5M																																					D-FC1-HSSDC-5M	171	
	FC CX3_XX CABLE HSSDC2 to HSSDC2 (5 m)	Fibre channel cable , 5 m , Connecting cable FibreCAT CX Model between two Rack 's, HSSDC2 -HSSDC2 5M																																					D-FC2-HSSDC-5M	187	
	FIBRECAT CX3_XX INTERLINK CABLE FOR RACK Cascading Cable	FibreCAT SX Cascading Cable 0.5m																																				D-FCSFP-HSSDC2-5M	171		
	SCSI CABLE P2P UHD	Internal SCSI cable for connection of a SCSI backup drive; interface SCSI UHD68																																				D-FCSX-IO-CAB	56		
																																						S26361-F3872-E111	39	Orderable from: 29/09/2008	



Positioning Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>



LTO Desktop

Available with one LTO-1 or LTO-2 drive for rapid data transfer. Because time is of the essence.



SL500

The rack-mounted library scales from 30 to 575 LTO cartridge slots and accommodates up to 18 tape drives.



SCALAR i500

Midrange Tape Library with modular design provides industry-leading scalability, performance, and reliability.



FibreCAT TX08

The FibreCAT TX08 is an ultra compact tape library with up to 8 media slots and one half height LTO drives on one height unit for small and midsize companies



FibreCAT TX24

The FibreCAT TX24 is an ultra compact tape library with up to 24 media slots and up to two LTO drives on two height units. It can be upgraded instantaneously.



FibreCAT TX24 S2

The FibreCAT TX24 S2 is a compact and extremely reliable tape automation system for small and medium-sized enterprises.



FibreCAT TX48

The FibreCAT TX48 is an ultra compact tape library with up to 48 media slots and up to four LTO drives on four height units. It can be upgraded instantaneously.



FibreCAT TX48 S2

The FibreCAT TX48 S2 is a compact and extremely reliable tape automation system for small and medium-sized enterprises.

FibreCAT TXF

The innovative FibreCAT storage subsystems from Fujitsu Siemens Computers offer high quality, availability and are user-friendly. FibreCAT backup systems make data backup easy, reliable and low-priced. A large range of supported backup devices with SCSI, SAS or USB interfaces make this storage subsystem an individual, flexible solution for use in rack systems and high-availability environments. The FibreCAT backup systems meet the increased storage capacity requirements regarding archiving and data backup in data centers and can be used wherever medium to large data quantities have to be saved. FibreCAT storage subsystems from Fujitsu Siemens Computers ensure that the basis of your company is retained.



CentriStor Virtual Tape Appliance

Data Sheets: <http://www.fujitsu-siemens.com/storage>

CentricStor is a powerful virtual tape solution that provides fully integrated Disk to Disk to Tape (D2D2T) backup. It offers data protection for all types of enterprise data. CentricStor enables customers to consolidate their tape infrastructures, exploiting the best of both disk and tape.

CentricStor uses a powerful Grid Architecture (CGA) to provide unmatched scalability and unmatched disaster tolerance. Unlike Virtual Tape Libraries (VTL) that just emulates tape, CentricStor offers True Tape Virtualization (TTV). This provides unmatched connectivity and unmatched TCO (Total Cost of Ownership) reduction. This is the reason why CentricStor is the only virtual tape solution that makes tape fit for ILM (Information Lifecycle Management).

For pricing and configuration information please contact your Fujitsu Siemens Computers sales contact.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
VTA bundles					
CentricStor VTA-500 V07	CentricStor VTA-500 V07 , CentricStor VTA 500, 700 MB/s, SW > V4.x		CS-500-V07	99206	
CentricStor VTA-500 V7DL	CentricStor VTA-500 V7DL , CentricStor VTA 500 Disk Library, 700 MB/s, SW > V4.x		CS-500-V7DL	71429	
CentricStor VTA-1000 V07	CentricStor VTA-1000 V07 , CentricStor VTA 1000, 700 MB/s, SW > V4.x		CS-1000-V07	138889	
CentricStor VTA-1500 V07	CentricStor VTA-1500 V07 , CentricStor VTA 1500, 1100 MB/s, SW > V4.x, Precabled for Upgrade to VTA2000 Narrow.		CS-1500-V07	238095	
CentricStor VTA-1500 V7DL	CentricStor VTA-1500 V7DL , CentricStor VTA 1500 Disk Library, 1100 MB/s, SW > V4.x, Precabled for Upgrade to VTA2000 Narrow.		CS-1500-V7DL	95238	
CentricStor VTA-2000 V07	CentricStor VTA-2000 V07 , CentricStor VTA 2000, 1100 MB/s, SW > V4.x		CS-2000-V07	349206	
CentricStor VTA-3000 V07	CentricStor VTA-3000 V07 , CentricStor VTA 3000, 1600 MB/s, SW > V4.x		CS-3000-V07	460317	
CentricStor VTA-4000 V07	CentricStor VTA-4000 V07 , CentricStor VTA 4000, 2100 MB/s, SW > V4.x		CS-4000-V07	547619	
CentricStor VTA-5000 V07	CentricStor VTA-5000 V07 , CentricStor VTA 5000, 3000 MB/s, SW > V4.x		CS-5000-V07	761905	
CentricStor VTA-500 V07 ET	CentricStor VTA-500 V07 ET , Eternus exclusively with EU CEE 32A power plug		CS-500-V07E	99206	
CentricStor VTA-1000 V07 ET	CentricStor VTA-1000 V07 ET , Eternus exclusively with EU CEE 32A power plug		CS-1000-V07E	138889	
CentricStor VTA-1500 V07 ET	CentricStor VTA-1500 V07 ET , Eternus exclusively with EU CEE 32A power plug Precabled for Upgrade to VTA2000 Narrow.		CS-1500-V07E	238095	
CentricStor VTA-2000 V07 ET	CentricStor VTA-2000 V07 ET , Eternus exclusively with EU CEE 32A power plug		CS-2000-V07E	349206	
CentricStor VTA-3000 V07 ET	CentricStor VTA-3000 V07 ET , Eternus exclusively with EU CEE 32A power plug		CS-3000-V07E	460317	
CentricStor VTA-4000 V07 ET	CentricStor VTA-4000 V07 ET , Eternus exclusively with EU CEE 32A power plug		CS-4000-V07E	547619	
CentricStor VTA-5000 V07 ET	CentricStor VTA-5000 V07 ET , Eternus exclusively with EU CEE 32A power plug		CS-5000-V07E	761905	
CentricStor VTA-500 V07 ET US	CentricStor VTA-500 V07 ET US , Eternus exclusively with US L6-30 power plug		CS-500U-V7E	99206	
CentricStor VTA-1000 V07 ET US	CentricStor VTA-1000 V07 ET US , Eternus exclusively with US L6-30 power plug		CS-1000U-V7E	138889	
CentricStor VTA-1500 V07 ET US	CentricStor VTA-1500 V07 ET US , Eternus exclusively with US L6-30 power plug Precabled for Upgrade to VTA2000 Narrow.		CS-1500U-V7E	238095	
CentricStor VTA-2000 V07 ET US	CentricStor VTA-2000 V07 ET US , Eternus exclusively with US L6-30 power plug		CS-2000U-V7E	349206	
CentricStor VTA-3000 V07 ET US	CentricStor VTA-3000 V07 ET US , Eternus exclusively with US L6-30 power plug		CS-3000U-V7E	460317	
CentricStor VTA-4000 V07 ET US	CentricStor VTA-4000 V07 ET US , Eternus exclusively with US L6-30 power plug		CS-4000U-V7E	547619	
CentricStor VTA-5000 V07 ET US	CentricStor VTA-5000 V07 ET US , Eternus exclusively with US L6-30 power plug		CS-5000U-V7E	761905	
SBU bundles					
CentricStor SBU V07	CentricStor SBU V07 ,		CS-SBU-V07	30397	
VTCs					
CS Virtual Tape Controller VTC33	Virtual Tape Controller (Standard Processor for SBU)		CS-VTC-V06	25000	
CentricStor VTC V4.0	Virtual Tape Controller (Standard Processor for SBU)		CS-VTC-V07	25000	
Service Units (SAS&Robar)					
CS SAS RX15 (free option)	Cost free SAS Linux Option for packages. 1 per Narrow Installation (2FCSW), 2 per Foreign Installation (4FCSW)		CS-FSA-1S5		2
CS SAS RX15	Cost Option SAS Linux.		CS-SA-1S5	3881	
CS TieBreaker RX15	TIE Breaker		CS-TBRSA-1S5	3881	
CS-Leading Racks					
Leading Rack VTA-500 V4.0	VTA 1000 Leading Rack: (Not for single Order.) This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. HU 0 is reserve for tilting unit access. The max. allowable weight is 1000 kg., The interior is divided into two areas. This allows the installation of 37U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.		CS-BR5-F057	3968	
Leading Rack VTA-1500 V4.0	VTA 1500 Leading Rack: (Not for single Order.) This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. HU 0 is reserve for tilting unit access. The max. allowable weight is 1000 kg., The interior is divided into two areas. This allows the installation of 37U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.		CS-BR5-F157	3968	



CentriStor Virtual Tape Appliance

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
CS-Leading Racks (Continued)					
Leading Rack VTA-1000 V4.0	VTA 1000 Leading Rack: (Not for single Order.) This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. HU 0 is reserve for tilting unit access. The max. allowable weight is 1000 kg., The interior is divided into two areas. This allows the installation of 37U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.	CS-BR5-F17	3968		
Leading Rack VTA-2000 V4.0	VTA 2000 Leading Rack: (Not for single Order.) This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. HU 0 is reserve for tilting unit access. The max. allowable weight is 1000 kg., The interior is divided into two areas. This allows the installation of 37U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.	CS-BR5-F27	3968		
Leading Rack VTA-3000 V4.0	VTA 3000 Leading Rack: (Not for single Order.) This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. HU 0 is reserve for tilting unit access. The max. allowable weight is 1000 kg., The interior is divided into two areas. This allows the installation of 37U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.	CS-BR5-F37	3968		
Leading Rack VTA-4000 V4.0	VTA 4000 Leading Rack: (Not for single Order.) This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. HU 0 is reserve for tilting unit access. The max. allowable weight is 1000 kg., The interior is divided into two areas. This allows the installation of 37U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.	CS-BR5-F47	3968		
Leading Rack VTA-5000 V4.0	VTA 5000 Leading Rack: (Not for single Order.) This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. HU 0 is reserve for tilting unit access. The max. allowable weight is 1000 kg., The interior is divided into two areas. This allows the installation of 37U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.	CS-BR5-F57	3968		
Leading Rack SBU V4.0		CS-BR5-FS7	3968		
Leading rack VTA-500 38 U	VTA 500 Leading Rack: (Not for single Order.) This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. HU 0 is reserve for tilting unit access. The max. allowable weight is 1000 kg., The interior is divided into two areas. This allows the installation of 37U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.	CS-BR5-F05	3968		
Leading Rack VTA 1000 38HU	VTA 1000 Leading Rack: (Not for single Order.) This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. HU 0 is reserve for tilting unit access. The max. allowable weight is 1000 kg., The interior is divided into two areas. This allows the installation of 37U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.	CS-BR5-F1	3968		
Leading rack VTA 1500 38 U	VTA 1500 Leading Rack: (Not for single Order.) This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. HU 0 is reserve for tilting unit access. The max. allowable weight is 1000 kg., The interior is divided into two areas. This allows the installation of 37U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.	CS-BR5-F15	3968		



CentriStor Virtual Tape Appliance

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Model	Description	Details	Code	End User Price (€)	Comments
Base unit configurations					
CS-Leading Racks (Continued)					
Leading Rack VTA 2000 38HU	VTA 2000 Leading Rack: (Not for single Order.) This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. HU 0 is reserve for tilting unit access. The max. allowable weight is 1000 kg., The interior is divided into two areas. This allows the installation of 37U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.		CS-BR5-F2	3968	
Leading Rack VTA 3000 38HU	VTA 3000 Leading Rack: (Not for single Order.) This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. HU 0 is reserve for tilting unit access. The max. allowable weight is 1000 kg., The interior is divided into two areas. This allows the installation of 37U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.		CS-BR5-F3	3968	
Leading Rack VTA 4000 38HU	VTA 4000 Leading Rack: (Not for single Order.) This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. HU 0 is reserve for tilting unit access. The max. allowable weight is 1000 kg., The interior is divided into two areas. This allows the installation of 37U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.		CS-BR5-F4	3968	
Leading Rack VTA 5000 38HU	VTA 5000 Leading Rack: (Not for single Order.) This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. HU 0 is reserve for tilting unit access. The max. allowable weight is 1000 kg., The interior is divided into two areas. This allows the installation of 37U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.		CS-BR5-F5	3968	
Leading Rack SBU			CS-BR5-FS	3968	
CS-Configuration Racks					
Infrastructure Rack 38HU	VTA Main Rack: (Rack for Infrastructure) This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. HU 0 is reserve for tilting unit access. The max. allowable weight is 1000 kg., The interior is divided into two areas. This allows the installation of 37U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.		CS-BR5-R2	3968	
Fill Up Rack 38HU	VTA Fill Rack: This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. HU 0 is reserve for tilting unit access. The max. allowable weight is 1000 kg., The interior is divided into two areas. This allows the installation of 37U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.		CS-BR5-E	3968	
ICPs					
CS Integrated Channel Processor ICP33	Integrated Channel Processor ICP		CS-ICP-TX33	38095	
IDPs					
CS Integrated Device Processor IDP33	Integrated Device Processor ICP		CS-IDP-TX33	32540	
IUPs					
CS Integrated Universal Processor IUP33	Integrated Universal Processor IUP		CS-ISP-TX33	38889	
VLPs					
CS Virtual Library Processor VLP33	Virtual Library Processor VLP		CS-VLP-TX33	26190	
TVCs FibreCAT					
Tape Volume Cache 2,7 TB Extension	Tape Volume Cache 2,7 TB Extension for CX500		CS-TVCE-CX5E	29365	Phased out
CS TVC 2.7 TB BASIS CX3-20 2GB	CS TVC 2.7 TB BASIS CX3-20 2GB Tape Volume Cache basic configuration based on CX3-20 2.7 TB, 2 GBit,		CS-TVCE-CX32	49206	
CS TVC 2.7 TB extension CX3-20 2GB	Tape Volume Cache Extension 2,7TB for CX3-20		CS-TVCE-CX32	29365	Phased out
CS TVC 3.6 TB BASIS CX3-20 4GB	CS TVC 3.6 TB BASIS CX3-20 4GB Tape Volume Cache basic configuration based on CX3-20 3.6 TB, 4 GBit,		CS-TVCE-CX3FE	49206	
CS TVC 3.6 TB extension CX3-20 4GB	TVC Extension for CX3-20F		CS-TVCE-CX3E	29365	
CS TVC 12 TB extension CX3-20 4GB	TVC Extension for CX3-20F,		CS-TVCE-CX3A	38889	Orderable from: 01/09/2008
TVCs Eternus					
CS TVC ET Basis 2,7TB for VTA500 - 1000	Tape Volume Cache Eternus 2,7 TB Grundausbau (Basis for VTA1000)		CS-TVCE1-ET	33889	
CS TVC ET Basis 2,7TB for VTA2000 - 5000	Tape Volume Cache Eternus 2,7 TB Basic Shelf. (Basis for VTA2000 to VTA5000)		CS-TVCE-ET	31587	
CS TVC ET 2. Extension 2,7 TB	Tape Volume Cache Eternus Extension Shelf with 2,7 TB		CS-TVCE2-ET	17262	
CS TVC ET 1. Extension 1,8 TB	Tape Volume Cache Eternus Extension 1,8 TB		CS-TVCE-ET	7222	
CS TVC E4K Base for VTA-1500+ 2.7 TB	Tape Volume Cache E4000 with 2,7 TB Basic Shelf. (Basis for VTA1500 to VTA5000)		CS-TVCE-ET4	31587	



CentriStor Virtual Tape Appliance

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
TVCs Eternus (Continued)					
CS TVC E4K Base for VTA-1000 2.7 TB	Tape Volume Cache Eternus 2,7 TB Grundausbau (Basis for VTA1000)		CS-TV1-ET4	33889	
CS TVC E4K 2.Ext. for VTA-1000+ 2.7TB	Tape Volume Cache E4000 Extension Shelf with 2,7 TB		CS-TVCE2-ET4	17262	
CS TVC E4K 1.Ext. for VTA-1000+ 1.8TB	Tape Volume Cache Eternus Extension 1,8 TB		CS-TVCE-ET4	7222	
CS TVC E4K Base 3,6 TB 15 discs EURO	Tape Volume Cache E4000 with 3,6 TB Basic Shelf. (Basis for VTA1500 to VTA5000)		CS-TVC-E4E	31587	
CS TVC E4K Base 3,6 TB 15 discs US	Tape Volume Cache E4000 with 3,6 TB Basic Shelf. (Basis for VTA1500 to VTA5000)		CS-TVCU-E4E	31587	
CS TVC E4K 2.Ext. 3,6 TB 15 discs	Tape Volume Cache E4000 Extension Shelf with 3,6 TB		CS-TVCE2-E4E	19048	
CS TVC E4K 1.Ext. 3,6 TB 15 discs	Tape Volume Cache Eternus Extension 3,6 TB		CS-TVCE-E4E	14444	
SBU-MTC-Units					
Scalar i500 for SBU with 2 drives FC			CS-SCI500-F	36024	
FC Switches					
CS FC SWITCH 32PORT,16PORT enab, 516	FC Switch 4GB/s, 32 Ports. With SW 3.1C and larger 32 Ports are supported. See Cfg Hints.		CS-FSW-516	17325	
LAN Switches					
CS LAN switch 2960 24 p FC uplink	CS LAN Switch 24Port with FC Uplink		CS-LSW-2960	2861	
Console					
Konsole PS/2 Typ	CentricStor Console Panel		CS-BF5	1429	
Gateway Server					
CS control processor for MTC-GW	CentricStor control processor for MTC-GW		CS-MTCHW	2651	



LTO Desktop

Data Sheets: <http://www.fujitsu-siemens.com/storage>

When time is of the essence

This desktop LTO tape drive is a powerful entry-level device for smaller servers. LTO Ultrium technology is particularly well-suited for backups and time-critical applications requiring rapid data transfer.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
FibreCAT TX24 LTO					
	FibreCAT TX24,1drHH,12 from 24 Slot SCSI	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-2 Half Height (HH) drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable up to 2 x HH LTO-2 drive (2 drives maximum), - Memory capacity until to 2,4/ 9,6 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO2 drive capable of reading and writing to LTO-1 and LTO-2 cartridges., Can be installed into a two height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included	D:FCTX24-112-L2H	3276	Phased out
	FibreCAT TX24,1drFH,12/24 Slot LTO3 SCSI	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), - Memory capacity until to 4,8/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included	D:FCTX24-112-L3	3082	Phased out
	FibreCAT TX24,1drFH,12from24Slot LTO3 FC	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) FC-drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), - Memory capacity until to 4,8/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via Fibre Channel 4 GB , - LTO3 FC-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included	D:FCTX24-112-L3F	4024	Phased out
	FibreCAT TX24,1drFH,12from24Slot LTO4 FC	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-4 Full Height (FH) FC-drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via Fibre Channel 4 GB , - LTO4 FC-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included	D:FCTX24-112-L4F	5265	Phased out
	FibreCAT TX24 LTO-2HH,12-24 Slot,CE	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-2 Half Height (HH) drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable up to 2 x HH LTO-2 drive (2 drives maximum), - Memory capacity until to 2,4/ 9,6 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO2 drive capable of reading and writing to LTO-1 and LTO-2 cartridges., Can be installed into a two height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included. The Quickstart Guide is included	D:FCTX24-S112-L2H	2519	Phased out
FibreCAT TX48 LTO					
	FibreCAT TX48,1drFH,12/48 Slot LTO3 SCSI	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) drive , License upgradeable from 12 up to 24, 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-3 drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-112-L3	4062	Phased out



LTO Desktop

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Model	Description	Details	Code	End User Price (£)	Comments
FibreCAT TX48 LTO (Continued)					
	FibreCAT TX48,1drFH,12from48Slot LTO3 FC	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) FC-drive , License upgradeable from 12 up to 24, 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-3 FC-drive (2 drives maximum). - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release. - Device connection of changer and drive via Fibre Channel 4 GB , - LTO3 FC-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-112-L3F	4560	Phased out
	FibreCAT TX48,1drFH,12from48Slot LTO4 FC	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-4 Full Height (FH) FC-drive , License upgradeable from 12 up to 24, 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-4 FC-drive (2 drives maximum). - Memory capacity until to 19,2/ 76,8 Tbyte (uncompr./compr.), depending on slot release. - Device connection of changer and drive via Fibre Channel 4 GB , - LTO4 FC-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-112-L4F	5522	Phased out
	FibreCAT TX48 APAK LTO-3 incl. 24Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-3 drive (2 drives maximum). - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release. - Ultra3 SCSI wide (160 MByte/s) , - LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P124-L3	5006	Phased out
	FibreCAT TX48 APAK LTO-3FC incl. 24Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) FC-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-3 FC-drive (2 drives maximum). - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release. - Device connection of changer and drive via Fibre Channel 4 GB , - LTO3 FC-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P124-L3F	5507	Phased out
	FibreCAT TX48 APAK LTO-4FC incl. 24Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-4 Full Height (FH) FC-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-4 FC-drive (2 drives maximum). - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release. - Device connection of changer and drive via Fibre Channel 4 GB , - LTO4 FC-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P124-L4F	8752	Phased out
	FibreCAT TX48 APAK LTO-3 incl. 36Slot	Tape Library with 36 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) drive , License upgradeable from 36 up to 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-3 drive (2 drives maximum). - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release. - Ultra3 SCSI wide (160 MByte/s) , - LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P136-L3	5926	Phased out
	FibreCAT TX48 APAK LTO-3FC incl. 36Slot	Tape Library with 36 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) FC-drive , License upgradeable from 36 up to 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-3 FC-drive (2 drives maximum). - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release. - Device connection of changer and drive via Fibre Channel 4 GB , - LTO3 FC-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P136-L3F	6427	Phased out



LTO Desktop

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Model	Description	Details	Code	End User Price (£)	Comments
FibreCAT TX48 LTO (Continued)					
	FibreCAT TX48 APAK LTO-4FC incl. 36Slot	Tape Library with 36 cartridge slots, integrated Barcode Reader and one LTO-4 Full Height (FH) FC-drive , License upgradeable from 36 up to 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-4 FC-drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via Fibre Channel 4 GB , - LTO4 FC-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading,, Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P136-L4F	10323	Phased out
	FibreCAT TX48 APAK LTO-3 incl. 48Slot	Tape Library with 48 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) drive , Upgradeable with 1 x FH LTO-3 drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading,, Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P148-L3	6846	Phased out
	FibreCAT TX48 APAK LTO-3FC incl. 48Slot	Tape Library with 48 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) FC-drive , Upgradeable with 1 x FH LTO-3 FC-drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via Fibre Channel 4 GB , - LTO3 FC-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading,, Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P148-L3F	7347	Phased out
	FibreCAT TX48 APAK LTO-4FC incl. 48Slot	Tape Library with 48 cartridge slots, integrated Barcode Reader and one LTO-4 Full Height (FH) FC-drive , Upgradeable with 1 x FH LTO-4 FC-drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via Fibre Channel 4 GB , - LTO4 FC-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading,, Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P148-L4F	8283	Phased out



FibreCAT TX08

Data Sheets: <http://www.fujitsu-siemens.com/storage>

The FibreCAT TX08 from Fujitsu Siemens Computers is a compact and extremely reliable tape automation system for small and midsize companies which enables the cost-effective entry into the FibreCAT TX family.

The FibreCAT TX08 is based on proven LTO technology, which provides large capacity, high speed and very small media costs. Depending on your individual requirements you can either order it with an LTO2 or LTO3 half height drive. It has 2 magazines with 4 slots and a mail slot for input and output of individual cartridges. The FibreCAT TX08 is only one U high whereas it offers up to 6.4 Terabyte compressed storage capacity when equipping it with eight LTO3 cartridges. This translates into 8 days of automated data backup.


Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
FibreCAT TX08					
	FibreCAT TX08,1dr LTO2HH,8SI. SCSI Promo	Tape Library FibreCAT TX08 (member of , FibreCAT TX S2 product family) with 8 cartridge slots, integrated Barcode Reader and one LTO-2 Half Height (HH) drive , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 1,6/ 3,2 Tbyte (uncompr./compr.), - Ultra3 SCSI wide (160 MByte/s) , - LTO2 HH drive capable of reading and writing to LTO-1 and LTO-2 cartridges., Can be installed into a one height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x 1x Ethernet Cable (1,5m) and 1x Terminator is already included	D:FCTX08-108-L2H	2194	
	FibreCAT TX08,1LW LTO3HH,8SI. SCSI Promo	Tape Library FibreCAT TX08 (member of , FibreCAT TX S2 product family) with 8 cartridge slots, integrated Barcode Reader and one LTO-3 Half Height (HH) drive , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 3,2/ 6,4 Tbyte (uncompr./compr.), - Ultra3 SCSI wide (160 MByte/s) , - LTO3 HH drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a one height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x 1x Ethernet Cable (1,5m) and 1x Terminator is already included	D:FCTX08-108-L3H	2379	



FibreCAT TX08

Data Sheets: <http://www.fujitsu-siemens.com/storage>


Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
FibreCAT TX08 (Continued)					
	FibreCAT TX08,1drLTO-3HH, 8 Slot SAS	Tape Library FibreCAT TX08 (member of , FibreCAT TX S2 product family) with 8 cartridge slots, integrated Barcode Reader and one LTO-3 Half Height (HH) drive , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 3,2/ 6,4 Tbyte (uncompr./compr.),. - Interface SAS SFF8088, - LTO3 HH drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a one height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Ethernet Cable (1,5m)	D:FCTX08-108-L3S	3370	Orderable from: 01/10/2008
	FibreCAT TX08,1drLTO-4HH, 8 Slot FC	Tape Library FibreCAT TX08 (member of , FibreCAT TX S2 product family) with 8 cartridge slots, integrated Barcode Reader and one LTO-4 Half Height (HH) drive , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 6,4/ 12,8 Tbyte (uncompr./compr.),. - Interface FC 4GBit, - LTO4 HH drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a one height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Ethernet Cable (1,5m)	D:FCTX08-108-L4F	3690	Orderable from: 01/10/2008
	FibreCAT TX08,1drLTO-4HH, 8 Slot SAS	Tape Library FibreCAT TX08 (member of , FibreCAT TX S2 product family) with 8 cartridge slots, integrated Barcode Reader and one LTO-4 Half Height (HH) drive , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 6,4/ 12,8 Tbyte (uncompr./compr.),. - Interface SAS SFF8088, - LTO4 HH drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a one height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Ethernet Cable (1,5m)	D:FCTX08-108-L4S	3567	Orderable from: 01/10/2008



FibreCAT TX08

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
FibreCAT TX08 (Continued)					
	FibreCAT TX08,1LW LTO2HH,8SI. SCSI CE	Tape Library FibreCAT TX08 (member of , FibreCAT TX S2 product family) with 8 cartridge slots, integrated Barcode Reader and one LTO-2 Half Height (HH) drive , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 1.6/ 3.2 Tbyte (uncompr./compr.), - Ultra3 SCSI wide (160 MByte/s) , - LTO2 HH drive capable of reading and writing to LTO-1 and LTO-2 cartridges., Can be installed into a one height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x 1x Ethernet Cable (1,5m) and 1x Terminator is already included, incl. 1x Quickstart Guide	D:FCTX08-S108-L2H	2197	
	FibreCAT TX08LTO-3HH,8Slot,CE,APAK CE	Tape Library FibreCAT TX08 (member of , FibreCAT TX S2 product family) with 8 cartridge slots, integrated Barcode Reader and one LTO-3 Half Height (HH) drive , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 3,2/ 6,4 Tbyte (uncompr./compr.), - Ultra3 SCSI wide (160 MByte/s) , - LTO3 HH drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a one height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x 1x Ethernet Cable (1,5m) and 1x Terminator is already included, incl. 1x Quickstart Guide	D:FCTX08-S108-L3H	2383	
	FibreCAT TX08 LTO-3SAS HH,8 Slot,CE	Tape Library FibreCAT TX08 (member of , FibreCAT TX S2 product family) with 8 cartridge slots, integrated Barcode Reader and one LTO-3 Half Height (HH) drive , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 3,2/ 6,4 Tbyte (uncompr./compr.), - Interface SAS SFF8088, - LTO3 HH drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a one height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Ethernet Cable (1,5m)	D:FCTX08-S108-L3S	3368	Orderable from: 01/10/2008



FibreCAT TX08

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
FibreCAT TX08 (Continued)					
FibreCAT TX08 LTO-4FC HH,8 Slot,CE	Tape Library FibreCAT TX08 (member of , FibreCAT TX S2 product family) with 8 cartridge slots, integrated Barcode Reader and one LTO-4 Half Height (HH) drive , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 6,4/ 12,8 Tbyte (uncompr./compr.), - Interface FC 4Gbit, - LTO4 HH drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a one height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Ethernet Cable (1,5m)	D:FCTX08-S108-L4F		3687	Orderable from: 01/10/2008
FibreCAT TX08 LTO-4SAS HH,8 Slot,CE	Tape Library FibreCAT TX08 (member of , FibreCAT TX S2 product family) with 8 cartridge slots, integrated Barcode Reader and one LTO-4 Half Height (HH) drive , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 6,4/ 12,8 Tbyte (uncompr./compr.), - Interface SAS SFF8088, - LTO4 HH drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a one height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Ethernet Cable (1,5m)	D:FCTX08-S108-L4S		3563	Orderable from: 01/10/2008



FibreCAT TX24

Data Sheets: <http://www.fujitsu-siemens.com/storage>

The FibreCAT TX24 is an ultra compact tape library with up to 24 media slots and up to two LTO drives on two height units. It can be upgraded instantaneously.

The FibreCAT TX24 is an ultra compact tape library with up to 24 media slots and up to two drives on two height units. It offers space for up to an impressive 19.2TB (LTO-3) respectively 9.6TB (LTO-2).

If ordered with 12 slots, only those will be operational. The remaining 12 can be activated via soft key license short term (instant upgrade).

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
FibreCAT TX24 LTO					
	FibreCAT TX24,1drHH,12 from 24 Slot SCSI	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-2 Half Height (HH) drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable up to 2 x HH LTO-2 drive (2 drives maximum) , - Memory capacity until to 2,4/ 9,6 Tbyte (uncompr./compr.) , depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO2 drive capable of reading and writing to LTO-1 and LTO-2 cartridges., Can be installed into a two height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included	D:FCTX24-112-L2H	3276	Phased out
	FibreCAT TX24,1drFH,12f24 Slot LTO3 SCSI	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), - Memory capacity until to 4,8/ 19,2 Tbyte (uncompr./compr.) , depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included	D:FCTX24-112-L3	3082	Phased out
	FibreCAT TX24,1drFH,12from24Slot LTO3 FC	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) FC-drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), - Memory capacity until to 4,8/ 19,2 Tbyte (uncompr./compr.) , depending on slot release, - Device connection of changer and drive via Fibre Channel 4 GB , - LTO3 FC-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included	D:FCTX24-112-L3F	4024	Phased out
	FibreCAT TX24,1drFH,12from24Slot LTO4 FC	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-4 Full Height (FH) FC-drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.) , depending on slot release, - Device connection of changer and drive via Fibre Channel 4 GB , - LTO4 FC-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included	D:FCTX24-112-L4F	5265	Phased out
	FibreCAT TX24 LTO-2HH,12-24 Slot,CE	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-2 Half Height (HH) drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable up to 2 x HH LTO-2 drive (2 drives maximum) , - Memory capacity until to 2,4/ 9,6 Tbyte (uncompr./compr.) , depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO2 drive capable of reading and writing to LTO-1 and LTO-2 cartridges., Can be installed into a two height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included. The Quickstart Guide is included	D:FCTX24-S112-L2H	2519	Phased out



FibreCAT TX24 S2

Data Sheets: <http://www.fujitsu-siemens.com/storage>

The FibreCAT TX24 S2 is equipped with LTO technology, which is synonymous with high capacity, high speed and very low media costs. The FibreCAT TX24 S2 offers a storage capacity of 38.4 TB (compressed) in just two height units. It can be fitted with an optional one or two LTO-3 or LTO-4 drives at half a height unit (HU) each. Like all SME products from Fujitsu Siemens Computers, the FibreCAT TX24 S2 is also easy to use, very reliable and extremely good value. The price includes 1 year's on-site service.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
FibreCAT TX24 LTO S2					
	FibreCAT TX24 S2,1dr LTO3HH, 12Slot SCSI	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Half Height (HH) SCSI-drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x HH LTO-3 SCSI-drive (2drives maximum), - Memory capacity until to 9,6/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SCSI connecting (now only with HBA 29160 supported), - LTO3 SCSI-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and Ethernet Cable (1,5) is already included	D:FCTX24S-112-L3H	3547	
	FibreCAT TX24 S2,1drive LTO3HH,12SlotSAS	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Half Height (HH) SAS-drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x HH LTO-3 SAS-drive (2drives maximum), - Memory capacity until to 9,6/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO3 SAS-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	D:FCTX24S-112-L3S	3002	
	FibreCAT TX24 S2,1drive LTO4HH, 12SlotFC	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-4 Half Height (HH) FC-drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x HH LTO-4 FC-drive (2drives maximum), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via FC connecting , LTO4 FC-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	D:FCTX24S-112-L4F	3275	
	FibreCAT TX24 S2,1drive LTO4HH,12SlotSAS	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-4 Half Height (HH) SAS-drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x HH LTO-4 SAS-drive (2drives maximum), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO4 SAS-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	D:FCTX24S-112-L4S	3464	
	FibreCAT TX24S2LTO-3HH SCSI,12Slot,CE	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Half Height (HH) SCSI-drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x HH LTO-3 SCSI-drive (2drives maximum), - Memory capacity until to 9,6/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO3 SCSI-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	D:FCTX24S-S112-L3H	3553	
	FibreCAT TX24S2 LTO-3HH SAS,12Slot,CE	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Half Height (HH) SAS-drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x HH LTO-3 SAS-drive (2drives maximum), - Memory capacity until to 9,6/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO3 SAS-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	D:FCTX24S-S112-L3S	4133	



FibreCAT TX24 S2 Data Sheets: <http://www.fujitsu-siemens.com/storage>

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
FibreCAT TX24 LTO S2 (Continued)					
	FibreCAT TX24S2 LTO-4HH FC,12Slot,CE	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-4 Half Height (HH) FC-drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x HH LTO-4 FC-drive (2drives maximum), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via FC connecting , LTO4 FC-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	D:FCTX24S-S112-L4F	5540	
	FibreCAT TX24S2 LTO-4HH SAS,12Slot,CE	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-4 Half Height (HH) SAS-drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x HH LTO-4 SAS-drive (2drives maximum), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO4 SAS-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	D:FCTX24S-S112-L4S	4768	



FibreCAT TX48

Data Sheets: <http://www.fujitsu-siemens.com/storage>

The FibreCAT TX48 is an ultra compact tape library with up to 48 media slots and up to four LTO drives on four height units. It can be upgraded instantaneously. The FibreCAT TX48 is an ultra compact tape library with up to 48 media slots and up to four drives on four height units. It offers space for up to an impressive 38.4 TB (LTO-3, compressed) respectively 19.2 TB (LTO-2, compressed).

If ordered with 12 slots, only those will be operational. The remaining 36 slots can be activated via soft key license.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
FibreCAT TX48 LTO					
	FibreCAT TX48,1drFH,12/48 Slot LTO3 SCSI	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) drive , License upgradeable from 12 up to 24, 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-3 drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-112-L3	4062	Phased out
	FibreCAT TX48,1drFH,12from48Slot LTO3 FC	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) FC-drive , License upgradeable from 12 up to 24, 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-3 FC-drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via Fibre Channel 4 GB , - LTO3 FC-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-112-L3F	4560	Phased out
	FibreCAT TX48,1drFH,12from48Slot LTO4 FC	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-4 Full Height (FH) FC-drive , License upgradeable from 12 up to 24, 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-4 FC-drive (2 drives maximum), - Memory capacity until to 19,2/ 76,8 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via Fibre Channel 4 GB , - LTO4 FC-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-112-L4F	5522	Phased out
	FibreCAT TX48 APAK LTO-3 incl. 24Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-3 drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P124-L3	5006	Phased out
	FibreCAT TX48 APAK LTO-3FC incl. 24Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) FC-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-3 FC-drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via Fibre Channel 4 GB , - LTO3 FC-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P124-L3F	5507	Phased out



FibreCAT TX48

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Model	Description	Details	Code	End User Price (£)	Comments
FibreCAT TX48 LTO (Continued)					
	FibreCAT TX48 APAK LTO-4FC incl. 24Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-4 Full Height (FH) FC-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-4 FC-drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via Fibre Channel 4 GB , - LTO4 FC-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading, . Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P124-L4F	8752	Phased out
	FibreCAT TX48 APAK LTO-3 incl. 36Slot	Tape Library with 36 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) drive , License upgradeable from 36 up to 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-3 drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading, . Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P136-L3	5926	Phased out
	FibreCAT TX48 APAK LTO-3FC incl. 36Slot	Tape Library with 36 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) FC-drive , License upgradeable from 36 up to 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-3 FC-drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via Fibre Channel 4 GB , - LTO3 FC-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading, . Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P136-L3F	6427	Phased out
	FibreCAT TX48 APAK LTO-4FC incl. 36Slot	Tape Library with 36 cartridge slots, integrated Barcode Reader and one LTO-4 Full Height (FH) FC-drive , License upgradeable from 36 up to 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-4 FC-drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via Fibre Channel 4 GB , - LTO4 FC-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading, . Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P136-L4F	10323	Phased out
	FibreCAT TX48 APAK LTO-3 incl. 48Slot	Tape Library with 48 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) drive , Upgradeable with 1 x FH LTO-3 drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading, . Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P148-L3	6846	Phased out
	FibreCAT TX48 APAK LTO-3FC incl. 48Slot	Tape Library with 48 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) FC-drive , Upgradeable with 1 x FH LTO-3 FC-drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via Fibre Channel 4 GB , - LTO3 FC-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading, . Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P148-L3F	7347	Phased out
	FibreCAT TX48 APAK LTO-4FC incl. 48Slot	Tape Library with 48 cartridge slots, integrated Barcode Reader and one LTO-4 Full Height (FH) FC-drive , Upgradeable with 1 x FH LTO-4 FC-drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via Fibre Channel 4 GB , - LTO4 FC-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading, . Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P148-L4F	8283	Phased out



FibreCAT TX48 S2

Data Sheets: <http://www.fujitsu-siemens.com/storage>

FibreCAT TX48 S2 systems are especially eco- friendly because they have been optimized for low power consumption, given an environmentally friendly design, and they score points in terms of durability and upgradeability. The new systems offer future-proof SAS technology. The FibreCAT TX48 S2 is equipped with LTO technology, which is synonymous with high capacity, high speed and very low media costs. The FibreCAT TX48 S2 offers a storage capacity of 76.8 TB (compressed) in just four height units.

It can be fitted with an optional one or two LTO-3 or LTO-4 drives at half a height unit (HU) each.

Like all SME products from Fujitsu Siemens Computers, the FibreCAT TX48 S2 is also easy to use, very reliable and extremely good value. The price includes 1 year's on-site service.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
FibreCAT TX48 LTO S2					
	FibreCAT TX48 S2,1dr LTO3HH, 24Slot SCSI	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-3 Half Height (HH) SCSI-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with up to 3 x HH LTO-3 SCSI-drive (4 drives maximum), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SCSI connecting (now only with HBA 29160 supported), - LTO3 SCSI-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	D:FCTX48S-112-L3H	4434	
	FibreCAT TX48 S2,1LW LTO3HH, 24Slot SAS	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-3 Half Height (HH) SAS-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with up to 3 x HH LTO-3 SAS-drive (4 drives maximum), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO3 SAS-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	D:FCTX48S-112-L3S	4400	
	FibreCAT TX48 S2,1drive LTO4HH,24Slot FC	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-4 Half Height (HH) FC-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with up to 3 x HH LTO-4 FC-drive (4 drives maximum), - Memory capacity until to 38,4/ 76,8 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via FC connecting , - LTO4 FC-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	D:FCTX48S-112-L4F	4672	



FibreCAT TX48 S2

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
FibreCAT TX48 LTO S2 (Continued)					
FibreCAT TX48 S2,1LW LTO4HH, 24Slot SAS	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-4 Half Height (HH) SAS-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with up to 3 x HH LTO-4 SAS-drive (4 drives maximum), - Memory capacity until to 38,4/ 76,8 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO4 SAS-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	D:FCTX48S-112-L4S		4630	
FibreCAT TX48 S2 LTO-3HH SCSI,1-36Slot	Tape Library with 36 cartridge slots, integrated Barcode Reader and one LTO-3 Half Height (HH) SCSI-drive , License upgradeable from 36 up to 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with up to 3 x HH LTO-3 SCSI-drive (4 drives maximum), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SCSI connecting (now only with HBA 29160 supported), - LTO3 SCSI-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	D:FCTX48S-P136-L3H		7394	
FibreCAT TX48 S2 LTO-3HH SAS,1-36Slot	Tape Library with 36 cartridge slots, integrated Barcode Reader and one LTO-3 Half Height (HH) SAS-drive , License upgradeable from 36 up to 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with up to 3 x HH LTO-3 SAS-drive (4 drives maximum), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO3 SAS-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	D:FCTX48S-P136-L3S		7460	
FibreCAT TX48 S2 LTO-4HH FC,1-36Slot	Tape Library with 36 cartridge slots, integrated Barcode Reader and one LTO-4 Half Height (HH) FC-drive , License upgradeable from 36 up to 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with up to 3 x HH LTO-4 FC-drive (4 drives maximum), - Memory capacity until to 38,4/ 76,8 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via FC connecting , - LTO4 FC-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	D:FCTX48S-P136-L4F		7959	



FibreCAT TX48 S2

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
FibreCAT TX48 LTO S2 (Continued)					
FibreCAT TX48 S2 LTO-4HH SAS,1-36Slot	Tape Library with 36 cartridge slots, integrated Barcode Reader and one LTO-4 Half Height (HH) SAS-drive , License upgradeable from 36 up to 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with up to 3 x HH LTO-4 SAS-drive (4 drives maximum), - Memory capacity until to 38,4/ 76,8 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO4 SAS-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	D:FCTX48S-P136-L4S		7840	
FibreCAT TX48 S2 LTO-3HH SCSI,1-48Slot	Tape Library with 48 cartridge slots, integrated Barcode Reader and one LTO-3 Half Height (HH) SCSI-drive , (4 cartridge magazine per 12 cartridge already installed), Upgradeable with up to 3 x HH LTO-3 SCSI-drive (4 drives maximum), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SCSI connecting (now only with HBA 29160 supported), - LTO3 SCSI-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	D:FCTX48S-P148-L3H		8806	
FibreCAT TX48 S2 LTO-3HH SAS,1-48Slot	Tape Library with 48 cartridge slots, integrated Barcode Reader and one LTO-3 Half Height (HH) SAS-drive , (4 cartridge magazine per 12 cartridge already installed), Upgradeable with up to 3 x HH LTO-3 SAS-drive (4 drives maximum), - Memory capacity until to 19,2/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO3 SAS-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	D:FCTX48S-P148-L3S		8872	
FibreCAT TX48 S2 LTO-4HH FC,1-48Slot	Tape Library with 48 cartridge slots, integrated Barcode Reader and one LTO-4 Half Height (HH) FC-drive , (4 cartridge magazine per 12 cartridge already installed), Upgradeable with up to 3 x HH LTO-4 FC-drive (4 drives maximum), - Memory capacity until to 38,4/ 76,8 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via FC connecting , - LTO4 FC-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	D:FCTX48S-P148-L4F		9610	
FibreCAT TX48 S2 LTO-4HH SAS,1-48Slot	Tape Library with 48 cartridge slots, integrated Barcode Reader and one LTO-4 Half Height (HH) SAS-drive , (4 cartridge magazine per 12 cartridge already installed), Upgradeable with up to 3 x HH LTO-4 SAS-drive (4 drives maximum), - Memory capacity until to 38,4/ 76,8 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO4 SAS-drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and Ethernet Cable (1,5m) is already included	D:FCTX48S-P148-L4S		9491	



SL500

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Economical building blocks

This modular tape library system is a flexibly scalable, rack-mounted and automated solution. Start with a cost-effective configuration that meets present backup requirements and then attach modules as necessary and without increasing administrative complexity or reducing reliability. Adding capacity is simple, with the added advantages of extended operating life and investment protection. The rack mounting and dense cartridge slot design make it ideal for environments where space is at a premium. The SL500 can be scaled from 30 to 575 LTO cartridge slots, accommodating up to 18 tape drives, while still using the same robotics and library automation architecture. A very flexible platform, it can be configured as a standalone tape rack or combined in a rack with servers and other disk storage systems.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
MBK SL500					
SL500 Base 30 slots, 2 LTO3-IBM-FC Drive	SL500 base module with two LTO-3 Fibre Channel drives (IBM), 30 activated slots for LTO cartridges, max. 50 slots, 5 slot cartridge access port (CAP)	D:SL500-30L3IBFC		23016	
SL500 Base 30 slots, 2 LTO3-IBM-SCSI Drv	SL500 base module with two LTO-3 SCSI drives (IBM), 30 activated slots for LTO cartridges, max. 50 slots, 5 slot cartridge access port (CAP)	D:SL500-30L3IBSC		18254	
SL500 Base 30 slots, 2 LTO4-IBM-FC Drive	SL500 base module with two LTO-4 Fibre Channel drives (IBM), 30 activated slots for LTO cartridges, max. 50 slots, 5 slot cartridge access port (CAP)	D:SL500-30L4IBFC		30238	
SL500 Base 30 slots, 2 LTO4-HP-FC Drive	SL500 base module with two LTO-4 Fibre Channel drives (HP), 30 activated slots for LTO cartridges, max. 50 slots, 5 slot cartridge access port (CAP)	D:SL500FS30L4HP4GF		23429	
SL500 Base 30 slots, 2 LTO4-HP-SCSI Drv	SL500 base module with two LTO-4 SCSI drives (HP), 30 activated slots for LTO cartridges, expandable to 50 slots, 5 slot cartridge access port (CAP)	D:SL500FS30L4HPSC		20738	
SL500 Base 30 slots, 2 LTO4-IBM-SCSI Drv	SL500 base module with two LTO-4 SCSI drives (IBM), 30 activated slots for LTO cartridges, expandable to 50 slots, 5 slot cartridge access port (CAP)	D:SL500FS30L4IBSC		20738	
SL500 FC-Base 30 slots without drives	SL500 base module with FC interface without drives, 30 activated slots for LTO cartridges, expandable to 50 slots, 5 slot cartridge access port (CAP), Two bays for LTO drives	D:SL500FSC-30-FC		10722	
SL500 Base 30 slots, 2 LTO3-HP-FC Drive	SL500 base module with two LTO-3 Fibre Channel drives (HP), 30 activated slots for LTO cartridges, expandable to 50 slots, 5 slot cartridge access port (CAP)	D:SL500FSC-30L3FC		23016	
SL500 Base 30 slots, 2 LTO3-HP-SCSI Drv	SL500 base module with two LTO-3 SCSI drives (HP), 30 activated slots for LTO cartridges, expandable to 50 slots, 5 slot cartridge access port (CAP)	D:SL500FSC-30L3SC		18254	
SL500 SCSI-Base 30 slots without drives	SL500 base module with SCSI interface without drives, 30 activated slots for LTO cartridges, expandable to 50 slots, 5 slot cartridge access port (CAP), Two bays for LTO drives	D:SL500FSC-30-SC		9151	
SL500, DEM and Upgrade 50 to 100 slots	Expansion module SL500 for 4 drives with 50 activated cartridge slots	D:XSL500-50-100		7841	Phased out
SL500, Cartridge Expansion Module	Expansion module SL500 for 132 cartridge slots	D:XSL500-LCARTEX		9151	Phased out
SL500, Drive Expansion Module	Expansion module SL500 for 4 drives and 93 cartridge slots	D:XSL500-LDRVEXP		13722	Phased out



SCALAR i500

Data Sheets: <http://www.fujitsu-siemens.com/storage>

The Scalar i500 Midrange Tape Library delivered by Fujitsu Siemens Computers is the intelligent library platform that gives growing midrange storage environments faster, easier, and more reliable data protection. The modular design provides industry-leading scalability, performance, and reliability.

Based on the iPlatform™-architecture the library integrates advanced backup functions to increase overall data protection, simplify management, reduce the need for external servers and software, and save users time and money over the life of their backup system.

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
MTC Scalar i500					
	SCI500 9U expansion module	Scalar i500 expansion unit, 9 U expansion unit with 2 x 46 slots which can be activated by key, 4 slots for drives, redundant power supply possible	D:SCI500-E9U	6701	
	SCI500 14U 36 slots without drives	Scalar i500 Tape Library, - 5 U control unit w/o drives, 2 drives possible, 36 activated cartridge slots, - 9 U expansion unit with 2 x 46 additional slots, which can be activated by key, - 4 slots for additional drives, - redundant power supply possible	D:SCI500-L14	8317	
	SCI500 23U 36 slots without drives	Scalar i500 Tape Library, - 5 U control unit w/o drives, 2 drives possible, 36 activated cartridge slots, - 2 x 9 U expansion unit with 4 x 46 additional slots, which can be activated by key, - 2 x 4 slots for additional drives, - redundant power supply possible	D:SCI500-L23	12460	
	SCI500 5U 36 slots 1 drive LTO-4 FC	MTC-library Scalar i500 with 36, activated cartridge slots., - 5 U control unit with 1 native FC LTO4 drive, - second drive can be installed, - 36 activated cartridge slots, - redundant power supply possible	D:SCI500-L451F	16338	
	SCI500 5U 36 slots 1 drive LTO-4 SCSI	MTC-library Scalar i500 with 36, activated cartridge slots., - 5 U control unit with 1 SCSI-LVD LTO4 drive, - one empty drive-bay for an additional drive , - 36 activated cartridge slots, - redundant power supply possible	D:SCI500-L451S	13610	
	SCI500 5U 36 slots 1 drive LTO-4 SAS	MTC-library Scalar i500 with 36, activated cartridge slots., - 5 U control unit with 1 SAS drive LTO4, - second drive can be installed, - 36 activated cartridge slots, - redundant power supply possible	D:SCI500-L451SAS	13902	
	SCI500 5U 36 slots 2 drives LTO-4 FC	MTC-library Scalar i500 with 36, activated cartridge slots., - 5 U control unit with 2 native FC LTO4 drives, - 36 activated cartridge slots, - redundant power supply possible	D:SCI500-L452F	25537	
	SCI500 5U 36 slots 2 drives LTO-4 SCSI	MTC-library Scalar i500 with 36, activated cartridge slots., - 5 U control unit with 2 SCSI-LVD LTO3/4 drives, - 36 activated cartridge slots, - redundant power supply possible	D:SCI500-L452S	19771	
	SCI500 5U 36 slots 2 drives LTO-4 SAS	MTC-library Scalar i500 with 36, activated cartridge slots., - 5 U control unit with 2 SAS LTO4 drives, - 36 activated cartridge slots, - redundant power supply possible	D:SCI500-L452SAS	20460	
	SCI500 5U 36 slots 1 drive LTO-3 FC	MTC-library Scalar i500 with 36, activated cartridge slots., - 5 U control unit with 1 native FC LTO3 drive, - second drive can be installed, - 36 activated cartridge slots, - redundant power supply possible	D:SCI500-L51F	14127	
	SCI500 5U 36 slots 1 drive LTO-3 SCSI	MTC-library Scalar i500 with 36, activated cartridge slots., - 5 U control unit with 1 SCSI-LVD LTO3 drive, - one empty drive-bay for an additional drive , - 36 activated cartridge slots, - redundant power supply possible	D:SCI500-L51S	12258	
	SCI500 5U 36 slots 2 drives LTO-3 FC	MTC-library Scalar i500 with 36, activated cartridge slots., - 5 U control unit with 2 native FC LTO3 drives, - 36 activated cartridge slots, - redundant power supply possible	D:SCI500-L52F	22509	
	SCI500 5U 36 slots 2 drives LTO-3 SCSI	MTC-library Scalar i500 with 36, activated cartridge slots., - 5 U control unit with 2 SCSI-LVD LTO3 drives, - 36 activated cartridge slots, - redundant power supply possible	D:SCI500-L52S	18556	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (€)	Comments
Accessories & services matrix												
Removable Media Drives												
	RDX Drive USB 25MB/s 5.25" int	RDX Drive 80-160GB 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)								x S26361-F3857-L1	132	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B"; 1.6" fitting height, with standard USB cable, with description (G/US), data and cleaning cartridge								x S26361-F3324-L3	352	
	Tape Kit DDS Gen5 36GB 3MB/s int.	LVD U2W SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge								x S26361-F2848-L3	244	
	Tape Kit DDS Gen5 36GB 3MB/s for OBDR	LVD U2W SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge, for One Button Disaster Recovery								x S26361-F2848-L31	382	
	Tape Kit Entry LTO Ultr 100GB 16MB/s int	U160 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge								x S26361-F3460-L3	816	
	Tape Kit LTO2HH Ultrium 200GB 24MB/s int	U160 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge, without cable								x S26361-F3157-L3	681	
	Tape Kit LTO3HH Ultrium 400GB 60MB/s int	U320 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge								x S26361-F3459-L3	934	
Rack-Infrastructure												
	RMK-F1_1-2U Server (new)	telescopic rail, full extraction with vario-carrier, pre-assembled with centre screw								x S26361-F2735-L101	62	
	RMK-S Vario carrier w. L-shaped brackets	with Vario carrier f. easy rack mounting for 19inch rack systems in PCRII racks max. load 50 kg								x S26361-F2735-L150	35	
	1 U cable arm, dragged	cable arm for PRIMERGY server, dragged for PRIMECENTER- and 3rd-party racks								x S26361-F2735-L8	24	
OS/Application-SW												
	ARCserve r11.5 Media Kit	BrightStor ARCserve Backup r11.5 Media Kit, , 1 x BAB r11.5 CD f. Windows, 1 x BAB r11.5 CD f. Linux, 1 x BAB r11.5 Agent CD	x	x			x			U15355-C732	20	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 1 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x			x			U15260-C10	1990	
	CA XOssoft WANSync FS Std. OS	CA XOssoft WANSync File Server Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More informationen at: , http://extranet.fujitsu-siemens.com/wansync	x	x			x			U15260-C300	1672	
	CA XOssoft WANSync AS Std. OS	CA XOssoft WANSync Application Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server. , More informationen at: , http://extranet.fujitsu-siemens.com/wansync	x	x			x			U15260-C308	2548	
	CA XOssoft WANSyncHA FS Std. OS	CA XOssoft WANSyncHA File Server Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More informationen at: , http://extranet.fujitsu-siemens.com/wansync	x	x			x			U15260-C400	2548	
	CA XOssoft WANSyncHA AS Std. OS	CA XOssoft WANSyncHA Application Suite Standard OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server. , More informationen at: , http://extranet.fujitsu-siemens.com/wansync	x	x			x			U15260-C408	3663	
	XOssoft r12 Replication FS Std. OS	XOssoft r12 Replication File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition), , Content: 1x Media Kit and 1x License for one server. , More product informationen at: , http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: , -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: , http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x			x			U15260-C600	1247	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	XOsoft r12 HighAvailability FS Std. OS	XOsoft r12 High Availability File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition) , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers; Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x				U15260-C616	1900	
	CA ARCserve r12 Base for Windows	Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2000	631	
	UP CA ARCserve r12 Basis for Windows	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, Basic component of CA ARCserve Backup r12. This software is certified and released for Windows 2000/2003/2008! CA ARCserve r12 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots as well as backup to disk. For backing up additional Windows servers one CA ARCserve r12 Client Agent for Windows per server is needed! Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2000-U	473	
	1Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C400U1	158	
	3Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C400U3	474	
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 10 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C426	393	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
Accessories & services matrix	ARCserve r11.5 for Windows 2000/2003	Basic component for backup/restore of one or more servers. BrightStor ARCserve Backup r11.5 is for Windows 2000/2003 certified and released! ARCserve r11.5 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots. For every further Windows server will be needed a further ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C700	615	
	UP ARCserve r11.5 for Windows 2000/2003	ARCserve r11.5 for Windows Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C700-U	461	
	ARCserve r11.5 for MS SBS Standard	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Standard Edition (existing of basic, Exchange agent, Open File Agent, Volume Shadow Copy Service Agent and Share Point Portal Agent). Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C750	393	
	ARCserve r11.5 for Linux	BrightStor ARCserve r11.5 for Linux! Basic component for backup/restore of one server or in consumption with clients of more servers, too. Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x				U15355-C800	615	
	UP ARCserve r11.5 for Linux	ARCserve r11.5 for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x				U15355-C800-U	461	
	1Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C800U1	158	
	3Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C800U3	473	
	BSRM for Windows incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) is a cross-platform data storage management solution that monitors, analyzes, schedules and automates networked storage resources across distributed and mainframe environments. Delivery of BrightStor Storage Resource Manager inclusive 1 Year CA Enterprise Maintenance. U15355 C900 is a prerequisite for all other BrightStor SRM products.	x	x		x				U15355-C900	2376	
	BrightStor SAN Manager incl 1yr Mnt	BrightStor SAN Manager is a business centric SAN Management solution, that simplifies monitoring and management of complex networked storage resources. With BrightStor SAN Manager you will cover, configure and administrate business centric complex SAN infrastructures. This BrightStor SAN Manager product includes 1 Year CA Enterprise Maintenance.	x	x		x				U15355-C920	4757	
	CA XOsft Enterprise Rewinder	XOsft Enterprise Rewinder for Windows- 1 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x		x				U15260-C11	2787	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
Accessories & services matrix												
OS/Application-SW (Continued)												
	CA XOssoft WANSync FS Std. OS	CA XOssoft WANSync File Server Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x		x				U15260-C301	2340	
	CA XOssoft WANSync AS Std. OS	CA XOssoft WANSync Application Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x		x				U15260-C309	3567	
	CA XOssoft WANSyncHA FS Std. OS	CA XOssoft WANSyncHA File Server Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x		x				U15260-C401	3567	
	CA XOssoft WANSyncHA AS Std. OS	CA XOssoft WANSyncHA Application Suite Standard OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x		x				U15260-C409	5128	
	XOssoft r12 Replication FS Std. OS	XOssoft r12 Replication File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition). , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Page/s/default.aspx , System Requirements: ----- , Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x				U15260-C601	1745	
	XOssoft r12 HighAvailability FS Std. OS	XOssoft r12 High Availability File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition). , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Page/s/default.aspx , System Requirements: ----- , Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x				U15260-C617	2660	
	CA ARCserve r12 WIN Tape Library Option	CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2001	810	
	UP CA ARCserve r12 WIN Tape Library Opt.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Tape Library Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Tape Library Option is certified and released for Windows 2000/2003/2008! , Required for jukeboxes with more than one tape drive! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2001-U	608	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	1Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C401U1	202	
	3Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support, Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C401U3	607	
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 100 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C427	2377	
	ARCserve r11.5 WIN Tape Library Option	ARCserve r11.5 Tape Library Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Required for jukeboxes with several drives! Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C701	790	
	UP ARCserve r11.5 Tape Library Option	ARCserve r11.5 for Windows Tape Library Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C701-U	592	
	ARCserve r11.5 for MS SBS Premium	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Premium Edition (existing of basic, Exchange agent, Open File agent, SQL agent, Volume Shadow Copy Service agent and Share Point Portal agent). Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C751	552	
	ARCserve r11.5 LX Tape Library Option	BrightStor ARCserve r11.5 for Linux Tape Library Option! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x				U15355-C801	790	
	UP ARCserve r11.5 LX Tape Library Option	ARCserve r11.5 for Linux Upgrade Tape Library Option from ARCserve v9, r11.0 or r11.1 Tape Library Option for Linux! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x				U15355-C801-U	592	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	1Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C801U1	202	
	3Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C801U3	608	
	BSRM Managed Srv Windows incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Windows inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x		x				U15355-C901	471	
	Proxy for Windows incl 1yr Mnt	BrightStor SAN Manager Proxy for Windows inclusive 1 Year CA Enterprise Maintenance! For each further monitoring Windows server!	x	x		x				U15355-C921	471	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 10 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x		x				U15260-C12	19905	
	CA XOssoft WANSync FS Ent. OS	CA XOssoft WANSync File Server Suite Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at:, http://extranet.fujitsu-siemens.com/wansync	x	x		x				U15260-C302	2548	
	CA XOssoft WANSync AS Ent. OS	CA XOssoft WANSync Application Suite Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at:, http://extranet.fujitsu-siemens.com/wansync	x	x		x				U15260-C310	3821	
	CA XOssoft WANSyncHA FS Ent. OS	CA XOssoft WANSyncHA File Server Suite Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at:, http://extranet.fujitsu-siemens.com/wansync	x	x		x				U15260-C402	3663	
	CA XOssoft WANSyncHA AS Ent. OS	CA XOssoft WANSyncHA Application Suite Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at:, http://extranet.fujitsu-siemens.com/wansync	x	x		x				U15260-C410	5733	
	XOssoft r12 Replication FS Ent. OS	XOssoft r12 Replication File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , The product offers data replication for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , , System Requirements:, -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x				U15260-C602	1900	
	XOssoft r12 HighAvailability FS Ent. OS	XOssoft r12 High Availability File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)., Content: 1x Media Kit and 1x License for one server., , More product informationen at:, http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , , System Requirements:, -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), , A complete list of all supported operating systems can be found at:, http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x				U15260-C618	2731	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	CA ARCserve r12 WIN SAN Option	CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option., The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2002	1298	
	UP CA ARCserve r12 WIN SAN Option	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 SAN Option for Windows can only be used in conjunction with CA ARCserve r12 base! The Centralized Management Option is mandatory when using the SAN Option. , The SAN Option includes one Tape Library Option license. CA ARCserve Backup r12 SAN Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2002-U	974	
	1Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C402U1	263	
	3Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C402U3	790	
	1Yr Mnt ARCserve WIN LAPD 10 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 10 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C426U1	101	
	ARCserve r11.5 WIN Optical Library Opt.	ARCserve r11.5 Optical Library Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C702	1028	
	UP ARCserve r11.5 Optical Library Option	ARCserve r11.5 for Windows Optical Library Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! , Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C702-U	771	
	1Yr Mnt ARCserve WIN SBS Standard	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Standard - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C750U1	101	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	ARCserve r11.5 LX NAS Option	BrightStor ARCserve r11.5 for Linux NDMP NAS Option! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x			x			U15355-C802	790	
	UP ARCserve r11.5 LX NAS Option	ARCserve r11.5 for Linux Upgrade NAS Option from ARCserve v9, r11.0 or r11.1 NAS Option for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x			x			U15355-C802-U	592	
	1Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x			x			U15355-C802U1	202	
	3Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x			x			U15355-C802U3	608	
	BSRM Opt MS Exchange incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft Exchange inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x			x			U15355-C902	948	
	Proxy for Linux incl 1yr Mnt	BrightStor SAN Manager Proxy for Linux inclusive 1 Year CA Enterprise Maintenance! For each further monitoring Linux server!	x	x			x			U15355-C922	471	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 10 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x			x			U15260-C13	27867	
	CA XOssoft WANSync FS Ent. OS	CA XOssoft WANSync File Server Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More information at: http://extranet.fujitsu-siemens.com/wansync	x	x			x			U15260-C303	3567	
	CA XOssoft WANSync AS Ent. OS	CA XOssoft WANSync Application Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x			x			U15260-C311	5351	
	CA XOssoft WANSyncHA FS Ent. OS	CA XOssoft WANSyncHA File Server Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More information at: http://extranet.fujitsu-siemens.com/wansync	x	x			x			U15260-C403	5128	
	CA XOssoft WANSyncHA AS Ent. OS	CA XOssoft WANSyncHA Application Suite Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server. , More informationen at: http://extranet.fujitsu-siemens.com/wansync	x	x			x			U15260-C411	8025	
	XOssoft r12 Replication FS Ent. OS	XOssoft r12 Replication File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: , Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x			x			U15260-C603	2660	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	XOsoft r12 HighAvailability FS Ent. OS	XOsoft r12 High Availability File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition) , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Page/default.aspx , System Requirements: , -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x				U15260-C619	3823	
	CA ARCserve r12 WIN Disaster Recovery O.	CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: , CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2003	566	
	UP CA ARCserve r12 WIN Disaster Rec. Op.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Disaster Recovery Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Disaster Recovery Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: , CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2003-U	425	
	1Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C403U1	325	
	3Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C403U3	974	
	3Yr Mnt ARCserve WIN LAPD 10 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 10 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C426U3	302	
	ARCserve r11.5 WIN SAN Option	ARCserve r11.5 Storage Area Network (SAN) Option for Windows; works with ARCserve r11.5 basic! Includes one Tape Library Option! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link: , CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C703	1266	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	UP ARCserve r11.5 SAN Option	ARCserve r11.5 for Windows Storage Area Network Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C703-U	949	
	3Yr Mnt ARCserve WIN SBS Standard	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Standard - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C750U3	302	
	ARCserve r11.5 LX Oracle Agent	BrightStor ARCserve r11.5 for Linux Agent for Oracle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x			x			U15355-C803	790	
	UP ARCserve r11.5 LX Oracle Agent	ARCserve r11.5 for Linux Upgrade Oracle Agent from ARCserve v9, r11.0 or r11.1 Oracle Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x				U15355-C803-U	592	
	1Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C803U1	202	
	3Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C803U3	608	
	BSRM Opt MS SQL Srv incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft SQL Server inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x		x				U15355-C903	948	
	Proxy for Solaris incl 1yr Mnt	BrightStor SAN Manager Proxy for Solaris inclusive 1 Year CA Enterprise Maintenance! For each further monitoring Solaris server!	x	x		x				U15355-C923	948	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 50 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x		x				U15260-C14	39810	
	CA XOsoft WANSync FS Cluster	CA XOsoft WANSync File Server Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More informationen at: , http://extranet.fujitsu-siemens.com/wansync	x	x		x				U15260-C304	1592	
	CA XOsoft WANSync AS Cluster	CA XOsoft WANSync Application Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server. , More informationen at: , http://extranet.fujitsu-siemens.com/wansync	x	x		x				U15260-C312	2229	
	CA XOsoft WANSyncHA FS Cluster	CA XOsoft WANSyncHA File Server Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More informationen at: , http://extranet.fujitsu-siemens.com/wansync	x	x		x				U15260-C404	2389	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	CA XOssoft WANSyncHA AS Cluster	CA XOssoft WANSyncHA Application Suite for Microsoft Cluster - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server. , More informationen at; http://extranet.fujitsu-siemens.com/wansync	x	x			x			U15260-C412	2867	
	XOssoft r12 Replication FS Cluster	XOssoft r12 Replication File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Clusters. , Content: 1x Media Kit and 1x License for one server. , More product informationen at; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Page/s/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , A complete list of all supported operating systems can be found at; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x			x			U15260-C604	1187	
	XOssoft r12 HighAvailability FS Cluster	XOssoft r12 High Availability File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Clusters. , Content: 1x Media Kit and 1x License for one server. , More product informationen at; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Page/s/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , A complete list of all supported operating systems can be found at; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x			x			U15260-C620	1781	
	CA ARCserve r12 WIN NDMP NAS Option	CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x			x			U15355-C2004	810	
	UP CA ARCserve r12 WIN NDMP NAS Option	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 NDMP NAS Option for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 NDMP NAS Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x			x			U15355-C2004-U	608	
	1Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x			x			U15355-C404U1	325	
	3Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x			x			U15355-C404U3	974	
	1Yr Mnt ARCserve WIN LAPD 100 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 100 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x			x			U15355-C427U1	610	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	ARCserve r11.5 WIN Serverless BackupOpt	ARCserve r11.5 Serverless Backup Option for Windows; works with ARCserve r11.5 basic and ARCserve r11.5 SAN Option! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C704	1266	
	UP ARCserve r11.5 Serverless Backup Opt.	ARCserve r11.5 for Windows Serverless Backup Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C704-U	949	
	1Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 1 year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C751U1	141	
	ARCserve r11.5 LX SQL Agent	BrightStor ARCserve r11.5 for Linux Agent for MySQL! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x				U15355-C804	790	
	UP ARCserve r11.5 LX SQL Agent	ARCserve r11.5 for Linux Upgrade SQL Agent from ARCserve v9, r11.0 or r11.1 SQL Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x				U15355-C804-U	592	
	1Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C804U1	202	
	3Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C804U3	608	
	BSRM Opt Oracle incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Oracle inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x		x				U15355-C904	948	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows- 50 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x		x				U15260-C15	55733	
	CA XOssoft WANSync FS Cluster	CA XOssoft WANSync File Server Suite for Microsoft Cluster - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More informationen at: , http://extranet.fujitsu-siemens.com/wansync	x	x		x				U15260-C305	2229	
	CA XOssoft WANSync AS Cluster	CA XOssoft WANSync Application Suite for Microsoft Cluster - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server. , More informationen at: , http://extranet.fujitsu-siemens.com/wansync	x	x		x				U15260-C313	3121	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	CA XOssoft WANSynchHA FS Cluster	CA XOssoft WANSynchHA File Server Suite forMicrosoft Cluster - inclusive 3 Years CA Enterprise Maintenance., Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., More informationen at; http://extranet.fujitsu-siemens.com/wansync	x	x		x				U15260-C405	3344	
	CA XOssoft WANSynchHA AS Cluster	CA XOssoft WANSynchHA Application Suite for Microsoft Cluster - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server. , More informationen at; http://extranet.fujitsu-siemens.com/wansync	x	x		x				U15260-C413	4013	
	XOssoft r12 Replication FS Cluster	XOssoft r12 Replication File Server Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., More product informationen at; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Page/s/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , A complete list of all supported operating systems can be found at; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x				U15260-C605	1662	
	XOssoft r12 HighAvailability FS Cluster	XOssoft r12 High Availability File Server Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., More product informationen at; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Page/s/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , A complete list of all supported operating systems can be found at; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x				U15260-C621	2494	
	CA ARCserve r12 WIN Open Files Agent	CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2005	648	
	UP CA ARCserve r12 WIN Open Files Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Open Files for Windows can only be used in conjunction with CA ARCserve r12 base or a Windows Client Agent! , CA ARCserve Backup r12 Agent f. Open Files is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2005-U	486	
	1Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C405U1	141	
	3Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C405U3	424	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	3Yr Mnt ARCserve WIN LAPD 100 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 100 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C427U3	1829	
	ARCserve r11.5 WIN Disaster Recovery Opt	ARCserve r11.5 Disaster Recovery Option for Windows: works with ARCserve r11.5 basic! Provides a fast and easy recovery of a downed server! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C705	552	
	UP ARCserve r11.5 Disaster Recovery Opt.	ARCserve r11.5 for Windows Disaster Recovery Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C705-U	413	
	3Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C751U3	424	
	ARCserve r11.5 LX Apache Web Server Agt.	BrightStor ARCserve r11.5 for Linux Agent for Apache Web Server! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x				U15355-C805	790	
	UP ARCserve r11.5 LX Apache Web Server	ARCserve r11.5 for Linux Upgrade Apache Web Server Agent from ARCserve v9, r11.0 or r11.1 Apache Web Server Agent for Linux! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x				U15355-C805-U	592	
	1Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C805U1	202	
	3Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C805U3	608	
	BSRM Managed Srv Linux incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Linux inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x		x				U15355-C905	471	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 200 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x		x				U15260-C16	79619	
	CA XOsoft WANSync FS Virtual Machine	CA XOsoft WANSync File Server Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at; http://extranet.fujitsu-siemens.com/wansync	x	x		x				U15260-C306	1274	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	CA XOssoft WANSync AS Virtual Machine	CA XOssoft WANSync Application Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server. , More informationen at:; http://extranet.fujitsu-siemens.com/wansync	x	x			x			U15260-C314	1433	
	CA XOssoft WANSyncHA FS Virtual Machine	CA XOssoft WANSyncHA File Server Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server. , More informationen at:; http://extranet.fujitsu-siemens.com/wansync	x	x			x			U15260-C406	1592	
	CA XOssoft WANSyncHA Virtual Machine	CA XOssoft WANSyncHA Application Suite for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server. , More informationen at:; http://extranet.fujitsu-siemens.com/wansync	x	x			x			U15260-C414	2389	
	XOssoft r12 Replication FS Virt. Machine	XOssoft r12 Replication File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation)., Content: 1x Media Kit and 1x License for one server. , More product informationen at:; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Page/s/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. A complete list of all supported operating systems can be found at:; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x			x			U15260-C606	950	
	XOssoft r12 HighAvailability FS Virt. Ma.	XOssoft r12 High Availability File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availabilityfor Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation)., Content: 1x Media Kit and 1x License for one server. , More product informationen at:; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Page/s/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. A complete list of all supported operating systems can be found at:; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x			x			U15260-C622	1187	
	CA ARCserve r12 WIN IBM Informix Agent	CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! , CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:; CA Certified Device List (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrx.html	x	x			x			U15355-C2006	1055	
	UP CA ARCserve r12 WIN IBM Informix Ag.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Agent f. IBM Informix for Windows can be used either on the backup server or on a Windows Client! , CA ARCserve Backup r12 Agent f. IBM Informix is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:; CA Certified Device List (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/rj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrx.html	x	x			x			U15355-C2006-U	791	
	1Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x			x			U15355-C406U1	202	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	3Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C406U3	607	
	ARCserve r11.5 WIN Image Option	ARCserve r11.5 Image Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C706	790	
	UP ARCserve r11.5 Image Option	ARCserve r11.5 for Windows Image Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!. Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C706-U	592	
	ARCserve r11.5 LX Client Agent for UNIX	BrightStor ARCserve r11.5 Client Agent for UNIX!!Hardware and operating system dependent extract from the following link.; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x				U15355-C806	313	
	UP ARCserve r11.5 LX Client Agent UNIX	ARCserve r11.5 for Linux Upgrade Client Agent for UNIX from ARCserve v9, r11.0 or r11.1 Client Agent for UNIX Hardware and operating system dependent extract from the following link.; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x				U15355-C806-U	235	
	1Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C806U1	80	
	3Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C806U3	241	
	BSRM Managed Srv NW incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for NetWare inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x		x				U15355-C906	471	
	CA XOssoft Enterprise Rewinder	XOssoft Enterprise Rewinder for Windows -200 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation's data (Continuous Data Protection = CDP).	x	x		x				U15260-C17	111467	
	CA XOssoft WANSync FS Virtual Machine	CA XOssoft WANSync File Server Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at.; http://extranet.fujitsu-siemens.com/wansync	x	x		x				U15260-C307	1783	
	CA XOssoft WANSync AS Virtual Machine	CA XOssoft WANSync Application Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication for Windows Servers and and database/email applications. Product includes , 1x Media Kit and 1x License for one server., , More informationen at.; http://extranet.fujitsu-siemens.com/wansync	x	x		x				U15260-C315	2006	
	CA XOssoft WANSyncHA FS Virtual Machine	CA XOssoft WANSyncHA File Server Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers. Product includes 1x Media Kit and 1x License for one server., , More informationen at.; http://extranet.fujitsu-siemens.com/wansync	x	x		x				U15260-C407	2229	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	CA XOssoft WANSyncHA AS Virtual Machine	CA XOssoft WANSyncHA Application Suite for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , Offers data replication and high availability for Windows Servers and database/email applications. Product includes , 1x Media Kit and 1x License for one server. , , More informationen at: , http://extranet.fujitsu-siemens.com/wansync	x	x		x				U15260-C415	3344	
	XOssoft r12 Replication FS Virt. Machine	XOssoft r12 Replication File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation). , Content: 1x Media Kit and 1x License for one server. , , More product informationen at: , http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: , ----- , Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. A complete list of all supported operating systems can be found at: , http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x				U15260-C607	1330	
	XOssoft r12 HighAvailability FS Virt. Ma.	XOssoft r12 High Availability File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows File Servers. , It supports only Windows operating systems in virtual mschines (e.g. ESX Server o. VMware Workstation). , Content: 1x Media Kit and 1x License for one server. , , More product informationen at: , http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: , ----- , Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. A complete list of all supported operating systems can be found at: , http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x				U15260-C623	1662	
	CA ARCserve r12 WIN MS Exchange Agent	CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: , CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrx.html	x	x		x				U15355-C2007	810	
	UP CA ARCserve r12 WIN MS Exchange Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12--- , CA ARCserve r12 Agent f. MS Exchange for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS Exchange is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: , CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrx.html	x	x		x				U15355-C2007-U	608	
	1Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C407U1	202	
	3Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C407U3	607	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	ARCserve r11.5 WIN NAS Option	ARCserve r11.5 Network Attached Storage (NAS) Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Backups a NAS unit with NDMP on a locally connected tape library. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C707	790	
	UP ARCserve r11.5 NAS Option	ARCserve r11.5 for Windows NDMP Network Attached Storage (NAS) Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C707-U	592	
	ARCserve r11.5 LX Client Agent for Linux	BrightStor ARCserve r11.5 Client Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x				U15355-C807	198	
	UP ARCserve r11.5 LX Client Agent Linux	ARCserve r11.5 for Linux Upgrade Client Agent for Linux from ARCserve v9, r11.0 or r11.1 Client Agent for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x				U15355-C807-U	149	
	1Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C807U1	51	
	3Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C807U3	152	
	XOsoft r12 Replication APP Std. OS	XOsoft r12 Replication for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition). , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Page/s/default.aspx , , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x				U15260-C608	1900	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition) , . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Ed. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x				U15260-C624	2731	
	CA ARCserve r12 WIN Lotus/Domino Agent	CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2008	810	
	UP CA ARCserve r12 WIN Lotus/Domino Ag.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Lotus/Domino for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Lotus/Domino is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link: CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2008-U	608	
	1Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C408U1	202	
	3Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C408U3	607	
	ARCserve r11.5 WIN Tape RAID Option	ARCserve r11.5 Tape RAID Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C708	790	
	UP ARCserve r11.5 Tape RAID Option	ARCserve r11.5 for Windows Tape RAID Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C708-U	592	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	ARCserve r11.5 LX Client Agent NetWare	BrightStor ARCserve r11.5 Client Agent for NetWare! Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x				U15355-C808	313	
	UP ARCserve r11.5 LX Client AgentNetWare	ARCserve r11.5 for Linux Upgrade Client Agent for NetWare from ARCserve v9, r11.0 or r11.1 Client Agent for NetWare Hardware and operating system dependent extract from the following link; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x				U15355-C808-U	235	
	1Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C808U1	80	
	3Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C808U3	241	
	XOsoft r12 Replication APP Std. OS	XOsoft r12 Replication for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition). , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x				U15260-C609	2660	
	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition). , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x				U15260-C625	3823	
	CA ARCserve r12 WIN Sybase Agent	CA ARCserve r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdl/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2009	1055	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	UP CA ARCServe r12 WIN Sybase Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 Agent f. Sybase for Windows can be used on the backup server or a Windows Client! , CA ARCServe Backup r12 Agent f. Sybase is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2009-U	791	
	1Yr Mnt ARCServe WIN Open File Agent WIN	BrightStor ARCServe Backup for Windows Open File Agent on Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C409U1	162	
	3Yr Mnt ARCServe WIN Open File Agent WIN	BrightStor ARCServe Backup for Windows Open File Agent on Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C409U3	486	
	ARCServe r11.5 WIN Open File Agent WIN	ARCServe r11.5 Agent for Open Files on Windows; works with ARCServe r11.5 basic! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C709	631	
	UP ARCServe r11.5 Open File Agent	ARCServe r11.5 for Windows Open File Agent Upgrade from ARCServe v9, r11.0 or r11.1 for Windows! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released!. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C709-U	473	
	ARCServe r11.5 Client Agent for Windows	BrightStor ARCServe r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x				U15355-C809	198	
	UP ARCServe r11.5 LX Client Agent Windows	ARCServe r11.5 for Linux Upgrade Client Agent for Windows from ARCServe v9, r11.0 or r11.1 Client Agent for Windows Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x				U15355-C809-U	149	
	1Yr Mnt ARCServe LX Client Agent WIN	BrightStor ARCServe Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C809U1	51	
	3Yr Mnt ARCServe LX Client Agent WIN	BrightStor ARCServe Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C809U3	152	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x				U15260-C610	2849	
	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x				U15260-C626	4275	
	CA ARCserve r12 WIN Oracle Agent	CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link: , CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2010	810	
	UP CA ARCserve r12 WIN Oracle Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Oracle for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link: , CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cd.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2010-U	608	
	1Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C410U1	162	
	3Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C410U3	486	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	ARCserve r11.5 NetWare Open File Agent	ARCserve r11.5 Agent for Open Files on NetWare; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C710	631	
	UP ARCserve r11.5 Informix Agent	ARCserve r11.5 for Windows Informix Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C711-U	771	
	ARCserve r11.5 LX SAN Option	BrightStor ARCserve r11.5 für Linux Storage Area Network Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x				U15355-C810	1266	
	UP ARCserve r11.5 LX SAN Option	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x				U15355-C810-U	949	
	1Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C810U1	325	
	3Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C810U3	974	
	XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition), , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Page/s/default.aspx , , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x				U15260-C611	3990	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance. , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x				U15260-C627	5984	
	CA ARCserve r12 WIN MS SQL Agent	CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: , CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2011	810	
	UP CA ARCserve r12 WIN MS SQL Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. MS SQL for Windows can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Agent f. MS SQL is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link: , CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2011-U	608	
	1Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C411U1	263	
	3Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C411U3	790	
	ARCserve r11.5 WIN Informix Agent	ARCserve r11.5 Agent for Informix for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link: , CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C711	1028	
	UP ARCserve r11.5 MS Exchange Agent	ARCserve r11.5 for Windows Exchange Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!. Hardware and operating system dependent extract from the following link: , CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C712-U	592	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	ARCserve r11.5 LX SAN SecondarySrvBundle	BrightStor ARCserve r11.5 for Linux SAN Secondary Server Bundle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x				U15355-C811	1266	
	UP ARCserve r11.5 LX SAN Sec. Srv.Bundle	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x				U15355-C811-U	949	
	1Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C811U1	325	
	3Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C811U3	974	
	XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Clusters. , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Page/s/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x				U15260-C612	1662	
	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Clusters. , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Page/s/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x				U15260-C628	2137	
	CA ARCserve r12 WIN SAP/R3 Oracle Option	CA ARCserve r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! , CA ARCserve Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2012	1625	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	UP CA ARCServe r12 WIN SAP/R3 Oracle Op.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12.---, CA ARCServe r12 Enterprise Option for SAP/R3 for Oracle can be used on the backup server or a Windows Client! , CA ARCServe Backup r12 Enterprise Option for SAP/R3 for Oracle is certified and released for Windows 2000/2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/ri/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/ri/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2012-U	1218	
	1Yr Mnt ARCServe WIN Exchange Agent	BrightStor ARCServe Backup for Windows Exchange Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C412U1	202	
	3Yr Mnt ARCServe WIN Exchange Agent	BrightStor ARCServe Backup for Windows Exchange Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C412U3	607	
	ARCServe r11.5 WIN Exchange Agent	ARCServe r11.5 Agent for Microsoft Exchange for Windows; works with ARCServe r11.5 basic! Allows online databases or mailboxes on the Exchange Server to be selectively backed up or restored. BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C712	790	
	UP ARCServe r11.5 MS Exch.Premium Bundle	ARCServe r11.5 for Windows Exchange Premium Bundle Upgrade from ARCServe v9, r11.0 or r11.1 for Windows!! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C713-U	949	
	ARCServe r11.5 LX Advantage IngresOption	BrightStor ARCServe r11.5 for Enterprise Option for Advantage Ingres for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x				U15355-C812	1028	
	1Yr Mnt ARCServe LX Advantage Ingres Opt	BrightStor ARCServe Backup for Enterprise Option for Advantage Ingres for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C812U1	263	
	3Yr Mnt ARCServe LX Advantage Ingres Opt	BrightStor ARCServe Backup for Enterprise Option for Advantage Ingres for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C812U3	791	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows Clusters. , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server. , , More product informationen at:; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Page/s/default.aspx , System Requirements:; -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x				U15260-C613	2327	
	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows Clusters. , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server. , , More product informationen at:; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Page/s/default.aspx , System Requirements:; -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , , A complete list of all supported operating systems can be found at:; http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x				U15260-C629	2992	
	CA ARCserve r12 WIN Windows Client Agent	CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrx.html	x	x		x				U15355-C2013	204	
	UP CA ARCserve r12 WIN Windows Client Ag	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Client Agent f. Windows is necessary on all Windows servers that need to be backed up! , CA ARCserve Backup r12 Client Agent f. Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrx.html	x	x		x				U15355-C2013-U	152	
	1Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C413U1	325	
	3Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C413U3	974	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	ARCserve r11.5 WIN Exchange Prem.Bundle	ARCserve r11.5 MS Exchange Premium Bundle! Consisting of ARCserve r11.5 Exchange Agent and ARCserve r11.5 MS Exchange Premium Add-On! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x			x			U15355-C713	1266	
	UP ARCserve r11.5 Lotus/Domino Agent	ARCserve r11.5 for Windows Agent for Lotus/Domino Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x			x			U15355-C715-U	592	
	ARCserve r11.5 LX Disk Staging Option	BrightStor ARCserve r11.5 for Linux Disk Staging Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x			x			U15355-C813	393	
	XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Page/s/default.aspx , , System Requirements: , , Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines., , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x			x			U15260-C614	1068	
	XOsoft r12 HighAvailability APP Virt. M.	XOsoft r12 High Availability for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) , , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Page/s/default.aspx , , System Requirements: , , Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines., , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x			x			U15260-C630	1781	
	CA ARCserve r12 WIN MS SBS Premium Edt.	CA ARCserve r12 MS SBS Premium Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)!, Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdl/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compatrix.html	x	x			x			U15355-C2014	566	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	UP CA ARCServe r12 WIN MS SBS Premium E.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCServe r12---, CA ARCServe r12 MS SBS Premium Edition includes the following ARCServe r12 components: 1x Base, , 1x Exchange Agent, 1x SQL Agent, 1x Open File Agent, 1x Sharepoint Agent., CA ARCServe Backup r12 MS SBS Premium Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link.: CA Certified Device List (Windows), https://support.ca.com/ri/portal/anonymous/phpdocs?filePath=0/4536/12/cdl/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/ri/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2014-U	425	
	1Yr Mnt ARCServe WIN Exchange Add On	BrightStor ARCServe Backup for Windows MS Exchange Premium Add-On - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C414U1	202	
	3Yr Mnt ARCServe WIN Exchange Add On	BrightStor ARCServe Backup for Windows MS Exchange Premium Add-On - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C414U3	607	
	ARCServe r11.5 WIN Exchange Prem.Add-On	ARCServe r11.5 MS Exchange Premium Add-On; works with ARCServe r11.5 basic and ARCServe r11.5 Exchange Agent! Allows the backup and restore on document section! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C714	790	
	UP ARCServe r11.5 Sybase Agent	ARCServe r11.5 for Windows Agent for Sybase Upgrade from ARCServe v9, r11.0 or r11.1 for Windows!! BrightStor ARCServe Backup r11.5 is for Windows 2000 / 2003 certified and released!. Hardware and operating system dependent extract from the following link.: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C716-U	771	
	ARCServe r11.5 LX Lotus / Domino Agent	BrightStor ARCServe r11.5 for Linux Agent for Lotus / Domino Hardware and operating system dependent extract from the following link.: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x				U15355-C814	790	
	XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , The product offers data replication for Windows Application Servers. . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) ., Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server. , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Page/default.aspx , System Requirements: ,-----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x				U15260-C615	1496	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	XOsoft r12 HighAvailability APP Virt. M.	XOsoft r12 High Availability for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. , , The product offers data replication and high availability for Windows Application Servers. , It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) . , Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10, , Content: 1x Media Kit and 1x License for one server., , More product informationen at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Siemens Computers, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines., , A complete list of all supported operating systems can be found at: http://partners.fujitsu-siemens.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx	x	x		x				U15260-C631	2494	
	CA ARCserve r12 WIN SAN Sec. Srv. Bundle	CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: , 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2015	1298	
	UP CA ARCserve r12 WIN SAN Sec. Srv. Bnd	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 SAN Secondary Server Bundle includes the following ARCserve r12 components: , 1x Base, 1x SAN Option, CA ARCserve Backup r12 SAN Secondary Server Bundle is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2015-U	974	
	ARCserve r11.1 LX FlexFrame Agent	Allows the backup of one online SAP/Oracle database under linux and the archive of Redo-log files! Licensing is made pro SID! Hardware and operating system dependent extract from the following link:; CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115_cdl.asp , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x		x				U15355-C356	1844	
	1Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C415U1	202	
	3Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C415U3	607	
	ARCserve r11.5 WIN Lotus/Domino Agent	ARCserve r11.5 Agent for Lotus Notes for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C715	790	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	UP ARCserve r11.5 Oracle Agent	ARCserve r11.5 for Windows Agent for Oracle Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C717-U	592	
	CA ARCserve r12 WIN MS SBS Standard Edt.	CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2016	403	
	UP CA ARCserve r12 WIN MS SBS Stand. Edt	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 MS SBS Standard Edition includes the following ARCserve r12 components: 1x Base, , 1x Exchange Agent, 1x Open File Agent, , 1x Sharepoint Agent., CA ARCserve Backup r12 MS SBS Standard Edition is certified and released for Windows 2000/2003/2008 (No Windows 2008 Support f. Sharepoint)! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2016-U	302	
	1Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C416U1	263	
	3Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C416U3	790	
	ARCserve r11.5 WIN Sybase Agent	ARCserve r11.5 Agent for Sybase for Windows: works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C716	1028	
	UP ARCserve r11.5 MS SQL Agent	ARCserve r11.5 for Windows Agent for SQL Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C718-U	592	
	1 Yr Mnt. WANSynchA Std Srv	1 Year CA Enterprise Maintenance Renewal for CA XOsft WANSynch HA Standard Server	x	x		x				U15260-C40U1	543	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	CA ARCserve r12 WIN DiskToDiskToTape Op.	CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2017	403	
	UP CA ARCserve r12 WIN DiskToDiskToTape	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Disk-To-Disk-To-Tape Option can only be used in conjunction with CA ARCserve r12 base!, CA ARCserve Backup r12 Disk-To-Disk-To-Tape Option is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2017-U	302	
	1Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C417U1	202	
	3Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C417U3	607	
	ARCserve r11.5 WIN Oracle Agent	ARCserve r11.5 Agent for Oracle for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C717	790	
	UP ARCserve r11.5 Client Agent for UNIX	ARCserve r11.5 Client Agent for UNIX Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C720-U	235	
	CA ARCserve r12 WIN MS Sharepoint Agent	CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2018	810	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	UP CA ARCserve r12 WIN MS Sharepoint Ag.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Agent f. Sharepoint for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. Sharepoint for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2018-U	608	
	1Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C418U1	202	
	3Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C418U3	607	
	ARCserve r11.5 WIN SQL Server Agent	ARCserve r11.5 Agent for Microsoft SQL for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C718	790	
	UP ARCserve r11.5 Client Agent Linux	ARCserve r11.5 Client Agent for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C721-U	149	
	CA ARCserve r12 WIN Enterprise Module	CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2019	3440	
	UP CA ARCserve r12 WIN Enterprise Module	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12.---, CA ARCserve r12 Enterprise Module for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Module for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2019-U	3054	
	1Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C419U1	317	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	3Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x			x			U15355-C419U3	952	
	ARCserve r11.5 SAP R/3 Agent for Oracle	ARCserve r11.5 Agent for SAP R/3 for Oracle; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x			x			U15355-C719	2123	
	UP ARCserve r11.5 Client Agent NetWare	ARCserve r11.5 Client Agent for NetWare Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x			x			U15355-C722-U	235	
	CA ARCserve r12 WIN MS DPM Agent	CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003!, Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x			x			U15355-C2020	810	
	UP CA ARCserve r12 WIN MS DPM Agent	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12 ---, CA ARCserve r12 Agent f. MS Data Protection Manager for Windows can be used on the backup server or a Windows Client!, CA ARCserve Backup r12 Agent f. MS Data Protection Manager for Windows is certified and released for Windows 2003!, Hardware and operating system dependencies can be found at the following link:, CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x			x			U15355-C2020-U	608	
	1Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x			x			U15355-C420U1	80	
	3Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x			x			U15355-C420U3	240	
	ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x			x			U15355-C720	313	
	UP ARCserve r11.5 Client Agent Windows	ARCserve r11.5 Client Agent for Windows Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x			x			U15355-C723-U	149	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	CA ARCserve r12 WIN VSS-HW Snap. Option	CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link.; CA Certified Device List (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2021	4067	
	UP CA ARCserve r12 WIN VSS-HW Snap. Opt.	---Upgrade from BAB r9.01, r11.1, r11.5 and BEB r10.5 (SP1) to CA ARCserve r12---, CA ARCserve r12 Enterprise Option for VSS Hardware Snap-Shot for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Enterprise Option for VSS Hardware Snap-Shot for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link.; CA Certified Device List (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2021-U	3051	
	1Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C421U1	51	
	3Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C421U3	152	
	ARCserve r11.5 WIN Client Agent Linux	ARCserve r11.5 Client Agent for Linux; works with ARCserve r11.5 basic! Allows the backup of one further LINUX servers! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.as.p	x	x		x				U15355-C721	198	
	UP ARCserve r12 WIN Sngl Srv-Full Edt.	ARCserve r12 for Windows Upgrade from ARCserve Single Server Edition to ARCserve r12 for Windows Standard Edition. BrightStor ARCserve Backup r12 is for Windows 2000 / 2003 / 2008 certified and released! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C780-U	461	
	CA ARCserve r12 WIN VMware Agent	CA ARCserve r12 Agent f. VMware for Windows can only be used in conjunction with CA ARCserve r12 base! , CA ARCserve Backup r12 Agent f. VMware for Windows is certified and released for Windows 2003! , Hardware and operating system dependencies can be found at the following link.; CA Certified Device List (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/cdls/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/frj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2022	810	
	1Yr Mnt ARCserve WIN Client AgentNetware	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C422U1	80	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	3Yr Mnt ARCserve WIN Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C422U3	240	
	ARCserve r11.5 WIN Client Agent NetWare	ARCserve r11.5 Client Agent for NetWare; works with ARCserve r11.5 basic! Allows the backup of one further NetWare servers! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C722	313	
	CA ARCserve r12 WIN Central Mngmt. Opt.	CA ARCserve r12 Central Management Option for Windows can only be used in conjunction with CA ARCserve r12 basel, CA ARCserve Backup r12 Central Management Option for Windows is certified and released for Windows 2000/2003/2008! , Hardware and operating system dependencies can be found at the following link.; CA Certified Device List (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/cdl/4536_12_cdl.html , CA Compatibility Matrix (Windows), https://support.ca.com/irj/portal/anonymous/phpdocs?filePath=0/4536/12/4536_12_compmatrix.html	x	x		x				U15355-C2023	1217	
	1Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C423U1	51	
	3Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C423U3	152	
	ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C723	198	
	1Yr Mnt ARCserve WIN Cit Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C424U1	80	
	3Yr Mnt ARCserve WIN Cit Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C424U3	240	
	ARCserve r11.5 WIN Client Agent MAC OS X	ARCserve r11.5 Client Agent for Mac OS X; works with ARCserve r11.5 basic! Allows the backup of one further Mac OS X servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link.; CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C724	313	
	1Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C428U1	325	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	3Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C428U3	974	
	ARCserve r11.5 WIN Special	ARCserve r11.5 Special! Consisting of ARCserve r11.5 basic and ARCserve r11.5 Disaster Recovery! Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C725	1167	
	1Yr Mnt ARCserve WIN CIt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C429U1	263	
	3Yr Mnt ARCserve WIN CIt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C429U3	790	
	ARCserve r11.5 WIN Secondary Srv Bundle	ARCserve r11.5 Secondary Server Bundle! Exists of ARCserve r11.5 basic license and ARCserve r11.5 SAN Option license! No media kit included! For further server which has access to the jukebox in a SAN! Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C726	1266	
	1Yr Mnt ARCserve WIN Enterprise Module	BrightStor ARCserve Backup for Windows Enterprise Module - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C430U1	763	
	3Yr Mnt ARCserve WIN Enterprise Modul	BrightStor ARCserve Backup for Windows Enterprise Module - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C430U3	2290	
	ARCserve r11.5 WIN CIt VSS SW Snap Shot	ARCserve r11.5 Client for VSS (Volume Shadow Copy Service) Snap Shot! The integration with Microsoft VSS-ability applications allows backups to a specific time. In this process can be saved snapshot copies, when the processes are activ and open datas are working. Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C727	1028	
	1Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C431U1	101	
	3Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C431U3	302	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	ARCserve r11.5 WIN Disk Staging Option	ARCserve r11.5 Disk Staging Option Shrinks backup time by allowing backup data to be staged to fast disk drives before it is automatically moved to tape. Restore requests are redirected to disks automatically, reducing recovery time. The whole operation is policy driven, reducing cost and management overhead. Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C728	393	
	1Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C432U1	202	
	3Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C432U3	607	
	ARCserve r11.5 WIN Share Point Portal	ARCserve r11.5 für Windows Share Point Portal Agent With this agent Microsoft Share Point and all its components will be identify and efficiently backed up. Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C729	790	
	1Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C433U1	202	
	3Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C433U3	607	
	ARCserve r11.5 Enterprise Modul	ARCserve r11.5 Enterprise Module; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C730	3349	
	1Yr Mnt ARCserve WIN Central Mgmt. Opt.	ARCserve Backup for Windows Central Management Option - 1 Year CA Enterprise Maintenance., Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x		x				U15355-C434U1	304	
	3Yr Mnt ARCserve WIN Central Mgmt. Opt.	ARCserve Backup for Windows Central Management Option - 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x		x				U15355-C434U3	913	
	ARCserve r11.5 WIN DPM Agent	ARCserve r11.5 for Windows DPM Agent; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link., CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x		x				U15355-C731	790	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
OS/Application-SW (Continued)												
	1Yr Mnt ARCServe WIN VMware Agent	ARCServe Backup for Windows Agent f. VMware - , 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x		x			U15355-C435U1	202	
	3Yr Mnt ARCServe WIN VMware Agent	ARCServe Backup for Windows Agent f. VMware - , 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x		x			U15355-C435U3	608	
	1Yr Mnt ARCServe WIN Enterprise HW-VSS	ARCServe Backup for Windows Enterprise Option f. VSS Hardware Snapshots, - 1 Year CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x		x			U15355-C436U1	958	
	3Yr Mnt ARCServe WIN Enterprise HW-VSS	ARCServe Backup for Windows Enterprise Option f. VSS Hardware Snapshots, - 3 Years CA Enterprise Maintenance. Includes: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA's web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x		x			U15355-C436U3	2874	
Media												
	LTO cleaning cartridge Fuji	Cleaning cartridge without label from Fuji for LTO drives	x	x	x	x	x			D:CL-LTO2-FJ-01	46	
	LTO cleaning cartridge Fuji with label	cleaning cartridge with label from Fuji for LTO drives	x	x	x	x	x			D:CL-LTO2-FJ-01L	46	
	LTO cleaning cartridge IBM	Cleaning cartridge without label from IBM for LTO drives	x	x	x	x	x			D:CL-LTO2-IB-01	43	
	LTO cleaning cartridge IBM with label	cleaning cartridge with label from IBM for LTO -drives	x	x	x	x	x			D:CL-LTO2-IB-01L	44	
	LTO cleaning cartridge Maxell	cleaning cartridge without label from Maxell for LTO drives	x	x	x	x	x			D:CL-LTO2-MX-01	43	
	LTO cleaning cartridge Maxell with label	cleaning cartridge with label from Maxell for LTO drives	x	x	x	x	x			D:CL-LTO2-MX-01L	44	
	LTO cleaning label	label for LTO cleaning cartridges	x	x	x					D:CL-LTO-LAB	1	
	LTO cleaning cartridge Sony	Cleaning cartridge without label from Sony for LTO drives	x	x	x	x	x			D:CL-LTO-SY-01	44	
	LTO cleaning cartridge Sony with label	cleaning cartridge with label from Sony for LTO drives	x	x	x	x	x			D:CL-LTO-SY-01L	44	
	VXA cleaning label	Label for VXA cleaning cartridge		x						D:CL-VXA2-LAB	1	
	VXA cleaning cartridge	VXA cleaning cartridge		x						D:CL-VXA2-X-01	18	
	VXA cleaning cartridge with label	VXA cleaning cartridge		x						D:CL-VXA2-X-01L	19	
	LTO 2 data cartridge Fuji	LTO-2 data cartridge without label from Fuji, 200 GB native capacity	x	x		x				D:CR-LTO2-FJ-01	21	
	LTO 2 data cartridge with label Fuji	LTO-2 data cartridge with label from Fuji, 200 GB native capacity	x	x		x				D:CR-LTO2-FJ-01L	21	
	12 LTO2 cartridge with random label Fuji	12 LTO-2 data cartridges with random label from Fuji, 200 GB native capacity	x	x		x				D:CR-LTO2-FJ-12L	240	
	LTO 2 data cartridge IBM	LTO-2 data cartridge without label from IBM, 200 GB native capacity	x	x		x				D:CR-LTO2-IB-01	20	
	LTO 2 data cartridge with label IBM	LTO 2 data cartridge with label from IBM, 200 GB native capacity	x	x		x				D:CR-LTO2-IB-01L	21	
	12 LTO2 cartridges with random label IBM	12 LTO-2 data cartridges with random label from IBM, 200 GB native capacity	x	x		x				D:CR-LTO2-IB-12L	240	
	LTO 2 barcode label	label for LTO-2 data cartridges	x	x		x				D:CR-LTO2-LAB	1	
	LTO 2 data cartridge Maxell	LTO-2 data cartridge without label from Maxell, 200 GB native capacity			x		x			D:CR-LTO2-MX-01	23	
	LTO 2 data cartridge with label Maxell	LTO-2 data cartridge with label from Maxell, 200 GB native capacity			x		x			D:CR-LTO2-MX-01L	24	
	LTO 3 data cartridge Fuji	LTO-3 data cartridge without label from Fuji, 400 GB native capacity	x	x	x	x	x			D:CR-LTO3-FJ-01	23	
	LTO 3 data cartridge with label	LTO-3 data cartridge with label from Fuji, 400 GB native capacity	x	x	x	x	x			D:CR-LTO3-FJ-01L	32	
	LTO 3 WORM data cartridge	LTO-3 WORM data cartridge without label from Fuji, 400 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data	x	x	x	x	x			D:CR-LTO3-FJ-01W	63	
	LTO3 WORM data cartridge with label Fuji	LTO-3 WORM data cartridge with label from Fuji, 400 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data	x	x	x	x	x			D:CR-LTO3-FJ-01WL	58	
	12 LTO3 cartridge with random label Fuji	12 LTO-3 data cartridges with random label from Fuji, 400 GB native capacity	x	x		x				D:CR-LTO3-FJ-12L	364	
	LTO 3 data cartridge IBM	LTO-3 data cartridge without label from IBM, 400 GB native capacity	x	x	x	x	x			D:CR-LTO3-IB-01	22	
	LTO 3 data cartridge with label IBM	LTO-3 data cartridge with label from IBM, 400 GB native capacity	x	x	x	x	x			D:CR-LTO3-IB-01L	23	
	12 LTO3 cartridges with random label IBM	12 LTO-3 data cartridges with random label from IBM, 400 GB native capacity	x	x		x				D:CR-LTO3-IB-12L	263	
	LTO 3 barcode label	label for LTO-3 data cartridges	x	x		x				D:CR-LTO3-LAB	1	
	LTO 3 data cartridge Sony	LTO-3 data cartridge without label from Sony, 400 GB native capacity	x	x	x	x	x			D:CR-LTO3-SY-01	22	
	LTO 3 data cartridge with label Sony	LTO-3 data cartridge with label from Sony, 400 GB native capacity	x	x	x	x	x			D:CR-LTO3-SY-01L	23	
	12 LTO3 cartridges w. random label Sony	12 LTO-3 data cartridges with random label from Sony, 400 GB native capacity	x	x	x	x	x			D:CR-LTO3-SY-12L	306	
	LTO 4 data cartridge Fuji	LTO-4 data cartridge without label from Fuji, 800 GB native capacity	x	x	x	x	x			D:CR-LTO4-FJ-01	50	
	LTO 4 data cartridge with label Fuji	LTO-4 data cartridge with label from Fuji, 800 GB native capacity	x	x	x	x	x			D:CR-LTO4-FJ-01L	51	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (€)	Comments
Media (Continued)												
	LTO 4 WORM data cartridge Fuji	LTO-4 WORM data cartridge without label from Fuji, 800 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data	x	x	x	x	x			D:CR-LTO4-FJ-01W	99	
	LTO4 WORM data cartridge with label Fuji	LTO-4 WORM data cartridge with label from Fuji, 800 GB native capacity, Attention not for use with SUN / Storage TEK and Quantum Libraries	x	x	x	x	x			D:CR-LTO4-FJ-01WL	100	
	12 LTO4 cartridges w. random label Fuji	12 LTO-4 data cartridges with random label from Fuji, 800 GB native capacity	x	x	x	x	x			D:CR-LTO4-FJ-12L	720	
	LTO 4 data cartridge IBM	LTO-4 data cartridge without label from IBM, 800 GB native capacity	x	x	x	x	x			D:CR-LTO4-IB-01	47	
	LTO 4 data cartridge with label IBM	LTO-4-- Data cartridges with Label from IBM, Kapazity 800 GByte native	x	x	x	x	x			D:CR-LTO4-IB-01L	48	
	12 LTO4 cartridges with random label IBM	12 LTO-4 data cartridges with random label from IBM, 800 GB native capacity	x	x	x	x	x			D:CR-LTO4-IB-12L	559	
	LTO 4 barcode label	label for LTO-4 data cartridges	x	x		x				D:CR-LTO4-LAB	1	
	Transport case for magazines	cleaning cartridge with label from IBM for LTO-1, LTO-2 and LTO3-drives			x	x				D:CR-TX248-CASE	88	
	VXA barcode label	Label for VXA data cartridge		x						D:CR-VXA2-LAB	1	
	VXA-2/320 data cartridge 40/80GB	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB		x						D:CR-VXA2-X10-01	19	
	VXA-2/320 data cartr. 40/80GB with label	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB			x					D:CR-VXA2-X10-01L	20	
	VXA-2/320 data cartridge 80/160GB	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB		x						D:CR-VXA2-X23-01	41	
	VXA-2/320 data cartr 80/160GB with label	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB		x						D:CR-VXA2-X23-01L	42	
Cables												
	FC cable MMF, 5m, LC/SC	optical multimode- cable (9um) having LC-SC-connector combination), length 5 m	x	x	x	x	x			D:FCKAB-MM-B05L-L	38	
	FC cable MMF, 10m, LC/SC	optical multimode- cable (9um) having LC-SC-connector combination), length 10 m	x	x	x	x	x			D:FCKAB-MM-B10L-L	38	
	FC cable MMF, 20m, LC/SC	optical multimode- cable (9um) having LC-SC-connector combination), length 20 m	x	x	x	x	x			D:FCKAB-MM-B20L-L	50	
	FC-Kabel OM3, MMF, 5m, LC/LC 8GBit/s	optical multimode- cable (OM3) having LC-LC-connector combination), length 5 m, optimized for 8 GBit/s	x	x	x	x	x			D:FCKAB-OM3-C05L-L	67	
	FC-Kabel OM3, MMF, 10m, LC/LC 8GBit/s	optical multimode- cable (OM3) having LC-LC-connector combination), length 10 m, optimized for 8 GBit/s	x	x	x	x	x			D:FCKAB-OM3-C10L-L	71	
	FC-Kabel OM3, MMF, 20m, LC/LC 8GBit/s	optical multimode- cable (OM3) having LC-LC-connector combination), length 20 m, optimized for 8 GBit/s	x	x	x	x	x			D:FCKAB-OM3-C20L-L	79	
	FC-Kabel OM3, MMF, 50m, LC/LC 8GBit/s	optical multimode- cable (OM3) having LC-LC-connector combination), length 50 m, optimized for 8 GBit/s	x	x	x	x	x			D:FCKAB-OM3-C50L-L	103	
	FC cable SMF, 10m, LC/LC	optical singlemode- cable (9um) having LC-LC-connector combination), length 10 m	x	x	x	x	x			D:FCKAB-SM-C10L-L	75	
	FC cable SMF, 20m, LC/LC	optical singlemode- cable (9um) having LC-LC-connector combination), length 20 m	x	x	x	x	x			D:FCKAB-SM-C20L-L	83	
	SCSI-Cabel,LVD,HD68(S)-HD68(S),1.5m	SCSI-Connection Cable, 1,5m 68 pin HD to 68 to HD AMP	x	x	x	x	x			D:KB230-C150-L	127	
	SCSI-Cabel,LVD,HD68(S)-HD68(S),3m	SCSI-Connection Cable, 3m 68 pin HD to 68 to HD AMP	x	x	x	x	x			D:KB230-M3-L	75	
	SCSI-Cabel,LVD,HD68(S)-HD68(S),5m	SCSI-Connection Cable, 5m 68 pin HD to 68 to HD AMP	x	x	x	x	x			D:KB230-M5-L	81	
	SCSI-Cabel,LVD,UHD68(S)-HD68(S),1.5m	SCSI-Connection Cable, 1,5m UHD 68 pin to HD 68 to HD AMP	x	x	x	x	x			D:KB235-C150-L	142	
	SCSI-Cabel,LVD,UHD68(S)-HD68(S),3m	SCSI-Connection Cable, 3m UHD 68 pin to HD 68 to HD AMP	x	x	x	x	x			D:KB235-M3-L	163	
	SCSI-Cabel,LVD,UHD68(S)-HD68(S),5m	SCSI-Connection Cable, 5m UHD 68 pin to HD 68 to HD AMP	x	x	x	x	x			D:KB235-M5-L	183	
	SAS Cable 1x SFF 8470-1x SFF 8088 2m	SAS-Connection Cable, 2m , 1x SFF 8470-1x SFF 8088, SAS to MiniSAS, , see order no., e. g.: D:KBSAS11 (SFF8470) - 1S (SFF8088)-2M, , Pay attention to the Cfg Hints please!	x				x			D:KBSAS11-1S-2M	74	
	SAS Cable 1x SFF 8470-1x SFF 8088 4m	AS-Connection Cable, 4m , 1x SFF 8470-1x SFF 8088, SAS to MiniSAS, , see order no., e. g.: D:KBSAS11 (SFF8470) - 1S (SFF8088)-2M, , Pay attention to the Cfg Hints please!	x				x			D:KBSAS11-1S-4M	92	
	SAS Cable 1x SFF 8470-1x SFF 8088 6m	AS-Connection Cable, 6m , 1x SFF 8470-1x SFF 8088, SAS to MiniSAS, , see order no., e. g.: D:KBSAS11 (SFF8470) - 1S (SFF8088)-2M, , Pay attention to the Cfg Hints please!	x				x			D:KBSAS11-1S-6M	109	
	SAS Cable 1x SFF 8470-2x SFF 8088 3m	AS-Connection Cable, 3m , 1x SFF 8470-2x SFF 8088, SAS to MiniSAS, , see order no., e. g.: D:KBSAS11 (SFF8470) - 1S (SFF8088)-2M, , Pay attention to the Cfg Hints please!					x	x		D:KBSAS11-2S-3M	94	
	SAS Cable 1x SFF 8470-2x SFF 8088 5m	SAS-Connection Cable, 5m , 1x SFF 8470-2x SFF 8088, SAS to MiniSAS, , see order no., e. g.: D:KBSAS11 (SFF8470) - 1S (SFF8088)-2M, , Pay attention to the Cfg Hints please!					x	x		D:KBSAS11-2S-5M	103	
	SAS Cable 1x SFF 8470-4x SFF 8088 3m	SAS-Connection Cable, 3m , 1x SFF 8470-4x SFF 8088, SAS to MiniSAS, , see order no., e. g.: D:KBSAS11 (SFF8470) - 1S (SFF8088)-2M, , Pay attention to the Cfg Hints please!					x	x		D:KBSAS11-4S-3M	113	
	SAS Cable 1x SFF 8470-4x SFF 8088 5m	SAS-Connection Cable, 5m , 1x SFF 8470-4x SFF 8088, SAS to MiniSAS, , see order no., e. g.: D:KBSAS11 (SFF8470) - 1S (SFF8088)-2M, , Pay attention to the Cfg Hints please!					x	x		D:KBSAS11-4S-5M	124	
	SAS Cable 1x SFF 8088-1x SFF 8088 2m	SAS-Connection Cable, 2m , 1x SFF 8088-1x SFF 8088, MiniSAS to MiniSAS, , see order no., e. g.: D:KBSAS1S (SFF8088) - 1S (SFF8088)-2M, , Pay attention to the Cfg Hints please!	x				x	x		D:KBSAS1S-1S-2M	69	



Accessories Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
Cables (Continued)												
	SAS Cable 1x SFF 8088-1x SFF 8088 4m	SAS-Connection Cable, 4m , 1x SFF 8088-1x SFF 8088, MiniSAS to MiniSAS, , see order no., e. g.: D:KBSAS1S (SFF8088) - 1S (SFF8088)-2M, , Pay attention to the Cfg Hints please!	x			x		x		D:KBSAS1S-1S-4M	86	
	SAS Cable 1x SFF 8088-1x SFF 8088 6m	SAS-Connection Cable, 6m , 1x SFF 8088-1x SFF 8088, MiniSAS to MiniSAS, , see order no., e. g.: D:KBSAS1S (SFF8088) - 1S (SFF8088)-2M, , Pay attention to the Cfg Hints please!	x			x		x		D:KBSAS1S-1S-6M	100	
	SAS Cable 1x SFF 8088-2x SFF 8088 3m	SAS-Connection Cable, 3m , 1x SFF 8088-2x SFF 8088, MiniSAS to MiniSAS, , see order no., e. g.: D:KBSAS1S (SFF8088) - 1S (SFF8088)-2M, , Pay attention to the Cfg Hints please!				x		x		D:KBSAS1S-2S-3M	89	
	SAS Cable 1x SFF 8088-2x SFF 8088 5m	SAS-Connection Cable, 5m , 1x SFF 8088-2x SFF 8088, MiniSAS to MiniSAS, , see order no., e. g.: D:KBSAS1S (SFF8088) - 1S (SFF8088)-2M, , Pay attention to the Cfg Hints please!				x		x		D:KBSAS1S-2S-5M	99	
	SCSI CABLE P2P UHD	internal SCSI cable for connection of a SCSI backup drive; interface SCSI UHD68							x	S26361-F3872-L111	39	Orderable from: 29/09/2008
	SCSI CABLE KIT DC UHD	internal daisy chain SCSI cable for connection of up to two SCSI backup drives; interface 2x SCSI UHD68							x	S26361-F3872-L112	51	Orderable from: 29/09/2008
	USB CABLE KIT P2P A-B	USB I/O-Modul							x	S26361-F3872-L131	16	Orderable from: 29/09/2008
	USB CBL EXT 2m A-B	USB A-B, length 2m							x	S26361-F3960-L20	16	Orderable from: 29/09/2008
	USB CBL EXT 5m A-B	USB A-B, length 5m							x	S26361-F3960-L50	16	Orderable from: 29/09/2008
	SCSI cable UHD68(S)-UHD68(S) 2m	UHD68(S)-UHD68(S) with screw connection							x	SNP:SY-F2365L20-P	89	
	SCSI cable UHD68(S)-UHD68(S) 5m	UHD68(S)-UHD68(S) with screw connection							x	SNP:SY-F2365L50-P	118	



Options Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
Removable Media Drives											
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US), data and cleaning cartridge						x	S26361-F3324-E3	352	
	RDX Drive USB 25MB/s 5.25" int	RDX Drive 80-160GB 25MB/s 5.25" intern , , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)						x	S26361-F3857-E1	133	
	Tape Kit DDS Gen5 36GB 3MB/s int.	LVD U2W SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge						x	S26361-F2848-E3	352	
	Tape Kit DDS Gen5 36GB 3MB/s for OBDR	LVD U2W SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge, for One Button Disaster Recovery						x	S26361-F2848-E31	382	
	Tape Kit Entry LTO Ultr 100GB 16MB/s int	U160 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge						x	S26361-F3460-E3	816	
	Tape Kit LTO2HH Ultrium 200GB 24MB/s int	U160 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge						x	S26361-F3157-E3	975	
	Tape Kit LTO3HH Ultrium 400GB 60MB/s int	U320 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge						x	S26361-F3459-E3	1233	
Rack-Infrastructure											
	Rackinstallation TX works Augsburg	Service for installation of a FibreCAT TX System into a PRIMERGY Rack ex works., With ordering this service, the FibreCAT TX will be premounted in a 12/24/38U Rack ex works.	x	x	x	x	x		D:FCTX-INPSR	91	
	PRIMERPOWER Rackinstallation TX ex work	Service for installation of a FibreCAT TX System into a PRIMEPOWER Rack ex works., With ordering this service, the FibreCAT TX will be premounted in a 12/24/38U Rack ex works.	x	x		x			D:FCTX-INPWR	91	Phased out
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.						x	S26361-F1647-E302	51	
	RMK-S Vario Carrier w. L-shaped Brackets	with Vario carrier f. easy rack mounting for 19inch rack systems in PCRII racks max. load 50 kg						x	S26361-F2735-E150	35	Orderable from: 29/09/2008
	RMK-F1_1-2U Server (new)	telescopic rail, full extraction with vario-carrier, pre-assembled with centre screw						x	S26361-F2735-E101	42	
	1 U cable arm, dragged	Cable arm for PRIMERGY Server, dragged for PRIMECENTER- and 3rd-party racks						x	S26361-F2735-E8	24	
Miscellaneous											
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order						x	S26361-F1647-E410	20	
	SCSI IOM_TXF	SCSI I/O-Modul						x	S26361-F3872-E110	94	Orderable from: 29/09/2008
	SAS IOM_TXF	USB I/O-Modul						x	S26361-F3872-E130	114	Orderable from: 29/09/2008
	No RMK	no Rackmount-Kit, Special case TX200-S4: if needed, please order rack-mount kit as option to the server: S26361-F2734-L90						x	S26361-F2735-E111	4	
Cables											
	SCSI CABLE P2P UHD	internal SCSI cable for connection of a SCSI backup drive; interface SCSI UHD68						x	S26361-F3872-E111	39	Orderable from: 29/09/2008
	SCSI CABLE KIT DC UHD	internal daisy chain SCSI cable for connection of up to two SCSI backup drives; interface 2x SCSI UHD68						x	S26361-F3872-E112	51	Orderable from: 29/09/2008



Options Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
Options matrix											
Cables (Continued)											
	P2P-SAS-SATA Cable-KIT	internal SAS-cable for connection of a SAS-backup drive; Interface SAS 8088						x	S26361-F3872-E122	16	Orderable from: 29/09/2008
	USB CABLE KIT P2P A-B	internal USB cable for connection of an USB backup drive; interface USB A-B						x	S26361-F3872-E131	16	Orderable from: 29/09/2008
Tape Drive											
	FibreCAT TX248 S2 Daisy Chain connect	FibreCAT TX24 S2 and TX48 S2 Daisy Chain Tape drive connecting (0,30 m) , With this cabinet is it possible to connect tape drives with daisy chain. For performance limitation only two drives with one HBA are allowed. We recommend only one tape drive per SCSI HBA... Interface: SCSI (currently only with HBA 29160 supported)			x		x		D:FCTXS-DC-AN	82	
	FibreCAT TX248S2 LTO-3HH SCSI assem. Dr.	FibreCAT TX24 S2 and TX48 S2 , drive LTO3 Half-Hight, LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Interface: SCSI (now only with HBA 29160 supported)			x		x		D:FCTXS-U3L-HH	1256	
	FibreCAT TX248 S2 LTO-3HH SAS assem. Dr.	FibreCAT TX24 S2 and TX48 S2 , drive LTO3 Half-Hight, LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Interface: SAS			x		x		D:FCTXS-U3S-HH	1808	
	FibreCAT TX248 S2 LTO-4HH FC assem. Dr.	FibreCAT TX24 S2 and TX48 S2 , drive LTO4 Half-Hight, LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Fibre Channel 4 GB interface			x		x		D:FCTXS-U4F-HH	1542	
	FibreCAT TX248 S2 LTO-4HH SAS assem. Dr.	FibreCAT TX24 S2 and TX48 S2 , drive LTO4 Half-Hight, LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Interface: SAS			x		x		D:FCTXS-U4S-HH	1943	
	FibreCAT TX dr LTO2 SCSI Half-Height	FibreCAT TX24 drive LTO2 Half-Hight, LTO2 drive capable of reading and writing to LTO-1 and LTO-2 cartridges, Ultra3 SCSI wide (160 MByte/s), accessories, - Terminator, - daisy chain cable		x					D:FCTX-U2L-HH	1223	
	FibreCAT TX dr FC LTO3 Full-Height	FibreCAT TX24 drive LTO3 FC Full-Hight, LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Fibre Channel 4 GB interface		x		x			D:FCTX-U3F	2922	
	FibreCAT TX dr LTO3 SCSI Full-Height	FibreCAT TX24 drive LTO3 Full-Hight, LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Ultra3 SCSI wide (160 MByte/s), accessories, - Terminator, - daisy chain cable		x		x			D:FCTX-U3L	2547	
	FibreCAT TX FC DR LTO4 Full Height	FibreCAT TX24 drive LTO4 FC Full-Hight, LTO4 drive capable of reading and writing to LTO-3 and LTO-4 cartridges, LTO-2 capable of reading., Fibre Channel 4 GB interface, accessories, - Terminator, - daisy chain cable		x		x			D:FCTX-U4F	3958	
Quickstart Guide											
	Quickstart Primergy Linux	Quickstart Primergy Linux, It is a abstract to start up the FibreCAT TX08., The Quickstart you get at english, germany, italian and russia language	x						D:FCTX08-L	6	
	Quickstart other Server	Quickstart other Server, It is a abstract to start up the FibreCAT TX08., The Quickstart you get at english, germany, italian and russia language	x						D:FCTX08-OS	6	



Options Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
Options matrix											
Quickstart Guide (Continued)											
	Quickstart Primquest Linux	Quickstart Primquest Linux, It is a abstract to start up the FibreCAT TX08., The Quickstart you get at english, germany, italian and russia language	x						D:FCTX08-PL	6	
	Quickstart Primquest Windows	Quickstart Primquest Windows, It is a abstract to start up the FibreCAT TX08., The Quickstart you get at english, germany, italian and russia language	x						D:FCTX08-PW	6	
	Quickstart Primpower/ APL Solaris	Quickstart Primpower/ SES Solaris, It is a abstract to start up the FibreCAT TX08., The Quickstart you get at english, germany, italian and russia language	x						D:FCTX08-S	6	
	Quickstart Primquest VMWare	Quickstart Primergy VMWare, It is a abstract to start up the FibreCAT TX08., The Quickstart you get at english, germany, italian and russia language	x						D:FCTX08-VMW	6	
	Quickstart Primergy Windows	Quickstart Primergy Windows, It is a abstract to start up the FibreCAT TX08., The Quickstart you get at english, germany, italian and russia language	x						D:FCTX08-W	6	
	Quickstart TX24 S2 PRIMERGY Linux	Quickstart Primergy Linux for FibreCAT TX24 S2			x				D:FCTX24S-L	3	
	Quickstart TX24 S2 Other Server	Quickstart other Server for FibreCAT TX24 S2			x				D:FCTX24S-OS	3	
	Quickstart TX24 S2 PRIMEQUEST Linux	Quickstart Primequest Linux for FibreCAT TX24 S2			x				D:FCTX24S-PL	6	
	Quickstart TX24 S2 PRIMEQUEST Windows	Quickstart Primequest Windows for FibreCAT TX24 S2			x				D:FCTX24S-PW	6	
	QuickstartTX24 S2 PRIMEPOWER/SES Solaris	QuickstartPrimepower/ SES Solaris for FibreCAT TX24 S2			x				D:FCTX24S-S	3	
	Quickstart TX24 S2 Primergy Windows	Quickstart Primergy Windows for FibreCAT TX24 S2			x				D:FCTX24S-W	3	
	Quickstart PRIMEQUEST Linux	Quickstart PRIMEQUEST Linux				x			D:FCTX48-L	6	
	Quickstart PRIMERGY Linux	Quickstart PRIMERGY Linux				x			D:FCTX48-LP	6	
	Quickstart Other Server	Quickstart Other Server				x			D:FCTX48-OS	6	
	Quickstart PRIMEQUEST Windows	Quickstart PRIMEQUEST Windows				x			D:FCTX48-PW	6	
	Quickstart PRIMEPOWER/APL Solaris	Quickstart PRIMEPOWER/SES Solaris				x			D:FCTX48-S	6	
	Quickstart TX48 S2 PRIMERGY Linux	Quickstart PRIMERGY Linux for FibreCAT TX48 S2					x		D:FCTX48S-L	6	
	Quickstart TX48 S2 Other Server	Quickstart other Server for FibreCAT TX48 S2					x		D:FCTX48S-OS	6	
	Quickstart TX48 S2 Primquest Linux	Quickstart Primquest Linux for FibreCAT TX48 S2					x		D:FCTX48S-PL	6	
	QuickstartTX48 S2 PRIMEPOWER/SES Solaris	Quickstart PRIMEPOWER/SES Solaris for FibreCAT TX48 S2					x		D:FCTX48S-S	6	
	Quickstart TX48 S2 Primergy Windows	Quickstart PRIMERGY Windows for FibreCAT TX48 S2					x		D:FCTX48S-W	6	
	Quickstart PRIMERGY Windows	Quickstart PRIMERGY Windows					x		D:FCTX48-W	6	
	Quickstart PRIMERGY Linux	BS PRIMERGY Linux license				x			D:FCTX-LIZL	6	
	Quickstart Other Server	BS Other Server license				x			D:FCTX-LIZOS	6	
	Quickstart PRIMEQUEST Linux	BS PRIMEQUEST Linux license				x			D:FCTX-LIZPL	6	
	Quickstart PRIMEQUEST Windows	BS PRIMEQUEST WIndows license				x			D:FCTX-LIZPW	6	
	Quickstart PRIMEPOWER/SES Solaris	Quickstart Guide Primpower/ SES Server				x			D:FCTX-LIZS	6	
	Quickstart PRIMERGY Windows	BS PRIMERGY Windows license				x			D:FCTX-LIZW	6	
Slot Upgrade											
	FibreCAT TX24 S2 Slotlicense 13 - 24	FibreCAT TX24 S2 license 12 - 24 Slot, License for slots 12 - 24			x				D:FCTX24S-24S-UPG	1380	
	FibreCAT TX24 Licence 12 - 24 Slot	FibreCAT TX24 License 12 - 24 Slot, License for second changer magazine (slots 13 - 24), For all FibreCAT TX24 Models			x				D:FCTX-24S-UPG	1380	
	FibreCAT TX48 Licence Slot 13-24	FibreCAT TX48 license 13 - 24 Slot, License for second changer magazine (slots 13 - 24)				x			D:FCTX48-24S-UPG	1380	



Options Storage Tape Systems

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FibreCAT TX08	FibreCAT TX24 LTO	FibreCAT TX24 LTO S2	FibreCAT TX48 LTO	FibreCAT TX48 LTO S2	FibreCAT TXF	Code	End User Price (£)	Comments
Options matrix											
Slot Upgrade (Continued)											
	FibreCAT TX48 Licence Slot 25-36	FibreCAT TX48 license 25 - 36 Slot, License for second changer magazine (slots 25 - 36)				x			D:FCTX48-36S-UPG	1380	
	FibreCAT TX48 Licence Slot 37-48	FibreCAT TX48 license 37 - 48 Slot, License for second changer magazine (slots 37 - 48)					x		D:FCTX48-48S-UPG	1380	
	FibreCAT TX48 S2 Slotlizenz 25 - 36	FibreCAT TX48 S2 license 25 - 36 Slot, License for slots 25 - 36						x	D:FCTX48S-36S-UPG	1651	
	FibreCAT TX48 S2 Slotlizenz 37 - 48	FibreCAT TX48 S2 license 37 - 48 Slot, License for slots 37 - 48						x	D:FCTX48S-48S-UPG	1651	
Tape Accessories											
	FibreCAT TX48 S2 power supply ass.	With this component you can upgrade the FibreCAT TX48 S2 with a redundante power supply at the factory						x	D:FCTX48S-PS-UPG	347	
	FibreCAT TX08, TX24S, TX48S Rackmount Kit	Rack Mount Kit for FibreCAT TX08, TX24 S2 and TX48 S2	x						D:FCTXS-RMK	82	



Positioning SAN components

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Switches and routers

The fibre channel switch is the key component of a SAN. It delivers high performance and throughput for the network. The Routers are the connection from SCSI tape devices to a Storage Area Network.



Fibre channel switches

Fibre channel switches

The SilkWorm family stand for high performance SAN concepts and high availability. 4 Gbit/s fibre channel is the latest and currently fastest technology for connecting the servers and storage devices. The 8-, 16-, 32- and 128-port, auto-sensing fibre channel switches significantly increases performance and functionality for Storage Area Networks (SANs).



Fibre channel routers

Fibre channel routers

The ideal product for connecting tape libraries to a fibre channel network. Supports a fast and secure backup via a Storage Area Network



Storage SAN Components

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
FC-Switch 200E					
	FC-Switch 200E 8/16 Port WT ZO FF PP	Fibre Channel switch with 16 ports, 8 active ports, Web Tools, Zoning, Full Fabric, Fabric Watch, Performance Monitoring, Trunking, upgrade to 12 or 16 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSWR-08P200EE	5587	
	FC-Switch 200E 8/16 Port WT ZO	Fibre Channel switch with 16 ports, 8 active ports, Web Tools, Zoning, upgrade to 12 or 16 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSWR-08P200EL	1897	
	FC-Switch 200E 16/16Port WT ZO FF PP	Fibre Channel switch with 16 ports, 16 active ports, Web Tools, Zoning, Full Fabric, Fabric Watch, Performance Monitoring, Trunking, 1 year on site warranty incl right to use software updates	D:FCSWR-16P200EE	8087	
	FC-Switch 200E 16/16 Port WT ZO	Fibre Channel switch with 16 ports, 16 active ports, Web Tools, Zoning, 1 year on site warranty incl right to use software updates	D:FCSWR-16P200EL	3563	
	FC-Switch 200E 8/16 Port WT ZO (for SX)	Fibre Channel switch with 16 ports for SX, 8 active ports, Web Tools, Zoning, upgrade to 12 or 16 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-SX	1897	
FC-Switch 300					
	FC-Switch BRCD 300 8/24 Port WT ZO,PP	Fibre Channel switch with 24 ports, 8 active ports, Web Tools, Zoning, upgrade to 16 or 24 ports by activating the port license, 1 year on site warranty incl right to use software updates, Power Pack	D:FCSW-300E	6032	Orderable from: 01/09/2008
	FC-Switch Brocade 300 8/24 Port WT ZO	Fibre Channel switch with 24 ports, 8 active ports, Web Tools, Zoning, upgrade to 16 or 24 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-300L	1897	Orderable from: 01/09/2008
FC-Switch 4900					
	FC-Switch 4900 32/64Port WT ZO FF PP	Fibre Channel switch with 64 ports, 32 active ports, Web Tools, Zoning, Full Fabric, Extended Fabrics, Fabric Watch, Performance Monitoring, Trunking, upgrade to 48 or 64 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-64P4932E	25000	
	FC-Switch 4900 64Po PROMO WT ZO FF PP	Fibre Channel switch with 64 active ports, PROMO action, Web Tools, Zoning, Full Fabric, Extended Fabrics, Fabric Watch, Performance Monitoring, Trunking, upgrade to 48 or 64 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-64P4932E-PR	29397	
	FC-Switch 4900 32/64 Port WT ZO FF	Fibre Channel switch with 64 ports, 32 active ports, Web Tools, Zoning, Full Fabric, upgrade to 48 or 64 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-64P4932L	20198	



Storage SAN Components

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
FC-Switch 4900 (Continued)					
	FC-Switch 4900 64Po PROMO WT ZO FF	Fibre Channel Switch mit 64 aktiven Ports, PROMO Aktion, Web Tools, Zoning, Full Fabric, 1 year on site warranty incl right to use software updates	D:FCSW-64P4932L-PR	20198	
FC-Switch 5000					
	FC-Switch 5000 24/32Po PROMO WT ZO FF PP	Fibre Channel switch with 32 ports, 24 active ports, Web Tools, Zoning, Full Fabric, Extended Fabrics, Fabric Watch, Performance Monitoring, Trunking, upgrade to 32 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-24P5000E	11746	
	FC-Switch 5000 24/32Po PROMO WT ZO FF	Fibre Channel switch with 32 ports, 24 active ports, Web Tools, Zoning, Full Fabric, upgrade to 24 or 32 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-24P5000L	7103	
	FC-Switch 5000 16/32Port WT ZO FF PP	Fibre Channel switch with 32 ports, 16 active ports, Web Tools, Zoning, Full Fabric, Extended Fabrics, Fabric Watch, Performance Monitoring, Trunking, upgrade to 24 or 32 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-32P5000E	11746	
	FC-Switch 5000 32Po PROMO WT ZO FF PP	Fibre Channel switch with 32 active ports, PROMO action, Web Tools, Zoning, Full Fabric, Extended Fabrics, Fabric Watch, Performance Monitoring, Trunking, , 1 year on site warranty incl right to use software updates	D:FCSW-32P5000E-PR	13405	
	FC-Switch 5000 16/32 Port, WT ZO FF	Fibre Channel switch with 32 ports, 16 active ports, Web Tools, Zoning, Full Fabric, upgrade to 24 or 32 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-32P5000L	7103	
	FC-Switch 5000 32Po PROMO WT ZO FF	Fibre Channel switch PROMO Action, 32 active ports, Web Tools, Zoning, Full Fabric, , 1 year on site warranty incl right to use software updates	D:FCSW-32P5000L-PR	7103	
FC-Switch 5100					
	FC-Switch 5100 24/40Port,WT,ZO,FF,EGM,PP	Fibre Channel switch with 40 ports, 24 active ports, Web Tools, Zoning, Full Fabric, Enhanced Group Management, Power Pack (EF,TR, AN, APM, FW), upgrade to 32 or 40 ports by activating the port license,, 1 year on site warranty incl right to use software updates, Power Pack	D:FCSW-5100E	17540	Orderable from: 01/09/2008
	FC-Switch 5100 24/40Port,WT,ZO,FF,EGM	Fibre Channel switch with 40 ports, 24 active ports, Web Tools, Zoning, Full Fabric, Enhanced Group Management, upgrade to 32 or 40 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-5100L	11349	Orderable from: 01/09/2008
FC-Switch 5300					



Storage SAN Components

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
FC-Switch 5300 (Continued)					
	FC-Switch 5300 48/80Port WT,ZO,FF,EGM,PP	Fibre Channel switch with 80 ports, 48 active ports,, Web Tools, Zoning, Full Fabric, Enhanced Group Management, Power Pack (EF,TR, AN, APM, FW),,, upgrade to 49 or 80 ports by activating the port license, 1 year on site warranty incl right to use software updates, Power Pack	D:FC5W-5300E	42063	Orderable from: 01/09/2008
	FC-Switch 5300 48/80 Port,WT,ZO,FF,EGM	Fibre Channel switch with 80 ports, 48 active ports, Web Tools, Zoning, Full Fabric, Enhanced Group Management, upgrade to 49 or 80 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FC5W-5300L	29286	Orderable from: 01/09/2008
IP CISCO fixed Switch					
	Flexframe Switch CISCO 3750 24xRJ45	CISCO LAN Switch/Router 3750G-24T-S ! An optional powercord with 'Schuko plug' is included. FOR FLEXFRAME PROJECTS ONLY	D:FF-C3750G24T-S	3070	
	FlexframeSwitch CISCO3750 24xRJ45/4x opt	CISCO LAN Switch/Router C3750G-24TS-S1U ! An optional powercord with 'Schuko plug' is included. FOR FLEXFRAME PROJECTS ONLY	D:FF-C3750G24TSS1U	3582	
	FlexframeSwitch CISCO3750 48xRJ45/4x opt	CISCO LAN Switch/Router 3750G-48TS-S ! An optional powercord with 'Schuko plug' is included. FOR FLEXFRAME PROJECTS ONLY	D:FF-C3750G48TS-S	7167	
	Cisco 2960 20xIP 1GE + 4xIP 1GE uplink	CISCO LAN Switch/Router C2960G24TCL ! An optional powercord with 'Schuko plug' is included. Entry level Layer 2 switch.	CIO:WS-C2960G24TCL	1687	
	Cisco 3560 24xIP 1GE + 2x10GE XENP	CISCO LAN Switch/Router 3560E-24TD-S ! An optional powercord with 'Schuko plug' is included. Layer 2 and 3 switch with IP routing functionality.	CIO:WS-C3560E24TDS	3070	
	Cisco 3560 48xIP 1GE + 2x10GE XENP	CISCO LAN Switch/Router 3560E-48TD-S ! An optional powercord with 'Schuko plug' is included. Layer 2 and 3 switch with IP routing functionality	CIO:WS-C3560E48TDS	6142	
	Cisco 3560 24xIP 1GE, PoE + 4x for SFP	CISCO LAN Switch/Router 3560G-24PS-S ! An optional powercord with 'Schuko plug' is included. Layer 2 and 3 switch with IP routing functionality	CIO:WS-C3560G24PSS	2865	
	Cisco 3560 24xIP 1GE + 4P for SFP	CISCO LAN Switch/Router 3560G-24TSS ! An optional powercord with 'Schuko plug' is included. Layer 2 and 3 switch with IP routing functionality	CIO:WS-C3560G24TSS	2456	
	Cisco 3560 48xIP 1GE + 4P for SFP	CISCO LAN Switch/Router 3560G-48TS-S ! An optional powercord with 'Schuko plug' is included. Layer 2 and 3 switch with IP routing functionality.	CIO:WS-C3560G48TSS	4094	
	Cisco 3750 24xIP 1GE + 2x10GE XENP	CISCO LAN Switch/Router 3750G-24TD-S ! An optional powercord with 'Schuko plug' is included. Stackable layer 2 and 3 switch with IP routing functionality.	CIO:WS-C3750E24TDS	4862	
	Cisco 3750 48xIP 1GE + 2x10GE XENP	CISCO LAN Switch/Router 3750G-48TD-S ! An optional powercord with 'Schuko plug' is included. Stackable layer 2 and 3 switch with IP routing functionality.	CIO:WS-C3750E48TDS	9726	
	Cisco 3750 24xIP 1GE, PoE + 4x for SFP	CISCO LAN Switch/Router 3750G-24PS-S ! An optional powercord with 'Schuko plug' is included. Stackable layer 2 and 3 switch with IP routing functionality.	CIO:WS-C3750G24PSS	3992	



Storage SAN Components

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Model	Description	Details	Code	End User Price (£)	Comments
Base unit configurations					
IP CISCO fixed Switch (Continued)					
	Cisco 3750 24xIP 1GE + 4P for SFP	CISCO LAN Switch/Router 3750G-24TS-S ! An optional powercord with 'Schuko plug' is included. Stackable layer 2 and 3 switch with IP routing functionality.	CIO:WS-C3750G24TSS	3838	
	Cisco 3750 48xIP 1GE + 4P for SFP	CISCO LAN Switch/Router 3750G-48TS-S ! An optional powercord with 'Schuko plug' is included. Stackable layer 2 and 3 switch with IP routing functionality.	CIO:WS-C3750G48TSS	7167	
	Cisco 3750 24x1 GE + 4P for SFP 1RU	CISCO LAN Switch/Router 3750G-24TS-S1U ! An optional powercord with 'Schuko plug' is included. Stackable layer 2 and 3 switch with IP routing functionality.	CIO:WS3750G24TSS1U	3582	
	Cisco 4948 48xIP 1GE + 2x10GE XENP	CISCO LAN Switch/Router 4948-10GE-S ! An optional powercord with 'Schuko plug' is included. Low latency layer 2 and 3 switch with IP routing functionality.	CIO:WS-C494810GES	8959	
	Cisco 4948 48xIP 1GE + 4P for SFP	CISCO LAN Switch/Router 4948-S ! An optional powercord with 'Schuko plug' is included. Low latency layer 2 and 3 switch with IP routing functionality.	CIO:WS-C4948S	5374	
IP Cisco modular Switch					
	Enhanced Cisco Catalyst 6506 Chassis,	CISCO modular LAN Switch Chassis WS-C6509-E Catalyst 6500 Enhanced 6-slot chassis,12RU,no PSU,no Fan Tray	CIO:WS-C6506-E	2817	
	Enhanced Cisco Catalyst 6509 Chassis,	CISCO modular LAN Switch Chassis WS-C6509-E Catalyst 6500 Enhanced 9-slot chassis,15RU,no PSU,no Fan Tray	CIO:WS-C6509-E	4865	



Accessories SAN Components

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FC ROUTER/EXTENDER	FC SWITCH	FCSW 128P 24000	FCSW 16P 385x	FCSW 8P 325x	FC-Switch 200E	FC-Switch 300	FC-Switch 4100	FC-Switch 4900	FC-Switch 5000	FC-Switch 5100	FC-Switch 5300	IP CISCO fixed Switch	Code	End User Price (€)	Comments
Rack-Infrastructure																		
	Adapter angle PC/DC-Rack, till 50Kg	Adapter angle 50 kg for PRIMECENTER and DataCenter rack		x												S26361-F2735-L10	16	
	Adapter angle PC/DC-Rack, till 150Kg	Adapter angle 150 kg for PRIMECENTER and DC rack		x												S26361-F2735-L15	19	
OS/Application-SW																		
	SANView license for up to 32 ports V5.x	SANView 5.x license for up to 32 ports! SANView allows the monitoring, configuration and visualization of your SAN environment! Note: Licencing of Softek SANView takes place dependent of number of ports. Further Softek SANView is only released for 2GB Brocade switches.			x	x	x	x		x						U15355-C5000	9996	
FC/IP-Infrastructure																		
	SFP SM 4 GB 4 km LC f. FSW 516 (LL)	4GBit, SM, bis 4km, LC		x												CS-SFP-FS404	210	
	SFP SM 4 GB 10 km LC f. FSW 516 (LL)	4GBit, SM, bis 4km, LC		x												CS-SFP-FS410	389	
	SFP SM 4 GB 30 km LC f. FSW 516 (LL)	4GBit, SM, bis 30km, LC		x												CS-SFP-FS430	722	
	SFP Multi Mode Fibre, 2 GB/s, 300 m	SFP Multi Mode Fibre, 2 GB/s, 300 m, , Not usable for 8 GB/s Switches!							x		x	x				D:FCGBIC-MM2G-01-L	150	
	SFP Multi Mode Fibre, 4 GB/s 150 m	SFP Multi Mode Fibre, 4 GB/s, 150 m								x			x	x		D:FCSFP-B-MM4G-L	92	Orderable from: 01/09/2008
	SFP Multi Mode Fibre, 8 GB/s 50m/100m	SFP Multi Mode Fibre, 8 GB/s, 50 / 150 m, (depending on used fibre cable type OM2 / OM3)									x			x		D:FCSFP-B-MM8G-L	107	Orderable from: 01/09/2008
	SFP Single Mode Fibre, 4 GB/s 4 km	SFP Single Mode Fibre, 4 GB/s, 4 km								x			x	x		D:FCSFP-B-SM4-04-L	383	Orderable from: 01/09/2008
	SFP Single Mode Fibre, 4 GB/s 10 km	SFP Single Mode Fibre, 4 GB/s, 10 km											x	x		D:FCSFP-B-SM4-10-L	689	Orderable from: 01/09/2008
	SFP Single Mode Fibre, 4 GB/s 30 km	SFP Single Mode Fibre, 4 GB/s, 30 km									x			x		D:FCSFP-B-SM4-30-L	1275	Orderable from: 01/09/2008
	SFP Multi Mode Fibre, 4 GB/s, 150 m	SFP Multi Mode Fibre, 4 GB/s, 150 m, , Not usable for 8 GB/s Switches!							x		x	x	x			D:FCSFP-MM4G-L	166	
	SFP Single Mode Fibre, 4 GB/s, 4 km	SFP Single Mode Fibre, 4 GB/s, 4 km, , Not usable for 8 GB/s Switches!							x		x	x	x			D:FCSFP-SM4G-04-L	381	
	SFP Single Mode Fibre, 4 GB/s, 10 km	SFP Single Mode Fibre, 4 GB/s, 10 km, , Not usable for 8 GB/s Switches!								x		x	x			D:FCSFP-SM4G-10-L	694	
	SFP Single Mode Fibre, 4 GB/s, 30 km	SFP Single Mode Fibre, 4 GB/s, 30 km, , Not usable for 8 GB/s Switches!								x		x	x			D:FCSFP-SM4G-30-L	1283	
	8 ports on demand (300), ports 17-24	Brocade 300 switch port license for upgrade from 17 to 24 ports								x						D:FCSW-300-UPG24	1897	Orderable from: 01/09/2008
	8 ports on demand (5100), ports 33-40	Brocade 300 switch port license for upgrade from 33 to 40 ports												x		D:FCSW-5100-UPG40	3413	Orderable from: 01/09/2008
	16-ports on demand (5300), ports 65-80	Brocade 5300 switch port license for upgrade from 65 to 80 ports												x		D:FCSW-5300-UPG80	10151	Orderable from: 01/09/2008
Cables																		
	CSS11500 10-Meter Fiber SM LX LC-to-SC	CSS11500 10-Meter Fiber SM LX LC-to-SC cable for Cisco X2 transceiver													x	CIO:CSS5CABLX-LCSC	229	
	CSS11500 10-Meter Fiber MM SX LC	CSS11500 10-Meter Fiber MM SX LC cable for Cisco X2 transceiver													x	CIO:CSS5CABSX-LC	202	
	CSS11500 10-Meter Fiber MM SX LC-to-SC	CSS11500 10-Meter Fiber MM SX LC-to-SC cable for Cisco X2 transceiver													x	CIO:CSS5CABSX-LCSC	202	
	FC cable MMF, 5m, LC/SC	optical multimode- cable (9um) having LC-SC-connector combination), length 5 m		x	x	x	x	x	x	x	x	x	x	x		D:FCKAB-MM-B05L-L	38	
	FC cable MMF, 10m, LC/SC	optical multimode- cable (9um) having LC-SC-connector combination), length 10 m		x	x	x	x	x	x	x	x	x	x	x		D:FCKAB-MM-B10L-L	38	
	FC cable MMF, 20m, LC/SC	optical multimode- cable (9um) having LC-SC-connector combination), length 20 m		x	x	x	x	x	x	x	x	x	x	x		D:FCKAB-MM-B20L-L	50	
	FC-Kabel OM3, MMF, 5m, LC/LC 8GBit/s	optical multimode- cable (OM3) having LC-LC-connector combination), length 5 m, optimized for 8 GBit/s		x	x	x	x	x	x	x	x	x	x	x		D:FCKAB-OM3-C05L-L	67	
	FC-Kabel OM3, MMF, 10m, LC/LC 8GBit/s	optical multimode- cable (OM3) having LC-LC-connector combination), length 10 m, optimized for 8 GBit/s		x	x	x	x	x	x	x	x	x	x	x		D:FCKAB-OM3-C10L-L	71	
	FC-Kabel OM3, MMF, 20m, LC/LC 8GBit/s	optical multimode- cable (OM3) having LC-LC-connector combination), length 20 m, optimized for 8 GBit/s		x	x	x	x	x	x	x	x	x	x	x		D:FCKAB-OM3-C20L-L	79	
	FC-Kabel OM3, MMF, 50m, LC/LC 8GBit/s	optical multimode- cable (OM3) having LC-LC-connector combination), length 50 m, optimized for 8 GBit/s		x	x	x	x	x	x	x	x	x	x	x		D:FCKAB-OM3-C50L-L	103	
	FC cable SMF, 100m, LC/LC	optical singlemode- cable (9um) having LC-LC-connector combination), length 100m		x												D:FCKAB-SM-C100L	151	Phased out
	FC cable SMF, 10m, LC/LC	optical singlemode- cable (9um) having LC-LC-connector combination), length 10 m		x	x	x	x	x	x	x	x	x	x	x		D:FCKAB-SM-C10L-L	75	
	FC cable SMF, 20m, LC/LC	optical singlemode- cable (9um) having LC-LC-connector combination), length 20 m		x	x	x	x	x	x	x	x	x	x	x		D:FCKAB-SM-C20L-L	83	
	FC cable SMF, 50m, LC/LC	optical singlemode- cable (9um) having LC-LC-connector combination), length 50 m		x												D:FCKAB-SM-C50L	103	Phased out
	FC Kabel MMF 50m, Connector SC-LC	optical multimode cable (50 um) to connect device having Fibre Channel 1GBIT/s interface (DUPLEX SC connector) to device with Fibre Channel 2Bit/s interface (DUPLEX LC connector)		x	x											D:FCKAB-MM-B50L	79	Phased out
	FC Kabel MMF 100m, Connector SC-LC	optical multimode cable (50 um) to connect device having Fibre Channel 1GBIT/s interface (DUPLEX SC connector) to device with Fibre Channel 2Bit/s interface (DUPLEX LC connector)		x	x	x	x	x								D:FCKAB-MM-B100L	127	Phased out
	FC Kabel SMF 50m, Connector SC-LC	optical singlemode- cable (9um) having SC-LC-connector combination), length 50 m		x												D:FCKAB-SM-B50L	95	Phased out



Options SAN Components

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FC-Switch 200E	FC-Switch 300	FC-Switch 4900	FC-Switch 5000	FC-Switch 5100	FC-Switch 5300	IP CISCO fixed Switch	IP CISCO modular Switch	Code	End User Price (€)	Comments
Options matrix													
Rack-Infrastructure													
	PRIMERGY Rackeinbau Switch ab Werk	Service for installation of a Brocade Switch 200E, 4100, 5000, 4900 into a PRIMERGY Rack ex works., With ordering this service, the Brocade Switch will be premounted in a 12/24/38U Rack ex works.	x	x	x	x	x	x			D:FCSW-INPSR	91	
	PRIMEPOWER rack install. switch ex work	Service for installation of a Brocade Switch 200E, 4100, 5000, 4900 into a PRIMEPOWER Rack ex works., With ordering this service, the Brocade Switch will be premounted in a 12/24/38U Rack ex works.	x	x	x	x	x	x			D:FCSW-INPWR	91	Phased out
FC/IP-Infrastructure													
	ACE 20 Hardware	ACE 20 Hardware, Load Balancer Modul für Catalyst 65xx, max 2 per chassis								x	CIO:ACE20-MOD-K9	2	
	GE SFP, LC connector LX/LH transceiver	GE SFP, LC connector LX/LH transceiver, max. 10km							x		CIO:GLCLHSM	510	
	GE SFP, LC connector SX transceiver	GE SFP, LC connector SX transceiver, max. 500m							x		CIO:GLCSXMM	256	
	1000BASE-T SFP	GE SFP, LC connector LX/LH transceiver, max. 10km							x		CIO:GLC-T	202	
	Cisco 6506-E Chassis Fan Tray	Cisco 6506-E Chassis Fan Tray								x	CIO:WS-C6506EFAN	254	
	Cisco 6509-E Chassis Fan Tray	Cisco 6509-E Chassis Fan Tray								x	CIO:WS-C6509EFAN	254	
	Cisco 6500 PSU 3000W (take 2 for red.)	Cisco 6509 PSU 3000W (take 2 for red.)								x	CIO:WS-CAC-3000W	1537	
	Cisco 6500 PSU 6000W (take 2 for red.)	Cisco 6509 PSU 6000W (take 2 for red.)								x	CIO:WS-CAC-6000W	2560	
	Catalyst 6500/Cisco 7600 Supervisor 720	Catalyst 6500/Cisco 7600 Supervisor 720. One of the two 1GB/s-ports is selectable SFP or 10/100/1000 RJ-45.								x	CIO:WS-SUP720-3B	14337	
	Catalyst 6000 8-port GE, Enhanced QoS	Catalyst 6000 8-port GE, Enhanced QoS								x	CIO:WS-X6408A-GBIC	5118	
	Cisco 65xx LineCard 8xIP 10GE	Cisco 65xx LineCard 8xIP 10GE								x	CIO:WS-X6708-10G3C	19202	
	Cisco 65xx LineCard 48xIP 1GE, Copper	Cisco 65xx LineCard 48xIP 1GE, Copper								x	CIO:WS-X6748-GE-TX	7681	
	Cisco 65xx LineCard 48xIP 1GE, for SFP	Cisco 65xx LineCard 48xIP 1GE, for SFP								x	CIO:WS-X6748-SFP	12802	
	10GBASE-LR X2 Module	optical transceiver for 10 GB Ethernet								x	CIO:X2-10GB-LR	2048	
	10GBASE-LRM X2 Module	optical transceiver for 10GB Ethernet ports								x	CIO:X2-10GB-LRM	766	
	10GBASE-SR X2 Module	optical transceiver for 10GB Ethernet ports								x	CIO:X2-10GB-SR	1022	
	SFP Multi Mode Fibre, 2 GB/s, 300 m	SFP Multi Mode Fibre, 2 GB/s, 300 m, , Not usable for 8 GB/s Switches!	x		x						D:FCGBIC-MM2G-01	143	
	SFP Multi Mode Fibre, 4 GB/s 150 m			x							D:FCSFP-B-MM4G	87	Orderable from: 01/09/2008
	SFP Multi Mode Fibre, 8 GB/s 50m/100m	SFP Multi Mode Fibre, 8 GB/s, 50 / 150 m, (depending on used fibre cable type OM2 / OM3)		x							D:FCSFP-B-MM8G	102	Orderable from: 01/09/2008
	SFP Single Mode Fibre, 4 GB/s 4 km	SFP Single Mode Fibre, 4 GB/s, 4km		x							D:FCSFP-B-SM4-04	365	Orderable from: 01/09/2008
	SFP Single Mode Fibre, 4 GB/s 10 km	SFP Single Mode Fibre, 4 GB/s, 10 km		x							D:FCSFP-B-SM4-10	656	Orderable from: 01/09/2008
	SFP Single Mode Fibre, 4 GB/s 30 km	SFP Single Mode Fibre, 4 GB/s, 30 km		x							D:FCSFP-B-SM4-30	1214	Orderable from: 01/09/2008
	SFP Multi Mode Fibre, 4 GB/s, 150 m	SFP Multi Mode Fibre, 4 GB/s, 150 m, , Not usable for 8 GB/s Switches!	x		x						D:FCSFP-MM4G	158	
	SFP Single Mode Fibre, 4 GB/s, 4 km	SFP Single Mode Fibre, 4 GB/s, 4 km, , Not usable for 8 GB/s Switches!	x		x						D:FCSFP-SM4G-04	363	
	SFP Single Mode Fibre, 4 GB/s, 10 km	SFP Single Mode Fibre, 4 GB/s, 10 km, , Not usable for 8 GB/s Switches!	x		x						D:FCSFP-SM4G-10	661	
	SFP Single Mode Fibre, 4 GB/s, 30 km	SFP Single Mode Fibre, 4 GB/s, 30 km, , Not usable for 8 GB/s Switches!	x		x						D:FCSFP-SM4G-30	1221	
	ports on demand, ports 9-24, full ports	Brocade 300 switch port license for upgrade from 9to 24 ports, full ports			x						D:FCSW-300-UPF	3714	Orderable from: 01/09/2008
	8 ports on demand, ports 9-16	Brocade 300 switch port license for upgrade from 9 to 16 ports			x						D:FCSW-300-UPG16	1897	Orderable from: 01/09/2008
	Extended Fabrics (5000/4100/3900)	Extended Fabrics for Brocade 5000, 4100 and 3900 switch, incl 1 year right to use software updates									D:FCSW-32P-EF	2095	
	Fabric Watch (5000/4100)	Fabric Watch for Brocade 5000 and 4100 Switch, incl 1 year right to use software updates									D:FCSW-32P-FW	1302	
	Performance Monitoring (5000/4100/3900)	Performance Monitoring for Brocade 5000, 4100 and 3900 switch, incl 1 year right to use software updates									D:FCSW-32P-PM	1619	
	Power Pack (5000/4100)	Power Pack for Brocade 5000 and 4100 Switch includes:, Extended Fabrics, Fabric Watch, Performance Monitoring, Trunking, incl 1 year right to use software updates									D:FCSW-32P-PP	6302	
	Secure Fabric OS (5000/4100/3900)	Secure Fabric OS for Brocade 5000, 4100 and 3900 Switch, incl 1 year right to use software updates									D:FCSW-32P-SO	4738	



Options SAN Components

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FC-Switch 200E	FC-Switch 300	FC-Switch 4900	FC-Switch 5000	FC-Switch 5100	FC-Switch 5300	IP Cisco fixed Switch	IP Cisco modular Switch	Code	End User Price (£)	Comments
Options matrix													
FC/IP-Infrastructure (Continued)													
	Trunking (5000/4100)	Trunking for Brocade 5000 and 4100 Switch, incl 1 year right to use software updates				x					D:FCSW-32P-TR	1857	
	FC-Switch, 8-port upgrade	Port license for upgrade to 24 or 32 ports for Brocade 5000 and 4100 switch				x					D:FCSW-32P-UP8P	3687	
	ports on demand, ports 25-40, full ports	Brocade 300 switch port license for upgrade from 25 to 40 ports, full ports					x				D:FCSW-5100-UPF	6746	Orderable from: 01/09/2008
	8 ports on demand, ports 25-32	Brocade 300 switch port license for upgrade from 25 to 32 ports					x				D:FCSW-5100-UPG32	3413	Orderable from: 01/09/2008
	ports on demand, ports 49-80, full ports	Brocade 5300 switch port license for upgrade from 49 to 80 ports, full ports						x			D:FCSW-5300-UPF	20222	Orderable from: 01/09/2008
	16 ports on demand, ports 49-64	Brocade 300 switch port license for upgrade from 49 to 64 ports						x			D:FCSW-5300-UPG64	10151	Orderable from: 01/09/2008
	FC-Switch, 16-port upgrade, 33/48	Brocade 4900 switch port license for upgrade from 33 to 48 ports			x						D:FCSW-64P49UP48	10952	
	FC-Switch, 16-port upgrade, 49/64	Brocade 4900 switch port license for upgrade from 49 to 64 ports			x						D:FCSW-64P49UP64	10952	
	FC-Switch, 32-port upgrade, 33/64	Brocade 4900 switch port license for upgrade from 33 to 64 ports			x						D:FCSW-64P49UPF	21905	
	FC-Switch, 4-port upgrade, 9/12	Brocade 200E switch port license for upgrade from 9 to 12 ports	x								D:FCSW-8P2108U12	1063	
	FC-Switch, 4-port upgrade, 13/16	Brocade 200E switch port license for upgrade from 13 to 16 ports	x								D:FCSW-8P2108U16	1063	
	FC-Switch, 8-port upgrade, 9/16	Brocade 200E switch port license for upgrade from 9 to 16 ports	x								D:FCSW-8P2108UF	2127	
	Fabric Manager Basic 4 domains	Fabric Manager 5.X - Base License - 1 Server up to 4 Domains, incl 1 year right to use software updates	x	x	x						D:FCSW-FM5-B	7452	
	Fabric Manager Enterprise unlim. domains	Fabric Manager 5.X - Enterprise License - 1 Server, Unlimited Domains, incl 1 year right to use software updates	x	x	x						D:FCSW-FM5-E	17373	
	Fabric Manager Standard 10 domains	Fabric Manager 5.X - Standard License - 1 Server up to 10 Domains, incl 1 year right to use software updates	x	x	x						D:FCSW-FM5-S	14913	
	Extended Fabrics (200E/3250/3850)	Extended Fabrics for Brocade 200E, 3250, 3850 Switch, incl 1 year right to use software updates	x								D:FCSW-SW2100-EF	2016	
	Full Fabric (200E)	Full Fabric for Brocade 200E Switch, incl 1 year right to use software updates	x								D:FCSW-SW2100-FF16	905	
	Fabric Watch (200E)	Fabric Watch for Brocade 200E Switch, incl 1 year right to use software updates	x								D:FCSW-SW2100-FW	1534	
	Performance Monitoring (200E)	Performance Monitoring for Brocade 200E Switch, incl 1 year right to use software updates	x								D:FCSW-SW2100-PM	1579	
	Power Pack (200E)	Power Pack for Brocade 200E Switch includes: Fabric Watch, Performance Monitoring, Trunking, incl 1 year right to use software updates	x								D:FCSW-SW2100-PP	2409	
	Trunking (200E)	Trunking for Brocade 200E Switch, incl 1 year right to use software updates	x								D:FCSW-SW2100-TR	2373	
	Adaptive Networking (300)	Adaptive Networking for Brocade 300		x							D:FCSW-SW300-AN	1520	Orderable from: 01/09/2008
	Enhanced Group Management (300)	Enhanced Group Management for Brocade 300		x							D:FCSW-SW300-EGM	389	Orderable from: 01/09/2008
	Full Fabric (300)	Full Fabric for Brocade 300		x							D:FCSW-SW300-FF	627	Orderable from: 01/09/2008
	Fabric Watch (300)	Fabric Watch for Brocade 300		x							D:FCSW-SW300-FW	1111	Orderable from: 01/09/2008
	Long Distance Bundle (300) FF,EGM,EF	Long Distance Bundle for Brocade 300		x							D:FCSW-SW300-LD	2619	Orderable from: 01/09/2008
	Power Pack (300) FF,EGM,TR,APM,EF,FW,AN	Power Pack for Brocade 300		x							D:FCSW-SW300-PP	4365	Orderable from: 01/09/2008
	Trunking (300)	Trunking for Brocade 300		x							D:FCSW-SW300-TR	2381	Orderable from: 01/09/2008
	Extended Fabrics (4900)	Extended Fabrics for Brocade 4900 switch, incl 1 year right to use software updates			x						D:FCSW-SW4900-EF	3960	
	Fabric Watch (4900)	Fabric Watch for Brocade 4900 Switch, incl 1 year right to use software updates			x						D:FCSW-SW4900-FW	3571	
	Performance Monitoring (4900)	Performance Monitoring for Brocade 4900 switch, incl 1 year right to use software updates			x						D:FCSW-SW4900-PM	3817	
	Power Pack (4900)	Power Pack for Brocade 4900 Switch includes: Extended Fabrics, Fabric Watch, Performance Monitoring, Trunking, incl 1 year right to use software updates			x						D:FCSW-SW4900-PP	9198	
	Secure Fabric OS (4900)	Secure Fabric OS for Brocade 4900 Switch, incl 1 year right to use software updates			x						D:FCSW-SW4900-SO	6635	
	Trunking (4900)	Trunking for Brocade 4900 Switch, incl 1 year right to use software updates			x						D:FCSW-SW4900-TR	4786	
	Adaptive Networking (5100)	Adaptive Networking for Brocade 5100					x				D:FCSW-SW5100-AN	2540	Orderable from: 01/09/2008
	Fabric Watch (5100)	Fabric Watch for Brocade 5100					x				D:FCSW-SW5100-FW	1746	Orderable from: 01/09/2008



Options SAN Components

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FC-Switch 200E	FC-Switch 300	FC-Switch 4900	FC-Switch 5000	FC-Switch 5100	FC-Switch 5300	IP CISC0 fixed Switch	IP CISC0 modular Switch	Code	End User Price (£)	Comments
Options matrix													
FC/IP-Infrastructure (Continued)													
	Integrated Routing (5100)	Integrated Routing for Brocade 5100					x				D:FCSW-SW5100-IR	8968	Orderable from: 01/09/2008
	Long Distance Bundle (5100) EGM,FF	Long Distance Bundle for Brocade 5100					x				D:FCSW-SW5100-LD	2540	Orderable from: 01/09/2008
	Power Pack (5100) EGM,TR,APM,EF,FW,AN	Long Distance Bundle for Brocade 5100					x				D:FCSW-SW5100-PP	7857	Orderable from: 01/09/2008
	Trunking (5100)	Trunking for Brocade 5100					x				D:FCSW-SW5100-TR	2381	Orderable from: 01/09/2008
	Adaptive Networking (5300)	Adaptive Networking for Brocade 5300						x			D:FCSW-SW5300-AN	4286	Orderable from: 01/09/2008
	Fabric Watch (5300)	Fabric Watch for Brocade 5300						x			D:FCSW-SW5300-FW	4444	Orderable from: 01/09/2008
	Integrated Routing (5300)	Integrated Routing for Brocade 5300						x			D:FCSW-SW5300-IR	13333	Orderable from: 01/09/2008
	Long Distance Bundle (5300) EGM,EF	Long Distance Bundle for Brocade 5300						x			D:FCSW-SW5300-LD	5476	Orderable from: 01/09/2008
	Power Pack (5300) EGM,TR,APM,EF,FW,AN	Power Pack Bundle for Brocade 5100						x			D:FCSW-SW5300-PP	12698	Orderable from: 01/09/2008
	Trunking (5300)	Trunking for Brocade 5300						x			D:FCSW-SW5300-TR	5317	Orderable from: 01/09/2008
	GE SFP, LC connector LX/LH transceiver	SFP 1GB/s SMF for CISCO Switches, max 10km							x		D:FF-GLC-LH-SM	510	
	GE SFP, LC connector SX transceiver	SFP 1GB/s MMF for CISCO Switches, max 500m							x		D:FF-GLC-SX-MM	256	
	SFP Single Mode (max 70km) CISCO	SFP 1GB/s SMF 70km for CISCO Switches							x		D:FF-GLC-ZX-SM	2046	
	Service High Avail 3750TS 12mon D,A,NL	CISCO 3750TS SERVICE High Availability 12 months, 7x24, country specific							x		D:S-375G24TS-HA	794	
	Service HA 3750TS 12Mon CH,GB,IRE,RSA	CISCO 3750TS SERVICE High Availability 12 months, 7x24, country specific							x		D:S-375G24TS-HA-I1	1944	
	Service HighAvail 3750TS REG E2	CISCO 3750TS SERVICE High Availability 12 months, 7x24, country specific							x		D:S-375G24TS-HA-I2	905	
	Service HighAvail 3750TS REGION I3	CISCO 3750TS SERVICE High Availability 12 months, 7x24, country specific							x		D:S-375G24TS-HA-I3	905	
	Service Standard 3750TS 12mon D,A,NL	CISCO 3750TS SERVICE STANDARD 12 months 5x9, country specific							x		D:S-375G24TS-ST	730	
	Service Std 3750TS 12 Mon CH,GB,IRE,RSA	CISCO 3750TS SERVICE STANDARD 12 months 5x9, country specific							x		D:S-375G24TS-ST-I1	1817	
	Service Standard 3750TS REG E2	CISCO 3750TS SERVICE STANDARD 12 months 5x9, country specific							x		D:S-375G24TS-ST-I2	849	
	Service Standard 3750TS REGION I3	CISCO 3750TS SERVICE STANDARD 12 months 5x9, country specific							x		D:S-375G24TS-ST-I3	849	
	FC-Switch 300 SUS Back Level Supp +1year	Software Maintenance für Switch Brocade 300, extension +1 year software update and 3rd level support		x							D:SUP-300-1	88	Orderable from: 01/09/2008
	FC-Switch 300 SUS Back Level Supp Y1-3	Software Maintenance for Switch brocade 300, valid for year 1-3; covers: - 3rd level support and right for software updates		x							D:SUP-300-3	176	Orderable from: 01/09/2008
	SecFOS 5000/4100 SUS Back Level Sup +1Y	Secure Fabric OS (5000/4100) Back Level Supp for authorized FSC service partners, extension +1 year software update/3rd level support				x					D:SUP-32P-SO-1	370	
	SecFOS 5000/4100 SUS Back Level Sup Y1-3	Secure Fabric OS (5000/4100) Back Level Supp for authorized FSC service partners, year 1-3 software update/3rd level support, interval starts with shipment				x					D:SUP-32P-SO-3	739	
	SecFOS 5000/4100 SUS Back Level Sup Y1-5	Secure Fabric OS (5000/4100) Back Level Supp for authorized FSC service partners, year 1-5 software update/3rd level support, interval starts with shipment				x					D:SUP-32P-SO-5	1475	
	FC-Switch 5000 SUS Back Level Supp +1Y	FC-Switch 5000 Back Level Support for authorized FSC service partners, extension +1 year software update/3rd level support				x					D:SUP-5000-1	387	
	FC-Switch 5000 SUS Back Level Supp Y1-3	FC-Switch 5000 Back Level Support for authorized FSC service partners, year 1-3 software update/3rd level support, interval starts with shipment				x					D:SUP-5000-3	772	
	FC-Switch 5000 SUS Back Level Supp Y1-5	FC-Switch 5000 Back Level Support for authorized FSC service partners, year 1-5 software update/3rd level support, interval starts with shipment				x					D:SUP-5000-5	1544	
	FC-Switch 5100 SUS Back Level Supp+1year	Software Maintenance für Switch Brocade 5100, extension +1 year software update and 3rd level support						x			D:SUP-5100-1	556	Orderable from: 01/09/2008
	FC-Switch 5100 SUS Back Level Supp Y1-3	Software Maintenance for Switch brocade 5100, valid for year 1-3; covers: - 3rd level support and right for software updates						x			D:SUP-5100-3	1111	Orderable from: 01/09/2008
	FC-Switch 5300 SUS Back Level Supp+1year	Software Maintenance für Switch Brocade 5300, extension +1 year software update and 3rd level support						x			D:SUP-5300-1	1349	Orderable from: 01/09/2008



Options SAN Components

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FC-Switch 200E	FC-Switch 300	FC-Switch 4900	FC-Switch 5000	FC-Switch 5100	FC-Switch 5300	IP CISCO fixed Switch	IP CISCO modular Switch	Code	End User Price (£)	Comments
Options matrix													
FC/IP-Infrastructure (Continued)													
	FC-Switch 5300 SUS Back Level Supp Y1-3	Software Maintenance for Switch brocade 5300, valid for year 1-3; covers: - 3rd level support and right for software updates							x		D:SUP-5300-3	2698	Orderable from: 01/09/2008
	FC-Switch 200E SUS Back Level Supp +1Y	FC-Switch 200E Back Level Support for authorized FSC service partners, extension +1 year software update/3rd level support	x								D:SUP-BR16P200EL-1	71	
	FC-Switch 200E SUS Back Level Supp Y1-3	FC-Switch 200E Back Level Support for authorized FSC service partners, year 1-3 software update/3rd level support, interval starts with shipment	x								D:SUP-BR16P200EL-3	139	
	FC-Switch 200E SUS Back Level Supp Y1-5	FC-Switch 200E Back Level Support for authorized FSC service partners, year 1-5 software update/3rd level support, interval starts with shipment	x								D:SUP-BR16P200EL-5	277	
	FC-Switch 4900 SUS Back Level Supp +1Y	FC-Switch 4900 Back Level Support for authorized FSC service partners, extension +1 year software update/3rd level support			x						D:SUP-BR64P4932L-1	807	
	FC-Switch 4900 SUS Back Level Supp Y1-3	FC-Switch 4900 Back Level Support for authorized FSC service partners, year 1-3 software update/3rd level support, interval starts with shipment			x						D:SUP-BR64P4932L-3	1612	
	FC-Switch 4900 SUS Back Level Supp Y1-5	FC-Switch 4900 Back Level Support for authorized FSC service partners, year 1-5 software update/3rd level support, interval starts with shipment			x						D:SUP-BR64P4932L-5	3224	
	FabMan5 Basic SUS Back Level Supp +1Y	Fabric Manager 5.X Basic Back Level Support for authorized FSC service partners, extension +1 year software update/3rd level support	x	x	x						D:SUP-BRSWFM-B04-1	373	
	FabMan5 Basic SUS Back Level Supp Y1-3	Fabric Manager 5.X Basic Back Level Support for authorized FSC service partners, year 1-3 software update/3rd level support, interval starts with shipment	x	x	x						D:SUP-BRSWFM-B04-3	744	
	FabMan5 Basic SUS Back Level Supp Y1-5	Fabric Manager 5.X Basic Back Level Support for authorized FSC service partners, year 1-5 software update/3rd level support, interval starts with shipment	x	x	x						D:SUP-BRSWFM-B04-5	1488	
	FabMan5 Enterp. SUS Back Level Supp +1Y	Fabric Manager 5.X Enterprise Back Level Supp for authorized FSC service partners, extension +1 year software update/3rd level support	x	x	x						D:SUP-BRSWFM-E99-1	993	
	FabMan5 Enterp. SUS Back Level Supp Y1-3	Fabric Manager 5.X Enterprise Back Level Supp for authorized FSC service partners, year 1-3 software update/3rd level support, interval starts with shipment	x	x	x						D:SUP-BRSWFM-E99-3	1984	
	FabMan5 Enterp. SUS Back Level Supp Y1-5	Fabric Manager 5.X Enterprise Back Level Supp for authorized FSC service partners, year 1-5 software update/3rd level support, interval starts with shipment	x	x	x						D:SUP-BRSWFM-E99-5	3967	
	FabMan5 Stand. SUS Back Level Supp +1Y	Fabric Manager 5.X Standard Back Level Support for authorized FSC service partners, extension +1 year software update/3rd level support	x	x	x						D:SUP-BRSWFM-S10-1	744	
	FabMan5 Stand. SUS Back Level Supp Y1-3	Fabric Manager 5.X Standard Back Level Support for authorized FSC service partners, year 1-3 software update/3rd level support, interval starts with shipment	x	x	x						D:SUP-BRSWFM-S10-3	1488	
	FabMan5 Stand. SUS Back Level Supp Y1-5	Fabric Manager 5.X Standard Back Level Support for authorized FSC service partners, year 1-5 software update/3rd level support, interval starts with shipment	x	x	x						D:SUP-BRSWFM-S10-5	2975	
	SecFOS 4900 SUS Back Level Supp +1Y	Secure Fabric OS (4900) Back Level Support for authorized FSC service partners, extension +1 year software update/3rd level support			x						D:SUP-BRSWSO4900-1	922	



Options SAN Components

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	FC-Switch 200E	FC-Switch 300	FC-Switch 4900	FC-Switch 5000	FC-Switch 5100	FC-Switch 5300	IP CISCO fixed Switch	IP Cisco modular Switch	Code	End User Price (£)	Comments
Options matrix													
FC/IP-Infrastructure (Continued)													
	SecFOS 4900 SUS Back Level Supp Y1-3	Secure Fabric OS (4900) Back Level Support for authorized FSC service partners, year 1-3 software update/3rd level support, interval starts with shipment			x						D:SUP-BRSWSO4900-3	1844	
	SecFOS 4900 SUS Back Level Supp Y1-5	Secure Fabric OS (4900) Back Level Support for authorized FSC service partners, year 1-5 software update/3rd level support, interval starts with shipment			x						D:SUP-BRSWSO4900-5	3686	
Cables													
	FC cable MMF, 5m, LC/LC		x	x	x				x		D:FKAB-MM-C05L-Z	33	



Positioning Unint. Power Supply

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Uninterruptable Power Supply (UPS)

UPS systems protect IT equipment against system drop outs triggered by power loss or bad power quality. They provide energy over a limited period of time (autonomy time) depending on the amount of battery capacity. Online technology provides highest quality power protection (VFI-SS-111) .

Masterguard ONLINE UPS

This UPS family provides Online functionality covering power requirements ranging from 0,5kW to several hundred kW. All devices use the same software which is available both for INTEL™ and SUN Sparc™ environments. Beside the standard software there is a high availability software which allows the safeguard of distributed solutions or large UPS farms.



Storage Uninterruptible Power Supply

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Model	Description	Details	Code	End User Price (£)	Comments
MASTERGUARD Online UPS					
	Base unit configurations				
	MG Online UPS Battery extens.10kVA Tower				
	MG Online UPS Battery extens.10kVA Tower	External UPS battery pack (BP) for 10 kVA tower UPS, Color: ergo gray; rollable, incl. UPS connection cable,, max. 2 ext. batteries / UPSs, , Runtime: , 1 ext. battery: 23 min (full load), 2 ext. battery: 43 min (full load)	D:UPS31-T10-PA1-MG	1111	
	MG Online UPS 10kVA / 7kW (Tower) 5min				
	MG Online UPS 10kVA / 7kW (Tower) 5min	Tower modell incl. battery, Active power 7000 W, Color: ergo gray; can be rolled, Runtime: 5 min, Management: RS232/V.24, Connector: COM SubD-9, 1x slot for alternative adapter, 1x V24 cable (data cable), CD with management software and basic license for 3 servers, Output side, 1-phase, , 1x permanent connection , No distributor supplied:., , 3-phase permanent connection, required by electrician	D:UPS31-T10-PV1-MG	3889	
	MG Online UPS Battery extens.20kVA Tower				
	MG Online UPS Battery extens.20kVA Tower	External UPS battery pack (BP) for 20 kVA tower UPS, Color: ergo gray; rollable, incl. UPS connection cable,, max. 2 ext. batteries / UPSs, , Runtime: , 1 ext. battery: 41 min (full load), 2 ext. battery: 81 min (full load)	D:UPS31-T20-PA1-MG	4754	
	MG Online UPS 20kVA / 14kW (Tower) 10min				
	MG Online UPS 20kVA / 14kW (Tower) 10min	Tower modell incl. battery, Active power 14000 W, Color: ergo gray; can be rolled, Runtime: 10 min, Management: RS232/V.24, Connector: COM SubD-9, 1x slot for alternative adapter, 1x V24 cable (data cable), CD with management software and basic license for 3 servers, Output side, 1-phase, , 1x permanent connection, No distributor supplied:., , 3-phase permanent connection required by electrician	D:UPS31-T20-PV1-MG	8651	
	MG Online UPS 10kVA / 7kW (3U Rack) 0min				
	MG Online UPS 10kVA / 7kW (3U Rack) 0min	Rack model without battery, Active power 7000 W, Color: anthracite, Runtime: 0 min, Management: RS232/V.24, Connector: COM SubD-9, 1x slot for alternative adapter, 1x V24 cable (data cable), CD with management software and basic license for 3 servers, Output side, 1-phase 2x IEC320 C19 (16A), 1x permanent connection , Distributor supplied:., 1x CEE cable 32A (0.5m), 1-phase permanent connection required by electrician	D:UPS-R10-PV1-MG	4127	
	MG Online UPS 6kVA/4,2kW (3U Rack) 0min				
	MG Online UPS 6kVA/4,2kW (3U Rack) 0min	Rack model without battery, Active power 4200 W, Color: anthracite, Runtime: 0 min, Management: RS232/V.24, Connector: COM SubD-9, 1x slot for alternative adapter, 1x V24 cable (data cable), CD with management software and basic license for 3 servers, Output side, 1-phase 2x IEC320 C19 (16A), 1x permanent connection , Distributor / cable supplied:., 1x CEE cable 32A (0.5m), 1-phase permanent connection required by electrician	D:UPS-R6-PV1-MG	2460	
	MG Online UPS Battery extens. 6-10kVA R				
	MG Online UPS Battery extens. 6-10kVA R	UPS battery pack (BP) for 6 / 10 kVA rack UPS, Color: anthracite incl. UPS connection cable,, , Max. 3 ext. batteries 6kVA UPSs, Runtime:., 1x ext. battery: 12 min (full load), 2x ext. battery: 29 min (full load), 3x ext. battery: 45 min (full load), , Max. 4 ext. batteries/10kVA UPSs, Runtime:., 1x ext. battery: 5 min (full load), 2x ext. battery: 16 min (full load), 3x ext. battery: 25 min (full load), 4x ext. battery: 34 min (full load)	D:UPS-R6R10-PA1-MG	1032	



Storage Uninterruptible Power Supply

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Model	Description	Details	Code									End User Price (£)	Comments
MASTERGUARD Online UPS (Continued)													
	MG Online UPS 1kVA / 700W (Tower) 7min	Tower modell incl. battery, Active power 700 W, Color: ergo gray, Runtime: 7 min, Management: RS232/V.24, Connector: COM SubD-9, 1x slot for alternative adapter, 1x V24 cable (data cable), CD with management software , and basic license for 3 servers, , comes with power outlet, 1x IEC320 C13 to 3x SCHUKO	D:UPS-T1-PV1									595	Phased out
	MG Online UPS 3kVA / 2,1kW (Tower) 6min	Tower modell incl. battery, Active power 2100 W, Color: ergo gray, Runtime: 6 min, Management: RS232/V.24, Connector: COM SubD-9, 1x slot for alternative adapter, 1x V24 cable (data cable), CD with management software , and basic license for 3 servers, Output side, 1-phase 2x IEC320 C19 (16A), , comes with power outlet 1x IEC320 C19 to 3x SCHUKO	D:UPS-T3-PV1									1349	Phased out



Accessories Unint. Power Supply

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	APC Online UPS	MASTERGUARD Online UPS	Code	End User Price (£)	Comments
Accessories & services matrix							
Rack-Infrastructure							
	Adapter angle PC/DC-Rack, 3U till 200Kg	Adapter angle PC/DC-Rack, 3U till 200Kg	x		S26361-F2735-L31	24	
UPS/Power supply							
	MG UPS Cable3,5mLink BP-Rack 6kVA-10kVA	UPS cable, 3.5m, between BP + rack 6kVA-10kVA, to extend the battery connection cable , if the distance between the control unit and ext. , battery extension is too great, for example ext. battery , extension in the neighboring rack.	x		D:UPS-BATTKAB-L-MG	63	
	MG UPS LAN3 Controller 100Mbit SNMP, WEB	USV LAN controller, SNMP, WEB management 100 Mbit only for MGUA UPSs from this configurator (RoHS- compatible, D:UPS*) can be used., Software supplied with the UPS without LAN connection cable., Occupies optional adapter slot.	x		D:UPS-LAN3-L-MG	167	
	MG UPS PDU1 3xC32A-2xC16A-2xIEC16A	Power distribution cable for UPS output voltage., 3xC32A-2xC16A-2xIEC16A	x		D:UPS-PDU1-L-MG	1024	
	MG UPS PDU2 3xC32A-2xC16A-2xIEC16A	Power distribution cable for UPS output voltage., 3xC32A-2xC16A-2xIEC16A	x		D:UPS-PDU2-L-MG	1024	
	MG UPS PDU31 3xC32A-2xC16A-2xIEC16A	Power distribution cable for UPS output voltage., 3xC32A-2xC16A-2xIEC16A	x		D:UPS-PDU31-L-MG	1839	
	UPS Man Software MGUA BASIC 3-1-1-25	UPS management software MGUA BASIS 3-1-1-25, This license comes with the UPS. Up to three servers can be connected to a UPS (these servers do not work in a cluster) and are notified individually by the UPS if there is imminent danger of a power failure. The software can manage a UPS. The three servers can notify a total of up to 25 clients via LAN of the impending power failure and initiate shutdown. If a server fails or the client cannot be reached, the client learns nothing about the power failure.	x		D:UPSSW-BASIS-MG	230	
	UPS Man Software V31 MGUA BASIC 3-1-1-25	UPS management software MGUA BASIS 3-1-1-25, This license comes with the UPS. Up to three servers can be connected to a UPS (these servers do not work in a cluster) and are notified individually by the UPS if there is imminent danger of a power failure. The software can manage a UPS. The three servers can notify a total of up to 25 clients via LAN of the impending power failure and initiate shutdown. If a server fails or the client cannot be reached, the client learns nothing about the power failure.	x		D:UPSSW-BASISV31MG	230	



Accessories Unint. Power Supply

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	APC Online UPS MASTERGUARD Online UPS	Code	End User Price (£)	Comments
UPS/Power supply (Continued)						
	UPS Man SW Option CLUSTER 2-3-5-50	This package can be ordered optionally and addresses a dual-node cluster application. The number of cluster nodes can be increased by adding further licenses in grids of 2 (a quad-node cluster requires 2 licenses). The license can manage up to 3 groups, each with up to 5 UPS systems. The package is aimed at distributed cluster applications in which a pool of parallel UPSs with up to 5 UPSs each is intended for servers, infrastructure (data transport) and consolidated storage hardware. The servers involved can address a total of 50 clients.	x	D:UPSSW-CLUSTER-MG	675	
	UPS Man SW Option ENTERPRISE 25-3-5-50	This package can be ordered optionally and is designed for power solutions with a powerful server that can be split into virtual machines (example: PRIMEPOWER). Configurations such as in the cluster version can be created for the distributed environment used by the virtual server.	x	D:UPSSW-ENTERPR-MG	913	
	UPS Man SW Option SERVER GRID 25-1-1-50	This package can be ordered optionally and addresses completely fitted blade servers. The power quality information must be passed to many systems that are accommodated in a chassis and supplied by a UPS. The UPSs can be managed from any desired server of the blade, with the result that there is also power management when individual blades are inactive or have failed.	x	D:UPSSW-GRID-MG	476	
	UPS ManSW V31OptionSERVER GRID 25-1-1-50	This package can be ordered optionally and addresses completely fitted blade servers. The power quality information must be passed to many systems that are accommodated in a chassis and supplied by a UPS. The UPSs can be managed from any desired server of the blade, with the result that there is also power management when individual blades are inactive or have failed.	x	D:UPSSW-GRID-V31MG	476	
	APC Online UPS RMK D/P/3rd P Racks	1 pair sliding rails, depth variable, for D/P/3rd P racks, for assembly of a floorstand APC online UPS into a rack, incl. adapter angle 150 kg	x	S26361-F2845-L1	86	
	Power cord 16A IEC320 C19->C20	with connector IEC320 C19->C20	x	S26361-F3151-L300	24	



Options Unint. Power Supply

Data Sheets: <http://www.fujitsu-siemens.com/storage>

Category	Description	Details	APC Online UPS MASTERGUARD Online UPS	Code	End User Price (€)	Comments
Options matrix						
Rack-Infrastructure						
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.	x	S26361-F1647-E302	51	
UPS/Power supply						
	MG UPS Cable3.5mLink BP-Rack 6kVA-10kVA	UPS cable, 3.5m, between BP + rack 6kVA-10kVA, to extend the battery connection cable , if the distance between the control unit and ext. , battery extension is too great, for example ext. battery , extension in the neighboring rack.	x	D:UPS-BATTKAB-MG	63	
	USV LAN Controller SNMP, WEB browser	USV LAN controller, SNMP, WEB management 10 Mbit only for MGUA UPSs from this configurator (RoHS- compatible, D:UPS*) can be used., Software supplied with the UPS without LAN connection cable., Occupies optional adapter slot.	x	D:UPS-LAN2	222	
	MG UPS LAN3 Controller 100Mbit SNMP, WEB	USV LAN controller, SNMP, WEB management 100 Mbit only for MGUA UPSs from this configurator (RoHS- compatible, D:UPS*) can be used., Software supplied with the UPS without LAN connection cable., Occupies optional adapter slot.	x	D:UPS-LAN3-MG	167	
Miscellaneous						
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order	x	S26361-F1647-E410	20	
Cables						
	power in cable CEE 16A / IEC 320 16A, 5m	power in cable CEE 16A / IEC 320 16A, 5m, for ONLINE USV 3KVA and RPS-Box	x	D:90712-16AC	58	Phased out